



Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X BC0		

CDMA2000 1X BC0 - Packet Switched (BC0 Mode CH 1013)




CDMA2000 1X BC0 - Packet Switched (BC0 Mode CH 384)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X BC0		

CDMA2000 1X BC0 - Packet Switched (BC0 Mode CH 777)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X BC1		

CDMA2000 1X BC1 - Packet Switched (BC1 Mode CH 25)




CDMA2000 1X BC1 - Packet Switched (BC1 Mode CH 600)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X BC1		

CDMA2000 1X BC1 - Packet Switched (BC1 Mode CH 1175)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL 0 BC0		

CDMA2000 1X EV-DO REL 0 BC0 - Packet Switched (BC0 Mode CH 1013)




CDMA2000 1X EV-DO REL 0 BC0 - Packet Switched (BC0 Mode CH 384)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL 0 BC0		

CDMA2000 1X EV-DO REL 0 BC0 - Packet Switched (BC0 Mode CH 777)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL 0 BC1		

CDMA2000 1X EV-DO REL 0 BC1 - Packet Switched (BC1 Mode CH 25)




CDMA2000 1X EV-DO REL 0 BC1 - Packet Switched (BC1 Mode CH 600)



Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL 0 BC1		


CDMA2000 1X EV-DO REL 0 BC1 - Packet Switched (BC1 Mode CH 1175)






Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL A BC0		

CDMA2000 1X EV-DO REL A BC0 - Packet Switched (BC0 Mode CH 1013)




CDMA2000 1X EV-DO REL A BC0 - Packet Switched (BC0 Mode CH 384)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL A BC0		

CDMA2000 1X EV-DO REL A BC0 - Packet Switched (BC0 Mode CH 777)




Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL A BC1		

CDMA2000 1X EV-DO REL A BC1 - Packet Switched (BC1 Mode CH 25)




CDMA2000 1X EV-DO REL A BC1 - Packet Switched (BC1 Mode CH 600)



Product	Tablet PC		
Test Mode	Occupied Bandwidth		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	CDMA2000 1X EV-DO REL A BC1		

CDMA2000 1X EV-DO REL A BC1 - Packet Switched (BC1 Mode CH 1175)



#### 4. Spurious Emission At Antenna Terminals (+/-1MHz)


##### 4.1. Test Equipment

The following test equipments are used during the spurious emission test

Equipment	Manufacturer	Model No./Serial No.	Last Cal.
Spectrum Analyzer (9K-26.5GHz)	Agilent	N9020A/MY48010570	Apr., 2010
Universal Radio Communication Tester	R & S	CMU200 / 104846	May., 2010
Directional coupler	Agilent	87300C / MY44300353	Aug., 2009
Directional coupler	Agilent	778D-012/ 50550	Aug., 2009

Note: All equipments upon which need to be calibrated are with calibration period of 1 year.

##### 4.2. Setup



### 4.3. Limits

Cellular Band Transmitter limits for narrowband spurious emission

<b>Lower Block Edge Test Frequencies</b>	<b>Upper Block Edge Test Frequencies</b>
Block A Channel : 128 Frequency : 824.2 MHz	Block B Channel : 251 Frequency : 848.8 MHz

PCS Band Transmitter limits for narrowband spurious emission

<b>Lower Block Edge Test Channels/Frequencies</b>	<b>Upper Block Edge Test Channels/Frequencies</b>
Block A Channel : 512 Frequency : 1850.2 MHz	Block C Channel : 810 Frequency : 1909.8 MHz

### 4.4. Test Procedure

In accordance with Part 22.917 and 24.238, at least 1% of the emission bandwidth was used for the resolution and video bandwidths up to 1MHz away from the Block Edge. At greater than 1MHz, the resolution and video bandwidth were increased to 1MHz.

The reference power and path losses of all channels used for testing in each frequency block were measured.


### 4.5. Test Specification

According to Part 2.1049, 22.917,24.238.


#### 4.6. Test Result of Spurious Emission At Antenna Terminals (+/-1MHz)

Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (GSM 850 GPRS)		

GSM 850 GPRS Lower Channel 128 (824.2MHz)




GSM 850 GPRS Upper Channel 251 (848.8MHz)




Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (GSM 850 EGPRS)		

GSM 850 EGPRS Lower Channel 128 (824.2MHz)




GSM 850 EGPRS Upper Channel 251(848.8MHz)






Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (PCS 1900 GPRS)		

PCS 1900 GPRS Lower Channel 512 (1850.2MHz)




PCS 1900 GPRS Upper Channel 810(1910.0MHz)




Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (PCS 1900 EGPRS)		

PCS 1900 EGPRS Lower Channel 512 (1850.2MHz)




PCS 1900 EGPRS Upper Channel 810(1910.0MHz)



Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (WCDMA BAND V)		

WCDMA BAND V Lower Channel 4132 (826.4MHz)




WCDMA BAND V Upper Channel 4233 (846.6MHz)



Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (WCDMA BAND V HSDPA)		

WCDMA BAND V HSDPA Lower Channel 4132 (826.4MHz)




WCDMA BAND V HSDPA Upper Channel 4233 (846.6MHz)



Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (WCDMA BAND V HSUPA)		

WCDMA BAND V HSUPA Lower Channel 4132 (826.4MHz)




WCDMA BAND V HSUPA Upper Channel 4233 (846.6MHz)



Product	Tablet PC		
Test Mode	Spurious Emission At Antenna Terminals (+/-1MHz)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	Block Edge Test (WCDMA BAND II)		

WCDMA BAND II Lower Channel 9262 (1852.4MHz)



WCDMA BAND II Upper Channel 9538 (1907.6 MHz)

