






Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	PCS 1900 EGPRS	Test Range	30MHz~20GHz

PCS 1900 EGPRS Mid-Channel 661

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-60.557	1.1	-59.457	-13
5640	-50.753	1.23	-49.523	-13
7520	-61.462	1.59	-59.872	-13
9400	-62.631	1.89	-60.741	-13
11280	-64.582	2.07	-62.512	-13
13160	-63.525	2.26	-61.265	-13
15040	-60.981	2.64	-58.341	-13
16920	-59.962	3.5	-56.462	-13
18800	-59.278	3.7	-55.578	-13










Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND V	Test Range	30MHz~10GHz

WCDMA BAND V Mid-Channel 4183

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673.2	-66.941	0.58	-66.361	-13
2509.8	-47.823	0.7	-47.123	-13
3352.4	-50.722	1.01	-49.712	-13
4183	-54.077	1.18	-52.897	-13
5019.6	-41.474	1.23	-40.244	-13
5856.2	-39.636	1.45	-38.186	-13
6692.8	-62.220	1.56	-60.660	-13
7529.4	-61.752	1.59	-60.162	-13
8366	-67.870	1.82	-66.050	-13











Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND V HSDPA	Test Range	30MHz~10GHz

WCDMA BAND V HSDPA Mid-Channel 4183

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673.2	-64.142	0.58	-63.562	-13
2509.8	-46.991	0.7	-46.291	-13
3352	-49.744	1.01	-48.734	-13
4183	-53.861	1.18	-52.681	-13
5019.6	-45.453	1.23	-44.223	-13
5856.2	-44.912	1.45	-43.462	-13
6692.8	-63.322	1.56	-61.762	-13
7529.4	-61.276	1.59	-59.686	-13
8366	-68.176	1.82	-66.356	-13











Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND V HSUPA	Test Range	30MHz~10GHz

WCDMA BAND V HSUPA Mid-Channel 4183

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673.2	-66.954	0.58	-66.374	-13
2509.8	-47.501	0.7	-46.801	-13
3352	-49.814	1.01	-48.804	-13
4183	-53.748	1.18	-52.568	-13
5019.6	-45.513	1.23	-44.283	-13
5856.2	-45.004	1.45	-43.554	-13
6692.8	-64.110	1.56	-62.550	-13
7529.4	-61.607	1.59	-60.017	-13
8366	-67.927	1.82	-66.107	-13












Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND II	Test Range	30MHz~20GHz

WCDMA BAND II Mid-Channel 9400

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-30.809	1.1	-29.709	-13
5640	-52.272	1.23	-51.042	-13
7520	-43.576	1.59	-41.986	-13
9400	-56.434	1.89	-54.544	-13
11280	-64.024	2.07	-61.954	-13
13160	-64.677	2.26	-62.417	-13
15040	-61.791	2.64	-59.151	-13
16920	-60.595	3.5	-57.095	-13
18800	-61.516	3.7	-57.816	-13











Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND II HSDPA	Test Range	30MHz~20GHz

WCDMA BAND II HSDPA Mid-Channel 9400

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-31.233	1.1	-30.133	-13
5640	-52.247	1.23	-51.017	-13
7520	-43.672	1.59	-42.082	-13
9400	-55.801	1.89	-53.911	-13
11280	-65.026	2.07	-62.956	-13
13160	-65.479	2.26	-63.219	-13
15040	-62.200	2.64	-59.560	-13
16920	-60.800	3.5	-57.300	-13
18800	-61.562	3.7	-57.862	-13







Product	Tablet PC		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2010/06/03	Test Site	CTR
Test Condition	WCDMA BAND II HSUPA	Test Range	30MHz~20GHz

WCDMA BAND II HSUPA Mid-Channel 9400

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3760	-31.106	1.1	-30.006	-13
5640	-51.937	1.23	-50.707	-13
7520	-43.262	1.59	-41.672	-13
9400	-55.924	1.89	-54.034	-13
11280	-64.030	2.07	-61.960	-13
13160	-65.588	2.26	-63.328	-13
15040	-60.866	2.64	-58.226	-13
16920	-60.793	3.5	-57.293	-13
18800	-60.689	3.7	-56.989	-13

