

Test Laboratory: Bureau Veritas ADT

M02-11a Band2-Ch52 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5260 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5260$ MHz; $\sigma = 5.28$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 52/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.38 mW/g

Channel 52/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 17.3 V/m; Power Drift = -0.107 dB

Peak SAR (extrapolated) = 3.62 W/kg

SAR(1 g) = 0.976 mW/g; SAR(10 g) = 0.397 mW/g

Maximum value of SAR (measured) = 1.58 mW/g


Channel 52/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 17.3 V/m; Power Drift = -0.107 dB

Peak SAR (extrapolated) = 3.3 W/kg

SAR(1 g) = 0.679 mW/g; SAR(10 g) = 0.361 mW/g

Maximum value of SAR (measured) = 1.34 mW/g



Test Laboratory: Bureau Veritas ADT

M02-11a Band2-Ch60 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5300 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5300$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 60/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.55 mW/g

Channel 60/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 18.3 V/m; Power Drift = -0.194 dB

Peak SAR (extrapolated) = 4.24 W/kg

SAR(1 g) = 1.09 mW/g; SAR(10 g) = 0.424 mW/g

Maximum value of SAR (measured) = 1.84 mW/g


Channel 60/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 18.3 V/m; Power Drift = -0.194 dB

Peak SAR (extrapolated) = 3.69 W/kg

SAR(1 g) = 0.785 mW/g; SAR(10 g) = 0.400 mW/g

Maximum value of SAR (measured) = 1.6 mW/g



Test Laboratory: Bureau Veritas ADT

M02-11a Band2-Ch64 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.36$ mho/m; $\epsilon_r = 49.9$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.62 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 18.7 V/m; Power Drift = -0.148 dB

Peak SAR (extrapolated) = 4.52 W/kg

SAR(1 g) = 1.11 mW/g; SAR(10 g) = 0.401 mW/g

Maximum value of SAR (measured) = 1.88 mW/g


Channel 64/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 18.7 V/m; Power Drift = -0.148 dB

Peak SAR (extrapolated) = 3.82 W/kg

SAR(1 g) = 0.745 mW/g; SAR(10 g) = 0.361 mW/g

Maximum value of SAR (measured) = 1.48 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch100 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 802.11a ; Frequency: 5500 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
Medium: MSL5800 Medium parameters used: $f = 5500$ MHz; $\sigma = 5.62$ mho/m; $\epsilon_r = 49.6$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 100/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.96 mW/g


Channel 100/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 19.8 V/m; Power Drift = -0.121 dB

Peak SAR (extrapolated) = 3.77 W/kg

SAR(1 g) = 1.06 mW/g; SAR(10 g) = 0.280 mW/g

Maximum value of SAR (measured) = 2.02 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch104 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5520 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5520$ MHz; $\sigma = 5.65$ mho/m; $\epsilon_r = 49.5$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 104/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.83 mW/g


Channel 104/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 19.9 V/m; Power Drift = -0.156 dB

Peak SAR (extrapolated) = 4.32 W/kg

SAR(1 g) = 1.12 mW/g; SAR(10 g) = 0.408 mW/g

Maximum value of SAR (measured) = 1.95 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch116 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 802.11a ; Frequency: 5580 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
Medium: MSL5800 Medium parameters used: $f = 5580$ MHz; $\sigma = 5.74$ mho/m; $\epsilon_r = 49.4$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 116/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.63 mW/g


Channel 116/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 18 V/m; Power Drift = -0.120 dB

Peak SAR (extrapolated) = 3.9 W/kg

SAR(1 g) = 1.01 mW/g; SAR(10 g) = 0.381 mW/g

Maximum value of SAR (measured) = 1.72 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch120 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5600 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5600$ MHz; $\sigma = 5.76$ mho/m; $\epsilon_r = 49.3$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 120/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.3 mW/g


Channel 120/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 16.2 V/m; Power Drift = -0.078 dB

Peak SAR (extrapolated) = 3.29 W/kg

SAR(1 g) = **0.851 mW/g**; SAR(10 g) = 0.347 mW/g

Maximum value of SAR (measured) = 1.41 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch124 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5620 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5620$ MHz; $\sigma = 5.79$ mho/m; $\epsilon_r = 49.3$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 124/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.07 mW/g


Channel 124/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 14.4 V/m; Power Drift = -0.154 dB

Peak SAR (extrapolated) = 2.73 W/kg

SAR(1 g) = **0.703 mW/g**; SAR(10 g) = 0.306 mW/g

Maximum value of SAR (measured) = 1.16 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch136 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5680 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5680$ MHz; $\sigma = 5.89$ mho/m; $\epsilon_r = 49.2$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 136/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.560 mW/g

Channel 136/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 10.6 V/m; Power Drift = 0.032 dB

Peak SAR (extrapolated) = 1.57 W/kg

SAR(1 g) = 0.405 mW/g; SAR(10 g) = 0.223 mW/g

Maximum value of SAR (measured) = 0.596 mW/g


Channel 136/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 10.6 V/m; Power Drift = 0.032 dB

Peak SAR (extrapolated) = 1.6 W/kg

SAR(1 g) = 0.334 mW/g; SAR(10 g) = 0.213 mW/g

Maximum value of SAR (measured) = 0.463 mW/g



Test Laboratory: Bureau Veritas ADT

M03-11a Band3-Ch140 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5700 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5700$ MHz; $\sigma = 5.92$ mho/m; $\epsilon_r = 49.1$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 140/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.557 mW/g

Channel 140/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 9.11 V/m; Power Drift = -0.174 dB

Peak SAR (extrapolated) = 1.27 W/kg

SAR(1 g) = 0.397 mW/g; SAR(10 g) = 0.218 mW/g

Maximum value of SAR (measured) = 0.551 mW/g


Channel 140/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 9.11 V/m; Power Drift = -0.174 dB

Peak SAR (extrapolated) = 1.37 W/kg

SAR(1 g) = 0.351 mW/g; SAR(10 g) = 0.205 mW/g

Maximum value of SAR (measured) = 0.473 mW/g



Test Laboratory: Bureau Veritas ADT

M04-11aN 20M Band1-Ch36 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5180 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5180$ MHz; $\sigma = 5.17$ mho/m; $\epsilon_r = 50.2$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 36/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.04 mW/g

Channel 36/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 15.9 V/m; Power Drift = -0.132 dB

Peak SAR (extrapolated) = 2.77 W/kg

SAR(1 g) = 0.753 mW/g; SAR(10 g) = 0.330 mW/g

Maximum value of SAR (measured) = 1.23 mW/g


Channel 36/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 15.9 V/m; Power Drift = -0.132 dB

Peak SAR (extrapolated) = 2.33 W/kg

SAR(1 g) = 0.542 mW/g; SAR(10 g) = 0.297 mW/g

Maximum value of SAR (measured) = 1.08 mW/g



Test Laboratory: Bureau Veritas ADT

M04-11aN 20M Band1-Ch40 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5200 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5200$ MHz; $\sigma = 5.19$ mho/m; $\epsilon_r = 50.1$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 40/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.34 mW/g

Channel 40/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 17.5 V/m; Power Drift = -0.127 dB
Peak SAR (extrapolated) = 3.52 W/kg
SAR(1 g) = 0.940 mW/g; SAR(10 g) = 0.381 mW/g
Maximum value of SAR (measured) = 1.55 mW/g



Test Laboratory: Bureau Veritas ADT

M04-11aN 20M-band1-Ch48 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5240 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5240$ MHz; $\sigma = 5.25$ mho/m; $\epsilon_r = 50.1$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 48/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.39 mW/g

Channel 48/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 17.5 V/m; Power Drift = -0.191 dB
Peak SAR (extrapolated) = 3.71 W/kg
SAR(1 g) = 0.983 mW/g; SAR(10 g) = 0.396 mW/g
Maximum value of SAR (measured) = 1.62 mW/g



Test Laboratory: Bureau Veritas ADT

M05-11aN 20M Band2-Ch52 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5260 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5260$ MHz; $\sigma = 5.28$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 52/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.21 mW/g

Channel 52/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 16.1 V/m; Power Drift = 0.035 dB
Peak SAR (extrapolated) = 3.38 W/kg
SAR(1 g) = 0.876 mW/g; SAR(10 g) = 0.363 mW/g
Maximum value of SAR (measured) = 1.36 mW/g



Test Laboratory: Bureau Veritas ADT

M05-11aN 20M Band2-Ch60 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5300 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5300$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³

Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 60/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.09 mW/g


Channel 60/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 15.3 V/m; Power Drift = -0.136 dB

Peak SAR (extrapolated) = 3.09 W/kg

SAR(1 g) = 0.792 mW/g; SAR(10 g) = 0.344 mW/g

Maximum value of SAR (measured) = 1.26 mW/g



Test Laboratory: Bureau Veritas ADT

M05-11aN 20M Band2-Ch64 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 11aN 20MHz ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.36$ mho/m; $\epsilon_r = 49.9$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.78 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 19.9 V/m; Power Drift = -0.037 dB
Peak SAR (extrapolated) = 4.88 W/kg
SAR(1 g) = 1.25 mW/g; SAR(10 g) = 0.483 mW/g
Maximum value of SAR (measured) = 2.08 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch100 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5500 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5500$ MHz; $\sigma = 5.62$ mho/m; $\epsilon_r = 49.6$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 100/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 2.03 mW/g


Channel 100/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 21.2 V/m; Power Drift = -0.173 dB

Peak SAR (extrapolated) = 5.56 W/kg

SAR(1 g) = 1.35 mW/g; SAR(10 g) = 0.503 mW/g

Maximum value of SAR (measured) = 2.3 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch104 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 802.11a ; Frequency: 5520 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
Medium: MSL5800 Medium parameters used: $f = 5520$ MHz; $\sigma = 5.65$ mho/m; $\epsilon_r = 49.5$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 104/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 2.2 mW/g


Channel 104/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 21.5 V/m; Power Drift = -0.165 dB

Peak SAR (extrapolated) = 5.19 W/kg

SAR(1 g) = 1.39 mW/g; SAR(10 g) = 0.519 mW/g

Maximum value of SAR (measured) = 2.43 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch116 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5580 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5580$ MHz; $\sigma = 5.74$ mho/m; $\epsilon_r = 49.4$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 116/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 2.09 mW/g


Channel 116/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 21.5 V/m; Power Drift = -0.046 dB

Peak SAR (extrapolated) = 6.02 W/kg

SAR(1 g) = 1.43 mW/g; SAR(10 g) = 0.569 mW/g

Maximum value of SAR (measured) = 2.36 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M-band3-Ch120 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5600 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5600$ MHz; $\sigma = 5.76$ mho/m; $\epsilon_r = 49.3$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 120/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 2.18 mW/g


Channel 120/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 21.7 V/m; Power Drift = -0.114 dB

Peak SAR (extrapolated) = 5.50 W/kg

SAR(1 g) = 1.45 mW/g; SAR(10 g) = 0.582 mW/g

Maximum value of SAR (measured) = 2.39 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch124 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 802.11a ; Frequency: 5620 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
Medium: MSL5800 Medium parameters used: $f = 5620$ MHz; $\sigma = 5.79$ mho/m; $\epsilon_r = 49.3$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 124/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.75 mW/g


Channel 124/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 19.4 V/m; Power Drift = -0.146 dB

Peak SAR (extrapolated) = 4.57 W/kg

SAR(1 g) = 1.15 mW/g; SAR(10 g) = 0.473 mW/g

Maximum value of SAR (measured) = 1.9 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch136 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5680 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5680$ MHz; $\sigma = 5.89$ mho/m; $\epsilon_r = 49.2$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 136/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.762 mW/g

Channel 136/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 12.1 V/m; Power Drift = 0.072 dB
Peak SAR (extrapolated) = 2.25 W/kg
SAR(1 g) = 0.553 mW/g; SAR(10 g) = 0.319 mW/g
Maximum value of SAR (measured) = 0.815 mW/g



Test Laboratory: Bureau Veritas ADT

M06-11aN 20M Band3-Ch140 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 11aN 20MHz ; Frequency: 5700 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5700$ MHz; $\sigma = 5.92$ mho/m; $\epsilon_r = 49.1$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 140/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.500 mW/g

Channel 140/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 10.2 V/m; Power Drift = -0.094 dB
Peak SAR (extrapolated) = 1.43 W/kg
SAR(1 g) = 0.392 mW/g; SAR(10 g) = 0.257 mW/g
Maximum value of SAR (measured) = 0.520 mW/g



Test Laboratory: Bureau Veritas ADT

M07-11aN 40M Band1-Ch38 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5190 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5190$ MHz; $\sigma = 5.18$ mho/m; $\epsilon_r = 50.2$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 38/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.676 mW/g

Channel 38/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 12.6 V/m; Power Drift = -0.169 dB
Peak SAR (extrapolated) = 1.78 W/kg
SAR(1 g) = 0.542 mW/g; SAR(10 g) = 0.296 mW/g
Maximum value of SAR (measured) = 0.810 mW/g



Test Laboratory: Bureau Veritas ADT

M07-11aN 40M Band1-Ch46 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5230 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5230$ MHz; $\sigma = 5.24$ mho/m; $\epsilon_r = 50.1$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 46/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.71 mW/g

Channel 46/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 19.9 V/m; Power Drift = -0.130 dB
Peak SAR (extrapolated) = 4.61 W/kg
SAR(1 g) = 1.22 mW/g; SAR(10 g) = 0.485 mW/g
Maximum value of SAR (measured) = 2.01 mW/g



Test Laboratory: Bureau Veritas ADT

M08-11aN 40M Band2-Ch54 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5270 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5270$ MHz; $\sigma = 5.29$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³

Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 54/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.74 mW/g


Channel 54/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 19.4 V/m; Power Drift = -0.077 dB

Peak SAR (extrapolated) = 4.7 W/kg

SAR(1 g) = 1.24 mW/g; SAR(10 g) = 0.496 mW/g

Maximum value of SAR (measured) = 2.06 mW/g



Test Laboratory: Bureau Veritas ADT

M08-11aN 40M Band2-Ch62 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5310 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5310$ MHz; $\sigma = 5.35$ mho/m; $\epsilon_r = 50$; $\rho = 1000$ kg/m³

Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 62/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.735 mW/g

Channel 62/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 12.5 V/m; Power Drift = 0.016 dB

Peak SAR (extrapolated) = 2.07 W/kg

SAR(1 g) = 0.584 mW/g; SAR(10 g) = 0.320 mW/g

Maximum value of SAR (measured) = 0.861 mW/g


Channel 62/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 12.5 V/m; Power Drift = 0.016 dB

Peak SAR (extrapolated) = 2.06 W/kg

SAR(1 g) = 0.472 mW/g; SAR(10 g) = 0.293 mW/g

Maximum value of SAR (measured) = 1.02 mW/g



Test Laboratory: Bureau Veritas ADT

M09-11aN 40M Band3-Ch102 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5510 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5510$ MHz; $\sigma = 5.63$ mho/m; $\epsilon_r = 49.5$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 102/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 1.03 mW/g

Channel 102/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 15.1 V/m; Power Drift = -0.163 dB
Peak SAR (extrapolated) = 2.81 W/kg
SAR(1 g) = 0.757 mW/g; SAR(10 g) = 0.381 mW/g
Maximum value of SAR (measured) = 1.17 mW/g



Test Laboratory: Bureau Veritas ADT

M09-11aN 40M Band3-Ch118 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 11aN 40MHz ; Frequency: 5590 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5590$ MHz; $\sigma = 5.75$ mho/m; $\epsilon_r = 49.3$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)


DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 118/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 2.16 mW/g

Channel 118/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 21 V/m; Power Drift = -0.057 dB
Peak SAR (extrapolated) = 5.87 W/kg
SAR(1 g) = 1.47 mW/g; SAR(10 g) = 0.591 mW/g
Maximum value of SAR (measured) = 2.41 mW/g





Test Laboratory: Bureau Veritas ADT

M09-11aN 40M Band3-Ch134 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5670 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5670$ MHz; $\sigma = 5.87$ mho/m; $\epsilon_r = 49.2$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: ELI 4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 134/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 1.29 mW/g

Channel 134/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 16.3 V/m; Power Drift = -0.119 dB

Peak SAR (extrapolated) = 3.75 W/kg

SAR(1 g) = 0.916 mW/g; SAR(10 g) = 0.457 mW/g


Maximum value of SAR (measured) = 1.41 mW/g

Channel 134/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 16.3 V/m; Power Drift = -0.119 dB

Peak SAR (extrapolated) = 3.72 W/kg

SAR(1 g) = 0.741 mW/g; SAR(10 g) = 0.446 mW/g



Test Laboratory: Bureau Veritas ADT

M10-11a Band1-Ch48 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5240 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5240$ MHz; $\sigma = 5.22$ mho/m; $\epsilon_r = 50.7$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)


DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 48/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm
 Maximum value of SAR (measured) = 0.024 mW/g

Channel 48/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
 Reference Value = 6.63 V/m; Power Drift = -0.115 dB
 Peak SAR (extrapolated) = 0.067 W/kg
SAR(1 g) = 0.024 mW/g; SAR(10 g) = 0.013 mW/g
 Maximum value of SAR (measured) = 0.023 mW/g

Channel 48/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
 Reference Value = 6.63 V/m; Power Drift = -0.115 dB
 Peak SAR (extrapolated) = 0.068 W/kg
SAR(1 g) = 0.024 mW/g; SAR(10 g) = 0.013 mW/g
 Maximum value of SAR (measured) = 0.027 mW/g



Test Laboratory: Bureau Veritas ADT

M11-11a Band2-Ch64 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50.5$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)


DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm
 Maximum value of SAR (measured) = 0.028 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
 Reference Value = 6.53 V/m; Power Drift = -0.131 dB
 Peak SAR (extrapolated) = 0.063 W/kg
SAR(1 g) = 0.026 mW/g; SAR(10 g) = 0.013 mW/g
 Maximum value of SAR (measured) = 0.030 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
 Reference Value = 6.53 V/m; Power Drift = -0.131 dB
 Peak SAR (extrapolated) = 0.063 W/kg
SAR(1 g) = 0.025 mW/g; SAR(10 g) = 0.012 mW/g
 Maximum value of SAR (measured) = 0.028 mW/g



Test Laboratory: Bureau Veritas ADT

M12-11a Band3-Ch100 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5500 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5500$ MHz; $\sigma = 5.59$ mho/m; $\epsilon_r = 50.2$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 100/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.028 mW/g

Channel 100/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.62 V/m; Power Drift = -0.064 dB

Peak SAR (extrapolated) = 0.061 W/kg

SAR(1 g) = 0.029 mW/g; SAR(10 g) = 0.014 mW/g

Maximum value of SAR (measured) = 0.031 mW/g


Channel 100/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.62 V/m; Power Drift = -0.064 dB

Peak SAR (extrapolated) = 0.063 W/kg

SAR(1 g) = 0.029 mW/g; SAR(10 g) = 0.015 mW/g

Maximum value of SAR (measured) = 0.032 mW/g



Test Laboratory: Bureau Veritas ADT

M13-11aN 20M Band1-Ch48 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5240 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5240$ MHz; $\sigma = 5.22$ mho/m; $\epsilon_r = 50.7$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 48/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.026 mW/g

Channel 48/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.53 V/m; Power Drift = -0.111 dB

Peak SAR (extrapolated) = 0.060 W/kg

SAR(1 g) = 0.025 mW/g; SAR(10 g) = 0.012 mW/g

Maximum value of SAR (measured) = 0.028 mW/g


Channel 48/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.53 V/m; Power Drift = -0.111 dB

Peak SAR (extrapolated) = 0.061 W/kg

SAR(1 g) = 0.025 mW/g; SAR(10 g) = 0.012 mW/g

Maximum value of SAR (measured) = 0.029 mW/g



Test Laboratory: Bureau Veritas ADT

M14-11aN 20M Band2-Ch64 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 11aN 20MHz ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50.5$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.031 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.68 V/m; Power Drift = -0.172 dB

Peak SAR (extrapolated) = 0.066 W/kg

SAR(1 g) = 0.027 mW/g; SAR(10 g) = 0.012 mW/g

Maximum value of SAR (measured) = 0.030 mW/g


Channel 64/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.68 V/m; Power Drift = -0.172 dB

Peak SAR (extrapolated) = 0.063 W/kg

SAR(1 g) = 0.026 mW/g; SAR(10 g) = 0.012 mW/g

Maximum value of SAR (measured) = 0.029 mW/g



Test Laboratory: Bureau Veritas ADT

M15-11aN 20M Band3-Ch124 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5620 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5620 \text{ MHz}$; $\sigma = 5.76 \text{ mho/m}$; $\epsilon_r = 49.9$; $\rho = 1000 \text{ kg/m}^3$
 Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 124/Area Scan (8x27x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Maximum value of SAR (measured) = 0.033 mW/g

Channel 124/Zoom Scan (7x7x9)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2.5\text{mm}$

Reference Value = 7.39 V/m; Power Drift = -0.180 dB

Peak SAR (extrapolated) = 0.078 W/kg

SAR(1 g) = 0.034 mW/g; SAR(10 g) = 0.018 mW/g

Maximum value of SAR (measured) = 0.038 mW/g


Channel 124/Zoom Scan (7x7x9)/Cube 1: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=2.5\text{mm}$

Reference Value = 7.39 V/m; Power Drift = -0.180 dB

Peak SAR (extrapolated) = 0.077 W/kg

SAR(1 g) = 0.033 mW/g; SAR(10 g) = 0.017 mW/g

Maximum value of SAR (measured) = 0.037 mW/g



Test Laboratory: Bureau Veritas ADT

M16-11aN 40M-band1-Ch46 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5230 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5230$ MHz; $\sigma = 5.21$ mho/m; $\epsilon_r = 50.7$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)


DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 46/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.027 mW/g

Channel 46/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 6.7 V/m; Power Drift = -0.047 dB
Peak SAR (extrapolated) = 0.064 W/kg
SAR(1 g) = 0.026 mW/g; SAR(10 g) = 0.013 mW/g
Maximum value of SAR (measured) = 0.028 mW/g

Channel 46/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 6.7 V/m; Power Drift = -0.047 dB
Peak SAR (extrapolated) = 0.063 W/kg
SAR(1 g) = 0.026 mW/g; SAR(10 g) = 0.013 mW/g
Maximum value of SAR (measured) = 0.028 mW/g



Test Laboratory: Bureau Veritas ADT

M17-11aN 40M-band2-Ch54 / D1**DUT: Tablet PC ; Type: T7M**

Communication System: 11aN 40MHz ; Frequency: 5270 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5270$ MHz; $\sigma = 5.26$ mho/m; $\epsilon_r = 50.6$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 54/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.030 mW/g

Channel 54/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.84 V/m; Power Drift = -0.197 dB

Peak SAR (extrapolated) = 0.079 W/kg

SAR(1 g) = 0.027 mW/g; SAR(10 g) = 0.013 mW/g

Maximum value of SAR (measured) = 0.029 mW/g


Channel 54/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.84 V/m; Power Drift = -0.197 dB

Peak SAR (extrapolated) = 0.079 W/kg

SAR(1 g) = 0.028 mW/g; SAR(10 g) = 0.014 mW/g

Maximum value of SAR (measured) = 0.030 mW/g



Test Laboratory: Bureau Veritas ADT

M18-11aN 40M-band3-Ch118 / D1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 40MHz ; Frequency: 5590 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5590$ MHz; $\sigma = 5.72$ mho/m; $\epsilon_r = 49.9$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The back side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.7, 3.7, 3.7); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 118/Area Scan (8x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.032 mW/g

Channel 118/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 7.48 V/m; Power Drift = -0.176 dB

Peak SAR (extrapolated) = 0.079 W/kg

SAR(1 g) = 0.035 mW/g; SAR(10 g) = 0.018 mW/g

Maximum value of SAR (measured) = 0.039 mW/g


Channel 118/Zoom Scan (7x7x9)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 7.48 V/m; Power Drift = -0.176 dB

Peak SAR (extrapolated) = 0.070 W/kg

SAR(1 g) = 0.035 mW/g; SAR(10 g) = 0.018 mW/g

Maximum value of SAR (measured) = 0.040 mW/g



Test Laboratory: Bureau Veritas ADT

M19-11a Band1-Ch48 / K1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5240 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5240$ MHz; $\sigma = 5.22$ mho/m; $\epsilon_r = 50.7$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 48/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.728 mW/g


Channel 48/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.6 V/m; Power Drift = 0.010 dB

Peak SAR (extrapolated) = 1.87 W/kg

SAR(1 g) = **0.552 mW/g**; SAR(10 g) = 0.316 mW/g

Maximum value of SAR (measured) = 0.766 mW/g



Test Laboratory: Bureau Veritas ADT

M20-11a Band2-Ch64 / K1

DUT: Tablet PC ; Type: T7M

Communication System: 802.11a ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
 Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50.5$; $\rho = 1000$ kg/m³
 Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.540 mW/g


Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.52 V/m; Power Drift = 0.085 dB

Peak SAR (extrapolated) = 1.41 W/kg

SAR(1 g) = **0.451 mW/g**; SAR(10 g) = 0.295 mW/g

Maximum value of SAR (measured) = 0.589 mW/g



Test Laboratory: Bureau Veritas ADT

M21-11a Band3-Ch100 / K1**DUT: Tablet PC ; Type: T7M**

Communication System: 802.11a ; Frequency: 5500 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK
Medium: MSL5800 Medium parameters used: $f = 5500$ MHz; $\sigma = 5.59$ mho/m; $\epsilon_r = 50.2$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(3.91, 3.91, 3.91); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 100/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 0.448 mW/g


Channel 100/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm

Reference Value = 6.32 V/m; Power Drift = 0.107 dB

Peak SAR (extrapolated) = 1.09 W/kg

SAR(1 g) = **0.387 mW/g**; SAR(10 g) = 0.187 mW/g

Maximum value of SAR (measured) = 0.512 mW/g



Test Laboratory: Bureau Veritas ADT

M22-11aN 20M Band1-Ch48 / K1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5240 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK


Medium: MSL5800 Medium parameters used: $f = 5240$ MHz; $\sigma = 5.22$ mho/m; $\epsilon_r = 50.7$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Top side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.45, 4.45, 4.45); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 48/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.905 mW/g

Channel 48/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 6.94 V/m; Power Drift = -0.141 dB
Peak SAR (extrapolated) = 1.8 W/kg
SAR(1 g) = 0.586 mW/g; SAR(10 g) = 0.312 mW/g
Maximum value of SAR (measured) = 0.861 mW/g



Test Laboratory: Bureau Veritas ADT

M23-11aN 20M-band2-Ch64 / K1

DUT: Tablet PC ; Type: T7M

Communication System: 11aN 20MHz ; Frequency: 5320 MHz ; Duty Cycle: 1:1 ; Modulation type: BPSK

Medium: MSL5800 Medium parameters used: $f = 5320$ MHz; $\sigma = 5.33$ mho/m; $\epsilon_r = 50.5$; $\rho = 1000$ kg/m³
Phantom section: Flat Section ; Separation distance : 0 mm (The Tip side of the EUT to the Phantom)

DASY5 Configuration:

- Probe: EX3DV3 - SN3504; ConvF(4.18, 4.18, 4.18); Calibrated: 2010/1/26
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn510; Calibrated: 2009/12/16
- Phantom: Flat Phantom ELI4.0; Type: QDOVA001BA; Serial: 1043
- Measurement SW: DASY5, V5.2 Build 157; SEMCAD X Version 14.0 Build 57

Channel 64/Area Scan (7x27x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.581 mW/g

Channel 64/Zoom Scan (7x7x9)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2.5mm
Reference Value = 6.01 V/m; Power Drift = 0.128 dB
Peak SAR (extrapolated) = 1.16 W/kg
SAR(1 g) = 0.439 mW/g; SAR(10 g) = 0.273 mW/g
Maximum value of SAR (measured) = 0.602 mW/g

