




Data: 1

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 11:50:09



Site : chamber  
 Condition: 15.209 3m ELECTRICAL ANTENNA HORIZONTAL  
 out :  
 mode :  
 memo : X  
 T/H : 29°C 66%


	Freq	Level	Read Level	Factor	Over Limit	Limit Line	Remark
	MHz	dBuV/m	dBuV	dB/m	dB	dBuV/m	
1	0.26	48.33	28.10	20.23	-50.90	99.23	Peak
2	0.55	37.53	17.43	20.10	-35.36	72.89	Peak
3	0.82	37.52	17.36	20.16	-31.91	69.43	Peak
4	1.08	39.01	18.83	20.18	-28.09	67.10	Peak



Data: 2

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 13:09:27



Site : chamber  
Condition: 15.209 3m ELECTRICAL ANTENNA VERTICAL  
cut :  
mode :  
memo : X  
T/H : 29°C 66%


	Freq	Level	Read Level	Factor	Over Limit	Limit Line	Remark
	MHz	dBuV/m	dBuV	dB/m	dB	dBuV/m	
1	0.27	46.12	25.91	20.21	-52.75	98.87	Peak
2	0.56	37.30	17.20	20.10	-35.41	72.71	Peak
3	0.80	38.08	17.93	20.15	-31.55	69.63	Peak
4	1.18	33.69	13.51	20.18	-32.62	66.31	Peak



Data: 3

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 13:48:44



Site : chamber  
Condition: 15.209 3m ELECTRICAL ANTENNA VERTICAL  
cut :  
mode :  
memo : Y  
T/H : 29°C 66%


	Freq	Level	Read	Over	Limit		
	MHz	dBuV/m	Level	Factor	Limit	Line	Remark
			dBuV	dB/m	dB	dBuV/m	
1	0.27	49.73	29.50	20.23	-49.34	99.07	Peak
2	0.53	36.11	16.01	20.10	-36.98	73.09	Peak
3	0.80	39.84	19.69	20.15	-29.77	69.61	Peak
4	1.19	34.86	14.68	20.18	-31.43	66.29	Peak



Data: 4

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 14:21:20



Site : chamber  
 Condition: 15.209 3m ELECTRICAL ANTENNA HORIZONTAL  
 eut :  
 mode :  
 memo : Y  
 T/H : 29°C 66%


	Freq	Level	Read Level	Factor	Over Limit	Limit Line	Remark
	MHz	dBuV/m	dBuV	dB/m	dB	dBuV/m	
1	0.30	51.67	31.47	20.20	-46.47	98.14	Peak
2	0.59	36.39	16.28	20.11	-35.81	72.20	Peak
3	0.81	35.46	15.31	20.15	-34.07	69.53	Peak
4	1.17	39.18	19.00	20.18	-27.24	66.42	Peak



Data: 5

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 14:57:44



Site : chamber  
Condition: 15.209 3m ELECTRICAL ANTENNA HORIZONTAL  
cut :  
mode :  
memo : Z  
T/H : 29°C 66%

	Freq	Level	Read Level	Factor	Over Limit	Limit Line	Remark
	MHz	dBuV/m	dBuV	dB/m	dB	dBuV/m	
1	0.30	51.26	31.07	20.19	-46.85	98.11	Peak
2	0.51	39.17	19.08	20.09	-34.27	73.44	Peak
3	0.80	40.17	20.02	20.15	-29.46	69.63	Peak
4	1.03	42.79	22.61	20.18	-24.71	67.50	Peak






Data: 6

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 15:25:40



Site : chamber  
Condition: 15.209 3m ELECTRICAL ANTENNA VERTICAL  
cut :  
mode :  
memo : Z  
T/H : 29°C 66%


	Freq	Level	Read	Over	Limit	
	MHz	dBuV/m	Level	Factor	Limit	Line Remark
			dBuV	dB/m	dB	dBuV/m
1	0.27	47.33	27.11	20.22	-51.72	99.05 Peak
2	0.56	37.22	17.11	20.11	-35.44	72.66 Peak
3	0.88	40.10	19.94	20.16	-28.76	68.86 Peak
4	1.07	34.29	14.11	20.18	-32.85	67.14 Peak



Data: 7

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 15:46:06



Site : chamber  
Condition: FCC CLASS B 3m JBI-30M-1G-98 VERTICAL  
Antenna : Please refer to page 1 of report  
Mode : Please refer to page 1 of report  
memo :  
T/H : 29°C 66%


	Freq	Level	Read	Over	Limit	Line	Remark
	MHz	dBuV/m	Level	Factor	Limit	dB	dBuV/m
			dBuV	dB/m	dB		
1	150.36	27.93	27.93	0.00	-15.07	43.00	Peak
2	241.80	30.62	30.62	0.00	-15.38	46.00	Peak
3	362.77	26.11	26.11	0.00	-19.89	46.00	Peak
4	479.12	25.06	25.06	0.00	-20.94	46.00	Peak
5	650.22	32.76	32.76	0.00	-13.24	46.00	Peak
6	856.79	31.19	31.19	0.00	-14.81	46.00	Peak



Data: 8

File: C:\Documents and Settings\Administrator\桌面\數據DATA\客戶測試數據\昆盈\數位筆-182301.EN

Date: 2011-08-29 Time: 16:08:15



Site : chamber  
Condition: FCC CLASS B 3m JBI-30M-1G-98 HORIZONTAL  
cut : Please refer to page 1 of report  
mode : Please refer to page 1 of report  
memo :  
T/H : 29°C 66%

	Freq	Level	Read	Over	Limit	Line	Remark
	MHz	dBuV/m	Level	Factor	Limit	dBuV/m	
			dBuV	dB/m	dB		
1	269.10	24.88	24.88	0.00	-21.12	46.00	Peak
2	479.35	26.75	26.75	0.00	-19.25	46.00	Peak
3	630.12	27.57	27.57	0.00	-18.43	46.00	Peak
4	670.72	31.10	31.10	0.00	-14.90	46.00	Peak
5	794.97	33.74	33.74	0.00	-12.26	46.00	Peak
6	989.17	31.05	31.05	0.00	-22.95	54.00	Peak