


# INTERTEK TESTING SERVICES

Model No.: 80-078841  
Worst Case: TX mode - PC's AC Mains



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



HK10031355-1 (C13551A1T)

Date: 7.APR.2010 17:59:30

---

---

# INTERTEK TESTING SERVICES

---

---

Model No.: 80-078841  
Worst Case: TX mode - PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dBµV	DELTA LIMIT dB
2	CISPR Average	172.5 kHz	33.89 L1 gnd	-20.94
2	CISPR Average	744 kHz	31.00 N gnd	-14.99
1	Quasi Peak	748.5 kHz	40.08 N gnd	-15.91
1	Quasi Peak	973.5 kHz	47.07 N gnd	-8.92
2	CISPR Average	1.0095 MHz	38.89 N gnd	-7.10
2	CISPR Average	1.104 MHz	36.99 N gnd	-9.00
1	Quasi Peak	1.1175 MHz	43.06 N gnd	-12.93
1	Quasi Peak	1.6035 MHz	38.67 N gnd	-17.32
2	CISPR Average	1.6305 MHz	32.17 N gnd	-13.83
1	Quasi Peak	4.029 MHz	34.35 N gnd	-21.64
2	CISPR Average	4.047 MHz	29.31 N gnd	-16.68
2	CISPR Average	4.3575 MHz	28.78 N gnd	-17.21
1	Quasi Peak	4.7805 MHz	35.01 N gnd	-20.99

HK10031355-1 (C13551A1T)

Date: 7.APR.2010 17:59:23

---

---


# INTERTEK TESTING SERVICES

Model No.: 80-078841  
Worst Case: RX Mode - PC's AC Mains



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



HK10031355-1 (C13551A2)

Date: 7.APR.2010 18:04:46

---

---

# INTERTEK TESTING SERVICES

---

---

Model No.: 80-078841  
Worst Case: RX Mode - PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
2 CISPR Average	730.5 kHz	31.83	N gnd	-14.16
1 Quasi Peak	739.5 kHz	40.89	N gnd	-15.10
1 Quasi Peak	960 kHz	48.97	N gnd	-7.02
2 CISPR Average	960 kHz	38.33	N gnd	-7.66
1 Quasi Peak	1.0995 MHz	46.81	N gnd	-9.18
2 CISPR Average	1.104 MHz	39.73	N gnd	-6.26
2 CISPR Average	1.5585 MHz	29.75	N gnd	-16.24
1 Quasi Peak	1.608 MHz	39.06	N gnd	-16.93
1 Quasi Peak	4.083 MHz	34.31	N gnd	-21.68
2 CISPR Average	4.101 MHz	29.37	N gnd	-16.62
1 Quasi Peak	4.776 MHz	35.18	N gnd	-20.81
2 CISPR Average	4.821 MHz	29.57	N gnd	-16.42

HK10031355-1 (C13551A2)

Date: 7.APR.2010 18:04:36

---

---

# INTERTEK TESTING SERVICES


Model No.: 80-078841  
Worst Case: Normal Operation mode - PC's AC Mains



RBW 9 kHz

MT 1 s

Att 10 dB AUTO PREAMP OFF



HK10031355-1 (C13551A3)

Date: 7.APR.2010 18:10:05

---

---

# INTERTEK TESTING SERVICES

---

---

Model No.: 80-078841  
Worst Case: Normal Operation mode - PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1 Quasi Peak	757.5 kHz	39.26	N gnd	-16.73
2 CISPR Average	766.5 kHz	29.37	N gnd	-16.63
2 CISPR Average	969 kHz	39.18	N gnd	-6.81
1 Quasi Peak	1.0275 MHz	49.09	N gnd	-6.90
2 CISPR Average	1.095 MHz	38.66	N gnd	-7.33
1 Quasi Peak	1.1175 MHz	46.87	N gnd	-9.12
1 Quasi Peak	1.5405 MHz	41.75	N gnd	-14.24
2 CISPR Average	1.563 MHz	32.75	N gnd	-13.25
1 Quasi Peak	4.0695 MHz	34.56	N gnd	-21.43
2 CISPR Average	4.0965 MHz	29.61	N gnd	-16.39
1 Quasi Peak	4.434 MHz	41.22	N gnd	-14.77
2 CISPR Average	4.443 MHz	33.08	N gnd	-12.92

HK10031355-1 (C13551A3)

Date: 7.APR.2010 18:09:56

---

---