




802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

05/05/2020




EUT Y\_4TX  
Setting 96  
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.068G	61.52	68.20	-6.68	45.99	3	Vertical	75	1.48	-	40.86	10.17	35.50



802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

05/05/2020




EUT Y\_4TX  
Setting 96  
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.0532G	65.02	68.20	-3.18	49.49	3	Horizontal	261	1.48	-	40.85	10.18	35.50

802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 74  
04-F-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	63.13	74.00	-10.87	58.37	3	Vertical	225	1.80	-	33.03	5.10	33.37
AV	5.132G	53.60	54.00	-0.40	48.84	3	Vertical	225	1.80	-	33.03	5.10	33.37
PK	5.26G	104.76	Inf	-Inf	99.82	3	Vertical	225	1.80	-	33.16	5.16	33.38
AV	5.256G	95.59	Inf	-Inf	90.65	3	Vertical	225	1.80	-	33.16	5.16	33.38
PK	5.35G	60.50	74.00	-13.50	55.33	3	Vertical	225	1.80	-	33.35	5.21	33.39
AV	5.35G	49.40	54.00	-4.60	44.23	3	Vertical	225	1.80	-	33.35	5.21	33.39
PK	5.518G	58.67	68.20	-9.53	52.92	3	Vertical	225	1.80	-	33.84	5.30	33.39



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 74  
04-F-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.056G	63.17	74.00	-10.83	58.45	3	Horizontal	0	1.11	-	33.04	5.05	33.37
AV	5.056G	53.00	54.00	-1.00	48.28	3	Horizontal	0	1.11	-	33.04	5.05	33.37
PK	5.242G	107.64	Inf	-Inf	102.73	3	Horizontal	0	1.11	-	33.14	5.15	33.38
AV	5.252G	97.14	Inf	-Inf	92.21	3	Horizontal	0	1.11	-	33.15	5.16	33.38
PK	5.382G	62.75	74.00	-11.25	57.47	3	Horizontal	0	1.11	-	33.45	5.22	33.39
AV	5.384G	50.50	54.00	-3.50	45.22	3	Horizontal	0	1.11	-	33.45	5.22	33.39
PK	5.462G	58.66	68.20	-9.54	53.09	3	Horizontal	0	1.11	-	33.69	5.27	33.39



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 74  
04-F-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75128G	58.57	74.00	-15.43	45.71	3	Vertical	275	2.38	-	38.87	9.39	35.40
AV	15.74956G	47.18	54.00	-6.82	34.30	3	Vertical	275	2.38	-	38.88	9.39	35.39



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 74  
04-F-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74696G	58.27	74.00	-15.73	45.39	3	Horizontal	311	1.40	-	38.88	9.39	35.39
AV	15.74546G	46.90	54.00	-7.10	34.02	3	Horizontal	311	1.40	-	38.88	9.39	35.39



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	56.59	74.00	-17.41	51.86	3	Vertical	54	1.98	-	33.01	5.09	33.37
AV	5.09G	46.53	54.00	-7.47	41.82	3	Vertical	54	1.98	-	33.01	5.07	33.37
PK	5.274G	58.39	68.20	-9.81	53.43	3	Vertical	54	1.98	-	33.17	5.17	33.38
PK	5.452G	63.58	74.00	-10.42	58.05	3	Vertical	54	1.98	-	33.66	5.26	33.39
AV	5.452G	51.45	54.00	-2.55	45.92	3	Vertical	54	1.98	-	33.66	5.26	33.39
PK	5.466G	61.83	68.20	-6.37	56.25	3	Vertical	54	1.98	-	33.70	5.27	33.39
PK	5.56G	105.73	Inf	-Inf	99.86	3	Vertical	54	1.98	-	33.92	5.33	33.38
AV	5.556G	95.73	Inf	-Inf	89.87	3	Vertical	54	1.98	-	33.91	5.33	33.38
PK	5.776G	62.86	68.20	-5.34	56.46	3	Vertical	54	1.98	-	34.25	5.49	33.34



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.082G	57.55	74.00	-16.45	52.83	3	Horizontal	176	1.79	-	33.02	5.07	33.37
AV	5.08G	46.50	54.00	-7.50	41.78	3	Horizontal	176	1.79	-	33.02	5.07	33.37
PK	5.316G	59.13	68.20	-9.07	54.07	3	Horizontal	176	1.79	-	33.25	5.19	33.38
PK	5.456G	66.38	74.00	-7.62	60.84	3	Horizontal	176	1.79	-	33.67	5.26	33.39
AV	5.456G	53.91	54.00	-0.09	48.37	3	Horizontal	176	1.79	-	33.67	5.26	33.39
PK	5.464G	66.26	68.20	-1.94	60.69	3	Horizontal	176	1.79	-	33.69	5.27	33.39
PK	5.542G	108.79	Inf	-Inf	102.97	3	Horizontal	176	1.79	-	33.88	5.32	33.38
AV	5.552G	97.62	Inf	-Inf	91.77	3	Horizontal	176	1.79	-	33.90	5.33	33.38
PK	5.726G	64.90	68.20	-3.30	58.64	3	Horizontal	176	1.79	-	34.15	5.46	33.35






802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.71278G	60.04	68.20	-8.16	45.40	3	Vertical	85	2.32	-	40.17	9.97	35.50



802.11ax HEW160\_Nss1,(MCS0)\_4TX

05/05/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.70716G	59.64	68.20	-8.56	45.02	3	Horizontal	109	2.11	-	40.16	9.96	35.50



For beamforming function:

**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7268G	68.18	68.20	-0.02	3	Vertical	218	1.75



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	58.86	74.00	-15.14	53.55	3	Vertical	223	1.73	-	33.02	5.09	32.80
AV	5.1124G	46.43	54.00	-7.57	41.14	3	Vertical	223	1.73	-	33.01	5.09	32.81
PK	5.2678G	122.04	Inf	-Inf	116.46	3	Vertical	223	1.73	-	33.17	5.16	32.75
AV	5.269G	109.02	Inf	-Inf	103.44	3	Vertical	223	1.73	-	33.17	5.16	32.75
PK	5.3818G	59.64	74.00	-14.36	53.68	3	Vertical	223	1.73	-	33.45	5.22	32.71
AV	5.3746G	47.31	54.00	-6.69	41.38	3	Vertical	223	1.73	-	33.42	5.22	32.71



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 96  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.57	74.00	-15.43	53.26	3	Horizontal	10	1.80	-	33.02	5.09	32.80
AV	5.1184G	46.21	54.00	-7.79	40.90	3	Horizontal	10	1.80	-	33.02	5.09	32.80
PK	5.269G	121.57	Inf	-Inf	115.99	3	Horizontal	10	1.80	-	33.17	5.16	32.75
AV	5.269G	111.15	Inf	-Inf	105.57	3	Horizontal	10	1.80	-	33.17	5.16	32.75
PK	5.3572G	59.93	74.00	-14.07	54.07	3	Horizontal	10	1.80	-	33.37	5.21	32.72
AV	5.386G	47.14	54.00	-6.86	41.17	3	Horizontal	10	1.80	-	33.46	5.22	32.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5247G	54.49	68.20	-13.71	41.28	3	Vertical	271	1.39	-	39.02	7.63	33.44
PK	15.7785G	57.75	74.00	-16.25	43.94	3	Vertical	317	1.05	-	38.84	9.39	34.42
AV	15.78136G	44.57	54.00	-9.43	30.76	3	Vertical	317	1.05	-	38.84	9.39	34.42



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5260MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51884G	54.21	68.20	-13.99	40.99	3	Horizontal	200	1.80	-	39.02	7.63	33.43
PK	15.7938G	62.61	74.00	-11.39	48.82	3	Horizontal	140	1.80	-	38.83	9.39	34.43
AV	15.7926G	46.92	54.00	-7.08	33.13	3	Horizontal	140	1.80	-	38.83	9.39	34.43



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	122.73	Inf	-Inf	117.09	3	Vertical	227	1.77	-	33.20	5.18	32.74
AV	5.298G	109.76	Inf	-Inf	104.12	3	Vertical	227	1.77	-	33.20	5.18	32.74
PK	5.35G	61.95	74.00	-12.05	56.11	3	Vertical	227	1.77	-	33.35	5.21	32.72
AV	5.3832G	48.51	54.00	-5.49	42.55	3	Vertical	227	1.77	-	33.45	5.22	32.71






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	123.92	Inf	-Inf	118.29	3	Horizontal	346	1.03	-	33.19	5.18	32.74
AV	5.2912G	112.83	Inf	-Inf	107.20	3	Horizontal	346	1.03	-	33.19	5.18	32.74
PK	5.3552G	67.17	74.00	-6.83	61.31	3	Horizontal	346	1.03	-	33.37	5.21	32.72
AV	5.3512G	48.54	54.00	-5.46	42.70	3	Horizontal	346	1.03	-	33.35	5.21	32.72



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59514G	54.96	68.20	-13.24	41.70	3	Vertical	98	2.92	-	39.08	7.67	33.49
PK	15.9136G	58.98	74.00	-15.02	45.39	3	Vertical	325	1.80	-	38.70	9.40	34.51
AV	15.9018G	45.02	54.00	-8.98	31.41	3	Vertical	325	1.80	-	38.71	9.40	34.50



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5300MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60146G	54.81	74.00	-19.19	41.55	3	Horizontal	306	1.80	-	39.08	7.67	33.49
PK	15.8823G	65.96	74.00	-8.04	52.32	3	Horizontal	149	1.80	-	38.73	9.40	34.49
AV	15.8847G	47.73	54.00	-6.27	34.09	3	Horizontal	149	1.80	-	38.73	9.40	34.49



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 88  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	120.50	Inf	-Inf	114.77	3	Vertical	234	1.74	-	33.27	5.19	32.73
AV	5.3224G	107.77	Inf	-Inf	102.04	3	Vertical	234	1.74	-	33.27	5.19	32.73
PK	5.3504G	72.09	74.00	-1.91	66.25	3	Vertical	234	1.74	-	33.35	5.21	32.72
AV	5.3504G	53.85	54.00	-0.15	48.01	3	Vertical	234	1.74	-	33.35	5.21	32.72



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5320MHz\_TX



EUT Y\_4TX  
Setting 88  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	120.57	Inf	-Inf	114.82	3	Horizontal	344	1.80	-	33.29	5.19	32.73
AV	5.3288G	107.76	Inf	-Inf	102.01	3	Horizontal	344	1.80	-	33.29	5.19	32.73
PK	5.35G	67.65	74.00	-6.35	61.81	3	Horizontal	344	1.80	-	33.35	5.21	32.72
AV	5.3512G	50.22	54.00	-3.78	44.38	3	Horizontal	344	1.80	-	33.35	5.21	32.72



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 88  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63952G	55.04	74.00	-18.96	41.76	3	Vertical	105	2.84	-	39.11	7.69	33.52
AV	10.63982G	42.31	54.00	-11.69	29.03	3	Vertical	105	2.84	-	39.11	7.69	33.52
PK	15.96212G	59.06	74.00	-14.94	45.55	3	Vertical	116	2.50	-	38.64	9.41	34.54
AV	15.9559G	45.30	54.00	-8.70	31.78	3	Vertical	116	2.50	-	38.65	9.41	34.54

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 88  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63754G	54.95	74.00	-19.05	41.67	3	Horizontal	0	2.10	-	39.11	7.69	33.52
AV	10.63828G	41.45	54.00	-12.55	28.17	3	Horizontal	0	2.10	-	39.11	7.69	33.52
PK	15.9501G	62.85	74.00	-11.15	49.33	3	Horizontal	119	1.80	-	38.65	9.41	34.54
AV	15.9491G	45.96	54.00	-8.04	32.43	3	Horizontal	119	1.80	-	38.66	9.41	34.54

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5500MHz\_TX



EUT Y\_4TX  
Setting 79  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.84	74.00	-13.16	54.60	3	Vertical	229	1.73	-	33.66	5.26	32.68
AV	5.4596G	47.86	54.00	-6.14	41.59	3	Vertical	229	1.73	-	33.68	5.27	32.68
PK	5.47G	67.87	68.20	-0.33	61.57	3	Vertical	229	1.73	-	33.71	5.27	32.68
PK	5.5024G	119.95	Inf	-Inf	113.53	3	Vertical	229	1.73	-	33.80	5.29	32.67
AV	5.5044G	106.66	Inf	-Inf	100.23	3	Vertical	229	1.73	-	33.81	5.29	32.67






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 79  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	59.68	74.00	-14.32	53.61	3	Horizontal	184	1.80	-	33.53	5.24	32.70
PK	5.4692G	63.08	68.20	-5.12	56.78	3	Horizontal	184	1.80	-	33.71	5.27	32.68
AV	5.4596G	47.49	54.00	-6.51	41.22	3	Horizontal	184	1.80	-	33.68	5.27	32.68
PK	5.4948G	119.84	Inf	-Inf	113.44	3	Horizontal	184	1.80	-	33.78	5.29	32.67
AV	5.4972G	107.13	Inf	-Inf	100.72	3	Horizontal	184	1.80	-	33.79	5.29	32.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5500MHz\_TX



EUT Y\_4TX  
Setting 79  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00022G	54.38	74.00	-19.62	40.90	3	Vertical	103	2.84	-	39.40	7.86	33.78
AV	11.00006G	42.15	54.00	-11.85	28.67	3	Vertical	103	2.84	-	39.40	7.86	33.78
PK	16.50468G	59.72	68.20	-8.48	44.73	3	Vertical	287	1.15	-	39.71	9.80	34.52



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 79  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00298G	54.53	74.00	-19.47	41.05	3	Horizontal	114	2.19	-	39.40	7.86	33.78
AV	10.99988G	41.72	54.00	-12.28	28.24	3	Horizontal	114	2.19	-	39.40	7.86	33.78
PK	16.50128G	61.02	68.20	-7.18	46.04	3	Horizontal	139	1.80	-	39.70	9.80	34.52

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 96  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	59.85	74.00	-14.15	53.63	3	Vertical	222	1.63	-	33.65	5.26	32.69
AV	5.4536G	47.32	54.00	-6.68	41.08	3	Vertical	222	1.63	-	33.66	5.26	32.68
PK	5.468G	59.74	68.20	-8.46	53.45	3	Vertical	222	1.63	-	33.70	5.27	32.68
PK	5.5824G	122.71	Inf	-Inf	116.10	3	Vertical	222	1.63	-	33.96	5.35	32.70
AV	5.5824G	109.45	Inf	-Inf	102.84	3	Vertical	222	1.63	-	33.96	5.35	32.70
PK	5.74G	61.42	68.20	-6.78	54.52	3	Vertical	222	1.63	-	34.18	5.47	32.75

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 96  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	60.09	74.00	-13.91	53.95	3	Horizontal	184	1.80	-	33.58	5.25	32.69
AV	5.4256G	47.25	54.00	-6.75	41.11	3	Horizontal	184	1.80	-	33.58	5.25	32.69
PK	5.4616G	59.65	68.20	-8.55	53.38	3	Horizontal	184	1.80	-	33.68	5.27	32.68
PK	5.5888G	123.12	Inf	-Inf	116.50	3	Horizontal	184	1.80	-	33.98	5.35	32.71
AV	5.5888G	110.60	Inf	-Inf	103.98	3	Horizontal	184	1.80	-	33.98	5.35	32.71
PK	5.7528G	62.02	68.20	-6.18	55.08	3	Horizontal	184	1.80	-	34.21	5.48	32.75

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5580MHz\_TX



EUT Y\_4TX  
Setting 96  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1597G	55.31	74.00	-18.69	41.91	3	Vertical	103	2.99	-	39.32	7.96	33.88
AV	11.15996G	43.14	54.00	-10.86	29.74	3	Vertical	103	2.99	-	39.32	7.96	33.88
PK	16.74322G	62.42	68.20	-5.78	46.69	3	Vertical	262	1.83	-	40.24	9.99	34.50



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 96  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1621G	56.82	74.00	-17.18	43.41	3	Horizontal	252	2.05	-	39.32	7.97	33.88
AV	11.15988G	43.57	54.00	-10.43	30.17	3	Horizontal	252	2.05	-	39.32	7.96	33.88
PK	16.7388G	67.54	68.20	-0.66	51.82	3	Horizontal	134	1.98	-	40.23	9.99	34.50

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5700MHz\_TX



EUT Y\_4TX  
Setting 75  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	117.39	Inf	-Inf	110.60	3	Vertical	259	1.45	-	34.09	5.44	32.74
AV	5.6936G	104.10	Inf	-Inf	97.32	3	Vertical	259	1.45	-	34.09	5.43	32.74
PK	5.7256G	64.73	68.20	-3.47	57.87	3	Vertical	259	1.45	-	34.15	5.46	32.75



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5700MHz\_TX



EUT Y\_4TX  
Setting 75  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	117.55	Inf	-Inf	110.74	3	Horizontal	353	2.26	-	34.11	5.44	32.74
AV	5.706G	104.17	Inf	-Inf	97.36	3	Horizontal	353	2.26	-	34.11	5.44	32.74
PK	5.7256G	67.87	68.20	-0.33	61.01	3	Horizontal	353	2.26	-	34.15	5.46	32.75



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 75  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39796G	54.87	74.00	-19.13	41.57	3	Vertical	112	1.43	-	39.20	8.12	34.02
AV	11.39996G	43.23	54.00	-10.77	29.93	3	Vertical	112	1.43	-	39.20	8.12	34.02
PK	17.1149G	61.78	68.20	-6.42	45.20	3	Vertical	138	1.02	-	40.90	10.16	34.48

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 75  
04-E-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40292G	55.11	74.00	-18.89	41.81	3	Horizontal	255	2.34	-	39.20	8.12	34.02
AV	11.40232G	41.84	54.00	-12.16	28.54	3	Horizontal	255	2.34	-	39.20	8.12	34.02
PK	17.0961G	64.13	68.20	-4.07	47.54	3	Horizontal	49	1.98	-	40.89	10.17	34.47

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 91  
04-E-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.722G	120.70	Inf	-Inf	113.84	3	Vertical	254	1.51	-	34.14	5.46	32.74
AV	5.718G	107.44	Inf	-Inf	100.59	3	Vertical	254	1.51	-	34.14	5.45	32.74
PK	5.929G	60.16	68.20	-8.04	52.34	3	Vertical	254	1.51	-	35.02	5.61	32.81



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 91  
04-E-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.721G	120.42	Inf	-Inf	113.57	3	Horizontal	0	2.00	-	34.14	5.45	32.74
AV	5.715G	108.28	Inf	-Inf	101.44	3	Horizontal	0	2.00	-	34.13	5.45	32.74
PK	5.943G	60.27	68.20	-7.93	52.39	3	Horizontal	0	2.00	-	35.07	5.62	32.81

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 91  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43996G	55.14	74.00	-18.86	41.85	3	Vertical	114	1.53	-	39.18	8.15	34.04
AV	11.43997G	43.33	54.00	-10.67	30.04	3	Vertical	114	1.53	-	39.18	8.15	34.04
PK	17.1597G	65.47	68.20	-2.73	48.86	3	Vertical	83	1.24	-	40.94	10.15	34.48



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 91  
04-E-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44114G	55.96	74.00	-18.04	42.67	3	Horizontal	250	1.77	-	39.18	8.15	34.04
AV	11.4403G	42.83	54.00	-11.17	29.54	3	Horizontal	250	1.77	-	39.18	8.15	34.04
PK	17.1594G	67.91	68.20	-0.29	51.30	3	Horizontal	52	2.57	-	40.94	10.15	34.48



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	60.48	74.00	-13.52	55.91	3	Vertical	235	1.73	-	33.90	6.01	35.34
AV	5.147G	47.11	54.00	-6.89	42.51	3	Vertical	235	1.73	-	33.90	6.03	35.33
PK	5.2688G	119.29	Inf	-Inf	114.30	3	Vertical	235	1.73	-	34.11	6.07	35.19
AV	5.2718G	106.05	Inf	-Inf	101.05	3	Vertical	235	1.73	-	34.12	6.06	35.18
PK	5.3516G	65.39	74.00	-8.61	60.21	3	Vertical	235	1.73	-	34.25	6.02	35.09
AV	5.35G	49.71	54.00	-4.29	44.53	3	Vertical	235	1.73	-	34.25	6.02	35.09






802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1362G	60.28	74.00	-13.72	55.71	3	Horizontal	353	1.33	-	33.90	6.01	35.34
AV	5.1344G	46.83	54.00	-7.17	42.26	3	Horizontal	353	1.33	-	33.90	6.01	35.34
PK	5.2688G	118.25	Inf	-Inf	113.26	3	Horizontal	353	1.33	-	34.11	6.07	35.19
AV	5.2682G	105.30	Inf	-Inf	100.32	3	Horizontal	353	1.33	-	34.10	6.07	35.19
PK	5.3528G	63.72	74.00	-10.28	58.54	3	Horizontal	353	1.33	-	34.25	6.02	35.09
AV	5.3516G	48.20	54.00	-5.80	43.02	3	Horizontal	353	1.33	-	34.25	6.02	35.09



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5418G	54.70	68.20	-13.50	40.83	3	Vertical	97	2.73	-	38.35	10.34	34.82
PK	15.80808G	59.75	74.00	-14.25	44.64	3	Vertical	324	1.78	-	38.08	12.13	35.10
AV	15.81006G	45.23	54.00	-8.77	30.13	3	Vertical	324	1.78	-	38.07	12.13	35.10



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5270MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5432G	54.86	68.20	-13.34	40.99	3	Horizontal	219	1.80	-	38.35	10.34	34.82
PK	15.80522G	61.75	74.00	-12.25	46.63	3	Horizontal	153	2.09	-	38.08	12.13	35.09
AV	15.81056G	46.23	54.00	-7.77	31.13	3	Horizontal	153	2.09	-	38.07	12.13	35.10



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 80  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3034G	117.01	Inf	-Inf	111.91	3	Vertical	235	1.64	-	34.20	6.05	35.15
AV	5.3034G	103.47	Inf	-Inf	98.37	3	Vertical	235	1.64	-	34.20	6.05	35.15
PK	5.3508G	73.96	74.00	-0.04	68.78	3	Vertical	235	1.64	-	34.25	6.02	35.09
AV	5.3532G	52.62	54.00	-1.38	47.44	3	Vertical	235	1.64	-	34.25	6.02	35.09

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5310MHz\_TX



EUT Y\_4TX  
Setting 80  
03-A-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	115.98	Inf	-Inf	110.88	3	Horizontal	350	1.53	-	34.20	6.05	35.15
AV	5.3022G	103.07	Inf	-Inf	97.97	3	Horizontal	350	1.53	-	34.20	6.05	35.15
PK	5.3538G	70.62	74.00	-3.38	65.44	3	Horizontal	350	1.53	-	34.25	6.02	35.09
AV	5.3532G	49.81	54.00	-4.19	44.63	3	Horizontal	350	1.53	-	34.25	6.02	35.09



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5310MHz\_TX



EUT Y\_4TX  
Setting 80  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61942G	55.89	74.00	-18.11	41.90	3	Vertical	112	2.98	-	38.36	10.39	34.76
AV	10.62G	42.13	54.00	-11.87	28.14	3	Vertical	112	2.98	-	38.36	10.39	34.76
PK	15.93314G	60.01	74.00	-13.99	45.38	3	Vertical	280	1.59	-	37.70	12.17	35.24
AV	15.93358G	45.93	54.00	-8.07	31.30	3	Vertical	280	1.59	-	37.70	12.17	35.24



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5310MHz\_TX



EUT Y\_4TX  
Setting 80  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61866G	55.42	74.00	-18.58	41.43	3	Horizontal	299	1.80	-	38.36	10.39	34.76
AV	10.62138G	41.51	54.00	-12.49	27.52	3	Horizontal	299	1.80	-	38.36	10.39	34.76
PK	15.93448G	59.49	74.00	-14.51	44.85	3	Horizontal	339	2.24	-	37.70	12.18	35.24
AV	15.93064G	45.81	54.00	-8.19	31.17	3	Horizontal	339	2.24	-	37.71	12.17	35.24



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5510MHz\_TX



EUT Y\_4TX  
Setting 69  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.17	74.00	-7.83	60.70	3	Vertical	223	1.73	-	34.36	6.10	34.99
AV	5.4584G	47.98	54.00	-6.02	42.52	3	Vertical	223	1.73	-	34.36	6.09	34.99
PK	5.4626G	68.12	68.20	-0.08	62.64	3	Vertical	223	1.73	-	34.36	6.10	34.98
PK	5.5166G	113.75	Inf	-Inf	108.14	3	Vertical	223	1.73	-	34.38	6.18	34.95
AV	5.5208G	100.59	Inf	-Inf	94.97	3	Vertical	223	1.73	-	34.38	6.19	34.95






802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 69  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.30	74.00	-12.70	55.84	3	Horizontal	181	1.97	-	34.36	6.09	34.99
AV	5.4584G	47.90	54.00	-6.10	42.44	3	Horizontal	181	1.97	-	34.36	6.09	34.99
PK	5.4692G	60.86	68.20	-7.34	55.36	3	Horizontal	181	1.97	-	34.37	6.11	34.98
PK	5.5244G	114.05	Inf	-Inf	108.43	3	Horizontal	181	1.97	-	34.38	6.19	34.95
AV	5.5244G	101.71	Inf	-Inf	96.09	3	Horizontal	181	1.97	-	34.38	6.19	34.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5510MHz\_TX



EUT Y\_4TX  
Setting 69  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.013G	56.00	74.00	-18.00	41.43	3	Vertical	79	2.97	-	38.41	10.64	34.48
AV	11.01988G	42.78	54.00	-11.22	28.22	3	Vertical	79	2.97	-	38.41	10.64	34.49
PK	16.53038G	61.81	68.20	-6.39	45.75	3	Vertical	194	1.74	-	38.77	12.23	34.94



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 69  
03-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01986G	55.87	74.00	-18.13	41.31	3	Horizontal	193	2.78	-	38.41	10.64	34.49
AV	11.01986G	41.70	54.00	-12.30	27.14	3	Horizontal	193	2.78	-	38.41	10.64	34.49
PK	16.5341G	61.69	68.20	-6.51	45.62	3	Horizontal	54	2.53	-	38.78	12.23	34.94

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5550MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	60.17	68.20	-8.03	55.03	3	Vertical	224	1.80	-	34.22	6.04	35.12
PK	5.455G	63.35	74.00	-10.65	57.90	3	Vertical	224	1.80	-	34.35	6.09	34.99
AV	5.458G	48.24	54.00	-5.76	42.78	3	Vertical	224	1.80	-	34.36	6.09	34.99
PK	5.463G	64.53	68.20	-3.67	59.05	3	Vertical	224	1.80	-	34.36	6.10	34.98
PK	5.556G	119.37	Inf	-Inf	113.73	3	Vertical	224	1.80	-	34.34	6.24	34.94
AV	5.553G	106.28	Inf	-Inf	100.64	3	Vertical	224	1.80	-	34.35	6.23	34.94
PK	5.747G	60.54	68.20	-7.66	54.98	3	Vertical	224	1.80	-	34.20	6.30	34.94



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 96  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	59.06	68.20	-9.14	53.95	3	Horizontal	2	1.54	-	34.21	6.04	35.14
PK	5.457G	60.93	74.00	-13.07	55.47	3	Horizontal	2	1.54	-	34.36	6.09	34.99
AV	5.457G	47.48	54.00	-6.52	42.02	3	Horizontal	2	1.54	-	34.36	6.09	34.99
PK	5.465G	62.81	68.20	-5.39	57.33	3	Horizontal	2	1.54	-	34.36	6.10	34.98
PK	5.564G	120.24	Inf	-Inf	114.59	3	Horizontal	2	1.54	-	34.34	6.25	34.94
AV	5.564G	106.70	Inf	-Inf	101.05	3	Horizontal	2	1.54	-	34.34	6.25	34.94
PK	5.74G	60.72	68.20	-7.48	55.16	3	Horizontal	2	1.54	-	34.20	6.30	34.94

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5550MHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10016G	56.96	74.00	-17.04	42.31	3	Vertical	105	2.97	-	38.47	10.69	34.51
AV	11.09997G	43.34	54.00	-10.66	28.69	3	Vertical	105	2.97	-	38.47	10.69	34.51
PK	16.6456G	62.65	68.20	-5.55	46.23	3	Vertical	257	1.80	-	39.05	12.23	34.86



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 96  
03-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10028G	56.91	74.00	-17.09	42.26	3	Horizontal	255	2.03	-	38.47	10.69	34.51
AV	11.10096G	43.09	54.00	-10.91	28.44	3	Horizontal	255	2.03	-	38.47	10.69	34.51
PK	16.6284G	67.92	68.20	-0.28	51.55	3	Horizontal	130	1.80	-	39.01	12.23	34.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5670MHz\_TX



EUT Y\_4TX  
Setting 87  
03-A-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	59.08	74.00	-14.92	53.67	3	Vertical	259	1.72	-	34.34	6.07	35.00
PK	5.467G	59.73	68.20	-8.47	54.23	3	Vertical	259	1.72	-	34.37	6.11	34.98
AV	5.459G	46.18	54.00	-7.82	40.72	3	Vertical	259	1.72	-	34.36	6.09	34.99
PK	5.684G	116.60	Inf	-Inf	111.02	3	Vertical	259	1.72	-	34.22	6.30	34.94
AV	5.677G	103.44	Inf	-Inf	97.86	3	Vertical	259	1.72	-	34.22	6.30	34.94
PK	5.725G	67.72	68.20	-0.48	62.16	3	Vertical	259	1.72	-	34.20	6.30	34.94



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 87  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	59.21	74.00	-14.79	53.84	3	Horizontal	360	1.97	-	34.33	6.05	35.01
PK	5.464G	58.44	68.20	-9.76	52.96	3	Horizontal	360	1.97	-	34.36	6.10	34.98
AV	5.456G	46.14	54.00	-7.86	40.68	3	Horizontal	360	1.97	-	34.36	6.09	34.99
PK	5.663G	116.52	Inf	-Inf	110.92	3	Horizontal	360	1.97	-	34.24	6.30	34.94
AV	5.664G	103.00	Inf	-Inf	97.40	3	Horizontal	360	1.97	-	34.24	6.30	34.94
PK	5.728G	65.96	68.20	-2.24	60.40	3	Horizontal	360	1.97	-	34.20	6.30	34.94

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 87  
03-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33976G	56.07	74.00	-17.93	41.19	3	Vertical	101	1.68	-	38.64	10.82	34.58
AV	11.33976G	43.28	54.00	-10.72	28.40	3	Vertical	101	1.68	-	38.64	10.82	34.58
PK	17.00872G	62.95	68.20	-5.25	45.35	3	Vertical	303	1.12	-	39.95	12.25	34.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5670MHz\_TX



EUT Y\_4TX  
Setting 87  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3484G	57.48	74.00	-16.52	42.59	3	Horizontal	262	2.47	-	38.64	10.83	34.58
AV	11.3398G	43.50	54.00	-10.50	28.62	3	Horizontal	262	2.47	-	38.64	10.82	34.58
PK	17.0342G	66.41	68.20	-1.79	48.68	3	Horizontal	133	1.80	-	40.08	12.25	34.60



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 96  
03-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	117.27	Inf	-Inf	111.71	3	Vertical	258	1.64	-	34.20	6.30	34.94
AV	5.7148G	105.08	Inf	-Inf	99.52	3	Vertical	258	1.64	-	34.20	6.30	34.94
PK	5.8916G	60.12	68.20	-8.08	54.32	3	Vertical	258	1.64	-	34.38	6.35	34.93

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	117.29	Inf	-Inf	111.73	3	Horizontal	0	2.05	-	34.20	6.30	34.94
AV	5.6956G	104.96	Inf	-Inf	99.40	3	Horizontal	0	2.05	-	34.20	6.30	34.94
PK	5.8628G	59.73	68.20	-8.47	54.00	3	Horizontal	0	2.05	-	34.33	6.33	34.93



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 96  
03-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42636G	56.98	74.00	-17.02	42.01	3	Vertical	111	1.40	-	38.70	10.87	34.60
AV	11.41992G	44.02	54.00	-9.98	29.06	3	Vertical	111	1.40	-	38.69	10.87	34.60
PK	17.1298G	66.78	68.20	-1.42	48.55	3	Vertical	75	1.92	-	40.57	12.26	34.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 96  
03-A-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41886G	57.31	74.00	-16.69	42.35	3	Horizontal	260	2.52	-	38.69	10.87	34.60
AV	11.42034G	43.01	54.00	-10.99	28.05	3	Horizontal	260	2.52	-	38.69	10.87	34.60
PK	17.1083G	68.03	68.20	-0.17	49.91	3	Horizontal	38	1.59	-	40.46	12.26	34.60



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.45	74.00	-12.55	56.09	3	Vertical	220	1.89	-	33.05	5.11	32.80
AV	5.1468G	48.17	54.00	-5.83	42.82	3	Vertical	220	1.89	-	33.05	5.10	32.80
PK	5.2612G	116.07	Inf	-Inf	110.51	3	Vertical	220	1.89	-	33.16	5.16	32.76
AV	5.298G	101.46	Inf	-Inf	95.82	3	Vertical	220	1.89	-	33.20	5.18	32.74
PK	5.3564G	73.87	74.00	-0.13	68.01	3	Vertical	220	1.89	-	33.37	5.21	32.72
AV	5.3508G	53.45	54.00	-0.55	47.61	3	Vertical	220	1.89	-	33.35	5.21	32.72
PK	5.4612G	61.31	68.20	-6.89	55.04	3	Vertical	220	1.89	-	33.68	5.27	32.68



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.99	74.00	-13.01	55.64	3	Horizontal	169	2.90	-	33.05	5.10	32.80
AV	5.1484G	47.13	54.00	-6.87	41.78	3	Horizontal	169	2.90	-	33.05	5.10	32.80
PK	5.2828G	117.80	Inf	-Inf	112.20	3	Horizontal	169	2.90	-	33.18	5.17	32.75
AV	5.282G	104.36	Inf	-Inf	98.76	3	Horizontal	169	2.90	-	33.18	5.17	32.75
PK	5.3532G	73.92	74.00	-0.08	68.07	3	Horizontal	169	2.90	-	33.36	5.21	32.72
AV	5.3516G	50.77	54.00	-3.23	44.93	3	Horizontal	169	2.90	-	33.35	5.21	32.72
PK	5.46G	60.36	68.20	-7.84	54.09	3	Horizontal	169	2.90	-	33.68	5.27	32.68



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58852G	55.49	68.20	-12.71	42.24	3	Vertical	99	1.92	-	39.07	7.66	33.48
PK	15.86784G	59.33	74.00	-14.67	45.66	3	Vertical	87	1.80	-	38.75	9.40	34.48
AV	15.8712G	44.84	54.00	-9.16	31.18	3	Vertical	87	1.80	-	38.74	9.40	34.48



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5290MHz\_TX



EUT Y\_4TX  
Setting 79  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57272G	55.47	68.20	-12.73	42.23	3	Horizontal	103	2.08	-	39.06	7.65	33.47
PK	15.87556G	58.53	74.00	-15.47	44.88	3	Horizontal	87	1.80	-	38.74	9.40	34.49
AV	15.87784G	44.71	54.00	-9.29	31.07	3	Horizontal	87	1.80	-	38.73	9.40	34.49



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 63  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	59.18	68.20	-9.02	53.37	3	Vertical	222	1.83	-	33.33	5.20	32.72
PK	5.448G	71.17	74.00	-2.83	64.96	3	Vertical	222	1.83	-	33.64	5.26	32.69
AV	5.447G	53.04	54.00	-0.96	46.83	3	Vertical	222	1.83	-	33.64	5.26	32.69
PK	5.47G	68.16	68.20	-0.04	61.86	3	Vertical	222	1.83	-	33.71	5.27	32.68
PK	5.501G	112.17	Inf	-Inf	105.75	3	Vertical	222	1.83	-	33.80	5.29	32.67
AV	5.534G	97.51	Inf	-Inf	91.01	3	Vertical	222	1.83	-	33.87	5.31	32.68
PK	5.753G	60.92	68.20	-7.28	53.98	3	Vertical	222	1.83	-	34.21	5.48	32.75

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5530MHz\_TX



EUT Y\_4TX  
Setting 63  
04-F-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.284G	59.24	68.20	-8.96	53.64	3	Horizontal	187	1.83	-	33.18	5.17	32.75
PK	5.441G	61.81	74.00	-12.19	55.63	3	Horizontal	187	1.83	-	33.62	5.25	32.69
PK	5.465G	62.69	68.20	-5.51	56.40	3	Horizontal	187	1.83	-	33.70	5.27	32.68
AV	5.46G	47.59	54.00	-6.41	41.32	3	Horizontal	187	1.83	-	33.68	5.27	32.68
PK	5.519G	112.02	Inf	-Inf	105.56	3	Horizontal	187	1.83	-	33.84	5.30	32.68
AV	5.513G	98.96	Inf	-Inf	92.51	3	Horizontal	187	1.83	-	33.83	5.30	32.68
PK	5.761G	61.40	68.20	-6.80	54.45	3	Horizontal	187	1.83	-	34.22	5.48	32.75



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5530MHz\_TX



EUT Y\_4TX  
Setting 63  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05984G	56.48	74.00	-17.52	43.03	3	Vertical	85	3.00	-	39.37	7.90	33.82
AV	11.05996G	43.59	54.00	-10.41	30.14	3	Vertical	85	3.00	-	39.37	7.90	33.82
PK	16.58124G	60.41	68.20	-7.79	45.18	3	Vertical	360	1.80	-	39.88	9.86	34.51



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 63  
04-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06916G	55.56	74.00	-18.44	42.11	3	Horizontal	57	1.04	-	39.37	7.90	33.82
AV	11.05256G	41.60	54.00	-12.40	28.15	3	Horizontal	57	1.04	-	39.37	7.89	33.81
PK	16.59828G	61.13	68.20	-7.07	45.84	3	Horizontal	312	1.80	-	39.92	9.88	34.51

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 91  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.28	74.00	-10.72	57.04	3	Vertical	218	1.75	-	33.66	5.26	32.68
AV	5.4596G	49.35	54.00	-4.65	43.08	3	Vertical	218	1.75	-	33.68	5.27	32.68
PK	5.4692G	63.30	68.20	-4.90	57.00	3	Vertical	218	1.75	-	33.71	5.27	32.68
PK	5.582G	119.00	Inf	-Inf	112.39	3	Vertical	218	1.75	-	33.96	5.35	32.70
AV	5.602G	103.07	Inf	-Inf	96.42	3	Vertical	218	1.75	-	34.00	5.36	32.71
PK	5.7268G	68.18	68.20	-0.02	61.32	3	Vertical	218	1.75	-	34.15	5.46	32.75






802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 91  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	60.58	74.00	-13.42	54.33	3	Horizontal	191	1.51	-	33.67	5.26	32.68
AV	5.4596G	47.78	54.00	-6.22	41.51	3	Horizontal	191	1.51	-	33.68	5.27	32.68
PK	5.466G	62.79	68.20	-5.41	56.50	3	Horizontal	191	1.51	-	33.70	5.27	32.68
PK	5.6068G	117.09	Inf	-Inf	110.42	3	Horizontal	191	1.51	-	34.01	5.37	32.71
AV	5.6068G	103.70	Inf	-Inf	97.03	3	Horizontal	191	1.51	-	34.01	5.37	32.71
PK	5.726G	66.03	68.20	-2.17	59.17	3	Horizontal	191	1.51	-	34.15	5.46	32.75

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 91  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23696G	57.63	74.00	-16.37	44.26	3	Vertical	212	1.75	-	39.28	8.01	33.92
AV	11.23992G	43.09	54.00	-10.91	29.71	3	Vertical	212	1.75	-	39.28	8.02	33.92
PK	16.83952G	62.19	68.20	-6.01	46.17	3	Vertical	80	1.50	-	40.45	10.06	34.49



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5610MHz\_TX



EUT Y\_4TX  
Setting 91  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21032G	56.73	74.00	-17.27	43.35	3	Horizontal	254	1.79	-	39.29	8.00	33.91
AV	11.23992G	42.95	54.00	-11.05	29.57	3	Horizontal	254	1.79	-	39.28	8.02	33.92
PK	16.83G	66.54	68.20	-1.66	50.54	3	Horizontal	88	1.54	-	40.43	10.06	34.49



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 96  
04-F-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.61	74.00	-13.39	54.37	3	Vertical	220	1.87	-	33.66	5.26	32.68
AV	5.4596G	48.26	54.00	-5.74	41.99	3	Vertical	220	1.87	-	33.68	5.27	32.68
PK	5.4656G	61.39	68.20	-6.81	55.10	3	Vertical	220	1.87	-	33.70	5.27	32.68
PK	5.6972G	117.51	Inf	-Inf	110.71	3	Vertical	220	1.87	-	34.10	5.44	32.74
AV	5.7044G	104.13	Inf	-Inf	97.32	3	Vertical	220	1.87	-	34.11	5.44	32.74
PK	5.852G	64.89	68.20	-3.31	57.51	3	Vertical	220	1.87	-	34.61	5.55	32.78



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 96  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	61.12	74.00	-12.88	55.04	3	Horizontal	162	1.72	-	33.54	5.24	32.70
PK	5.46G	59.67	68.20	-8.53	53.40	3	Horizontal	162	1.72	-	33.68	5.27	32.68
AV	5.4572G	47.08	54.00	-6.92	40.83	3	Horizontal	162	1.72	-	33.67	5.26	32.68
PK	5.7056G	119.52	Inf	-Inf	112.71	3	Horizontal	162	1.72	-	34.11	5.44	32.74
AV	5.7056G	107.59	Inf	-Inf	100.78	3	Horizontal	162	1.72	-	34.11	5.44	32.74
PK	5.858G	63.45	68.20	-4.75	56.02	3	Horizontal	162	1.72	-	34.65	5.56	32.78

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 96  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37272G	56.18	74.00	-17.82	42.87	3	Vertical	188	1.87	-	39.21	8.10	34.00
AV	11.38356G	42.25	54.00	-11.75	28.94	3	Vertical	188	1.87	-	39.21	8.11	34.01
PK	17.07492G	63.23	68.20	-4.97	46.66	3	Vertical	296	1.72	-	40.87	10.17	34.47



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 96  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37932G	56.98	74.00	-17.02	43.67	3	Horizontal	215	1.72	-	39.21	8.11	34.01
AV	11.38408G	42.23	54.00	-11.77	28.92	3	Horizontal	215	1.72	-	39.21	8.11	34.01
PK	17.07896G	66.71	68.20	-1.49	50.14	3	Horizontal	99	1.80	-	40.87	10.17	34.47



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 75  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	69.36	74.00	-4.64	64.03	3	Vertical	225	1.74	-	33.03	5.10	32.80
AV	5.1124G	51.04	54.00	-2.96	45.75	3	Vertical	225	1.74	-	33.01	5.09	32.81
PK	5.234G	109.63	Inf	-Inf	104.12	3	Vertical	225	1.74	-	33.13	5.15	32.77
AV	5.2548G	95.06	Inf	-Inf	89.51	3	Vertical	225	1.74	-	33.15	5.16	32.76
PK	5.3716G	69.90	74.00	-4.10	63.98	3	Vertical	225	1.74	-	33.41	5.22	32.71
AV	5.3524G	51.18	54.00	-2.82	45.33	3	Vertical	225	1.74	-	33.36	5.21	32.72
PK	5.4644G	61.69	68.20	-6.51	55.41	3	Vertical	225	1.74	-	33.69	5.27	32.68






802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	73.94	74.00	-0.06	68.59	3	Horizontal	354	1.80	-	33.05	5.10	32.80
AV	5.1252G	49.42	54.00	-4.58	44.10	3	Horizontal	354	1.80	-	33.03	5.09	32.80
PK	5.2116G	114.04	Inf	-Inf	108.57	3	Horizontal	354	1.80	-	33.11	5.14	32.78
AV	5.2244G	93.29	Inf	-Inf	87.80	3	Horizontal	354	1.80	-	33.12	5.14	32.77
PK	5.3732G	73.47	74.00	-0.53	67.54	3	Horizontal	354	1.80	-	33.42	5.22	32.71
AV	5.3828G	48.67	54.00	-5.33	42.71	3	Horizontal	354	1.80	-	33.45	5.22	32.71
PK	5.4644G	64.26	68.20	-3.94	57.98	3	Horizontal	354	1.80	-	33.69	5.27	32.68

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
04-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50472G	55.09	68.20	-13.11	41.89	3	Vertical	173	1.81	-	39.00	7.62	33.42
PK	15.75348G	59.38	74.00	-14.62	45.52	3	Vertical	211	1.76	-	38.87	9.39	34.40
AV	15.74832G	45.26	54.00	-8.74	31.39	3	Vertical	211	1.76	-	38.88	9.39	34.40

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5250MHz Straddle 5.25-5.35GHz\_TX



EUT Y\_4TX  
Setting 75  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49576G	54.60	68.20	-13.60	41.40	3	Horizontal	257	1.87	-	39.00	7.62	33.42
PK	15.75016G	59.36	74.00	-14.64	45.50	3	Horizontal	303	1.22	-	38.87	9.39	34.40
AV	15.7408G	45.20	54.00	-8.80	31.32	3	Horizontal	303	1.22	-	38.89	9.39	34.40



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 73  
04-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	59.35	68.20	-8.85	53.70	3	Vertical	225	1.81	-	33.21	5.18	32.74
PK	5.458G	69.95	74.00	-4.05	63.70	3	Vertical	225	1.81	-	33.67	5.26	32.68
AV	5.458G	53.10	54.00	-0.90	46.85	3	Vertical	225	1.81	-	33.67	5.26	32.68
PK	5.4612G	68.15	68.20	-0.05	61.88	3	Vertical	225	1.81	-	33.68	5.27	32.68
PK	5.5908G	110.07	Inf	-Inf	103.45	3	Vertical	225	1.81	-	33.98	5.35	32.71
AV	5.5348G	93.49	Inf	-Inf	86.99	3	Vertical	225	1.81	-	33.87	5.31	32.68
PK	5.7252G	66.29	68.20	-1.91	59.43	3	Vertical	225	1.81	-	34.15	5.46	32.75

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 73  
04-F-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2356G	60.11	68.20	-8.09	54.59	3	Horizontal	188	1.81	-	33.14	5.15	32.77
PK	5.4548G	64.94	74.00	-9.06	58.70	3	Horizontal	188	1.81	-	33.66	5.26	32.68
AV	5.4148G	50.69	54.00	-3.31	44.61	3	Horizontal	188	1.81	-	33.54	5.24	32.70
PK	5.4628G	65.34	68.20	-2.86	59.06	3	Horizontal	188	1.81	-	33.69	5.27	32.68
AV	5.506G	90.71	Inf	-Inf	84.28	3	Horizontal	188	1.81	-	33.81	5.29	32.67
PK	5.5716G	109.25	Inf	-Inf	102.67	3	Horizontal	188	1.81	-	33.94	5.34	32.70
PK	5.7252G	64.40	68.20	-3.80	57.54	3	Horizontal	188	1.81	-	34.15	5.46	32.75



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 73  
04-F-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13996G	56.40	74.00	-17.60	42.98	3	Vertical	101	2.92	-	39.33	7.95	33.86
AV	11.14G	43.18	54.00	-10.82	29.76	3	Vertical	101	2.92	-	39.33	7.95	33.86
PK	16.71476G	60.46	68.20	-7.74	44.82	3	Vertical	122	1.16	-	40.17	9.97	34.50



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

16/07/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 73  
04-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13248G	55.42	74.00	-18.58	42.00	3	Horizontal	255	1.80	-	39.33	7.95	33.86
AV	11.14724G	41.34	54.00	-12.66	27.92	3	Horizontal	255	1.80	-	39.33	7.96	33.87
PK	16.71932G	61.63	68.20	-6.57	45.98	3	Horizontal	45	1.81	-	40.18	9.97	34.50