


802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00228G	52.98	74.00	-21.02	39.79	3	Horizontal	237	1.80	-	38.50	7.45	32.76
AV	11.01488G	39.27	54.00	-14.73	26.07	3	Horizontal	237	1.80	-	38.51	7.46	32.77
PK	16.50408G	54.28	68.20	-13.92	39.17	3	Horizontal	344	1.80	-	38.82	9.25	32.96

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.22	74.00	-13.78	52.68	3	Vertical	113	2.17	-	33.99	5.05	31.50
AV	5.456G	47.65	54.00	-6.35	40.10	3	Vertical	113	2.17	-	33.99	5.06	31.50
PK	5.4656G	60.75	68.20	-7.45	53.21	3	Vertical	113	2.17	-	33.97	5.07	31.50
PK	5.5728G	124.58	Inf	-Inf	116.98	3	Vertical	113	2.17	-	33.90	5.17	31.47
AV	5.5736G	114.62	Inf	-Inf	107.02	3	Vertical	113	2.17	-	33.90	5.17	31.47
PK	5.7552G	59.87	68.20	-8.33	52.49	3	Vertical	113	2.17	-	33.80	5.04	31.46

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.56	74.00	-15.44	51.02	3	Horizontal	11	2.50	-	33.98	5.06	31.50
AV	5.4488G	46.45	54.00	-7.55	38.91	3	Horizontal	11	2.50	-	34.00	5.05	31.51
PK	5.468G	59.68	68.20	-8.52	52.14	3	Horizontal	11	2.50	-	33.96	5.07	31.49
PK	5.5776G	121.30	Inf	-Inf	113.69	3	Horizontal	11	2.50	-	33.90	5.18	31.47
AV	5.5776G	111.00	Inf	-Inf	103.39	3	Horizontal	11	2.50	-	33.90	5.18	31.47
PK	5.7504G	58.75	68.20	-9.45	51.36	3	Horizontal	11	2.50	-	33.80	5.05	31.46

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17236G	52.65	74.00	-21.35	39.29	3	Vertical	321	1.80	-	38.67	7.51	32.82
AV	11.15832G	39.34	54.00	-14.66	25.98	3	Vertical	321	1.80	-	38.66	7.51	32.81
PK	16.73448G	61.70	68.20	-6.50	45.35	3	Vertical	15	2.04	-	40.04	9.27	32.96

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15658G	53.22	74.00	-20.78	39.87	3	Horizontal	199	1.05	-	38.66	7.50	32.81
AV	11.16684G	39.42	54.00	-14.58	26.06	3	Horizontal	199	1.05	-	38.67	7.51	32.82
PK	16.73514G	64.12	68.20	-4.08	47.76	3	Horizontal	18	2.05	-	40.05	9.27	32.96

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	116.50	Inf	-Inf	109.06	3	Vertical	80	1.00	-	33.80	5.10	31.46
AV	5.704G	107.46	Inf	-Inf	100.02	3	Vertical	80	1.00	-	33.80	5.10	31.46
PK	5.725G	67.80	68.20	-0.40	60.38	3	Vertical	80	1.00	-	33.80	5.08	31.46

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	113.41	Inf	-Inf	105.97	3	Horizontal	20	2.81	-	33.80	5.10	31.46
AV	5.704G	103.84	Inf	-Inf	96.40	3	Horizontal	20	2.81	-	33.80	5.10	31.46
PK	5.725G	64.48	68.20	-3.72	57.06	3	Horizontal	20	2.81	-	33.80	5.08	31.46

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5700MHz\_TX



EUT\_Z\_4TX  
Setting 77  
02-B-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38938G	52.37	74.00	-21.63	38.89	3	Vertical	308	1.80	-	38.78	7.59	32.89
AV	11.39394G	39.06	54.00	-14.94	25.57	3	Vertical	308	1.80	-	38.79	7.59	32.89
PK	17.11104G	57.68	68.20	-10.52	39.56	3	Vertical	150	1.80	-	41.76	9.31	32.95



802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39598G	52.70	74.00	-21.30	39.21	3	Horizontal	119	2.05	-	38.79	7.59	32.89
AV	11.40138G	39.17	54.00	-14.83	25.68	3	Horizontal	119	2.05	-	38.80	7.59	32.90
PK	17.11008G	56.71	68.20	-11.49	38.60	3	Horizontal	7	2.64	-	41.75	9.31	32.95

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	59.69	74.00	-14.31	52.15	3	Vertical	78	1.02	-	34.00	5.05	31.51
AV	5.4526G	46.63	54.00	-7.37	39.10	3	Vertical	78	1.02	-	33.99	5.05	31.51
PK	5.46G	58.27	68.20	-9.93	50.73	3	Vertical	78	1.02	-	33.98	5.06	31.50
PK	5.7228G	125.01	Inf	-Inf	117.59	3	Vertical	78	1.02	-	33.80	5.08	31.46
AV	5.7228G	114.61	Inf	-Inf	107.19	3	Vertical	78	1.02	-	33.80	5.08	31.46
PK	5.8852G	60.75	68.20	-7.45	52.90	3	Vertical	78	1.02	-	34.04	5.26	31.45

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	58.31	74.00	-15.69	50.97	3	Horizontal	44	1.00	-	33.86	5.01	31.53
PK	5.4666G	58.01	68.20	-10.19	50.46	3	Horizontal	44	1.00	-	33.97	5.07	31.49
AV	5.4498G	45.62	54.00	-8.38	38.08	3	Horizontal	44	1.00	-	34.00	5.05	31.51
PK	5.7158G	119.45	Inf	-Inf	112.03	3	Horizontal	44	1.00	-	33.80	5.08	31.46
AV	5.7158G	109.44	Inf	-Inf	102.02	3	Horizontal	44	1.00	-	33.80	5.08	31.46
PK	5.9524G	59.33	68.20	-8.87	51.22	3	Horizontal	44	1.00	-	34.10	5.46	31.45

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45212G	51.77	74.00	-22.23	38.17	3	Vertical	168	2.85	-	38.90	7.61	32.91
AV	11.4307G	39.24	54.00	-14.76	25.69	3	Vertical	168	2.85	-	38.86	7.60	32.91
PK	17.15958G	62.48	68.20	-5.72	44.10	3	Vertical	52	1.78	-	42.00	9.32	32.94

802.11a\_Nss1,(6Mbps)\_4TX

29/03/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4427G	52.42	74.00	-21.58	38.84	3	Horizontal	167	2.22	-	38.89	7.60	32.91
AV	11.4481G	39.06	54.00	-14.94	25.46	3	Horizontal	167	2.22	-	38.90	7.61	32.91
PK	17.1552G	63.36	68.20	-4.84	45.00	3	Horizontal	10	2.37	-	41.98	9.32	32.94

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.02	74.00	-13.98	53.25	3	Vertical	22	2.52	-	33.50	5.00	31.73
AV	5.1484G	46.11	54.00	-7.89	39.34	3	Vertical	22	2.52	-	33.50	5.00	31.73
PK	5.2594G	123.46	Inf	-Inf	116.42	3	Vertical	22	2.52	-	33.62	5.07	31.65
AV	5.254G	112.90	Inf	-Inf	105.87	3	Vertical	22	2.52	-	33.61	5.07	31.65
PK	5.3542G	67.05	74.00	-6.95	59.81	3	Vertical	22	2.52	-	33.80	5.02	31.58
AV	5.35G	51.25	54.00	-2.75	44.00	3	Vertical	22	2.52	-	33.80	5.03	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	58.15	74.00	-15.85	51.38	3	Horizontal	345	1.19	-	33.50	5.00	31.73
AV	5.1478G	45.98	54.00	-8.02	39.21	3	Horizontal	345	1.19	-	33.50	5.00	31.73
PK	5.2558G	119.52	Inf	-Inf	112.49	3	Horizontal	345	1.19	-	33.61	5.07	31.65
AV	5.2654G	108.45	Inf	-Inf	101.39	3	Horizontal	345	1.19	-	33.63	5.07	31.64
PK	5.3506G	64.33	74.00	-9.67	57.09	3	Horizontal	345	1.19	-	33.80	5.02	31.58
AV	5.3506G	49.15	54.00	-4.85	41.91	3	Horizontal	345	1.19	-	33.80	5.02	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5260MHz\_TX



EUT\_Z\_4TX  
Setting 108  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7781G	64.26	74.00	-9.74	50.66	3	Vertical	15	2.97	-	37.34	9.12	32.86
AV	15.7733G	50.41	54.00	-3.59	36.80	3	Vertical	15	2.97	-	37.35	9.12	32.86



802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5260MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7803G	61.56	74.00	-12.44	47.96	3	Horizontal	42	2.13	-	37.34	9.12	32.86
AV	15.7802G	48.74	54.00	-5.26	35.14	3	Horizontal	42	2.13	-	37.34	9.12	32.86

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	121.45	Inf	-Inf	114.30	3	Vertical	23	2.49	-	33.71	5.05	31.61
AV	5.3044G	110.83	Inf	-Inf	103.68	3	Vertical	23	2.49	-	33.71	5.05	31.61
PK	5.35G	73.97	74.00	-0.03	66.72	3	Vertical	23	2.49	-	33.80	5.03	31.58
AV	5.35G	53.58	54.00	-0.42	46.33	3	Vertical	23	2.49	-	33.80	5.03	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	116.12	Inf	-Inf	109.00	3	Horizontal	348	1.07	-	33.69	5.05	31.62
AV	5.3056G	106.34	Inf	-Inf	99.19	3	Horizontal	348	1.07	-	33.71	5.05	31.61
PK	5.3512G	69.23	74.00	-4.77	61.99	3	Horizontal	348	1.07	-	33.80	5.02	31.58
AV	5.3512G	49.55	54.00	-4.45	42.31	3	Horizontal	348	1.07	-	33.80	5.02	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6024G	52.70	74.00	-21.30	39.48	3	Vertical	266	1.80	-	38.50	7.31	32.59
AV	10.6005G	39.46	54.00	-14.54	26.24	3	Vertical	266	1.80	-	38.50	7.31	32.59
PK	15.9116G	64.07	74.00	-9.93	50.46	3	Vertical	287	2.79	-	37.31	9.17	32.87
AV	15.9018G	49.23	54.00	-4.77	35.63	3	Vertical	287	2.79	-	37.30	9.17	32.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6098G	52.43	74.00	-21.57	39.23	3	Horizontal	197	1.77	-	38.49	7.31	32.60
AV	10.6002G	38.11	54.00	-15.89	24.89	3	Horizontal	197	1.77	-	38.50	7.31	32.59
PK	15.9075G	59.27	74.00	-14.73	45.66	3	Horizontal	22	2.09	-	37.31	9.17	32.87
AV	15.8982G	45.40	54.00	-8.60	31.81	3	Horizontal	22	2.09	-	37.30	9.16	32.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3238G	118.06	Inf	-Inf	110.87	3	Vertical	21	2.62	-	33.75	5.04	31.60
AV	5.319G	107.88	Inf	-Inf	100.70	3	Vertical	21	2.62	-	33.74	5.04	31.60
PK	5.3542G	73.80	74.00	-0.20	66.56	3	Vertical	21	2.62	-	33.80	5.02	31.58
AV	5.3536G	52.00	54.00	-2.00	44.76	3	Vertical	21	2.62	-	33.80	5.02	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	114.50	Inf	-Inf	107.32	3	Horizontal	348	1.07	-	33.74	5.04	31.60
AV	5.3206G	103.89	Inf	-Inf	96.71	3	Horizontal	348	1.07	-	33.74	5.04	31.60
PK	5.35G	69.83	74.00	-4.17	62.58	3	Horizontal	348	1.07	-	33.80	5.03	31.58
AV	5.3504G	51.01	54.00	-2.99	43.77	3	Horizontal	348	1.07	-	33.80	5.02	31.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5320MHz\_TX



EUT\_Z\_4TX  
Setting 85  
02-B-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6293G	51.16	74.00	-22.84	37.97	3	Vertical	345	1.45	-	38.47	7.32	32.60
AV	10.615G	38.07	54.00	-15.93	24.87	3	Vertical	345	1.45	-	38.48	7.32	32.60
PK	15.9618G	56.84	74.00	-17.16	43.17	3	Vertical	287	2.95	-	37.36	9.19	32.88
AV	15.9614G	41.18	54.00	-12.82	27.51	3	Vertical	287	2.95	-	37.36	9.19	32.88



802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6468G	51.09	74.00	-22.91	37.92	3	Horizontal	69	1.96	-	38.45	7.33	32.61
AV	10.6154G	37.92	54.00	-16.08	24.72	3	Horizontal	69	1.96	-	38.48	7.32	32.60
PK	15.9605G	55.71	74.00	-18.29	42.04	3	Horizontal	41	2.03	-	37.36	9.19	32.88
AV	15.9604G	38.85	54.00	-15.15	25.18	3	Horizontal	41	2.03	-	37.36	9.19	32.88

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.34	74.00	-12.66	53.80	3	Vertical	23	2.70	-	33.98	5.06	31.50
AV	5.4588G	47.74	54.00	-6.26	40.20	3	Vertical	23	2.70	-	33.98	5.06	31.50
PK	5.4692G	68.15	68.20	-0.05	60.61	3	Vertical	23	2.70	-	33.96	5.07	31.49
PK	5.4988G	118.47	Inf	-Inf	110.94	3	Vertical	23	2.70	-	33.90	5.10	31.47
AV	5.4988G	107.62	Inf	-Inf	100.09	3	Vertical	23	2.70	-	33.90	5.10	31.47

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4308G	57.42	74.00	-16.58	49.99	3	Horizontal	92	2.64	-	33.92	5.03	31.52
PK	5.468G	61.50	68.20	-6.70	53.96	3	Horizontal	92	2.64	-	33.96	5.07	31.49
AV	5.4576G	45.27	54.00	-8.73	37.73	3	Horizontal	92	2.64	-	33.98	5.06	31.50
PK	5.4932G	111.37	Inf	-Inf	103.85	3	Horizontal	92	2.64	-	33.91	5.09	31.48
AV	5.4984G	100.41	Inf	-Inf	92.88	3	Horizontal	92	2.64	-	33.90	5.10	31.47

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0219G	51.00	74.00	-23.00	37.79	3	Vertical	142	2.62	-	38.52	7.46	32.77
AV	11.0161G	38.08	54.00	-15.92	24.87	3	Vertical	142	2.62	-	38.52	7.46	32.77
PK	16.5103G	53.36	68.20	-14.84	38.22	3	Vertical	249	2.08	-	38.85	9.25	32.96

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0098G	51.20	74.00	-22.80	38.00	3	Horizontal	240	2.01	-	38.51	7.45	32.76
AV	11.018G	38.05	54.00	-15.95	24.84	3	Horizontal	240	2.01	-	38.52	7.46	32.77
PK	16.4992G	52.75	68.20	-15.45	37.66	3	Horizontal	260	1.79	-	38.80	9.25	32.96

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.11	74.00	-13.89	52.57	3	Vertical	341	2.30	-	33.98	5.06	31.50
AV	5.46G	46.59	54.00	-7.41	39.05	3	Vertical	341	2.30	-	33.98	5.06	31.50
PK	5.4672G	59.05	68.20	-9.15	51.50	3	Vertical	341	2.30	-	33.97	5.07	31.49
PK	5.5768G	123.56	Inf	-Inf	115.95	3	Vertical	341	2.30	-	33.90	5.18	31.47
AV	5.576G	112.16	Inf	-Inf	104.55	3	Vertical	341	2.30	-	33.90	5.18	31.47
PK	5.7448G	58.35	68.20	-9.85	50.95	3	Vertical	341	2.30	-	33.80	5.06	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	58.33	74.00	-15.67	50.80	3	Horizontal	7	2.51	-	33.99	5.05	31.51
PK	5.4624G	58.34	68.20	-9.86	50.80	3	Horizontal	7	2.51	-	33.98	5.06	31.50
AV	5.46G	45.73	54.00	-8.27	38.19	3	Horizontal	7	2.51	-	33.98	5.06	31.50
PK	5.5752G	120.52	Inf	-Inf	112.91	3	Horizontal	7	2.51	-	33.90	5.18	31.47
AV	5.5768G	107.55	Inf	-Inf	99.94	3	Horizontal	7	2.51	-	33.90	5.18	31.47
PK	5.7384G	57.46	68.20	-10.74	50.06	3	Horizontal	7	2.51	-	33.80	5.06	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5580MHz\_TX



EUT\_Z\_4TX  
Setting 108  
02-B-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1418G	51.90	74.00	-22.10	38.57	3	Vertical	310	2.91	-	38.64	7.50	32.81
AV	11.141G	38.28	54.00	-15.72	24.95	3	Vertical	310	2.91	-	38.64	7.50	32.81
PK	16.7445G	61.65	68.20	-6.55	45.23	3	Vertical	339	3.00	-	40.11	9.27	32.96



802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1813G	51.45	74.00	-22.55	38.08	3	Horizontal	223	2.89	-	38.68	7.51	32.82
AV	11.1619G	38.27	54.00	-15.73	24.92	3	Horizontal	223	2.89	-	38.66	7.51	32.82
PK	16.7428G	59.24	68.20	-8.96	42.83	3	Horizontal	17	2.05	-	40.10	9.27	32.96

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 79  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	116.42	Inf	-Inf	108.98	3	Vertical	94	2.36	-	33.80	5.10	31.46
AV	5.697G	105.69	Inf	-Inf	98.24	3	Vertical	94	2.36	-	33.81	5.10	31.46
PK	5.7266G	68.05	68.20	-0.15	60.64	3	Vertical	94	2.36	-	33.80	5.07	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 79  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	112.32	Inf	-Inf	104.88	3	Horizontal	12	2.96	-	33.80	5.10	31.46
AV	5.7052G	101.34	Inf	-Inf	93.91	3	Horizontal	12	2.96	-	33.80	5.09	31.46
PK	5.7254G	65.30	68.20	-2.90	57.89	3	Horizontal	12	2.96	-	33.80	5.07	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 79  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3954G	52.34	74.00	-21.66	38.85	3	Vertical	143	1.80	-	38.79	7.59	32.89
AV	11.4225G	38.11	54.00	-15.89	24.57	3	Vertical	143	1.80	-	38.84	7.60	32.90
PK	17.102G	56.16	68.20	-12.04	38.09	3	Vertical	253	1.03	-	41.71	9.31	32.95

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 79  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4107G	52.10	74.00	-21.90	38.59	3	Horizontal	153	2.32	-	38.82	7.59	32.90
AV	11.3938G	38.10	54.00	-15.90	24.61	3	Horizontal	153	2.32	-	38.79	7.59	32.89
PK	17.0831G	56.10	68.20	-12.10	38.12	3	Horizontal	347	2.31	-	41.62	9.31	32.95

802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	122.00	Inf	-Inf	114.58	3	Vertical	96	1.20	-	33.80	5.08	31.46
AV	5.7176G	111.35	Inf	-Inf	103.93	3	Vertical	96	1.20	-	33.80	5.08	31.46
PK	5.8632G	60.57	68.20	-7.63	52.89	3	Vertical	96	1.20	-	33.95	5.19	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX

29/03/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	118.37	Inf	-Inf	110.95	3	Horizontal	12	2.94	-	33.80	5.08	31.46
AV	5.7256G	107.07	Inf	-Inf	99.66	3	Horizontal	12	2.94	-	33.80	5.07	31.46
PK	5.868G	59.32	68.20	-8.88	51.61	3	Horizontal	12	2.94	-	33.97	5.20	31.46

802.11ax HEW20\_Nss1,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4516G	51.68	74.00	-22.32	38.08	3	Vertical	6	1.34	-	38.90	7.61	32.91
AV	11.4244G	38.17	54.00	-15.83	24.62	3	Vertical	6	1.34	-	38.85	7.60	32.90
PK	17.1675G	64.32	68.20	-3.88	45.90	3	Vertical	22	2.93	-	42.04	9.32	32.94



**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**

29/03/2021




EUT\_Z\_4TX  
 Setting 108  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4266G	51.82	74.00	-22.18	38.28	3	Horizontal	53	2.11	-	38.85	7.60	32.91
AV	11.4243G	38.12	54.00	-15.88	24.57	3	Horizontal	53	2.11	-	38.85	7.60	32.90
PK	17.1623G	57.53	68.20	-10.67	39.14	3	Horizontal	54	2.38	-	42.01	9.32	32.94

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.66	74.00	-15.34	51.89	3	Vertical	20	2.62	-	33.50	5.00	31.73
AV	5.1362G	46.58	54.00	-7.42	39.88	3	Vertical	20	2.62	-	33.47	4.97	31.74
PK	5.2838G	119.36	Inf	-Inf	112.26	3	Vertical	20	2.62	-	33.67	5.06	31.63
AV	5.2742G	108.38	Inf	-Inf	101.31	3	Vertical	20	2.62	-	33.65	5.06	31.64
PK	5.351G	69.08	74.00	-4.92	61.84	3	Vertical	20	2.62	-	33.80	5.02	31.58
AV	5.35G	53.55	54.00	-0.45	46.30	3	Vertical	20	2.62	-	33.80	5.03	31.58

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.84	74.00	-16.16	51.07	3	Horizontal	342	1.00	-	33.50	5.00	31.73
AV	5.1482G	46.09	54.00	-7.91	39.32	3	Horizontal	342	1.00	-	33.50	5.00	31.73
PK	5.2754G	116.91	Inf	-Inf	109.84	3	Horizontal	342	1.00	-	33.65	5.06	31.64
AV	5.2754G	104.99	Inf	-Inf	97.92	3	Horizontal	342	1.00	-	33.65	5.06	31.64
PK	5.3504G	69.51	74.00	-4.49	62.27	3	Horizontal	342	1.00	-	33.80	5.02	31.58
AV	5.351G	51.84	54.00	-2.16	44.60	3	Horizontal	342	1.00	-	33.80	5.02	31.58

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8025G	52.71	74.00	-21.29	39.14	3	Vertical	272	1.99	-	37.30	9.13	32.86
AV	15.7991G	40.39	54.00	-13.61	26.82	3	Vertical	272	1.99	-	37.30	9.13	32.86

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7921G	52.96	74.00	-21.04	39.37	3	Horizontal	169	1.79	-	37.32	9.13	32.86
AV	15.8054G	40.38	54.00	-13.62	26.81	3	Horizontal	169	1.79	-	37.30	9.13	32.86

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 68  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	114.68	Inf	-Inf	107.50	3	Vertical	22	2.60	-	33.74	5.04	31.60
AV	5.3044G	103.08	Inf	-Inf	95.93	3	Vertical	22	2.60	-	33.71	5.05	31.61
PK	5.35G	66.70	74.00	-7.30	59.45	3	Vertical	22	2.60	-	33.80	5.03	31.58
AV	5.35G	53.75	54.00	-0.25	46.50	3	Vertical	22	2.60	-	33.80	5.03	31.58

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 68  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	110.52	Inf	-Inf	103.36	3	Horizontal	346	1.06	-	33.73	5.04	31.61
AV	5.3156G	99.01	Inf	-Inf	91.85	3	Horizontal	346	1.06	-	33.73	5.04	31.61
PK	5.356G	61.61	74.00	-12.39	54.37	3	Horizontal	346	1.06	-	33.80	5.02	31.58
AV	5.3508G	50.11	54.00	-3.89	42.87	3	Horizontal	346	1.06	-	33.80	5.02	31.58

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5310MHz\_TX



EUT\_Z\_4TX  
Setting 68  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6023G	52.15	74.00	-21.85	38.93	3	Vertical	338	1.75	-	38.50	7.31	32.59
AV	10.6056G	39.92	54.00	-14.08	26.71	3	Vertical	338	1.75	-	38.49	7.31	32.59
PK	15.9318G	53.09	74.00	-20.91	39.45	3	Vertical	305	1.29	-	37.33	9.18	32.87
AV	15.94G	40.49	54.00	-13.51	26.85	3	Vertical	305	1.29	-	37.34	9.18	32.88



802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 68  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6065G	51.84	74.00	-22.16	38.63	3	Horizontal	164	1.64	-	38.49	7.31	32.59
AV	10.6079G	40.04	54.00	-13.96	26.84	3	Horizontal	164	1.64	-	38.49	7.31	32.60
PK	15.9138G	52.91	74.00	-21.09	39.30	3	Horizontal	212	2.85	-	37.31	9.17	32.87
AV	15.9281G	40.71	54.00	-13.29	27.08	3	Horizontal	212	2.85	-	37.33	9.17	32.87

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	60.58	74.00	-13.42	53.03	3	Vertical	341	2.22	-	33.99	5.06	31.50
AV	5.4564G	49.59	54.00	-4.41	42.04	3	Vertical	341	2.22	-	33.99	5.06	31.50
PK	5.4664G	67.80	68.20	-0.40	60.25	3	Vertical	341	2.22	-	33.97	5.07	31.49
PK	5.5068G	115.11	Inf	-Inf	107.57	3	Vertical	341	2.22	-	33.90	5.11	31.47
AV	5.5164G	103.29	Inf	-Inf	95.74	3	Vertical	341	2.22	-	33.90	5.12	31.47

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	58.47	74.00	-15.53	50.92	3	Horizontal	103	2.37	-	33.99	5.06	31.50
AV	5.456G	46.83	54.00	-7.17	39.28	3	Horizontal	103	2.37	-	33.99	5.06	31.50
PK	5.4656G	63.74	68.20	-4.46	56.20	3	Horizontal	103	2.37	-	33.97	5.07	31.50
PK	5.5056G	108.85	Inf	-Inf	101.31	3	Horizontal	103	2.37	-	33.90	5.11	31.47
AV	5.5212G	98.19	Inf	-Inf	90.64	3	Horizontal	103	2.37	-	33.90	5.12	31.47

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0211G	52.00	74.00	-22.00	38.79	3	Vertical	233	2.08	-	38.52	7.46	32.77
AV	11.0083G	39.89	54.00	-14.11	26.69	3	Vertical	233	2.08	-	38.51	7.45	32.76

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0259G	52.37	74.00	-21.63	39.15	3	Horizontal	269	1.91	-	38.53	7.46	32.77
AV	11.0246G	40.03	54.00	-13.97	26.82	3	Horizontal	269	1.91	-	38.52	7.46	32.77

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	65.46	74.00	-8.54	57.91	3	Vertical	342	2.28	-	33.99	5.06	31.50
AV	5.4558G	50.30	54.00	-3.70	42.75	3	Vertical	342	2.28	-	33.99	5.06	31.50
PK	5.5614G	119.14	Inf	-Inf	111.55	3	Vertical	342	2.28	-	33.90	5.16	31.47
AV	5.5566G	108.85	Inf	-Inf	101.26	3	Vertical	342	2.28	-	33.90	5.16	31.47
PK	5.4666G	68.07	68.20	-0.13	60.52	3	Vertical	342	2.28	-	33.97	5.07	31.49

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.13	74.00	-10.87	55.59	3	Horizontal	11	2.71	-	33.98	5.06	31.50
AV	5.4546G	49.04	54.00	-4.96	41.50	3	Horizontal	11	2.71	-	33.99	5.05	31.50
PK	5.4696G	67.05	68.20	-1.15	59.51	3	Horizontal	11	2.71	-	33.96	5.07	31.49
PK	5.5548G	115.90	Inf	-Inf	108.32	3	Horizontal	11	2.71	-	33.90	5.15	31.47
AV	5.5548G	104.99	Inf	-Inf	97.41	3	Horizontal	11	2.71	-	33.90	5.15	31.47

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5550MHz\_TX



EUT\_Z\_4TX  
Setting 92  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1231G	52.19	74.00	-21.81	38.88	3	Vertical	357	1.06	-	38.62	7.49	32.80
AV	11.0803G	39.98	54.00	-14.02	26.71	3	Vertical	357	1.06	-	38.58	7.48	32.79



802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0846G	52.63	74.00	-21.37	39.36	3	Horizontal	150	1.16	-	38.58	7.48	32.79
AV	11.1176G	39.91	54.00	-14.09	26.60	3	Horizontal	150	1.16	-	38.62	7.49	32.80

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6814G	118.45	Inf	-Inf	110.95	3	Vertical	339	2.33	-	33.84	5.12	31.46
AV	5.6664G	107.02	Inf	-Inf	99.48	3	Vertical	339	2.33	-	33.87	5.13	31.46
PK	5.7264G	68.11	68.20	-0.09	60.70	3	Vertical	339	2.33	-	33.80	5.07	31.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5670MHz\_TX




EUT Z\_4TX  
Setting 84  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	114.92	Inf	-Inf	107.40	3	Horizontal	11	2.60	-	33.85	5.13	31.46
AV	5.6754G	103.12	Inf	-Inf	95.61	3	Horizontal	11	2.60	-	33.85	5.12	31.46
PK	5.7252G	65.92	68.20	-2.28	58.51	3	Horizontal	11	2.60	-	33.80	5.07	31.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3388G	51.77	74.00	-22.23	38.40	3	Vertical	110	1.53	-	38.68	7.57	32.88
AV	11.3649G	39.61	54.00	-14.39	26.18	3	Vertical	110	1.53	-	38.73	7.58	32.88

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3242G	51.92	74.00	-22.08	38.58	3	Horizontal	334	1.77	-	38.65	7.56	32.87
AV	11.3638G	39.76	54.00	-14.24	26.33	3	Horizontal	334	1.77	-	38.73	7.58	32.88

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

29/03/2021




EUT\_Z\_4TX  
 Setting 108  
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	58.26	74.00	-15.74	50.72	3	Vertical	338	2.42	-	34.00	5.05	31.51
AV	5.4538G	46.81	54.00	-7.19	39.27	3	Vertical	338	2.42	-	33.99	5.05	31.50
PK	5.4622G	58.59	68.20	-9.61	51.05	3	Vertical	338	2.42	-	33.98	5.06	31.50
PK	5.7156G	120.89	Inf	-Inf	113.47	3	Vertical	338	2.42	-	33.80	5.08	31.46
AV	5.7114G	110.82	Inf	-Inf	103.39	3	Vertical	338	2.42	-	33.80	5.09	31.46
PK	5.8514G	65.29	68.20	-2.91	57.69	3	Vertical	338	2.42	-	33.91	5.15	31.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX

29/03/2021

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	58.11	74.00	-15.89	50.57	3	Horizontal	24	2.16	-	34.00	5.05	31.51
AV	5.4258G	46.10	54.00	-7.90	38.69	3	Horizontal	24	2.16	-	33.90	5.03	31.52
PK	5.4664G	56.71	68.20	-11.49	49.16	3	Horizontal	24	2.16	-	33.97	5.07	31.49
PK	5.7184G	116.03	Inf	-Inf	108.61	3	Horizontal	24	2.16	-	33.80	5.08	31.46
AV	5.7142G	105.90	Inf	-Inf	98.47	3	Horizontal	24	2.16	-	33.80	5.09	31.46
PK	5.8612G	62.33	68.20	-5.87	54.67	3	Horizontal	24	2.16	-	33.94	5.18	31.46

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4291G	52.75	74.00	-21.25	39.20	3	Vertical	351	2.00	-	38.86	7.60	32.91
AV	11.4224G	40.20	54.00	-13.80	26.66	3	Vertical	351	2.00	-	38.84	7.60	32.90



802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4231G	52.71	74.00	-21.29	39.16	3	Horizontal	252	1.56	-	38.85	7.60	32.90
AV	11.4229G	40.22	54.00	-13.78	26.67	3	Horizontal	252	1.56	-	38.85	7.60	32.90

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	57.95	74.00	-16.05	51.27	3	Vertical	24	2.37	-	33.46	4.96	31.74
AV	5.149G	46.30	54.00	-7.70	39.53	3	Vertical	24	2.37	-	33.50	5.00	31.73
PK	5.3G	110.48	Inf	-Inf	103.35	3	Vertical	24	2.37	-	33.70	5.05	31.62
AV	5.279G	99.76	Inf	-Inf	92.67	3	Vertical	24	2.37	-	33.66	5.06	31.63
PK	5.355G	63.97	74.00	-10.03	56.73	3	Vertical	24	2.37	-	33.80	5.02	31.58
AV	5.35G	53.98	54.00	-0.02	46.73	3	Vertical	24	2.37	-	33.80	5.03	31.58
PK	5.465G	59.22	68.20	-8.98	51.69	3	Vertical	24	2.37	-	33.97	5.06	31.50

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	57.07	74.00	-16.93	50.44	3	Horizontal	343	1.00	-	33.44	4.94	31.75
AV	5.113G	45.85	54.00	-8.15	39.25	3	Horizontal	343	1.00	-	33.43	4.93	31.76
PK	5.28G	106.83	Inf	-Inf	99.74	3	Horizontal	343	1.00	-	33.66	5.06	31.63
AV	5.275G	95.89	Inf	-Inf	88.82	3	Horizontal	343	1.00	-	33.65	5.06	31.64
PK	5.351G	60.93	74.00	-13.07	53.69	3	Horizontal	343	1.00	-	33.80	5.02	31.58
AV	5.351G	50.32	54.00	-3.68	43.08	3	Horizontal	343	1.00	-	33.80	5.02	31.58
PK	5.538G	57.67	68.20	-10.53	50.10	3	Horizontal	343	1.00	-	33.90	5.14	31.47

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8578G	52.46	74.00	-21.54	38.88	3	Vertical	30	1.36	-	37.30	9.15	32.87
AV	15.8565G	40.61	54.00	-13.39	27.03	3	Vertical	30	1.36	-	37.30	9.15	32.87

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8674G	52.27	74.00	-21.73	38.69	3	Horizontal	54	1.74	-	37.30	9.15	32.87
AV	15.8868G	40.44	54.00	-13.56	26.85	3	Horizontal	54	1.74	-	37.30	9.16	32.87

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5530MHz\_TX




EUT Z\_4TX  
Setting 70  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	58.03	68.20	-10.17	50.81	3	Vertical	340	2.09	-	33.78	5.03	31.59
PK	5.456G	64.55	74.00	-9.45	57.00	3	Vertical	340	2.09	-	33.99	5.06	31.50
AV	5.456G	52.48	54.00	-1.52	44.93	3	Vertical	340	2.09	-	33.99	5.06	31.50
PK	5.466G	67.80	68.20	-0.40	60.26	3	Vertical	340	2.09	-	33.97	5.07	31.50
PK	5.541G	113.21	Inf	-Inf	105.64	3	Vertical	340	2.09	-	33.90	5.14	31.47
AV	5.541G	101.32	Inf	-Inf	93.75	3	Vertical	340	2.09	-	33.90	5.14	31.47
PK	5.737G	58.15	68.20	-10.05	50.75	3	Vertical	340	2.09	-	33.80	5.06	31.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 70  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	57.82	68.20	-10.38	50.57	3	Horizontal	12	2.54	-	33.80	5.03	31.58
PK	5.459G	65.07	74.00	-8.93	57.53	3	Horizontal	12	2.54	-	33.98	5.06	31.50
AV	5.46G	51.10	54.00	-2.90	43.56	3	Horizontal	12	2.54	-	33.98	5.06	31.50
PK	5.47G	66.07	68.20	-2.13	58.53	3	Horizontal	12	2.54	-	33.96	5.07	31.49
PK	5.55G	107.46	Inf	-Inf	99.88	3	Horizontal	12	2.54	-	33.90	5.15	31.47
AV	5.52G	96.30	Inf	-Inf	88.75	3	Horizontal	12	2.54	-	33.90	5.12	31.47
PK	5.749G	57.79	68.20	-10.41	50.40	3	Horizontal	12	2.54	-	33.80	5.05	31.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5530MHz\_TX



EUT\_Z\_4TX  
Setting 70  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0807G	52.71	74.00	-21.29	39.44	3	Vertical	351	2.28	-	38.58	7.48	32.79
AV	11.0545G	39.81	54.00	-14.19	26.57	3	Vertical	351	2.28	-	38.55	7.47	32.78



802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 70  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.085G	52.55	74.00	-21.45	39.27	3	Horizontal	225	2.52	-	38.59	7.48	32.79
AV	11.0365G	40.29	54.00	-13.71	27.06	3	Horizontal	225	2.52	-	38.54	7.46	32.77

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5610MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.52	74.00	-9.48	56.98	3	Vertical	342	2.15	-	33.98	5.06	31.50
AV	5.458G	50.87	54.00	-3.13	43.33	3	Vertical	342	2.15	-	33.98	5.06	31.50
PK	5.464G	67.99	68.20	-0.21	60.46	3	Vertical	342	2.15	-	33.97	5.06	31.50
PK	5.622G	116.81	Inf	-Inf	109.20	3	Vertical	342	2.15	-	33.90	5.18	31.47
AV	5.621G	104.94	Inf	-Inf	97.33	3	Vertical	342	2.15	-	33.90	5.18	31.47
PK	5.737G	65.94	68.20	-2.26	58.54	3	Vertical	342	2.15	-	33.80	5.06	31.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 85  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	62.00	74.00	-12.00	54.50	3	Horizontal	11	2.54	-	33.97	5.04	31.51
PK	5.464G	64.90	68.20	-3.30	57.37	3	Horizontal	11	2.54	-	33.97	5.06	31.50
AV	5.459G	49.04	54.00	-4.96	41.50	3	Horizontal	11	2.54	-	33.98	5.06	31.50
PK	5.63G	110.81	Inf	-Inf	103.20	3	Horizontal	11	2.54	-	33.90	5.17	31.46
AV	5.615G	99.69	Inf	-Inf	92.07	3	Horizontal	11	2.54	-	33.90	5.19	31.47
PK	5.729G	62.79	68.20	-5.41	55.38	3	Horizontal	11	2.54	-	33.80	5.07	31.46

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5610MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2147G	52.88	74.00	-21.12	39.49	3	Vertical	10	2.86	-	38.69	7.53	32.83
AV	11.2154G	40.13	54.00	-13.87	26.75	3	Vertical	10	2.86	-	38.68	7.53	32.83

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5610MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2235G	52.07	74.00	-21.93	38.70	3	Horizontal	75	1.08	-	38.68	7.53	32.84
AV	11.2207G	40.00	54.00	-14.00	26.63	3	Horizontal	75	1.08	-	38.68	7.53	32.84

802.11ax HEW80\_Nss1,(MCS0)\_4TX

29/03/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 102  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	64.91	74.00	-9.09	57.38	3	Vertical	339	2.12	-	33.99	5.05	31.51
AV	5.458G	53.20	54.00	-0.80	45.66	3	Vertical	339	2.12	-	33.98	5.06	31.50
PK	5.4676G	67.52	68.20	-0.68	59.98	3	Vertical	339	2.12	-	33.96	5.07	31.49
PK	5.7012G	118.94	Inf	-Inf	111.50	3	Vertical	339	2.12	-	33.80	5.10	31.46
AV	5.6804G	107.30	Inf	-Inf	99.80	3	Vertical	339	2.12	-	33.84	5.12	31.46
PK	5.85G	68.19	68.20	-0.01	60.60	3	Vertical	339	2.12	-	33.90	5.15	31.46
PK	5.3396G	57.85	68.20	-10.35	50.63	3	Vertical	339	2.12	-	33.78	5.03	31.59

802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT Z\_4TX  
Setting 102  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	61.61	74.00	-12.39	54.07	3	Horizontal	10	2.95	-	34.00	5.05	31.51
AV	5.4564G	49.87	54.00	-4.13	42.32	3	Horizontal	10	2.95	-	33.99	5.06	31.50
PK	5.4628G	63.05	68.20	-5.15	55.52	3	Horizontal	10	2.95	-	33.97	5.06	31.50
PK	5.7204G	114.06	Inf	-Inf	106.64	3	Horizontal	10	2.95	-	33.80	5.08	31.46
AV	5.7204G	102.99	Inf	-Inf	95.57	3	Horizontal	10	2.95	-	33.80	5.08	31.46
PK	5.85G	67.16	68.20	-1.04	59.57	3	Horizontal	10	2.95	-	33.90	5.15	31.46
PK	5.2932G	57.24	68.20	-10.96	50.12	3	Horizontal	10	2.95	-	33.69	5.05	31.62

802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 102  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3555G	51.86	74.00	-22.14	38.46	3	Vertical	39	2.25	-	38.71	7.57	32.88
AV	11.391G	40.14	54.00	-13.86	26.66	3	Vertical	39	2.25	-	38.78	7.59	32.89



802.11ax HEW80\_Nss1,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

29/03/2021




EUT\_Z\_4TX  
Setting 102  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.388G	52.37	74.00	-21.63	38.89	3	Horizontal	41	2.51	-	38.78	7.59	32.89
AV	11.3915G	40.13	54.00	-13.87	26.65	3	Horizontal	41	2.51	-	38.78	7.59	32.89

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Z\_4TX  
Setting 64  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.96	74.00	-13.04	54.23	3	Vertical	22	2.38	-	33.48	4.98	31.73
AV	5.1408G	52.11	54.00	-1.89	45.39	3	Vertical	22	2.38	-	33.48	4.98	31.74
PK	5.2788G	107.49	Inf	-Inf	100.40	3	Vertical	22	2.38	-	33.66	5.06	31.63
AV	5.2536G	97.62	Inf	-Inf	90.59	3	Vertical	22	2.38	-	33.61	5.07	31.65
PK	5.3868G	64.98	74.00	-9.02	57.72	3	Vertical	22	2.38	-	33.80	5.01	31.55
AV	5.388G	53.59	54.00	-0.41	46.33	3	Vertical	22	2.38	-	33.80	5.01	31.55
PK	5.4648G	61.09	68.20	-7.11	53.56	3	Vertical	22	2.38	-	33.97	5.06	31.50

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Z\_4TX  
Setting 64  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1336G	60.50	74.00	-13.50	53.80	3	Horizontal	344	1.02	-	33.47	4.97	31.74
AV	5.1336G	51.45	54.00	-2.55	44.75	3	Horizontal	344	1.02	-	33.47	4.97	31.74
PK	5.2356G	103.09	Inf	-Inf	96.11	3	Horizontal	344	1.02	-	33.57	5.08	31.67
AV	5.22G	93.09	Inf	-Inf	86.14	3	Horizontal	344	1.02	-	33.54	5.09	31.68
PK	5.424G	62.29	74.00	-11.71	54.90	3	Horizontal	344	1.02	-	33.90	5.02	31.53
AV	5.3784G	52.23	54.00	-1.77	44.98	3	Horizontal	344	1.02	-	33.80	5.01	31.56
PK	5.4864G	58.82	68.20	-9.38	51.28	3	Horizontal	344	1.02	-	33.93	5.09	31.48

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Z\_4TX  
Setting 64  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7689G	53.89	74.00	-20.11	40.27	3	Vertical	267	1.80	-	37.36	9.12	32.86
AV	15.7727G	42.54	54.00	-11.46	28.93	3	Vertical	267	1.80	-	37.35	9.12	32.86

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Z\_4TX  
Setting 64  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7406G	52.99	74.00	-21.01	39.32	3	Horizontal	285	2.91	-	37.42	9.11	32.86
AV	15.7636G	42.12	54.00	-11.88	28.49	3	Horizontal	285	2.91	-	37.37	9.12	32.86

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5570MHz\_TX




EUT Z\_4TX  
Setting 64  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	58.80	68.20	-9.40	51.56	3	Vertical	339	2.29	-	33.79	5.03	31.58
PK	5.4308G	64.48	74.00	-9.52	57.05	3	Vertical	339	2.29	-	33.92	5.03	31.52
PK	5.4632G	67.17	68.20	-1.03	59.64	3	Vertical	339	2.29	-	33.97	5.06	31.50
AV	5.456G	53.87	54.00	-0.13	46.32	3	Vertical	339	2.29	-	33.99	5.06	31.50
PK	5.546G	107.62	Inf	-Inf	100.04	3	Vertical	339	2.29	-	33.90	5.15	31.47
AV	5.576G	97.12	Inf	-Inf	89.51	3	Vertical	339	2.29	-	33.90	5.18	31.47
PK	5.7368G	62.51	68.20	-5.69	55.11	3	Vertical	339	2.29	-	33.80	5.06	31.46

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5570MHz\_TX




EUT Z\_4TX  
Setting 64  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2856G	57.92	68.20	-10.28	50.82	3	Horizontal	98	2.00	-	33.67	5.06	31.63
PK	5.4584G	61.94	74.00	-12.06	54.40	3	Horizontal	98	2.00	-	33.98	5.06	31.50
AV	5.4584G	52.63	54.00	-1.37	45.09	3	Horizontal	98	2.00	-	33.98	5.06	31.50
PK	5.4656G	60.60	68.20	-7.60	53.06	3	Horizontal	98	2.00	-	33.97	5.07	31.50
PK	5.5556G	101.03	Inf	-Inf	93.44	3	Horizontal	98	2.00	-	33.90	5.16	31.47
AV	5.5412G	90.20	Inf	-Inf	82.63	3	Horizontal	98	2.00	-	33.90	5.14	31.47
PK	5.8676G	57.48	68.20	-10.72	49.77	3	Horizontal	98	2.00	-	33.97	5.20	31.46

802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5570MHz\_TX



EUT\_Z\_4TX  
Setting 64  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1365G	52.73	74.00	-21.27	39.40	3	Vertical	178	2.56	-	38.64	7.50	32.81
AV	11.123G	41.63	54.00	-12.37	28.32	3	Vertical	178	2.56	-	38.62	7.49	32.80



802.11ax HEW160\_Nss1,(MCS0)\_4TX

29/03/2021

5570MHz\_TX



EUT\_Z\_4TX  
Setting 64  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1246G	52.22	74.00	-21.78	38.91	3	Horizontal	225	2.97	-	38.62	7.49	32.80
AV	11.1629G	41.53	54.00	-12.47	28.18	3	Horizontal	225	2.97	-	38.66	7.51	32.82




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.96	54.00	-0.04	3	Vertical	18	2.22	-

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	62.62	74.00	-11.38	55.87	3	Vertical	96	2.31	-	33.49	4.99	31.73
AV	5.15G	49.84	54.00	-4.16	43.07	3	Vertical	96	2.31	-	33.50	5.00	31.73
PK	5.2612G	122.12	Inf	-Inf	115.08	3	Vertical	96	2.31	-	33.62	5.07	31.65
AV	5.2582G	110.55	Inf	-Inf	103.51	3	Vertical	96	2.31	-	33.62	5.07	31.65
PK	5.3548G	69.07	74.00	-4.93	61.83	3	Vertical	96	2.31	-	33.80	5.02	31.58
AV	5.3506G	53.30	54.00	-0.70	46.06	3	Vertical	96	2.31	-	33.80	5.02	31.58

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	59.79	74.00	-14.21	53.04	3	Horizontal	342	2.73	-	33.49	4.99	31.73
AV	5.1466G	47.50	54.00	-6.50	40.75	3	Horizontal	342	2.73	-	33.49	4.99	31.73
PK	5.2624G	120.17	Inf	-Inf	113.13	3	Horizontal	342	2.73	-	33.62	5.07	31.65
AV	5.2558G	107.85	Inf	-Inf	100.82	3	Horizontal	342	2.73	-	33.61	5.07	31.65
PK	5.356G	64.20	74.00	-9.80	56.96	3	Horizontal	342	2.73	-	33.80	5.02	31.58
AV	5.3506G	50.64	54.00	-3.36	43.40	3	Horizontal	342	2.73	-	33.80	5.02	31.58

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77934G	65.01	74.00	-8.99	51.41	3	Vertical	240	2.84	-	37.34	9.12	32.86
AV	15.77796G	50.98	54.00	-3.02	37.38	3	Vertical	240	2.84	-	37.34	9.12	32.86

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78102G	63.16	74.00	-10.84	49.56	3	Horizontal	5	2.09	-	37.34	9.12	32.86
AV	15.77658G	47.85	54.00	-6.15	34.24	3	Horizontal	5	2.09	-	37.35	9.12	32.86

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5300MHz\_TX




EUT Z\_4TX  
Setting 97  
02-B-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	118.95	Inf	-Inf	111.82	3	Vertical	26	2.18	-	33.70	5.05	31.62
AV	5.3068G	107.64	Inf	-Inf	100.49	3	Vertical	26	2.18	-	33.71	5.05	31.61
PK	5.3516G	68.30	74.00	-5.70	61.06	3	Vertical	26	2.18	-	33.80	5.02	31.58
AV	5.3512G	53.93	54.00	-0.07	46.69	3	Vertical	26	2.18	-	33.80	5.02	31.58

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5300MHz\_TX



EUT\_Z\_4TX  
Setting 97  
02-B-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	117.49	Inf	-Inf	110.37	3	Horizontal	7	2.94	-	33.69	5.05	31.62
AV	5.3016G	105.13	Inf	-Inf	98.00	3	Horizontal	7	2.94	-	33.70	5.05	31.62
PK	5.3552G	64.32	74.00	-9.68	57.08	3	Horizontal	7	2.94	-	33.80	5.02	31.58
AV	5.35G	49.03	54.00	-4.97	41.78	3	Horizontal	7	2.94	-	33.80	5.03	31.58



802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 97  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.605G	52.94	74.00	-21.06	39.73	3	Vertical	264	1.80	-	38.49	7.31	32.59
AV	10.60106G	40.35	54.00	-13.65	27.13	3	Vertical	264	1.80	-	38.50	7.31	32.59
PK	15.8994G	59.70	74.00	-14.30	46.11	3	Vertical	351	2.14	-	37.30	9.16	32.87
AV	15.89904G	45.60	54.00	-8.40	32.01	3	Vertical	351	2.14	-	37.30	9.16	32.87

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5300MHz\_TX




EUT Z\_4TX  
Setting 97  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59706G	52.42	68.20	-15.78	39.20	3	Horizontal	356	1.87	-	38.50	7.31	32.59
AV	10.6126G	40.17	54.00	-13.83	26.97	3	Horizontal	356	1.87	-	38.49	7.31	32.60
PK	15.89976G	57.73	74.00	-16.27	44.14	3	Horizontal	40	2.02	-	37.30	9.16	32.87
AV	15.89676G	44.60	54.00	-9.40	31.01	3	Horizontal	40	2.02	-	37.30	9.16	32.87

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	119.63	Inf	-Inf	112.44	3	Vertical	102	2.78	-	33.75	5.04	31.60
AV	5.3182G	105.85	Inf	-Inf	98.67	3	Vertical	102	2.78	-	33.74	5.04	31.60
PK	5.3544G	69.21	74.00	-4.79	61.97	3	Vertical	102	2.78	-	33.80	5.02	31.58
AV	5.35G	53.82	54.00	-0.18	46.57	3	Vertical	102	2.78	-	33.80	5.03	31.58

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	115.67	Inf	-Inf	108.48	3	Horizontal	342	2.81	-	33.75	5.04	31.60
AV	5.3184G	102.83	Inf	-Inf	95.65	3	Horizontal	342	2.81	-	33.74	5.04	31.60
PK	5.3504G	65.83	74.00	-8.17	58.59	3	Horizontal	342	2.81	-	33.80	5.02	31.58
AV	5.3504G	51.46	54.00	-2.54	44.22	3	Horizontal	342	2.81	-	33.80	5.02	31.58

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting B3  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64072G	52.40	74.00	-21.60	39.23	3	Vertical	107	1.30	-	38.46	7.32	32.61
AV	10.63562G	39.73	54.00	-14.27	26.56	3	Vertical	107	1.30	-	38.46	7.32	32.61
PK	15.95322G	58.82	74.00	-15.18	45.17	3	Vertical	284	2.88	-	37.35	9.18	32.88
AV	15.9585G	42.69	54.00	-11.31	29.02	3	Vertical	284	2.88	-	37.36	9.19	32.88

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65446G	52.04	74.00	-21.96	38.87	3	Horizontal	309	1.92	-	38.45	7.33	32.61
AV	10.63634G	39.85	54.00	-14.15	26.68	3	Horizontal	309	1.92	-	38.46	7.32	32.61
PK	15.9591G	53.55	74.00	-20.45	39.88	3	Horizontal	35	2.06	-	37.36	9.19	32.88
AV	15.94746G	40.80	54.00	-13.20	27.15	3	Horizontal	35	2.06	-	37.35	9.18	32.88

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 81  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.16	74.00	-12.84	53.62	3	Vertical	22	2.85	-	33.98	5.06	31.50
AV	5.4596G	49.62	54.00	-4.38	42.08	3	Vertical	22	2.85	-	33.98	5.06	31.50
PK	5.47G	67.84	68.20	-0.36	60.30	3	Vertical	22	2.85	-	33.96	5.07	31.49
PK	5.5088G	117.52	Inf	-Inf	109.98	3	Vertical	22	2.85	-	33.90	5.11	31.47
AV	5.498G	106.15	Inf	-Inf	98.62	3	Vertical	22	2.85	-	33.90	5.10	31.47

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5500MHz\_TX



EUT\_Z\_4TX  
Setting 81  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	58.56	74.00	-15.44	51.02	3	Horizontal	89	2.51	-	33.98	5.06	31.50
AV	5.4548G	46.70	54.00	-7.30	39.16	3	Horizontal	89	2.51	-	33.99	5.05	31.50
PK	5.4692G	62.20	68.20	-6.00	54.66	3	Horizontal	89	2.51	-	33.96	5.07	31.49
PK	5.506G	112.95	Inf	-Inf	105.41	3	Horizontal	89	2.51	-	33.90	5.11	31.47
AV	5.494G	100.89	Inf	-Inf	93.36	3	Horizontal	89	2.51	-	33.91	5.09	31.47



802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5500MHz\_TX




EUT Z\_4TX  
Setting 81  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00852G	52.25	74.00	-21.75	39.05	3	Vertical	70	2.00	-	38.51	7.45	32.76
AV	11.00456G	40.06	54.00	-13.94	26.87	3	Vertical	70	2.00	-	38.50	7.45	32.76

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5500MHz\_TX




EUT Z\_4TX  
Setting 81  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01152G	52.55	74.00	-21.45	39.35	3	Horizontal	314	1.72	-	38.51	7.45	32.76
AV	11.01242G	39.66	54.00	-14.34	26.46	3	Horizontal	314	1.72	-	38.51	7.45	32.76

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	59.38	74.00	-14.62	51.95	3	Vertical	345	1.48	-	33.92	5.03	31.52
PK	5.4672G	63.20	68.20	-5.00	55.65	3	Vertical	345	1.48	-	33.97	5.07	31.49
AV	5.4552G	48.30	54.00	-5.70	40.75	3	Vertical	345	1.48	-	33.99	5.06	31.50
PK	5.5736G	121.94	Inf	-Inf	114.34	3	Vertical	345	1.48	-	33.90	5.17	31.47
AV	5.576G	109.72	Inf	-Inf	102.11	3	Vertical	345	1.48	-	33.90	5.18	31.47
PK	5.7456G	58.97	68.20	-9.23	51.58	3	Vertical	345	1.48	-	33.80	5.05	31.46

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	59.53	74.00	-14.47	52.02	3	Horizontal	346	2.83	-	33.98	5.04	31.51
AV	5.452G	47.76	54.00	-6.24	40.22	3	Horizontal	346	2.83	-	34.00	5.05	31.51
PK	5.4664G	59.21	68.20	-8.99	51.66	3	Horizontal	346	2.83	-	33.97	5.07	31.49
PK	5.5864G	119.98	Inf	-Inf	112.36	3	Horizontal	346	2.83	-	33.90	5.19	31.47
AV	5.5784G	108.21	Inf	-Inf	100.60	3	Horizontal	346	2.83	-	33.90	5.18	31.47
PK	5.7448G	57.77	68.20	-10.43	50.37	3	Horizontal	346	2.83	-	33.80	5.06	31.46

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1588G	52.39	74.00	-21.61	39.03	3	Vertical	0	1.61	-	38.66	7.51	32.81
AV	11.14968G	40.04	54.00	-13.96	26.70	3	Vertical	0	1.61	-	38.65	7.50	32.81

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17248G	52.45	74.00	-21.55	39.09	3	Horizontal	22	2.23	-	38.67	7.51	32.82
AV	11.14758G	40.02	54.00	-13.98	26.68	3	Horizontal	22	2.23	-	38.65	7.50	32.81

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 78  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	114.75	Inf	-Inf	107.31	3	Vertical	92	2.57	-	33.80	5.10	31.46
AV	5.6968G	103.89	Inf	-Inf	96.44	3	Vertical	92	2.57	-	33.81	5.10	31.46
PK	5.7254G	68.05	68.20	-0.15	60.64	3	Vertical	92	2.57	-	33.80	5.07	31.46

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5700MHz\_TX



EUT\_Z\_4TX  
Setting 78  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	112.28	Inf	-Inf	104.84	3	Horizontal	19	2.39	-	33.80	5.10	31.46
AV	5.692G	99.97	Inf	-Inf	92.50	3	Horizontal	19	2.39	-	33.82	5.11	31.46
PK	5.7258G	64.48	68.20	-3.72	57.07	3	Horizontal	19	2.39	-	33.80	5.07	31.46



802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5700MHz\_TX




EUT Z\_4TX  
Setting 78  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39574G	52.09	74.00	-21.91	38.60	3	Vertical	104	1.80	-	38.79	7.59	32.89
AV	11.39562G	39.97	54.00	-14.03	26.48	3	Vertical	104	1.80	-	38.79	7.59	32.89

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5700MHz\_TX




EUT Z\_4TX  
Setting 78  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40798G	52.52	74.00	-21.48	39.01	3	Horizontal	318	1.38	-	38.82	7.59	32.90
AV	11.39256G	40.24	54.00	-13.76	26.75	3	Horizontal	318	1.38	-	38.79	7.59	32.89

802.11ax HEW20\_Nss4,(MCS0)\_4TX

01/04/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	122.21	Inf	-Inf	114.79	3	Vertical	95	2.34	-	33.80	5.08	31.46
AV	5.7216G	110.70	Inf	-Inf	103.28	3	Vertical	95	2.34	-	33.80	5.08	31.46
PK	5.8848G	60.88	68.20	-7.32	53.04	3	Vertical	95	2.34	-	34.04	5.25	31.45

802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	113.90	Inf	-Inf	106.48	3	Horizontal	7	2.95	-	33.80	5.08	31.46
AV	5.7232G	107.67	Inf	-Inf	100.25	3	Horizontal	7	2.95	-	33.80	5.08	31.46
PK	5.8792G	59.37	68.20	-8.83	51.56	3	Horizontal	7	2.95	-	34.02	5.24	31.45

802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT\_Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45128G	52.57	74.00	-21.43	38.97	3	Vertical	231	1.35	-	38.90	7.61	32.91
AV	11.44636G	40.19	54.00	-13.81	26.60	3	Vertical	231	1.35	-	38.89	7.61	32.91

802.11ax HEW20\_Nss4,(MCS0)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44348G	52.78	74.00	-21.22	39.19	3	Horizontal	263	2.01	-	38.89	7.61	32.91
AV	11.4442G	40.22	54.00	-13.78	26.63	3	Horizontal	263	2.01	-	38.89	7.61	32.91

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 91  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.09	74.00	-15.91	51.32	3	Vertical	18	2.22	-	33.50	5.00	31.73
AV	5.15G	47.24	54.00	-6.76	40.47	3	Vertical	18	2.22	-	33.50	5.00	31.73
PK	5.264G	113.84	Inf	-Inf	106.78	3	Vertical	18	2.22	-	33.63	5.07	31.64
AV	5.2688G	104.49	Inf	-Inf	97.42	3	Vertical	18	2.22	-	33.64	5.07	31.64
PK	5.3534G	65.55	74.00	-8.45	58.31	3	Vertical	18	2.22	-	33.80	5.02	31.58
AV	5.35G	53.96	54.00	-0.04	46.72	3	Vertical	18	2.22	-	33.80	5.02	31.58

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5270MHz\_TX



EUT\_Z\_4TX  
Setting 91  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	57.72	74.00	-16.28	50.95	3	Horizontal	341	2.86	-	33.50	5.00	31.73
AV	5.135G	47.13	54.00	-6.87	40.43	3	Horizontal	341	2.86	-	33.47	4.97	31.74
PK	5.2754G	113.06	Inf	-Inf	105.99	3	Horizontal	341	2.86	-	33.65	5.06	31.64
AV	5.2736G	102.66	Inf	-Inf	95.59	3	Horizontal	341	2.86	-	33.65	5.06	31.64
PK	5.354G	61.53	74.00	-12.47	54.29	3	Horizontal	341	2.86	-	33.80	5.02	31.58
AV	5.3516G	49.15	54.00	-4.85	41.91	3	Horizontal	341	2.86	-	33.80	5.02	31.58



802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5270MHz\_TX




EUT Z\_4TX  
Setting 91  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82242G	57.22	74.00	-16.78	43.65	3	Vertical	284	2.88	-	37.30	9.14	32.87
AV	15.82338G	45.42	54.00	-8.58	31.85	3	Vertical	284	2.88	-	37.30	9.14	32.87

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5270MHz\_TX




EUT Z\_4TX  
Setting 91  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79644G	53.60	74.00	-20.40	40.02	3	Horizontal	229	1.77	-	37.31	9.13	32.86
AV	15.80178G	42.28	54.00	-11.72	28.71	3	Horizontal	229	1.77	-	37.30	9.13	32.86

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	110.78	Inf	-Inf	103.65	3	Vertical	18	2.30	-	33.70	5.05	31.62
AV	5.304G	100.20	Inf	-Inf	93.06	3	Vertical	18	2.30	-	33.71	5.05	31.62
PK	5.3516G	66.71	74.00	-7.29	59.47	3	Vertical	18	2.30	-	33.80	5.02	31.58
AV	5.3524G	53.88	54.00	-0.12	46.64	3	Vertical	18	2.30	-	33.80	5.02	31.58

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	108.69	Inf	-Inf	101.53	3	Horizontal	342	2.82	-	33.73	5.04	31.61
AV	5.314G	97.90	Inf	-Inf	90.74	3	Horizontal	342	2.82	-	33.73	5.04	31.61
PK	5.35G	61.24	74.00	-12.76	53.99	3	Horizontal	342	2.82	-	33.80	5.03	31.58
AV	5.3508G	50.90	54.00	-3.10	43.66	3	Horizontal	342	2.82	-	33.80	5.02	31.58

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61016G	52.25	74.00	-21.75	39.05	3	Vertical	349	2.15	-	38.49	7.31	32.60
AV	10.60554G	41.78	54.00	-12.22	28.57	3	Vertical	349	2.15	-	38.49	7.31	32.59
PK	15.93522G	53.20	74.00	-20.80	39.55	3	Vertical	285	2.83	-	37.34	9.18	32.87
AV	15.9234G	42.14	54.00	-11.86	28.52	3	Vertical	285	2.83	-	37.32	9.17	32.87

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60854G	52.36	74.00	-21.64	39.16	3	Horizontal	266	2.20	-	38.49	7.31	32.60
AV	10.6131G	41.81	54.00	-12.19	28.61	3	Horizontal	266	2.20	-	38.49	7.31	32.60
PK	15.93588G	52.91	74.00	-21.09	39.26	3	Horizontal	263	2.44	-	37.34	9.18	32.87
AV	15.92202G	42.05	54.00	-11.95	28.43	3	Horizontal	263	2.44	-	37.32	9.17	32.87

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.24	74.00	-11.76	54.70	3	Vertical	341	2.32	-	33.98	5.06	31.50
AV	5.4596G	51.49	54.00	-2.51	43.95	3	Vertical	341	2.32	-	33.98	5.06	31.50
PK	5.47G	67.94	68.20	-0.26	60.40	3	Vertical	341	2.32	-	33.96	5.07	31.49
PK	5.5236G	112.72	Inf	-Inf	105.17	3	Vertical	341	2.32	-	33.90	5.12	31.47
AV	5.5268G	101.87	Inf	-Inf	94.31	3	Vertical	341	2.32	-	33.90	5.13	31.47

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5510MHz\_TX



EUT\_Z\_4TX  
Setting 77  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.21	74.00	-13.79	52.67	3	Horizontal	344	2.74	-	33.98	5.06	31.50
AV	5.4584G	49.67	54.00	-4.33	42.13	3	Horizontal	344	2.74	-	33.98	5.06	31.50
PK	5.4684G	65.36	68.20	-2.84	57.82	3	Horizontal	344	2.74	-	33.96	5.07	31.49
PK	5.5148G	110.19	Inf	-Inf	102.65	3	Horizontal	344	2.74	-	33.90	5.11	31.47
AV	5.5132G	99.76	Inf	-Inf	92.22	3	Horizontal	344	2.74	-	33.90	5.11	31.47



802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5510MHz\_TX




EUT Z\_4TX  
Setting 77  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02318G	52.87	74.00	-21.13	39.66	3	Vertical	323	1.80	-	38.52	7.46	32.77
AV	11.01844G	41.47	54.00	-12.53	28.26	3	Vertical	323	1.80	-	38.52	7.46	32.77

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5510MHz\_TX




EUT Z\_4TX  
Setting 77  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02174G	52.65	74.00	-21.35	39.44	3	Horizontal	234	1.73	-	38.52	7.46	32.77
AV	11.03416G	41.79	54.00	-12.21	28.57	3	Horizontal	234	1.73	-	38.53	7.46	32.77

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 95  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	62.19	74.00	-11.81	54.65	3	Vertical	342	2.29	-	33.98	5.06	31.50
AV	5.4594G	52.07	54.00	-1.93	44.53	3	Vertical	342	2.29	-	33.98	5.06	31.50
PK	5.4642G	68.02	68.20	-0.18	60.49	3	Vertical	342	2.29	-	33.97	5.06	31.50
PK	5.5422G	117.73	Inf	-Inf	110.16	3	Vertical	342	2.29	-	33.90	5.14	31.47
AV	5.5572G	106.66	Inf	-Inf	99.07	3	Vertical	342	2.29	-	33.90	5.16	31.47

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 95  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	60.37	74.00	-13.63	52.83	3	Horizontal	343	2.87	-	34.00	5.05	31.51
AV	5.4594G	49.58	54.00	-4.42	42.04	3	Horizontal	343	2.87	-	33.98	5.06	31.50
PK	5.4696G	63.07	68.20	-5.13	55.53	3	Horizontal	343	2.87	-	33.96	5.07	31.49
PK	5.5554G	114.08	Inf	-Inf	106.49	3	Horizontal	343	2.87	-	33.90	5.16	31.47
AV	5.5446G	105.45	Inf	-Inf	97.88	3	Horizontal	343	2.87	-	33.90	5.14	31.47

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5550MHz\_TX




EUT Z\_4TX  
Setting 95  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1117G	52.22	74.00	-21.78	38.92	3	Vertical	3	1.80	-	38.61	7.49	32.80
AV	11.08974G	41.66	54.00	-12.34	28.38	3	Vertical	3	1.80	-	38.59	7.48	32.79

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5550MHz\_TX




EUT Z\_4TX  
Setting 95  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10702G	52.83	74.00	-21.17	39.53	3	Horizontal	258	1.53	-	38.61	7.49	32.80
AV	11.10192G	41.99	54.00	-12.01	28.69	3	Horizontal	258	1.53	-	38.60	7.49	32.79

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 88  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	116.09	Inf	-Inf	108.53	3	Vertical	82	2.46	-	33.88	5.14	31.46
AV	5.6588G	105.27	Inf	-Inf	97.71	3	Vertical	82	2.46	-	33.88	5.14	31.46
PK	5.728G	68.10	68.20	-0.10	60.69	3	Vertical	82	2.46	-	33.80	5.07	31.46

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5670MHz\_TX



EUT\_Z\_4TX  
Setting 88  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	113.21	Inf	-Inf	105.69	3	Horizontal	6	3.00	-	33.85	5.13	31.46
AV	5.656G	101.97	Inf	-Inf	94.40	3	Horizontal	6	3.00	-	33.89	5.14	31.46
PK	5.728G	66.28	68.20	-1.92	58.87	3	Horizontal	6	3.00	-	33.80	5.07	31.46



802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5670MHz\_TX




EUT Z\_4TX  
Setting 88  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34114G	52.04	74.00	-21.96	38.67	3	Vertical	270	1.80	-	38.68	7.57	32.88
AV	11.35362G	41.09	54.00	-12.91	27.69	3	Vertical	270	1.80	-	38.71	7.57	32.88

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5670MHz\_TX




EUT Z\_4TX  
Setting 88  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33934G	52.03	74.00	-21.97	38.66	3	Horizontal	88	2.00	-	38.68	7.57	32.88
AV	11.35086G	41.06	54.00	-12.94	27.67	3	Horizontal	88	2.00	-	38.70	7.57	32.88

802.11ax HEW40\_Nss4,(MCS0)\_4TX

01/04/2021

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	118.32	Inf	-Inf	110.87	3	Vertical	342	2.11	-	33.81	5.10	31.46
AV	5.6996G	107.58	Inf	-Inf	100.14	3	Vertical	342	2.11	-	33.80	5.10	31.46
PK	5.85G	67.41	68.20	-0.79	59.82	3	Vertical	342	2.11	-	33.90	5.15	31.46

802.11ax HEW40\_Nss4,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	118.03	Inf	-Inf	110.60	3	Horizontal	5	2.95	-	33.80	5.09	31.46
AV	5.7164G	105.64	Inf	-Inf	98.22	3	Horizontal	5	2.95	-	33.80	5.08	31.46
PK	5.85G	65.67	68.20	-2.53	58.08	3	Horizontal	5	2.95	-	33.90	5.15	31.46

802.11ax HEW40\_Nss4,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4185G	53.28	74.00	-20.72	39.74	3	Vertical	41	1.96	-	38.84	7.60	32.90
AV	11.4092G	41.91	54.00	-12.09	28.40	3	Vertical	41	1.96	-	38.82	7.59	32.90

802.11ax HEW40\_Nss4,(MCS0)\_4TX  
5710MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT Z\_4TX  
Setting 108  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41376G	52.54	74.00	-21.46	39.02	3	Horizontal	220	2.16	-	38.83	7.59	32.90
AV	11.41412G	41.59	54.00	-12.41	28.07	3	Horizontal	220	2.16	-	38.83	7.59	32.90

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	57.61	74.00	-16.39	50.88	3	Vertical	12	2.09	-	33.48	4.98	31.73
AV	5.1452G	47.52	54.00	-6.48	40.77	3	Vertical	12	2.09	-	33.49	4.99	31.73
PK	5.2756G	108.36	Inf	-Inf	101.29	3	Vertical	12	2.09	-	33.65	5.06	31.64
AV	5.2796G	97.24	Inf	-Inf	90.15	3	Vertical	12	2.09	-	33.66	5.06	31.63
PK	5.362G	67.00	74.00	-7.00	59.75	3	Vertical	12	2.09	-	33.80	5.02	31.57
AV	5.3628G	53.76	54.00	-0.24	46.51	3	Vertical	12	2.09	-	33.80	5.02	31.57
PK	5.4716G	57.76	68.20	-10.44	50.22	3	Vertical	12	2.09	-	33.96	5.07	31.49

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5290MHz\_TX



EUT Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	57.26	74.00	-16.74	50.51	3	Horizontal	340	2.87	-	33.49	4.99	31.73
AV	5.098G	47.16	54.00	-6.84	40.63	3	Horizontal	340	2.87	-	33.40	4.90	31.77
PK	5.2764G	105.88	Inf	-Inf	98.81	3	Horizontal	340	2.87	-	33.65	5.06	31.64
AV	5.2748G	95.35	Inf	-Inf	88.28	3	Horizontal	340	2.87	-	33.65	5.06	31.64
PK	5.3716G	64.15	74.00	-9.85	56.91	3	Horizontal	340	2.87	-	33.80	5.01	31.57
AV	5.3508G	50.12	54.00	-3.88	42.88	3	Horizontal	340	2.87	-	33.80	5.02	31.58
PK	5.4852G	57.21	68.20	-10.99	49.67	3	Horizontal	340	2.87	-	33.93	5.09	31.48






802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87894G	53.31	74.00	-20.69	39.72	3	Vertical	269	1.24	-	37.30	9.16	32.87
AV	15.8832G	41.96	54.00	-12.04	28.37	3	Vertical	269	1.24	-	37.30	9.16	32.87

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88068G	52.99	74.00	-21.01	39.40	3	Horizontal	42	1.69	-	37.30	9.16	32.87
AV	15.86976G	42.55	54.00	-11.45	28.97	3	Horizontal	42	1.69	-	37.30	9.15	32.87

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5530MHz\_TX




EUT Z\_4TX  
Setting 74  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.54	68.20	-10.66	50.31	3	Vertical	342	2.29	-	33.79	5.03	31.59
PK	5.455G	66.93	74.00	-7.07	59.39	3	Vertical	342	2.29	-	33.99	5.05	31.50
PK	5.462G	68.12	68.20	-0.08	60.58	3	Vertical	342	2.29	-	33.98	5.06	31.50
AV	5.46G	53.44	54.00	-0.56	45.90	3	Vertical	342	2.29	-	33.98	5.06	31.50
PK	5.543G	109.50	Inf	-Inf	101.93	3	Vertical	342	2.29	-	33.90	5.14	31.47
AV	5.537G	98.07	Inf	-Inf	90.50	3	Vertical	342	2.29	-	33.90	5.14	31.47
PK	5.749G	57.32	68.20	-10.88	49.93	3	Vertical	342	2.29	-	33.80	5.05	31.46

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	57.71	68.20	-10.49	50.58	3	Horizontal	6	2.71	-	33.70	5.05	31.62
PK	5.454G	63.62	74.00	-10.38	56.08	3	Horizontal	6	2.71	-	33.99	5.05	31.50
AV	5.448G	52.10	54.00	-1.90	44.57	3	Horizontal	6	2.71	-	33.99	5.05	31.51
PK	5.467G	68.12	68.20	-0.08	60.57	3	Horizontal	6	2.71	-	33.97	5.07	31.49
PK	5.562G	106.29	Inf	-Inf	98.70	3	Horizontal	6	2.71	-	33.90	5.16	31.47
AV	5.545G	96.03	Inf	-Inf	88.45	3	Horizontal	6	2.71	-	33.90	5.15	31.47
PK	5.726G	57.70	68.20	-10.50	50.29	3	Horizontal	6	2.71	-	33.80	5.07	31.46

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5530MHz\_TX




EUT Z\_4TX  
Setting 74  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04542G	52.57	74.00	-21.43	39.33	3	Vertical	300	1.93	-	38.55	7.47	32.78
AV	11.0477G	41.33	54.00	-12.67	28.09	3	Vertical	300	1.93	-	38.55	7.47	32.78

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5530MHz\_TX




EUT Z\_4TX  
Setting 74  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05118G	51.87	74.00	-22.13	38.63	3	Horizontal	55	1.52	-	38.55	7.47	32.78
AV	11.04698G	41.58	54.00	-12.42	28.34	3	Horizontal	55	1.52	-	38.55	7.47	32.78

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 88  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.91	74.00	-9.09	57.36	3	Vertical	341	2.28	-	33.99	5.06	31.50
AV	5.456G	53.69	54.00	-0.31	46.14	3	Vertical	341	2.28	-	33.99	5.06	31.50
PK	5.463G	66.48	68.20	-1.72	58.95	3	Vertical	341	2.28	-	33.97	5.06	31.50
PK	5.603G	112.17	Inf	-Inf	104.54	3	Vertical	341	2.28	-	33.90	5.20	31.47
AV	5.642G	101.02	Inf	-Inf	93.42	3	Vertical	341	2.28	-	33.90	5.16	31.46
PK	5.763G	65.20	68.20	-3.00	57.82	3	Vertical	341	2.28	-	33.80	5.04	31.46

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5610MHz\_TX



EUT Z\_4TX  
Setting 88  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.73	74.00	-11.27	55.18	3	Horizontal	19	2.93	-	33.99	5.06	31.50
AV	5.456G	52.47	54.00	-1.53	44.92	3	Horizontal	19	2.93	-	33.99	5.06	31.50
PK	5.467G	62.63	68.20	-5.57	55.08	3	Horizontal	19	2.93	-	33.97	5.07	31.49
PK	5.594G	109.29	Inf	-Inf	101.67	3	Horizontal	19	2.93	-	33.90	5.19	31.47
AV	5.598G	98.37	Inf	-Inf	90.74	3	Horizontal	19	2.93	-	33.90	5.20	31.47
PK	5.732G	61.93	68.20	-6.27	54.52	3	Horizontal	19	2.93	-	33.80	5.07	31.46



802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 88  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21238G	51.88	74.00	-22.12	38.50	3	Vertical	53	1.92	-	38.69	7.52	32.83
AV	11.22744G	41.05	54.00	-12.95	27.69	3	Vertical	53	1.92	-	38.67	7.53	32.84

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 88  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23476G	52.05	74.00	-21.95	38.69	3	Horizontal	196	1.65	-	38.67	7.53	32.84
AV	11.21418G	41.68	54.00	-12.32	28.30	3	Horizontal	196	1.65	-	38.69	7.52	32.83

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 99  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	113.22	Inf	-Inf	105.66	3	Vertical	13	1.28	-	33.88	5.14	31.46
AV	5.6708G	102.77	Inf	-Inf	95.24	3	Vertical	13	1.28	-	33.86	5.13	31.46
PK	5.862G	67.85	68.20	-0.35	60.17	3	Vertical	13	1.28	-	33.95	5.19	31.46

802.11ax HEW80\_Nss4,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT\_Z\_4TX  
Setting 99  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	112.08	Inf	-Inf	104.64	3	Horizontal	7	2.96	-	33.80	5.10	31.46
AV	5.7012G	100.85	Inf	-Inf	93.41	3	Horizontal	7	2.96	-	33.80	5.10	31.46
PK	5.8524G	63.98	68.20	-4.22	56.37	3	Horizontal	7	2.96	-	33.91	5.16	31.46

802.11ax HEW80\_Nss4,(MCS0)\_4TX

01/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 99  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38816G	52.58	74.00	-21.42	39.10	3	Vertical	111	1.62	-	38.78	7.59	32.89
AV	11.36878G	41.35	54.00	-12.65	27.92	3	Vertical	111	1.62	-	38.74	7.58	32.89

802.11ax HEW80\_Nss4,(MCS0)\_4TX  
5690MHz Straddle 5.47-5.725GHz\_TX

01/04/2021




EUT\_Z\_4TX  
Setting 99  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37694G	52.61	74.00	-21.39	39.17	3	Horizontal	178	1.16	-	38.75	7.58	32.89
AV	11.37064G	41.84	54.00	-12.16	28.41	3	Horizontal	178	1.16	-	38.74	7.58	32.89

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT\_Z\_4TX  
Setting 64  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	64.62	74.00	-9.38	57.92	3	Vertical	99	2.68	-	33.47	4.97	31.74
AV	5.1364G	53.73	54.00	-0.27	47.03	3	Vertical	99	2.68	-	33.47	4.97	31.74
PK	5.2548G	105.94	Inf	-Inf	98.91	3	Vertical	99	2.68	-	33.61	5.07	31.65
AV	5.2548G	93.20	Inf	-Inf	86.17	3	Vertical	99	2.68	-	33.61	5.07	31.65
PK	5.378G	62.29	74.00	-11.71	55.04	3	Vertical	99	2.68	-	33.80	5.01	31.56
AV	5.378G	53.14	54.00	-0.86	45.89	3	Vertical	99	2.68	-	33.80	5.01	31.56
PK	5.4612G	57.84	68.20	-10.36	50.30	3	Vertical	99	2.68	-	33.98	5.06	31.50

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5250MHz Straddle 5.15-5.25GHz\_TX



EUT Z\_4TX  
Setting 64  
02-B-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	61.13	74.00	-12.87	54.43	3	Horizontal	345	2.87	-	33.47	4.97	31.74
AV	5.1364G	51.59	54.00	-2.41	44.89	3	Horizontal	345	2.87	-	33.47	4.97	31.74
PK	5.2548G	100.27	Inf	-Inf	93.24	3	Horizontal	345	2.87	-	33.61	5.07	31.65
AV	5.2548G	90.00	Inf	-Inf	82.97	3	Horizontal	345	2.87	-	33.61	5.07	31.65
PK	5.3732G	59.99	74.00	-14.01	52.74	3	Horizontal	345	2.87	-	33.80	5.01	31.56
AV	5.3748G	50.28	54.00	-3.72	43.03	3	Horizontal	345	2.87	-	33.80	5.01	31.56
PK	5.4852G	57.66	68.20	-10.54	50.12	3	Horizontal	345	2.87	-	33.93	5.09	31.48



802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Z\_4TX  
Setting 64  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76236G	52.83	74.00	-21.17	39.19	3	Vertical	165	1.78	-	37.38	9.12	32.86
AV	15.76416G	41.96	54.00	-12.04	28.33	3	Vertical	165	1.78	-	37.37	9.12	32.86

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5250MHz Straddle 5.15-5.25GHz\_TX




EUT Z\_4TX  
Setting 64  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74094G	52.84	74.00	-21.16	39.17	3	Horizontal	312	1.59	-	37.42	9.11	32.86
AV	15.75954G	41.78	54.00	-12.22	28.14	3	Horizontal	312	1.59	-	37.38	9.12	32.86

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5570MHz\_TX




EUT\_Z\_4TX  
Setting 49  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3108G	57.36	68.20	-10.84	50.21	3	Vertical	19	2.66	-	33.72	5.04	31.61
PK	5.458G	62.43	74.00	-11.57	54.89	3	Vertical	19	2.66	-	33.98	5.06	31.50
AV	5.4596G	53.78	54.00	-0.22	46.24	3	Vertical	19	2.66	-	33.98	5.06	31.50
PK	5.4612G	61.74	68.20	-6.46	54.20	3	Vertical	19	2.66	-	33.98	5.06	31.50
PK	5.5908G	100.99	Inf	-Inf	93.37	3	Vertical	19	2.66	-	33.90	5.19	31.47
AV	5.5796G	90.62	Inf	-Inf	83.01	3	Vertical	19	2.66	-	33.90	5.18	31.47
PK	5.7508G	59.01	68.20	-9.19	51.62	3	Vertical	19	2.66	-	33.80	5.05	31.46

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5570MHz\_TX




EUT\_Z\_4TX  
Setting 49  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3332G	57.07	68.20	-11.13	49.86	3	Horizontal	344	2.85	-	33.77	5.03	31.59
PK	5.4564G	59.40	74.00	-14.60	51.85	3	Horizontal	344	2.85	-	33.99	5.06	31.50
AV	5.4532G	49.96	54.00	-4.04	42.42	3	Horizontal	344	2.85	-	33.99	5.05	31.50
PK	5.4644G	58.68	68.20	-9.52	51.15	3	Horizontal	344	2.85	-	33.97	5.06	31.50
PK	5.5764G	97.94	Inf	-Inf	90.33	3	Horizontal	344	2.85	-	33.90	5.18	31.47
AV	5.5588G	87.30	Inf	-Inf	79.71	3	Horizontal	344	2.85	-	33.90	5.16	31.47
PK	5.9012G	57.61	68.20	-10.59	49.66	3	Horizontal	344	2.85	-	34.10	5.30	31.45

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5570MHz\_TX




EUT Z\_4TX  
Setting 49  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12956G	53.44	74.00	-20.56	40.11	3	Vertical	83	2.40	-	38.63	7.50	32.80
AV	11.12632G	41.77	54.00	-12.23	28.45	3	Vertical	83	2.40	-	38.63	7.49	32.80

802.11ax HEW160\_Nss4,(MCS0)\_4TX

01/04/2021

5570MHz\_TX



EUT\_Z\_4TX  
Setting 49  
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14306G	52.76	74.00	-21.24	39.43	3	Horizontal	340	2.41	-	38.64	7.50	32.81
AV	11.15254G	41.60	54.00	-12.40	28.26	3	Horizontal	340	2.41	-	38.65	7.50	32.81




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.394G	73.95	74.00	-0.05	3	Vertical	348	1.46	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5260MHz\_TX



EUT\_Z\_4TX  
Setting 107  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	60.72	74.00	-13.28	53.97	3	Vertical	49	2.84	-	33.49	4.99	31.73
AV	5.1496G	47.57	54.00	-6.43	40.80	3	Vertical	49	2.84	-	33.50	5.00	31.73
PK	5.254G	124.32	Inf	-Inf	117.29	3	Vertical	49	2.84	-	33.61	5.07	31.65
AV	5.254G	114.47	Inf	-Inf	107.44	3	Vertical	49	2.84	-	33.61	5.07	31.65
PK	5.3524G	64.76	74.00	-9.24	57.52	3	Vertical	49	2.84	-	33.80	5.02	31.58
AV	5.35G	49.83	54.00	-4.17	42.58	3	Vertical	49	2.84	-	33.80	5.03	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5260MHz\_TX




EUT\_Z\_4TX  
Setting 107  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	59.07	74.00	-14.93	52.32	3	Horizontal	341	1.00	-	33.49	4.99	31.73
AV	5.149G	46.41	54.00	-7.59	39.64	3	Horizontal	341	1.00	-	33.50	5.00	31.73
PK	5.2624G	118.76	Inf	-Inf	111.72	3	Horizontal	341	1.00	-	33.62	5.07	31.65
AV	5.2546G	109.69	Inf	-Inf	102.66	3	Horizontal	341	1.00	-	33.61	5.07	31.65
PK	5.35G	61.25	74.00	-12.75	54.00	3	Horizontal	341	1.00	-	33.80	5.03	31.58
AV	5.3506G	47.85	54.00	-6.15	40.61	3	Horizontal	341	1.00	-	33.80	5.02	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 107  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5214G	52.49	68.20	-15.71	39.27	3	Vertical	80	1.11	-	38.50	7.28	32.56
PK	15.7744G	67.23	74.00	-6.77	53.62	3	Vertical	2	2.62	-	37.35	9.12	32.86
AV	15.7739G	53.84	54.00	-0.16	40.23	3	Vertical	2	2.62	-	37.35	9.12	32.86

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5260MHz\_TX




EUT Z\_4TX  
Setting 107  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5305G	51.93	68.20	-16.27	38.70	3	Horizontal	4	2.80	-	38.50	7.29	32.56
PK	15.7823G	63.14	74.00	-10.86	49.54	3	Horizontal	7	2.04	-	37.34	9.12	32.86
AV	15.7814G	49.33	54.00	-4.67	35.73	3	Horizontal	7	2.04	-	37.34	9.12	32.86

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 99  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	122.54	Inf	-Inf	115.40	3	Vertical	11	2.19	-	33.71	5.05	31.62
AV	5.3032G	112.45	Inf	-Inf	105.31	3	Vertical	11	2.19	-	33.71	5.05	31.62
PK	5.3532G	72.39	74.00	-1.61	65.15	3	Vertical	11	2.19	-	33.80	5.02	31.58
AV	5.35G	53.92	54.00	-0.08	46.67	3	Vertical	11	2.19	-	33.80	5.03	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5300MHz\_TX




EUT Z\_4TX  
Setting 99  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	118.23	Inf	-Inf	111.12	3	Horizontal	337	1.43	-	33.68	5.05	31.62
AV	5.292G	109.45	Inf	-Inf	102.34	3	Horizontal	337	1.43	-	33.68	5.05	31.62
PK	5.3516G	67.33	74.00	-6.67	60.09	3	Horizontal	337	1.43	-	33.80	5.02	31.58
AV	5.35G	49.23	54.00	-4.77	41.98	3	Horizontal	337	1.43	-	33.80	5.03	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 99  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6004G	52.68	74.00	-21.32	39.46	3	Vertical	38	1.99	-	38.50	7.31	32.59
AV	10.61695G	39.11	54.00	-14.89	25.91	3	Vertical	38	1.99	-	38.48	7.32	32.60
PK	15.8807G	61.32	74.00	-12.68	47.73	3	Vertical	359	2.96	-	37.30	9.16	32.87
AV	15.8841G	47.31	54.00	-6.69	33.72	3	Vertical	359	2.96	-	37.30	9.16	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5300MHz\_TX




EUT\_Z\_4TX  
Setting 99  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6162G	52.02	74.00	-21.98	38.82	3	Horizontal	297	1.02	-	38.48	7.32	32.60
AV	10.6061G	39.06	54.00	-14.94	25.85	3	Horizontal	297	1.02	-	38.49	7.31	32.59
PK	15.8874G	59.95	74.00	-14.05	46.36	3	Horizontal	38	1.99	-	37.30	9.16	32.87
AV	15.8949G	46.21	54.00	-7.79	32.62	3	Horizontal	38	1.99	-	37.30	9.16	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5320MHz\_TX



EUT\_Z\_4TX  
Setting 84  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	120.60	Inf	-Inf	113.41	3	Vertical	22	2.25	-	33.75	5.04	31.60
AV	5.3272G	110.56	Inf	-Inf	103.37	3	Vertical	22	2.25	-	33.75	5.04	31.60
PK	5.35G	73.77	74.00	-0.23	66.52	3	Vertical	22	2.25	-	33.80	5.03	31.58
AV	5.35G	51.85	54.00	-2.15	44.60	3	Vertical	22	2.25	-	33.80	5.03	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	113.64	Inf	-Inf	106.44	3	Horizontal	332	2.84	-	33.76	5.04	31.60
AV	5.328G	104.84	Inf	-Inf	97.64	3	Horizontal	332	2.84	-	33.76	5.04	31.60
PK	5.3516G	69.74	74.00	-4.26	62.50	3	Horizontal	332	2.84	-	33.80	5.02	31.58
AV	5.35G	49.68	54.00	-4.32	42.43	3	Horizontal	332	2.84	-	33.80	5.03	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6256G	52.30	74.00	-21.70	39.11	3	Vertical	109	2.25	-	38.47	7.32	32.60
AV	10.664G	38.87	54.00	-15.13	25.72	3	Vertical	109	2.25	-	38.44	7.33	32.62
PK	15.9562G	58.19	74.00	-15.81	44.53	3	Vertical	239	2.94	-	37.36	9.18	32.88
AV	15.9649G	43.29	54.00	-10.71	29.62	3	Vertical	239	2.94	-	37.36	9.19	32.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5320MHz\_TX




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6345G	51.76	74.00	-22.24	38.58	3	Horizontal	5	1.90	-	38.47	7.32	32.61
AV	10.6645G	38.91	54.00	-15.09	25.76	3	Horizontal	5	1.90	-	38.44	7.33	32.62
PK	15.9469G	54.74	74.00	-19.26	41.09	3	Horizontal	6	2.00	-	37.35	9.18	32.88
AV	15.9507G	41.02	54.00	-12.98	27.37	3	Horizontal	6	2.00	-	37.35	9.18	32.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 82  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.93	74.00	-14.07	52.39	3	Vertical	110	2.22	-	33.98	5.06	31.50
AV	5.458G	47.64	54.00	-6.36	40.10	3	Vertical	110	2.22	-	33.98	5.06	31.50
PK	5.4696G	67.73	68.20	-0.47	60.19	3	Vertical	110	2.22	-	33.96	5.07	31.49
PK	5.5048G	118.08	Inf	-Inf	110.55	3	Vertical	110	2.22	-	33.90	5.10	31.47
AV	5.5044G	108.43	Inf	-Inf	100.90	3	Vertical	110	2.22	-	33.90	5.10	31.47

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 82  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4168G	58.91	74.00	-15.09	51.55	3	Horizontal	0	2.82	-	33.87	5.02	31.53
PK	5.468G	59.78	68.20	-8.42	52.24	3	Horizontal	0	2.82	-	33.96	5.07	31.49
AV	5.4592G	46.09	54.00	-7.91	38.55	3	Horizontal	0	2.82	-	33.98	5.06	31.50
PK	5.4948G	111.83	Inf	-Inf	104.30	3	Horizontal	0	2.82	-	33.91	5.09	31.47
AV	5.5084G	102.95	Inf	-Inf	95.41	3	Horizontal	0	2.82	-	33.90	5.11	31.47

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 82  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0189G	51.50	74.00	-22.50	38.29	3	Vertical	217	1.73	-	38.52	7.46	32.77
AV	11.0244G	39.22	54.00	-14.78	26.01	3	Vertical	217	1.73	-	38.52	7.46	32.77

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5500MHz\_TX




EUT\_Z\_4TX  
Setting 82  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0173G	52.11	74.00	-21.89	38.90	3	Horizontal	290	2.65	-	38.52	7.46	32.77
AV	11.0185G	39.14	54.00	-14.86	25.93	3	Horizontal	290	2.65	-	38.52	7.46	32.77

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5580MHz\_TX



EUT Z\_4TX  
Setting 108  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4464G	60.27	74.00	-13.73	52.74	3	Vertical	102	1.41	-	33.99	5.05	31.51
AV	5.456G	47.39	54.00	-6.61	39.84	3	Vertical	102	1.41	-	33.99	5.06	31.50
PK	5.4656G	60.37	68.20	-7.83	52.83	3	Vertical	102	1.41	-	33.97	5.07	31.50
PK	5.5808G	125.34	Inf	-Inf	117.73	3	Vertical	102	1.41	-	33.90	5.18	31.47
AV	5.5856G	115.04	Inf	-Inf	107.42	3	Vertical	102	1.41	-	33.90	5.19	31.47
PK	5.7568G	60.28	68.20	-7.92	52.90	3	Vertical	102	1.41	-	33.80	5.04	31.46



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5580MHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	59.27	74.00	-14.73	51.73	3	Horizontal	4	2.92	-	34.00	5.05	31.51
PK	5.4616G	58.75	68.20	-9.45	51.21	3	Horizontal	4	2.92	-	33.98	5.06	31.50
AV	5.4592G	46.76	54.00	-7.24	39.22	3	Horizontal	4	2.92	-	33.98	5.06	31.50
PK	5.5752G	121.33	Inf	-Inf	113.72	3	Horizontal	4	2.92	-	33.90	5.18	31.47
AV	5.572G	111.30	Inf	-Inf	103.70	3	Horizontal	4	2.92	-	33.90	5.17	31.47
PK	5.7368G	58.82	68.20	-9.38	51.42	3	Horizontal	4	2.92	-	33.80	5.06	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1397G	51.98	74.00	-22.02	38.65	3	Vertical	27	1.61	-	38.64	7.50	32.81
AV	11.1662G	39.29	54.00	-14.71	25.93	3	Vertical	27	1.61	-	38.67	7.51	32.82
PK	16.7425G	65.31	68.20	-2.89	48.90	3	Vertical	354	1.99	-	40.10	9.27	32.96

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5580MHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1785G	52.10	74.00	-21.90	38.73	3	Horizontal	74	1.34	-	38.68	7.51	32.82
AV	11.1521G	39.33	54.00	-14.67	25.99	3	Horizontal	74	1.34	-	38.65	7.50	32.81
PK	16.7355G	62.72	68.20	-5.48	46.36	3	Horizontal	13	2.47	-	40.05	9.27	32.96

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6946G	118.65	Inf	-Inf	111.19	3	Vertical	97	1.00	-	33.81	5.11	31.46
AV	5.698G	108.47	Inf	-Inf	101.03	3	Vertical	97	1.00	-	33.80	5.10	31.46
PK	5.7264G	67.99	68.20	-0.21	60.58	3	Vertical	97	1.00	-	33.80	5.07	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7072G	110.48	Inf	-Inf	103.05	3	Horizontal	355	1.44	-	33.80	5.09	31.46
AV	5.7078G	101.24	Inf	-Inf	93.81	3	Horizontal	355	1.44	-	33.80	5.09	31.46
PK	5.7252G	60.47	68.20	-7.73	53.06	3	Horizontal	355	1.44	-	33.80	5.07	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.385G	53.10	74.00	-20.90	39.64	3	Vertical	52	2.65	-	38.77	7.58	32.89
AV	11.4202G	39.54	54.00	-14.46	26.00	3	Vertical	52	2.65	-	38.84	7.60	32.90

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5700MHz\_TX




EUT\_Z\_4TX  
Setting 77  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3953G	52.18	74.00	-21.82	38.69	3	Horizontal	195	2.05	-	38.79	7.59	32.89
AV	11.4213G	39.54	54.00	-14.46	26.00	3	Horizontal	195	2.05	-	38.84	7.60	32.90

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4092G	58.18	74.00	-15.82	50.87	3	Vertical	100	1.80	-	33.84	5.01	31.54
PK	5.4638G	58.55	68.20	-9.65	51.02	3	Vertical	100	1.80	-	33.97	5.06	31.50
AV	5.44G	46.16	54.00	-7.84	38.67	3	Vertical	100	1.80	-	33.96	5.04	31.51
PK	5.7116G	121.78	Inf	-Inf	114.35	3	Vertical	100	1.80	-	33.80	5.09	31.46
AV	5.7116G	111.88	Inf	-Inf	104.45	3	Vertical	100	1.80	-	33.80	5.09	31.46
PK	5.8516G	60.32	68.20	-7.88	52.72	3	Vertical	100	1.80	-	33.91	5.15	31.46



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	58.54	74.00	-15.46	51.18	3	Horizontal	23	2.85	-	33.87	5.02	31.53
AV	5.398G	45.97	54.00	-8.03	38.72	3	Horizontal	23	2.85	-	33.80	5.00	31.55
PK	5.4624G	57.21	68.20	-10.99	49.67	3	Horizontal	23	2.85	-	33.98	5.06	31.50
PK	5.7158G	118.67	Inf	-Inf	111.25	3	Horizontal	23	2.85	-	33.80	5.08	31.46
AV	5.7186G	109.15	Inf	-Inf	101.73	3	Horizontal	23	2.85	-	33.80	5.08	31.46
PK	5.8698G	59.34	68.20	-8.86	51.61	3	Horizontal	23	2.85	-	33.98	5.21	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4461G	52.35	74.00	-21.65	38.76	3	Vertical	191	1.26	-	38.89	7.61	32.91
AV	11.4596G	39.86	54.00	-14.14	26.25	3	Vertical	191	1.26	-	38.92	7.61	32.92
PK	17.1569G	64.92	68.20	-3.28	46.56	3	Vertical	280	2.38	-	41.98	9.32	32.94

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4229G	52.48	74.00	-21.52	38.93	3	Horizontal	232	2.20	-	38.85	7.60	32.90
AV	11.4622G	39.60	54.00	-14.40	25.99	3	Horizontal	232	2.20	-	38.92	7.61	32.92
PK	17.1558G	62.46	68.20	-5.74	44.10	3	Horizontal	6	2.00	-	41.98	9.32	32.94

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5270MHz\_TX




EUT Z\_4TX  
Setting 95  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	62.99	74.00	-11.01	56.22	3	Vertical	348	1.62	-	33.50	5.00	31.73
AV	5.1494G	47.39	54.00	-6.61	40.62	3	Vertical	348	1.62	-	33.50	5.00	31.73
PK	5.2778G	118.65	Inf	-Inf	111.56	3	Vertical	348	1.62	-	33.66	5.06	31.63
AV	5.273G	107.64	Inf	-Inf	100.57	3	Vertical	348	1.62	-	33.65	5.06	31.64
PK	5.3522G	72.29	74.00	-1.71	65.05	3	Vertical	348	1.62	-	33.80	5.02	31.58
AV	5.351G	53.77	54.00	-0.23	46.53	3	Vertical	348	1.62	-	33.80	5.02	31.58

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 95  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.22	74.00	-10.78	56.45	3	Horizontal	338	2.87	-	33.50	5.00	31.73
AV	5.1494G	45.76	54.00	-8.24	38.99	3	Horizontal	338	2.87	-	33.50	5.00	31.73
PK	5.2676G	115.31	Inf	-Inf	108.24	3	Horizontal	338	2.87	-	33.64	5.07	31.64
AV	5.2772G	102.23	Inf	-Inf	95.15	3	Horizontal	338	2.87	-	33.65	5.06	31.63
PK	5.351G	66.65	74.00	-7.35	59.41	3	Horizontal	338	2.87	-	33.80	5.02	31.58
AV	5.35G	49.62	54.00	-4.38	42.38	3	Horizontal	338	2.87	-	33.80	5.02	31.58

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 95  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.805G	55.42	74.00	-18.58	41.85	3	Vertical	320	2.20	-	37.30	9.13	32.86
AV	15.8063G	41.45	54.00	-12.55	27.88	3	Vertical	320	2.20	-	37.30	9.13	32.86

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5270MHz\_TX




EUT\_Z\_4TX  
Setting 95  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8276G	54.98	74.00	-19.02	41.41	3	Horizontal	38	2.13	-	37.30	9.14	32.87
AV	15.8267G	41.14	54.00	-12.86	27.57	3	Horizontal	38	2.13	-	37.30	9.14	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5310MHz\_TX



EUT Z\_4TX  
Setting 72  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	113.71	Inf	-Inf	106.56	3	Vertical	11	2.06	-	33.71	5.05	31.61
AV	5.3084G	103.11	Inf	-Inf	95.95	3	Vertical	11	2.06	-	33.72	5.05	31.61
PK	5.3524G	73.93	74.00	-0.07	66.69	3	Vertical	11	2.06	-	33.80	5.02	31.58
AV	5.3504G	52.29	54.00	-1.71	45.05	3	Vertical	11	2.06	-	33.80	5.02	31.58



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	109.26	Inf	-Inf	102.13	3	Horizontal	332	2.82	-	33.70	5.05	31.62
AV	5.3276G	98.03	Inf	-Inf	90.83	3	Horizontal	332	2.82	-	33.76	5.04	31.60
PK	5.3536G	69.10	74.00	-4.90	61.86	3	Horizontal	332	2.82	-	33.80	5.02	31.58
AV	5.352G	50.53	54.00	-3.47	43.29	3	Horizontal	332	2.82	-	33.80	5.02	31.58

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61118G	52.07	74.00	-21.93	38.87	3	Vertical	148	2.37	-	38.49	7.31	32.60
AV	10.60584G	38.69	54.00	-15.31	25.48	3	Vertical	148	2.37	-	38.49	7.31	32.59
PK	15.9405G	53.61	74.00	-20.39	39.97	3	Vertical	297	1.53	-	37.34	9.18	32.88
AV	15.9261G	39.65	54.00	-14.35	26.02	3	Vertical	297	1.53	-	37.33	9.17	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5310MHz\_TX




EUT\_Z\_4TX  
Setting 72  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6134G	52.25	74.00	-21.75	39.05	3	Horizontal	323	2.92	-	38.49	7.31	32.60
AV	10.6053G	38.71	54.00	-15.29	25.50	3	Horizontal	323	2.92	-	38.49	7.31	32.59
PK	15.93372G	53.30	74.00	-20.70	39.66	3	Horizontal	315	2.38	-	37.33	9.18	32.87
AV	15.93438G	39.54	54.00	-14.46	25.90	3	Horizontal	315	2.38	-	37.33	9.18	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.22	74.00	-11.78	54.68	3	Vertical	342	1.73	-	33.98	5.06	31.50
AV	5.4584G	48.01	54.00	-5.99	40.47	3	Vertical	342	1.73	-	33.98	5.06	31.50
PK	5.4688G	67.96	68.20	-0.24	60.42	3	Vertical	342	1.73	-	33.96	5.07	31.49
PK	5.5204G	112.68	Inf	-Inf	105.13	3	Vertical	342	1.73	-	33.90	5.12	31.47
AV	5.5132G	102.08	Inf	-Inf	94.54	3	Vertical	342	1.73	-	33.90	5.11	31.47

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.09	74.00	-14.91	51.55	3	Horizontal	2	1.36	-	33.98	5.06	31.50
AV	5.46G	45.78	54.00	-8.22	38.24	3	Horizontal	2	1.36	-	33.98	5.06	31.50
PK	5.4636G	63.15	68.20	-5.05	55.62	3	Horizontal	2	1.36	-	33.97	5.06	31.50
PK	5.4952G	109.03	Inf	-Inf	101.49	3	Horizontal	2	1.36	-	33.91	5.10	31.47
AV	5.4952G	98.76	Inf	-Inf	91.22	3	Horizontal	2	1.36	-	33.91	5.10	31.47

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0146G	54.07	74.00	-19.93	40.86	3	Vertical	138	1.39	-	38.51	7.46	32.76
AV	11.01976G	39.50	54.00	-14.50	26.29	3	Vertical	138	1.39	-	38.52	7.46	32.77

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5510MHz\_TX




EUT\_Z\_4TX  
Setting 66  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02378G	52.51	74.00	-21.49	39.30	3	Horizontal	126	1.72	-	38.52	7.46	32.77
AV	11.02084G	39.23	54.00	-14.77	26.02	3	Horizontal	126	1.72	-	38.52	7.46	32.77

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5550MHz\_TX



EUT\_Z\_4TX  
Setting 97  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	63.44	74.00	-10.56	55.90	3	Vertical	98	2.43	-	34.00	5.05	31.51
AV	5.4588G	48.67	54.00	-5.33	41.13	3	Vertical	98	2.43	-	33.98	5.06	31.50
PK	5.47G	67.77	68.20	-0.43	60.23	3	Vertical	98	2.43	-	33.96	5.07	31.49
PK	5.5564G	119.21	Inf	-Inf	111.62	3	Vertical	98	2.43	-	33.90	5.16	31.47
AV	5.5572G	109.25	Inf	-Inf	101.66	3	Vertical	98	2.43	-	33.90	5.16	31.47
PK	5.7292G	59.57	68.20	-8.63	52.16	3	Vertical	98	2.43	-	33.80	5.07	31.46



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 97  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.52	74.00	-10.48	55.98	3	Horizontal	0	1.00	-	33.98	5.06	31.50
AV	5.4572G	47.14	54.00	-6.86	39.59	3	Horizontal	0	1.00	-	33.99	5.06	31.50
PK	5.4668G	63.14	68.20	-5.06	55.59	3	Horizontal	0	1.00	-	33.97	5.07	31.49
PK	5.558G	114.49	Inf	-Inf	106.90	3	Horizontal	0	1.00	-	33.90	5.16	31.47
AV	5.5572G	103.99	Inf	-Inf	96.40	3	Horizontal	0	1.00	-	33.90	5.16	31.47
PK	5.7484G	57.35	68.20	-10.85	49.96	3	Horizontal	0	1.00	-	33.80	5.05	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09082G	52.50	74.00	-21.50	39.22	3	Vertical	199	1.80	-	38.59	7.48	32.79
AV	11.1006G	38.68	54.00	-15.32	25.38	3	Vertical	199	1.80	-	38.60	7.49	32.79
PK	16.64022G	58.43	68.20	-9.77	42.63	3	Vertical	357	1.98	-	39.50	9.26	32.96

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5550MHz\_TX




EUT\_Z\_4TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1045G	52.62	74.00	-21.38	39.33	3	Horizontal	103	2.83	-	38.60	7.49	32.80
AV	11.10264G	38.71	54.00	-15.29	25.41	3	Horizontal	103	2.83	-	38.60	7.49	32.79
PK	16.66266G	57.79	68.20	-10.41	41.87	3	Horizontal	15	2.14	-	39.61	9.27	32.96

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	117.64	Inf	-Inf	110.07	3	Vertical	340	1.76	-	33.89	5.14	31.46
AV	5.6552G	106.71	Inf	-Inf	99.14	3	Vertical	340	1.76	-	33.89	5.14	31.46
PK	5.728G	68.07	68.20	-0.13	60.66	3	Vertical	340	1.76	-	33.80	5.07	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	109.72	Inf	-Inf	102.16	3	Horizontal	355	1.80	-	33.88	5.14	31.46
AV	5.6804G	99.08	Inf	-Inf	91.58	3	Horizontal	355	1.80	-	33.84	5.12	31.46
PK	5.7292G	66.59	68.20	-1.61	59.18	3	Horizontal	355	1.80	-	33.80	5.07	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34258G	52.93	74.00	-21.07	39.55	3	Vertical	227	2.83	-	38.69	7.57	32.88
AV	11.35422G	38.99	54.00	-15.01	25.59	3	Vertical	227	2.83	-	38.71	7.57	32.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5670MHz\_TX




EUT\_Z\_4TX  
Setting 85  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34258G	52.70	74.00	-21.30	39.32	3	Horizontal	122	1.41	-	38.69	7.57	32.88
AV	11.355G	39.49	54.00	-14.51	26.09	3	Horizontal	122	1.41	-	38.71	7.57	32.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	58.57	74.00	-15.43	51.26	3	Vertical	98	1.95	-	33.84	5.01	31.54
PK	5.465G	58.38	68.20	-9.82	50.85	3	Vertical	98	1.95	-	33.97	5.06	31.50
AV	5.4398G	46.49	54.00	-7.51	39.00	3	Vertical	98	1.95	-	33.96	5.04	31.51
PK	5.7016G	121.22	Inf	-Inf	113.78	3	Vertical	98	1.95	-	33.80	5.10	31.46
AV	5.7058G	111.14	Inf	-Inf	103.71	3	Vertical	98	1.95	-	33.80	5.09	31.46
PK	5.85G	65.12	68.20	-3.08	57.53	3	Vertical	98	1.95	-	33.90	5.15	31.46



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	58.52	74.00	-15.48	50.98	3	Horizontal	11	2.97	-	33.99	5.05	31.50
AV	5.4426G	46.06	54.00	-7.94	38.56	3	Horizontal	11	2.97	-	33.97	5.04	31.51
PK	5.4678G	57.72	68.20	-10.48	50.18	3	Horizontal	11	2.97	-	33.96	5.07	31.49
PK	5.7058G	116.61	Inf	-Inf	109.18	3	Horizontal	11	2.97	-	33.80	5.09	31.46
AV	5.703G	108.28	Inf	-Inf	100.84	3	Horizontal	11	2.97	-	33.80	5.10	31.46
PK	5.85G	63.34	68.20	-4.86	55.75	3	Horizontal	11	2.97	-	33.90	5.15	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41886G	52.71	74.00	-21.29	39.17	3	Vertical	11	2.77	-	38.84	7.60	32.90
AV	11.42924G	39.86	54.00	-14.14	26.31	3	Vertical	11	2.77	-	38.86	7.60	32.91
PK	17.124G	62.48	68.20	-5.72	44.30	3	Vertical	20	2.88	-	41.82	9.31	32.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40872G	52.54	74.00	-21.46	39.03	3	Horizontal	85	1.81	-	38.82	7.59	32.90
AV	11.43032G	39.74	54.00	-14.26	26.19	3	Horizontal	85	1.81	-	38.86	7.60	32.91
PK	17.1399G	59.30	68.20	-8.90	41.03	3	Horizontal	17	2.94	-	41.90	9.31	32.94

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.61	74.00	-13.39	53.86	3	Vertical	349	1.80	-	33.49	4.99	31.73
AV	5.149G	46.52	54.00	-7.48	39.75	3	Vertical	349	1.80	-	33.50	5.00	31.73
PK	5.278G	110.22	Inf	-Inf	103.13	3	Vertical	349	1.80	-	33.66	5.06	31.63
AV	5.286G	99.43	Inf	-Inf	92.33	3	Vertical	349	1.80	-	33.67	5.06	31.63
PK	5.367G	73.04	74.00	-0.96	65.79	3	Vertical	349	1.80	-	33.80	5.02	31.57
AV	5.35G	53.73	54.00	-0.27	46.48	3	Vertical	349	1.80	-	33.80	5.03	31.58
PK	5.507G	58.43	68.20	-9.77	50.89	3	Vertical	349	1.80	-	33.90	5.11	31.47

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	57.56	74.00	-16.44	50.84	3	Horizontal	13	2.12	-	33.48	4.98	31.74
AV	5.145G	45.08	54.00	-8.92	38.33	3	Horizontal	13	2.12	-	33.49	4.99	31.73
PK	5.258G	107.12	Inf	-Inf	100.08	3	Horizontal	13	2.12	-	33.62	5.07	31.65
AV	5.275G	96.73	Inf	-Inf	89.66	3	Horizontal	13	2.12	-	33.65	5.06	31.64
PK	5.351G	71.35	74.00	-2.65	64.11	3	Horizontal	13	2.12	-	33.80	5.02	31.58
AV	5.351G	50.26	54.00	-3.74	43.02	3	Horizontal	13	2.12	-	33.80	5.02	31.58
PK	5.467G	58.38	68.20	-9.82	50.83	3	Horizontal	13	2.12	-	33.97	5.07	31.49

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88074G	52.88	74.00	-21.12	39.29	3	Vertical	17	2.61	-	37.30	9.16	32.87
AV	15.85704G	39.72	54.00	-14.28	26.14	3	Vertical	17	2.61	-	37.30	9.15	32.87

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5290MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8691G	52.79	74.00	-21.21	39.21	3	Horizontal	178	2.52	-	37.30	9.15	32.87
AV	15.85518G	39.88	54.00	-14.12	26.30	3	Horizontal	178	2.52	-	37.30	9.15	32.87

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5530MHz\_TX



EUT\_Z\_4TX  
Setting 69  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.86	68.20	-10.34	50.63	3	Vertical	342	1.89	-	33.79	5.03	31.59
PK	5.458G	66.50	74.00	-7.50	58.96	3	Vertical	342	1.89	-	33.98	5.06	31.50
AV	5.46G	52.08	54.00	-1.92	44.54	3	Vertical	342	1.89	-	33.98	5.06	31.50
PK	5.47G	67.78	68.20	-0.42	60.24	3	Vertical	342	1.89	-	33.96	5.07	31.49
PK	5.506G	110.69	Inf	-Inf	103.15	3	Vertical	342	1.89	-	33.90	5.11	31.47
AV	5.519G	99.90	Inf	-Inf	92.35	3	Vertical	342	1.89	-	33.90	5.12	31.47
PK	5.732G	58.12	68.20	-10.08	50.71	3	Vertical	342	1.89	-	33.80	5.07	31.46



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 69  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	57.78	68.20	-10.42	50.59	3	Horizontal	87	2.90	-	33.76	5.03	31.60
PK	5.454G	60.32	74.00	-13.68	52.78	3	Horizontal	87	2.90	-	33.99	5.05	31.50
AV	5.46G	47.57	54.00	-6.43	40.03	3	Horizontal	87	2.90	-	33.98	5.06	31.50
PK	5.466G	63.29	68.20	-4.91	55.75	3	Horizontal	87	2.90	-	33.97	5.07	31.50
PK	5.511G	104.94	Inf	-Inf	97.40	3	Horizontal	87	2.90	-	33.90	5.11	31.47
AV	5.51G	95.18	Inf	-Inf	87.64	3	Horizontal	87	2.90	-	33.90	5.11	31.47
PK	5.749G	57.03	68.20	-11.17	49.64	3	Horizontal	87	2.90	-	33.80	5.05	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 69  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07392G	53.17	74.00	-20.83	39.91	3	Vertical	39	2.75	-	38.57	7.48	32.79
AV	11.04968G	39.11	54.00	-14.89	25.87	3	Vertical	39	2.75	-	38.55	7.47	32.78

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5530MHz\_TX




EUT\_Z\_4TX  
Setting 69  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05688G	52.94	74.00	-21.06	39.69	3	Horizontal	275	2.29	-	38.56	7.47	32.78
AV	11.04506G	39.13	54.00	-14.87	25.89	3	Horizontal	275	2.29	-	38.55	7.47	32.78

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.24	74.00	-8.76	57.70	3	Vertical	5	1.52	-	33.98	5.06	31.50
AV	5.46G	50.08	54.00	-3.92	42.54	3	Vertical	5	1.52	-	33.98	5.06	31.50
PK	5.463G	65.29	68.20	-2.91	57.76	3	Vertical	5	1.52	-	33.97	5.06	31.50
PK	5.608G	114.20	Inf	-Inf	106.58	3	Vertical	5	1.52	-	33.90	5.19	31.47
AV	5.618G	104.00	Inf	-Inf	96.39	3	Vertical	5	1.52	-	33.90	5.18	31.47
PK	5.725G	67.80	68.20	-0.40	60.38	3	Vertical	5	1.52	-	33.80	5.08	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5610MHz\_TX




EUT Z\_4TX  
Setting 92  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.69	74.00	-10.31	56.14	3	Horizontal	103	1.79	-	33.99	5.06	31.50
AV	5.46G	48.48	54.00	-5.52	40.94	3	Horizontal	103	1.79	-	33.98	5.06	31.50
PK	5.467G	64.03	68.20	-4.17	56.48	3	Horizontal	103	1.79	-	33.97	5.07	31.49
PK	5.573G	112.22	Inf	-Inf	104.62	3	Horizontal	103	1.79	-	33.90	5.17	31.47
AV	5.593G	97.82	Inf	-Inf	90.20	3	Horizontal	103	1.79	-	33.90	5.19	31.47
PK	5.731G	58.82	68.20	-9.38	51.41	3	Horizontal	103	1.79	-	33.80	5.07	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5610MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21982G	53.74	74.00	-20.26	40.36	3	Vertical	78	2.08	-	38.68	7.53	32.83
AV	11.21748G	40.23	54.00	-13.77	26.85	3	Vertical	78	2.08	-	38.68	7.53	32.83

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5610MHz\_TX




EUT\_Z\_4TX  
Setting 92  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2164G	53.68	74.00	-20.32	40.30	3	Horizontal	257	1.82	-	38.68	7.53	32.83
AV	11.21922G	40.25	54.00	-13.75	26.87	3	Horizontal	257	1.82	-	38.68	7.53	32.83

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 104  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	58.07	68.20	-10.13	50.88	3	Vertical	0	1.75	-	33.75	5.04	31.60
PK	5.4596G	63.21	74.00	-10.79	55.67	3	Vertical	0	1.75	-	33.98	5.06	31.50
AV	5.4596G	49.19	54.00	-4.81	41.65	3	Vertical	0	1.75	-	33.98	5.06	31.50
PK	5.466G	63.73	68.20	-4.47	56.19	3	Vertical	0	1.75	-	33.97	5.07	31.50
PK	5.6676G	115.58	Inf	-Inf	108.05	3	Vertical	0	1.75	-	33.86	5.13	31.46
AV	5.6708G	105.03	Inf	-Inf	97.50	3	Vertical	0	1.75	-	33.86	5.13	31.46
PK	5.858G	67.83	68.20	-0.37	60.19	3	Vertical	0	1.75	-	33.93	5.17	31.46



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 104  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3348G	57.47	68.20	-10.73	50.26	3	Horizontal	360	3.00	-	33.77	5.03	31.59
PK	5.4292G	58.87	74.00	-15.13	51.44	3	Horizontal	360	3.00	-	33.92	5.03	31.52
PK	5.4692G	58.36	68.20	-9.84	50.82	3	Horizontal	360	3.00	-	33.96	5.07	31.49
AV	5.4516G	45.52	54.00	-8.48	37.98	3	Horizontal	360	3.00	-	34.00	5.05	31.51
PK	5.6788G	114.10	Inf	-Inf	106.60	3	Horizontal	360	3.00	-	33.84	5.12	31.46
AV	5.6788G	104.34	Inf	-Inf	96.84	3	Horizontal	360	3.00	-	33.84	5.12	31.46
PK	5.8532G	63.81	68.20	-4.39	56.20	3	Horizontal	360	3.00	-	33.91	5.16	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 104  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37274G	51.97	74.00	-22.03	38.53	3	Vertical	40	2.21	-	38.75	7.58	32.89
AV	11.38996G	39.03	54.00	-14.97	25.55	3	Vertical	40	2.21	-	38.78	7.59	32.89
PK	17.06028G	58.18	68.20	-10.02	40.32	3	Vertical	12	2.37	-	41.50	9.31	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 104  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39086G	53.42	74.00	-20.58	39.94	3	Horizontal	96	2.20	-	38.78	7.59	32.89
AV	11.3887G	39.00	54.00	-15.00	25.52	3	Horizontal	96	2.20	-	38.78	7.59	32.89
PK	17.08158G	57.29	68.20	-10.91	39.32	3	Horizontal	4	2.28	-	41.61	9.31	32.95

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.28	74.00	-4.72	62.51	3	Vertical	348	1.46	-	33.50	5.00	31.73
AV	5.0692G	50.59	54.00	-3.41	44.20	3	Vertical	348	1.46	-	33.34	4.84	31.79
PK	5.2644G	108.46	Inf	-Inf	101.40	3	Vertical	348	1.46	-	33.63	5.07	31.64
AV	5.234G	96.26	Inf	-Inf	89.28	3	Vertical	348	1.46	-	33.57	5.08	31.67
PK	5.394G	73.95	74.00	-0.05	66.70	3	Vertical	348	1.46	-	33.80	5.00	31.55
AV	5.3508G	49.18	54.00	-4.82	41.94	3	Vertical	348	1.46	-	33.80	5.02	31.58
PK	5.4756G	60.92	68.20	-7.28	53.38	3	Vertical	348	1.46	-	33.95	5.08	31.49

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.33	74.00	-4.67	62.56	3	Horizontal	339	2.37	-	33.50	5.00	31.73
AV	5.146G	47.23	54.00	-6.77	40.48	3	Horizontal	339	2.37	-	33.49	4.99	31.73
PK	5.2692G	104.17	Inf	-Inf	97.10	3	Horizontal	339	2.37	-	33.64	5.07	31.64
AV	5.274G	90.96	Inf	-Inf	83.89	3	Horizontal	339	2.37	-	33.65	5.06	31.64
PK	5.394G	71.43	74.00	-2.57	64.18	3	Horizontal	339	2.37	-	33.80	5.00	31.55
AV	5.354G	47.57	54.00	-6.43	40.33	3	Horizontal	339	2.37	-	33.80	5.02	31.58
PK	5.4628G	58.14	68.20	-10.06	50.61	3	Horizontal	339	2.37	-	33.97	5.06	31.50

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7665G	52.89	74.00	-21.11	39.26	3	Vertical	42	1.06	-	37.37	9.12	32.86
AV	15.7731G	38.66	54.00	-15.34	25.05	3	Vertical	42	1.06	-	37.35	9.12	32.86

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_4TX  
Setting 71  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7399G	51.35	74.00	-22.65	37.68	3	Horizontal	253	2.83	-	37.42	9.11	32.86
AV	15.7739G	38.53	54.00	-15.47	24.92	3	Horizontal	253	2.83	-	37.35	9.12	32.86

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5570MHz\_TX



EUT Z\_4TX  
Setting 68  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	58.95	68.20	-9.25	51.70	3	Vertical	101	1.21	-	33.80	5.03	31.58
PK	5.4536G	67.78	74.00	-6.22	60.24	3	Vertical	101	1.21	-	33.99	5.05	31.50
AV	5.456G	51.52	54.00	-2.48	43.97	3	Vertical	101	1.21	-	33.99	5.06	31.50
PK	5.4644G	67.97	68.20	-0.23	60.44	3	Vertical	101	1.21	-	33.97	5.06	31.50
PK	5.5892G	106.77	Inf	-Inf	99.15	3	Vertical	101	1.21	-	33.90	5.19	31.47
AV	5.5868G	97.05	Inf	-Inf	89.43	3	Vertical	101	1.21	-	33.90	5.19	31.47
PK	5.7584G	62.62	68.20	-5.58	55.24	3	Vertical	101	1.21	-	33.80	5.04	31.46



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5570MHz\_TX




EUT Z\_4TX  
Setting 68  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	57.93	68.20	-10.27	50.74	3	Horizontal	102	2.54	-	33.75	5.04	31.60
PK	5.4536G	62.48	74.00	-11.52	54.94	3	Horizontal	102	2.54	-	33.99	5.05	31.50
AV	5.4356G	48.77	54.00	-5.23	41.31	3	Horizontal	102	2.54	-	33.94	5.04	31.52
PK	5.468G	62.03	68.20	-6.17	54.49	3	Horizontal	102	2.54	-	33.96	5.07	31.49
PK	5.5772G	100.70	Inf	-Inf	93.09	3	Horizontal	102	2.54	-	33.90	5.18	31.47
AV	5.5796G	90.98	Inf	-Inf	83.37	3	Horizontal	102	2.54	-	33.90	5.18	31.47
PK	5.7368G	58.48	68.20	-9.72	51.08	3	Horizontal	102	2.54	-	33.80	5.06	31.46

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5570MHz\_TX




EUT\_Z\_4TX  
Setting 68  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13106G	52.71	74.00	-21.29	39.38	3	Vertical	25	2.23	-	38.63	7.50	32.80
AV	11.1415G	39.62	54.00	-14.38	26.29	3	Vertical	25	2.23	-	38.64	7.50	32.81

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

12/04/2021

5570MHz\_TX



EUT\_Z\_4TX  
Setting 68  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13772G	52.39	74.00	-21.61	39.06	3	Horizontal	63	1.63	-	38.64	7.50	32.81
AV	11.13922G	39.53	54.00	-14.47	26.20	3	Horizontal	63	1.63	-	38.64	7.50	32.81