





**802.11ax HEW20_Nss1,(MCS0)_4TX
5580MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16092G	51.33	54.00	-2.67	13.21	3	Vertical	270	1.47	-	38.12	38.66	9.25	34.70
PK	11.1656G	63.85	74.00	-10.15	13.22	3	Vertical	270	1.47	-	50.63	38.67	9.25	34.70
PK	16.74752G	58.93	68.20	-9.27	16.54	3	Vertical	287	2.19	-	42.39	38.20	12.78	34.44

**802.11ax HEW20_Nss1,(MCS0)_4TX
5580MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1626G	53.59	54.00	-0.41	13.21	3	Horizontal	223	2.53	-	40.38	38.66	9.25	34.70
PK	11.158G	65.74	74.00	-8.26	13.21	3	Horizontal	223	2.53	-	52.53	38.66	9.25	34.70
PK	16.74516G	58.07	68.20	-10.13	16.52	3	Horizontal	326	2.56	-	41.55	38.19	12.78	34.45

**802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	102.94	Inf	-Inf	5.54	3	Vertical	75	1.48	-	97.40	33.36	6.95	34.77
PK	5.6992G	113.49	Inf	-Inf	5.57	3	Vertical	75	1.48	-	107.92	33.39	6.95	34.77
PK	5.7512G	60.30	68.20	-7.90	5.77	3	Vertical	75	1.48	-	54.53	33.61	6.93	34.77


**802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	102.51	Inf	-Inf	5.59	3	Horizontal	360	1.50	-	96.92	33.41	6.95	34.77
PK	5.7028G	114.34	Inf	-Inf	5.59	3	Horizontal	360	1.50	-	108.75	33.41	6.95	34.77
PK	5.7364G	59.71	68.20	-8.49	5.72	3	Horizontal	360	1.50	-	53.99	33.55	6.94	34.77




**802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39784G	50.92	54.00	-3.08	13.59	3	Vertical	259	1.10	-	37.33	38.90	9.33	34.64
PK	11.40276G	65.21	74.00	-8.79	13.58	3	Vertical	259	1.10	-	51.63	38.89	9.33	34.64
PK	17.10028G	58.94	68.20	-9.26	16.81	3	Vertical	336	1.21	-	42.13	38.00	12.88	34.07


**802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40152G	53.21	54.00	-0.79	13.59	3	Horizontal	233	1.50	-	39.62	38.90	9.33	34.64
PK	11.40156G	66.29	74.00	-7.71	13.59	3	Horizontal	233	1.50	-	52.70	38.90	9.33	34.64
PK	17.1068G	59.14	68.20	-9.06	16.82	3	Horizontal	278	1.65	-	42.32	38.02	12.88	34.08




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	45.97	54.00	-8.03	5.26	3	Vertical	86	2.95	-	40.71	32.92	7.11	34.77
AV	5.7224G	104.02	Inf	-Inf	5.66	3	Vertical	86	2.95	-	98.36	33.49	6.94	34.77
PK	5.462G	57.05	68.20	-11.15	5.13	3	Vertical	86	2.95	-	51.92	32.82	7.08	34.77
PK	5.7128G	114.53	Inf	-Inf	5.62	3	Vertical	86	2.95	-	108.91	33.45	6.94	34.77
PK	5.9672G	60.18	68.20	-8.02	7.15	3	Vertical	86	2.95	-	53.03	34.27	7.65	34.77


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	45.96	54.00	-8.04	5.26	3	Horizontal	7	1.50	-	40.70	32.92	7.11	34.77
AV	5.7176G	101.98	Inf	-Inf	5.64	3	Horizontal	7	1.50	-	96.34	33.47	6.94	34.77
PK	5.4608G	56.24	68.20	-11.96	5.13	3	Horizontal	7	1.50	-	51.11	32.82	7.08	34.77
PK	5.7176G	112.94	Inf	-Inf	5.64	3	Horizontal	7	1.50	-	107.30	33.47	6.94	34.77
PK	5.864G	59.78	68.20	-8.42	6.58	3	Horizontal	7	1.50	-	53.20	34.16	7.19	34.77




802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43784G	51.19	54.00	-2.81	13.53	3	Vertical	258	1.50	-	37.66	38.82	9.34	34.63
PK	11.433G	64.53	74.00	-9.47	13.54	3	Vertical	258	1.50	-	50.99	38.83	9.34	34.63
PK	17.16576G	59.18	68.20	-9.02	16.94	3	Vertical	27	2.91	-	42.24	38.20	12.90	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44164G	53.55	54.00	-0.45	13.54	3	Horizontal	234	1.45	-	40.01	38.82	9.35	34.63
PK	11.44664G	66.65	74.00	-7.35	13.54	3	Horizontal	234	1.45	-	53.11	38.81	9.35	34.62
PK	17.16272G	59.66	68.20	-8.54	16.93	3	Horizontal	6	2.36	-	42.73	38.19	12.90	34.16



802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	102.28	Inf	-Inf	5.76	3	Vertical	74	1.50	-	96.52	33.60	6.93	34.77
PK	5.6418G	58.96	68.20	-9.24	5.20	3	Vertical	74	1.50	-	53.76	33.00	6.97	34.77
PK	5.739G	112.93	Inf	-Inf	5.72	3	Vertical	74	1.50	-	107.21	33.56	6.93	34.77
PK	5.9562G	59.69	68.20	-8.51	7.12	3	Vertical	74	1.50	-	52.57	34.29	7.60	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	101.55	Inf	-Inf	5.73	3	Horizontal	0	1.25	-	95.82	33.57	6.93	34.77
PK	5.5962G	58.59	68.20	-9.61	5.22	3	Horizontal	0	1.25	-	53.37	33.00	6.99	34.77
PK	5.7426G	112.45	Inf	-Inf	5.73	3	Horizontal	0	1.25	-	106.72	33.57	6.93	34.77
PK	5.9418G	59.83	68.20	-8.37	7.06	3	Horizontal	0	1.25	-	52.77	34.30	7.53	34.77




**802.11ax HEW20_Nss1,(MCS0)_4TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49288G	49.79	54.00	-4.21	13.46	3	Vertical	257	1.50	-	36.33	38.71	9.36	34.61
PK	11.48788G	63.19	74.00	-10.81	13.47	3	Vertical	257	1.50	-	49.72	38.72	9.36	34.61
PK	17.22816G	58.93	68.20	-9.27	16.94	3	Vertical	89	2.61	-	41.99	38.27	12.92	34.25

**802.11ax HEW20_Nss1,(MCS0)_4TX
5745MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49144G	53.39	54.00	-0.61	13.47	3	Horizontal	234	1.49	-	39.92	38.72	9.36	34.61
PK	11.48664G	67.20	74.00	-6.80	13.48	3	Horizontal	234	1.49	-	53.72	38.73	9.36	34.61
PK	17.23604G	58.53	68.20	-9.67	16.92	3	Horizontal	140	1.09	-	41.61	38.26	12.92	34.26



802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	101.69	Inf	-Inf	5.93	3	Vertical	76	1.50	-	95.76	33.78	6.92	34.77
PK	5.5642G	58.28	68.20	-9.92	5.24	3	Vertical	76	1.50	-	53.04	33.00	7.01	34.77
PK	5.7898G	112.92	Inf	-Inf	5.98	3	Vertical	76	1.50	-	106.94	33.84	6.91	34.77
PK	5.9482G	60.04	68.20	-8.16	7.09	3	Vertical	76	1.50	-	52.95	34.30	7.56	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.95	Inf	-Inf	5.97	3	Horizontal	353	1.27	-	94.98	33.82	6.92	34.77
PK	5.5942G	58.64	68.20	-9.56	5.22	3	Horizontal	353	1.27	-	53.42	33.00	6.99	34.77
PK	5.7838G	111.32	Inf	-Inf	5.95	3	Horizontal	353	1.27	-	105.37	33.80	6.92	34.77
PK	6.0094G	59.73	68.20	-8.47	7.15	3	Horizontal	353	1.27	-	52.58	34.16	7.76	34.77




**802.11ax HEW20_Nss1,(MCS0)_4TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56816G	51.11	54.00	-2.89	13.32	3	Vertical	288	1.44	-	37.79	38.56	9.39	34.63
PK	11.568G	65.13	74.00	-8.87	13.32	3	Vertical	288	1.44	-	51.81	38.56	9.39	34.63
PK	17.35948G	59.38	68.20	-8.82	16.85	3	Vertical	309	2.05	-	42.53	38.32	12.95	34.42


**802.11ax HEW20_Nss1,(MCS0)_4TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57176G	53.86	54.00	-0.14	13.32	3	Horizontal	234	1.50	-	40.54	38.56	9.39	34.63
PK	11.57188G	66.75	74.00	-7.25	13.32	3	Horizontal	234	1.50	-	53.43	38.56	9.39	34.63
PK	17.36084G	59.17	68.20	-9.03	16.85	3	Horizontal	175	1.50	-	42.32	38.32	12.95	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	101.36	Inf	-Inf	6.21	3	Vertical	72	1.50	-	95.15	33.98	7.00	34.77
PK	5.5898G	58.21	68.20	-9.99	5.23	3	Vertical	72	1.50	-	52.98	33.00	7.00	34.77
PK	5.8202G	113.01	Inf	-Inf	6.21	3	Vertical	72	1.50	-	106.80	33.98	7.00	34.77
PK	5.9558G	60.03	68.20	-8.17	7.12	3	Vertical	72	1.50	-	52.91	34.29	7.60	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	99.99	Inf	-Inf	6.28	3	Horizontal	354	1.49	-	93.71	34.01	7.04	34.77
PK	5.6318G	59.13	68.20	-9.07	5.21	3	Horizontal	354	1.49	-	53.92	33.00	6.98	34.77
PK	5.8334G	110.37	Inf	-Inf	6.32	3	Horizontal	354	1.49	-	104.05	34.03	7.06	34.77
PK	5.9402G	59.53	68.20	-8.67	7.06	3	Horizontal	354	1.49	-	52.47	34.30	7.53	34.77




**802.11ax HEW20_Nss1,(MCS0)_4TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64992G	51.97	54.00	-2.03	13.21	3	Vertical	278	1.42	-	38.76	38.45	9.41	34.65
PK	11.64948G	65.98	74.00	-8.02	13.21	3	Vertical	278	1.42	-	52.77	38.45	9.41	34.65
PK	17.47268G	59.43	68.20	-8.77	16.60	3	Vertical	278	1.42	-	42.83	38.18	12.99	34.57

**802.11ax HEW20_Nss1,(MCS0)_4TX
5825MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64992G	53.65	54.00	-0.35	13.21	3	Horizontal	248	1.52	-	40.44	38.45	9.41	34.65
PK	11.6502G	66.58	74.00	-7.42	13.21	3	Horizontal	248	1.52	-	53.37	38.45	9.41	34.65
PK	17.47024G	59.26	68.20	-8.94	16.61	3	Horizontal	345	2.20	-	42.65	38.19	12.99	34.57



802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.51	54.00	-1.49	5.21	3	Vertical	275	2.02	-	47.30	33.10	6.87	34.76
AV	5.1844G	103.60	Inf	-Inf	5.29	3	Vertical	275	2.02	-	98.31	33.17	6.88	34.76
PK	5.1488G	69.44	74.00	-4.56	5.21	3	Vertical	275	2.02	-	64.23	33.10	6.87	34.76
PK	5.194G	114.46	Inf	-Inf	5.32	3	Vertical	275	2.02	-	109.14	33.19	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.75	54.00	-0.25	5.20	3	Horizontal	186	2.29	-	48.55	33.09	6.87	34.76
AV	5.1972G	104.69	Inf	-Inf	5.32	3	Horizontal	186	2.29	-	99.37	33.19	6.89	34.76
PK	5.1468G	65.81	74.00	-8.19	5.20	3	Horizontal	186	2.29	-	60.61	33.09	6.87	34.76
PK	5.1972G	116.22	Inf	-Inf	5.32	3	Horizontal	186	2.29	-	110.90	33.19	6.89	34.76




**802.11ax HEW40_Nss1,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57114G	46.91	54.00	-7.09	15.36	3	Vertical	17	1.50	-	31.55	38.17	12.13	34.94
PK	10.37928G	56.45	68.20	-11.75	12.53	3	Vertical	282	1.50	-	43.92	38.54	9.00	35.01
PK	15.56654G	58.26	74.00	-15.74	15.39	3	Vertical	17	1.50	-	42.87	38.20	12.13	34.94

**802.11ax HEW40_Nss1,(MCS0)_4TX
5190MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56562G	46.91	54.00	-7.09	15.40	3	Horizontal	63	2.56	-	31.51	38.21	12.13	34.94
PK	10.37948G	56.15	68.20	-12.05	12.53	3	Horizontal	257	1.50	-	43.62	38.54	9.00	35.01
PK	15.56626G	58.13	74.00	-15.87	15.39	3	Horizontal	63	2.56	-	42.74	38.20	12.13	34.94



802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.71	54.00	-0.29	5.21	3	Vertical	0	2.01	-	48.50	33.10	6.87	34.76
AV	5.2268G	108.58	Inf	-Inf	5.31	3	Vertical	0	2.01	-	103.27	33.15	6.92	34.76
PK	5.1468G	66.93	74.00	-7.07	5.20	3	Vertical	0	2.01	-	61.73	33.09	6.87	34.76
PK	5.2368G	119.36	Inf	-Inf	5.30	3	Vertical	0	2.01	-	114.06	33.13	6.93	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.87	54.00	-0.13	5.21	3	Horizontal	360	1.91	-	48.66	33.10	6.87	34.76
AV	5.2272G	109.66	Inf	-Inf	5.31	3	Horizontal	360	1.91	-	104.35	33.15	6.92	34.76
PK	5.148G	68.27	74.00	-5.73	5.21	3	Horizontal	360	1.91	-	63.06	33.10	6.87	34.76
PK	5.2276G	120.53	Inf	-Inf	5.30	3	Horizontal	360	1.91	-	115.23	33.14	6.92	34.76




**802.11ax HEW40_Nss1,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68968G	52.97	54.00	-1.03	15.33	3	Vertical	77	1.50	-	37.64	38.09	12.25	35.01
PK	10.45944G	58.49	68.20	-9.71	12.64	3	Vertical	283	1.26	-	45.85	38.56	9.02	34.94
PK	15.68464G	67.95	74.00	-6.05	15.32	3	Vertical	77	1.50	-	52.63	38.08	12.25	35.01

**802.11ax HEW40_Nss1,(MCS0)_4TX
5230MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69296G	52.93	54.00	-1.07	15.33	3	Horizontal	312	2.78	-	37.60	38.09	12.25	35.01
PK	10.45712G	61.32	68.20	-6.88	12.64	3	Horizontal	216	1.25	-	48.68	38.56	9.02	34.94
PK	15.69816G	67.79	74.00	-6.21	15.35	3	Horizontal	312	2.78	-	52.44	38.10	12.26	35.01



802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	108.62	Inf	-Inf	5.21	3	Vertical	84	1.47	-	103.41	33.00	6.98	34.77
AV	5.3536G	53.55	54.00	-0.45	5.02	3	Vertical	84	1.47	-	48.53	32.72	7.07	34.77
PK	5.2644G	116.41	Inf	-Inf	5.23	3	Vertical	84	1.47	-	111.18	33.04	6.96	34.77
PK	5.35G	68.69	74.00	-5.31	4.99	3	Vertical	84	1.47	-	63.70	32.70	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2768G	109.57	Inf	-Inf	5.20	3	Horizontal	191	2.14	-	104.37	32.99	6.98	34.77
AV	5.352G	53.04	54.00	-0.96	5.00	3	Horizontal	191	2.14	-	48.04	32.71	7.06	34.77
PK	5.2716G	117.80	Inf	-Inf	5.21	3	Horizontal	191	2.14	-	112.59	33.01	6.97	34.77
PK	5.3668G	68.54	74.00	-5.46	5.11	3	Horizontal	191	2.14	-	63.43	32.80	7.08	34.77




**802.11ax HEW40_Nss1,(MCS0)_4TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80464G	52.17	54.00	-1.83	15.27	3	Vertical	74	1.50	-	36.90	37.98	12.37	35.08
PK	10.54858G	58.66	68.20	-9.54	12.92	3	Vertical	284	1.36	-	45.74	38.75	9.05	34.88
PK	15.80408G	66.15	74.00	-7.85	15.27	3	Vertical	74	1.50	-	50.88	37.98	12.37	35.08

**802.11ax HEW40_Nss1,(MCS0)_4TX
5270MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80814G	52.30	54.00	-1.70	15.26	3	Horizontal	312	2.78	-	37.04	37.97	12.37	35.08
PK	10.539G	60.11	68.20	-8.09	12.88	3	Horizontal	279	1.36	-	47.23	38.72	9.05	34.89
PK	15.81684G	66.37	74.00	-7.63	15.23	3	Horizontal	312	2.78	-	51.14	37.93	12.38	35.08



802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	105.04	Inf	-Inf	5.09	3	Vertical	82	1.50	-	99.95	32.84	7.02	34.77
AV	5.3544G	53.15	54.00	-0.85	5.03	3	Vertical	82	1.50	-	48.12	32.73	7.07	34.77
PK	5.3044G	115.94	Inf	-Inf	5.12	3	Vertical	82	1.50	-	110.82	32.88	7.01	34.77
PK	5.3548G	72.99	74.00	-1.01	5.03	3	Vertical	82	1.50	-	67.96	32.73	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	105.27	Inf	-Inf	5.13	3	Horizontal	194	2.12	-	100.14	32.89	7.01	34.77
AV	5.3516G	51.61	54.00	-2.39	5.00	3	Horizontal	194	2.12	-	46.61	32.71	7.06	34.77
PK	5.302G	116.30	Inf	-Inf	5.13	3	Horizontal	194	2.12	-	111.17	32.89	7.01	34.77
PK	5.352G	69.14	74.00	-4.86	5.00	3	Horizontal	194	2.12	-	64.14	32.71	7.06	34.77



802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62096G	46.84	54.00	-7.16	13.15	3	Vertical	276	3.00	-	33.69	38.94	9.07	34.86
AV	15.93784G	46.46	54.00	-7.54	14.95	3	Vertical	83	2.87	-	31.51	37.60	12.50	35.15
PK	10.62104G	57.51	74.00	-16.49	13.15	3	Vertical	276	3.00	-	44.36	38.94	9.07	34.86
PK	15.93272G	58.17	74.00	-15.83	14.94	3	Vertical	83	2.87	-	43.23	37.60	12.49	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62232G	47.69	54.00	-6.31	13.16	3	Horizontal	219	2.74	-	34.53	38.94	9.08	34.86
AV	15.91368G	46.54	54.00	-7.46	14.93	3	Horizontal	178	2.35	-	31.61	37.60	12.47	35.14
PK	10.61272G	58.65	74.00	-15.35	13.14	3	Horizontal	219	2.74	-	45.51	38.93	9.07	34.86
PK	15.94448G	57.14	74.00	-16.86	14.94	3	Horizontal	178	2.35	-	42.20	37.60	12.50	35.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.33	54.00	-3.67	5.13	3	Vertical	76	2.88	-	45.20	32.82	7.08	34.77
AV	5.5204G	106.62	Inf	-Inf	5.21	3	Vertical	76	2.88	-	101.41	32.94	7.04	34.77
PK	5.47G	67.82	68.20	-0.38	5.14	3	Vertical	76	2.88	-	62.68	32.84	7.07	34.77
PK	5.5252G	117.37	Inf	-Inf	5.22	3	Vertical	76	2.88	-	112.15	32.95	7.04	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	49.28	54.00	-4.72	5.13	3	Horizontal	-0	1.50	-	44.15	32.81	7.09	34.77
AV	5.5176G	104.50	Inf	-Inf	5.21	3	Horizontal	-0	1.50	-	99.29	32.94	7.04	34.77
PK	5.4676G	66.57	68.20	-1.63	5.15	3	Horizontal	-0	1.50	-	61.42	32.84	7.08	34.77
PK	5.5176G	116.21	Inf	-Inf	5.21	3	Horizontal	-0	1.50	-	111.00	32.94	7.04	34.77




**802.11ax HEW40_Nss1,(MCS0)_4TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02372G	51.72	54.00	-2.28	13.16	3	Vertical	281	1.30	-	38.56	38.68	9.21	34.73
PK	11.02378G	63.24	74.00	-10.76	13.16	3	Vertical	281	1.30	-	50.08	38.68	9.21	34.73
PK	16.51914G	59.92	68.20	-8.28	16.43	3	Vertical	78	1.37	-	43.49	38.62	12.71	34.90

**802.11ax HEW40_Nss1,(MCS0)_4TX
5510MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02744G	53.56	54.00	-0.44	13.15	3	Horizontal	220	2.20	-	40.41	38.67	9.21	34.73
PK	11.02234G	64.97	74.00	-9.03	13.16	3	Horizontal	220	2.20	-	51.81	38.68	9.21	34.73
PK	16.52166G	60.02	68.20	-8.18	16.42	3	Horizontal	228	1.50	-	43.60	38.61	12.71	34.90



802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.62	54.00	-5.38	5.13	3	Vertical	84	1.50	-	43.49	32.82	7.08	34.77
AV	5.5544G	104.36	Inf	-Inf	5.25	3	Vertical	84	1.50	-	99.11	33.00	7.02	34.77
PK	5.4656G	58.75	68.20	-9.45	5.14	3	Vertical	84	1.50	-	53.61	32.83	7.08	34.77
PK	5.5548G	114.60	Inf	-Inf	5.25	3	Vertical	84	1.50	-	109.35	33.00	7.02	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	48.59	54.00	-5.41	5.13	3	Horizontal	6	1.60	-	43.46	32.81	7.09	34.77
AV	5.5424G	103.91	Inf	-Inf	5.24	3	Horizontal	6	1.60	-	98.67	32.98	7.03	34.77
PK	5.4644G	58.66	68.20	-9.54	5.14	3	Horizontal	6	1.60	-	53.52	32.83	7.08	34.77
PK	5.5572G	114.99	Inf	-Inf	5.25	3	Horizontal	6	1.60	-	109.74	33.00	7.02	34.77




**802.11ax HEW40_Nss1,(MCS0)_4TX
5550MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10402G	51.42	54.00	-2.58	13.12	3	Vertical	281	1.29	-	38.30	38.60	9.23	34.71
PK	11.0988G	62.81	74.00	-11.19	13.12	3	Vertical	281	1.29	-	49.69	38.60	9.23	34.71
PK	16.66056G	59.97	68.20	-8.23	16.31	3	Vertical	296	1.88	-	43.66	38.18	12.75	34.62


**802.11ax HEW40_Nss1,(MCS0)_4TX
5550MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09748G	53.51	54.00	-0.49	13.12	3	Horizontal	222	2.40	-	40.39	38.60	9.23	34.71
PK	11.09766G	65.73	74.00	-8.27	13.12	3	Horizontal	222	2.40	-	52.61	38.60	9.23	34.71
PK	16.63782G	59.50	68.20	-8.70	16.30	3	Horizontal	334	2.12	-	43.20	38.22	12.74	34.66




**802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	103.96	Inf	-Inf	5.37	3	Vertical	88	2.92	-	98.59	33.18	6.96	34.77
PK	5.6724G	114.52	Inf	-Inf	5.37	3	Vertical	88	2.92	-	109.15	33.18	6.96	34.77
PK	5.733G	60.37	68.20	-7.83	5.70	3	Vertical	88	2.92	-	54.67	33.53	6.94	34.77


**802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6826G	100.76	Inf	-Inf	5.45	3	Horizontal	0	1.50	-	95.31	33.26	6.96	34.77
PK	5.6574G	111.23	Inf	-Inf	5.26	3	Horizontal	0	1.50	-	105.97	33.06	6.97	34.77
PK	5.7468G	59.42	68.20	-8.78	5.75	3	Horizontal	0	1.50	-	53.67	33.59	6.93	34.77




**802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33748G	52.77	54.00	-1.23	13.56	3	Vertical	260	1.40	-	39.21	38.90	9.31	34.65
PK	11.3328G	64.81	74.00	-9.19	13.56	3	Vertical	260	1.40	-	51.25	38.90	9.31	34.65
PK	17.0136G	59.20	68.20	-9.00	16.89	3	Vertical	48	1.08	-	42.31	38.00	12.85	33.96

**802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33934G	53.89	54.00	-0.11	13.56	3	Horizontal	247	1.49	-	40.33	38.90	9.31	34.65
PK	11.33976G	65.38	74.00	-8.62	13.56	3	Horizontal	247	1.49	-	51.82	38.90	9.31	34.65
PK	17.01648G	59.25	68.20	-8.95	16.89	3	Horizontal	321	1.97	-	42.36	38.00	12.85	33.96

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	47.45	54.00	-6.55	5.12	3	Vertical	90	3.00	-	42.33	32.81	7.08	34.77
AV	5.7172G	102.61	Inf	-Inf	5.64	3	Vertical	90	3.00	-	96.97	33.47	6.94	34.77
PK	5.4652G	57.57	68.20	-10.63	5.14	3	Vertical	90	3.00	-	52.43	32.83	7.08	34.77
PK	5.7232G	112.57	Inf	-Inf	5.66	3	Vertical	90	3.00	-	106.91	33.49	6.94	34.77
PK	5.8852G	60.22	68.20	-7.98	6.75	3	Vertical	90	3.00	-	53.47	34.24	7.28	34.77


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4232G	47.34	54.00	-6.66	5.24	3	Horizontal	360	1.50	-	42.10	32.91	7.10	34.77
AV	5.7028G	100.59	Inf	-Inf	5.59	3	Horizontal	360	1.50	-	95.00	33.41	6.95	34.77
PK	5.4652G	57.67	68.20	-10.53	5.14	3	Horizontal	360	1.50	-	52.53	32.83	7.08	34.77
PK	5.7028G	111.13	Inf	-Inf	5.59	3	Horizontal	360	1.50	-	105.54	33.41	6.95	34.77
PK	5.89G	59.82	68.20	-8.38	6.80	3	Horizontal	360	1.50	-	53.02	34.26	7.31	34.77




802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41976G	52.21	54.00	-1.79	13.57	3	Vertical	253	1.44	-	38.64	38.86	9.34	34.63
PK	11.42036G	63.12	74.00	-10.88	13.57	3	Vertical	253	1.44	-	49.55	38.86	9.34	34.63
PK	17.12454G	59.30	68.20	-8.90	16.85	3	Vertical	216	2.03	-	42.45	38.07	12.89	34.11

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42162G	53.73	54.00	-0.27	13.57	3	Horizontal	235	1.50	-	40.16	38.86	9.34	34.63
PK	11.41688G	64.82	74.00	-9.18	13.58	3	Horizontal	235	1.50	-	51.24	38.87	9.34	34.63
PK	17.12658G	59.42	68.20	-8.78	16.86	3	Horizontal	171	1.49	-	42.56	38.08	12.89	34.11



802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	101.00	Inf	-Inf	5.82	3	Vertical	74	2.24	-	95.18	33.66	6.93	34.77
PK	5.5666G	58.78	68.20	-9.42	5.24	3	Vertical	74	2.24	-	53.54	33.00	7.01	34.77
PK	5.7646G	111.05	Inf	-Inf	5.84	3	Vertical	74	2.24	-	105.21	33.69	6.92	34.77
PK	5.9758G	60.09	68.20	-8.11	7.16	3	Vertical	74	2.24	-	52.93	34.25	7.68	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	99.09	Inf	-Inf	5.73	3	Horizontal	1	1.50	-	93.36	33.57	6.93	34.77
PK	5.5882G	59.01	68.20	-9.19	5.23	3	Horizontal	1	1.50	-	53.78	33.00	7.00	34.77
PK	5.7574G	109.76	Inf	-Inf	5.80	3	Horizontal	1	1.50	-	103.96	33.64	6.93	34.77
PK	6.0394G	60.19	68.20	-8.01	6.96	3	Horizontal	1	1.50	-	53.23	34.04	7.68	34.76




**802.11ax HEW40_Nss1,(MCS0)_4TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5127G	52.41	54.00	-1.59	13.43	3	Vertical	260	1.02	-	38.98	38.67	9.37	34.61
PK	11.50784G	63.09	74.00	-10.91	13.44	3	Vertical	260	1.02	-	49.65	38.68	9.37	34.61
PK	17.25666G	59.09	68.20	-9.11	16.88	3	Vertical	176	2.05	-	42.21	38.24	12.92	34.28

**802.11ax HEW40_Nss1,(MCS0)_4TX
5755MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5148G	53.47	54.00	-0.53	13.43	3	Horizontal	250	1.49	-	40.04	38.67	9.37	34.61
PK	11.50958G	64.80	74.00	-9.20	13.44	3	Horizontal	250	1.49	-	51.36	38.68	9.37	34.61
PK	17.2536G	59.50	68.20	-8.70	16.89	3	Horizontal	270	1.88	-	42.61	38.25	12.92	34.28



802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	99.23	Inf	-Inf	5.96	3	Vertical	77	1.50	-	93.27	33.81	6.92	34.77
PK	5.585G	58.32	68.20	-9.88	5.23	3	Vertical	77	1.50	-	53.09	33.00	7.00	34.77
PK	5.8106G	107.29	Inf	-Inf	6.13	3	Vertical	77	1.50	-	101.16	33.94	6.96	34.77
PK	5.957G	59.67	68.20	-8.53	7.12	3	Vertical	77	1.50	-	52.55	34.29	7.60	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	98.65	Inf	-Inf	5.97	3	Horizontal	0	1.42	-	92.68	33.83	6.91	34.77
PK	5.603G	58.97	68.20	-9.23	5.22	3	Horizontal	0	1.42	-	53.75	33.00	6.99	34.77
PK	5.789G	106.98	Inf	-Inf	5.97	3	Horizontal	0	1.42	-	101.01	33.83	6.91	34.77
PK	5.9786G	60.11	68.20	-8.09	7.17	3	Horizontal	0	1.42	-	52.94	34.24	7.70	34.77




**802.11ax HEW40_Nss1,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58982G	50.46	54.00	-3.54	13.27	3	Vertical	279	1.31	-	37.19	38.52	9.39	34.64
PK	11.58952G	62.24	74.00	-11.76	13.27	3	Vertical	279	1.31	-	48.97	38.52	9.39	34.64
PK	17.38564G	59.16	68.20	-9.04	16.87	3	Vertical	257	1.49	-	42.29	38.37	12.96	34.46

**802.11ax HEW40_Nss1,(MCS0)_4TX
5795MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	53.60	54.00	-0.40	13.27	3	Horizontal	250	1.46	-	40.33	38.52	9.39	34.64
PK	11.58952G	65.17	74.00	-8.83	13.27	3	Horizontal	250	1.46	-	51.90	38.52	9.39	34.64
PK	17.39934G	59.58	68.20	-8.62	16.89	3	Horizontal	81	1.25	-	42.69	38.40	12.97	34.48



802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.64	54.00	-0.36	5.21	3	Vertical	229	2.32	-	48.43	33.10	6.87	34.76
AV	5.199G	100.53	Inf	-Inf	5.33	3	Vertical	229	2.32	-	95.20	33.20	6.89	34.76
AV	5.377G	47.98	54.00	-6.02	5.18	3	Vertical	229	2.32	-	42.80	32.86	7.09	34.77
PK	5.144G	62.66	74.00	-11.34	5.20	3	Vertical	229	2.32	-	57.46	33.09	6.87	34.76
PK	5.194G	111.32	Inf	-Inf	5.32	3	Vertical	229	2.32	-	106.00	33.19	6.89	34.76
PK	5.427G	58.55	74.00	-15.45	5.22	3	Vertical	229	2.32	-	53.33	32.89	7.10	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.32	54.00	-0.68	5.21	3	Horizontal	354	1.92	-	48.11	33.10	6.87	34.76
AV	5.223G	100.75	Inf	-Inf	5.31	3	Horizontal	354	1.92	-	95.44	33.15	6.92	34.76
AV	5.392G	48.73	54.00	-5.27	5.29	3	Horizontal	354	1.92	-	43.44	32.95	7.11	34.77
PK	5.137G	63.66	74.00	-10.34	5.17	3	Horizontal	354	1.92	-	58.49	33.07	6.86	34.76
PK	5.212G	111.25	Inf	-Inf	5.32	3	Horizontal	354	1.92	-	105.93	33.18	6.90	34.76
PK	5.387G	58.33	74.00	-15.67	5.26	3	Horizontal	354	1.92	-	53.07	32.92	7.11	34.77




**802.11ax HEW80_Nss1,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63416G	47.20	54.00	-6.80	15.25	3	Vertical	301	1.34	-	31.95	38.03	12.20	34.98
PK	10.44144G	54.69	68.20	-13.51	12.61	3	Vertical	298	1.76	-	42.08	38.54	9.02	34.95
PK	15.6308G	58.44	74.00	-15.56	15.24	3	Vertical	301	1.34	-	43.20	38.03	12.19	34.98

**802.11ax HEW80_Nss1,(MCS0)_4TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6556G	47.30	54.00	-6.70	15.29	3	Horizontal	173	1.67	-	32.01	38.06	12.22	34.99
PK	10.3656G	54.40	68.20	-13.80	12.54	3	Horizontal	141	1.50	-	41.86	38.57	8.99	35.02
PK	15.64408G	57.30	74.00	-16.70	15.27	3	Horizontal	173	1.67	-	42.03	38.04	12.21	34.98



802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	49.15	54.00	-4.85	5.19	3	Vertical	82	1.50	-	43.96	33.08	6.87	34.76
AV	5.319G	101.81	Inf	-Inf	5.08	3	Vertical	82	1.50	-	96.73	32.82	7.03	34.77
AV	5.354G	53.13	54.00	-0.87	5.02	3	Vertical	82	1.50	-	48.11	32.72	7.07	34.77
PK	5.122G	59.08	74.00	-14.92	5.14	3	Vertical	82	1.50	-	53.94	33.04	6.86	34.76
PK	5.274G	112.27	Inf	-Inf	5.21	3	Vertical	82	1.50	-	107.06	33.00	6.98	34.77
PK	5.359G	70.61	74.00	-3.39	5.05	3	Vertical	82	1.50	-	65.56	32.75	7.07	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	49.89	54.00	-4.11	5.16	3	Horizontal	190	2.14	-	44.73	33.06	6.86	34.76
AV	5.282G	102.10	Inf	-Inf	5.18	3	Horizontal	190	2.14	-	96.92	32.97	6.98	34.77
AV	5.352G	52.94	54.00	-1.06	5.00	3	Horizontal	190	2.14	-	47.94	32.71	7.06	34.77
PK	5.122G	60.29	74.00	-13.71	5.14	3	Horizontal	190	2.14	-	55.15	33.04	6.86	34.76
PK	5.287G	112.27	Inf	-Inf	5.17	3	Horizontal	190	2.14	-	107.10	32.95	6.99	34.77
PK	5.352G	68.13	74.00	-5.87	5.00	3	Horizontal	190	2.14	-	63.13	32.71	7.06	34.77




**802.11ax HEW80_Nss1,(MCS0)_4TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.94552G	47.09	54.00	-6.91	14.95	3	Vertical	57	2.57	-	32.14	37.60	12.51	35.16
PK	10.59908G	55.09	68.20	-13.11	13.10	3	Vertical	278	2.95	-	41.99	38.90	9.07	34.87
PK	15.94872G	57.27	74.00	-16.73	14.95	3	Vertical	57	2.57	-	42.32	37.60	12.51	35.16

**802.11ax HEW80_Nss1,(MCS0)_4TX
5290MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80216G	46.84	54.00	-7.16	15.27	3	Horizontal	154	1.04	-	31.57	37.99	12.36	35.08
PK	10.57328G	55.49	68.20	-12.71	13.00	3	Horizontal	274	1.44	-	42.49	38.82	9.06	34.88
PK	15.8016G	57.59	74.00	-16.41	15.28	3	Horizontal	154	1.04	-	42.31	37.99	12.36	35.07



802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.76	54.00	-0.24	5.13	3	Vertical	76	2.75	-	48.63	32.82	7.08	34.77
AV	5.54G	102.98	Inf	-Inf	5.24	3	Vertical	76	2.75	-	97.74	32.98	7.03	34.77
PK	5.47G	65.02	68.20	-3.18	5.14	3	Vertical	76	2.75	-	59.88	32.84	7.07	34.77
PK	5.56G	113.32	Inf	-Inf	5.25	3	Vertical	76	2.75	-	108.07	33.00	7.02	34.77
PK	5.749G	59.51	68.20	-8.69	5.76	3	Vertical	76	2.75	-	53.75	33.60	6.93	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	51.84	54.00	-2.16	5.12	3	Horizontal	0	1.58	-	46.72	32.81	7.08	34.77
AV	5.543G	101.38	Inf	-Inf	5.25	3	Horizontal	0	1.58	-	96.13	32.99	7.03	34.77
PK	5.467G	64.05	68.20	-4.15	5.14	3	Horizontal	0	1.58	-	58.91	32.83	7.08	34.77
PK	5.543G	112.32	Inf	-Inf	5.25	3	Horizontal	0	1.58	-	107.07	32.99	7.03	34.77
PK	5.731G	59.58	68.20	-8.62	5.69	3	Horizontal	0	1.58	-	53.89	33.52	6.94	34.77




**802.11ax HEW80_Nss1,(MCS0)_4TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05936G	48.89	54.00	-5.11	13.14	3	Vertical	281	1.34	-	35.75	38.64	9.22	34.72
PK	11.05904G	59.85	74.00	-14.15	13.14	3	Vertical	281	1.34	-	46.71	38.64	9.22	34.72
PK	16.60032G	58.78	68.20	-9.42	16.29	3	Vertical	318	2.01	-	42.49	38.30	12.73	34.74


**802.11ax HEW80_Nss1,(MCS0)_4TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0824G	50.49	54.00	-3.51	13.13	3	Horizontal	221	2.05	-	37.36	38.62	9.23	34.72
PK	11.07248G	61.20	74.00	-12.80	13.13	3	Horizontal	221	2.05	-	48.07	38.63	9.22	34.72
PK	16.58562G	58.86	68.20	-9.34	16.32	3	Horizontal	9	1.01	-	42.54	38.36	12.73	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	48.58	54.00	-5.42	5.12	3	Vertical	80	1.56	-	43.46	32.81	7.08	34.77
AV	5.6G	101.91	Inf	-Inf	5.22	3	Vertical	80	1.56	-	96.69	33.00	6.99	34.77
PK	5.465G	58.06	68.20	-10.14	5.14	3	Vertical	80	1.56	-	52.92	32.83	7.08	34.77
PK	5.62G	111.95	Inf	-Inf	5.21	3	Vertical	80	1.56	-	106.74	33.00	6.98	34.77
PK	5.81G	59.80	68.20	-8.40	6.12	3	Vertical	80	1.56	-	53.68	33.94	6.95	34.77

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.71	54.00	-5.29	5.12	3	Horizontal	5	1.50	-	43.59	32.81	7.08	34.77
AV	5.597G	101.40	Inf	-Inf	5.22	3	Horizontal	5	1.50	-	96.18	33.00	6.99	34.77
PK	5.466G	59.16	68.20	-9.04	5.14	3	Horizontal	5	1.50	-	54.02	32.83	7.08	34.77
PK	5.582G	111.72	Inf	-Inf	5.23	3	Horizontal	5	1.50	-	106.49	33.00	7.00	34.77
PK	5.767G	60.38	68.20	-7.82	5.85	3	Horizontal	5	1.50	-	54.53	33.70	6.92	34.77




**802.11ax HEW80_Nss1,(MCS0)_4TX
5610MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23312G	50.61	54.00	-3.39	13.37	3	Vertical	262	1.42	-	37.24	38.77	9.28	34.68
PK	11.22768G	61.20	74.00	-12.80	13.36	3	Vertical	262	1.42	-	47.84	38.76	9.28	34.68
PK	16.82792G	59.28	68.20	-8.92	16.76	3	Vertical	95	1.13	-	42.52	38.24	12.80	34.28

**802.11ax HEW80_Nss1,(MCS0)_4TX
5610MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24272G	53.67	54.00	-0.33	13.39	3	Horizontal	225	2.42	-	40.28	38.79	9.28	34.68
PK	11.21776G	63.28	74.00	-10.72	13.33	3	Horizontal	225	2.42	-	49.95	38.74	9.27	34.68
PK	16.8226G	59.30	68.20	-8.90	16.76	3	Horizontal	257	2.91	-	42.54	38.25	12.80	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6996G	100.32	Inf	-Inf	5.58	3	Vertical	77	1.50	-	94.74	33.40	6.95	34.77
PK	5.4608G	56.98	68.20	-11.22	5.13	3	Vertical	77	1.50	-	51.85	32.82	7.08	34.77
PK	5.6552G	110.16	Inf	-Inf	5.24	3	Vertical	77	1.50	-	104.92	33.04	6.97	34.77
PK	5.8856G	60.74	68.20	-7.46	6.76	3	Vertical	77	1.50	-	53.98	34.24	7.29	34.77
AV	5.4068G	47.63	54.00	-6.37	5.32	3	Vertical	77	1.50	-	42.31	32.97	7.12	34.77


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.88	54.00	-6.12	5.12	3	Horizontal	0	1.45	-	42.76	32.81	7.08	34.77
AV	5.7032G	99.16	Inf	-Inf	5.59	3	Horizontal	0	1.45	-	93.57	33.41	6.95	34.77
PK	5.468G	56.00	68.20	-12.20	5.15	3	Horizontal	0	1.45	-	50.85	32.84	7.08	34.77
PK	5.6624G	108.32	Inf	-Inf	5.30	3	Horizontal	0	1.45	-	103.02	33.10	6.97	34.77
PK	5.8724G	58.91	68.20	-9.29	6.65	3	Horizontal	0	1.45	-	52.26	34.19	7.23	34.77




802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37744G	51.99	54.00	-2.01	13.58	3	Vertical	257	1.03	-	38.41	38.90	9.32	34.64
PK	11.36784G	62.47	74.00	-11.53	13.58	3	Vertical	257	1.03	-	48.89	38.90	9.32	34.64
PK	17.07712G	59.24	68.20	-8.96	16.83	3	Vertical	130	1.24	-	42.41	38.00	12.87	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37616G	53.86	54.00	-0.14	13.58	3	Horizontal	233	1.42	-	40.28	38.90	9.32	34.64
PK	11.39248G	64.38	74.00	-9.62	13.59	3	Horizontal	233	1.42	-	50.79	38.90	9.33	34.64
PK	17.06106G	59.83	68.20	-8.37	16.85	3	Horizontal	233	1.42	-	42.98	38.00	12.87	34.02



802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	100.24	Inf	-Inf	5.83	3	Vertical	90	2.97	-	94.41	33.68	6.92	34.77
PK	5.6094G	59.86	68.20	-8.34	5.22	3	Vertical	90	2.97	-	54.64	33.00	6.99	34.77
PK	5.7726G	110.50	Inf	-Inf	5.89	3	Vertical	90	2.97	-	104.61	33.74	6.92	34.77
PK	5.9778G	60.60	68.20	-7.60	7.16	3	Vertical	90	2.97	-	53.44	34.24	7.69	34.77


802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	97.64	Inf	-Inf	5.83	3	Horizontal	360	1.50	-	91.81	33.68	6.92	34.77
PK	5.5566G	59.29	68.20	-8.91	5.25	3	Horizontal	360	1.50	-	54.04	33.00	7.02	34.77
PK	5.7834G	107.36	Inf	-Inf	5.95	3	Horizontal	360	1.50	-	101.41	33.80	6.92	34.77
PK	5.9694G	60.97	68.20	-7.23	7.15	3	Horizontal	360	1.50	-	53.82	34.26	7.66	34.77

**802.11ax HEW80_Nss1,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55832G	50.95	54.00	-3.05	13.33	3	Vertical	291	1.40	-	37.62	38.58	9.38	34.63
PK	11.5383G	61.58	74.00	-12.42	13.38	3	Vertical	291	1.40	-	48.20	38.62	9.38	34.62
PK	17.3298G	59.21	68.20	-8.99	16.83	3	Vertical	218	1.50	-	42.38	38.26	12.95	34.38

**802.11ax HEW80_Nss1,(MCS0)_4TX
5775MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54692G	53.81	54.00	-0.19	13.37	3	Horizontal	237	1.46	-	40.44	38.61	9.38	34.62
PK	11.54776G	65.58	74.00	-8.42	13.36	3	Horizontal	237	1.46	-	52.22	38.60	9.38	34.62
PK	17.32128G	59.59	68.20	-8.61	16.81	3	Horizontal	206	2.06	-	42.78	38.24	12.94	34.37



802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	52.24	54.00	-1.76	5.17	3	Vertical	254	2.01	-	47.07	33.07	6.86	34.76
AV	5.226G	96.47	Inf	-Inf	5.31	3	Vertical	254	2.01	-	91.16	33.15	6.92	34.76
AV	5.382G	50.31	54.00	-3.69	5.22	3	Vertical	254	2.01	-	45.09	32.89	7.10	34.77
PK	5.1384G	61.27	74.00	-12.73	5.19	3	Vertical	254	2.01	-	56.08	33.08	6.87	34.76
PK	5.1852G	105.21	Inf	-Inf	5.29	3	Vertical	254	2.01	-	99.92	33.17	6.88	34.76
PK	5.52G	58.12	68.20	-10.08	5.21	3	Vertical	254	2.01	-	52.91	32.94	7.04	34.77

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	53.33	54.00	-0.67	5.20	3	Horizontal	189	2.07	-	48.13	33.09	6.87	34.76
AV	5.232G	96.99	Inf	-Inf	5.31	3	Horizontal	189	2.07	-	91.68	33.14	6.93	34.76
AV	5.3844G	51.27	54.00	-2.73	5.24	3	Horizontal	189	2.07	-	46.03	32.91	7.10	34.77
PK	5.1324G	62.40	74.00	-11.60	5.16	3	Horizontal	189	2.07	-	57.24	33.06	6.86	34.76
PK	5.2716G	107.05	Inf	-Inf	5.21	3	Horizontal	189	2.07	-	101.84	33.01	6.97	34.77
PK	5.4924G	58.60	68.20	-9.60	5.17	3	Horizontal	189	2.07	-	53.43	32.88	7.06	34.77




802.11ax HEW160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75664G	48.76	54.00	-5.24	15.31	3	Vertical	299	1.50	-	33.45	38.04	12.32	35.05
PK	10.50808G	54.27	68.20	-13.93	12.76	3	Vertical	264	1.50	-	41.51	38.62	9.04	34.90
PK	15.7504G	58.22	74.00	-15.78	15.31	3	Vertical	299	1.50	-	42.91	38.05	12.31	35.05

802.11ax HEW160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74648G	48.93	54.00	-5.07	15.32	3	Horizontal	322	1.50	-	33.61	38.05	12.31	35.04
PK	10.50216G	55.00	68.20	-13.20	12.75	3	Horizontal	300	1.57	-	42.25	38.61	9.04	34.90
PK	15.76696G	58.28	74.00	-15.72	15.31	3	Horizontal	322	1.50	-	42.97	38.03	12.33	35.05



802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	53.40	54.00	-0.60	5.12	3	Vertical	70	2.80	-	48.28	32.80	7.09	34.77
AV	5.5952G	99.07	Inf	-Inf	5.22	3	Vertical	70	2.80	-	93.85	33.00	6.99	34.77
PK	5.4608G	60.63	68.20	-7.57	5.13	3	Vertical	70	2.80	-	55.50	32.82	7.08	34.77
PK	5.5952G	108.67	Inf	-Inf	5.22	3	Vertical	70	2.80	-	103.45	33.00	6.99	34.77
PK	5.732G	61.12	68.20	-7.08	5.70	3	Vertical	70	2.80	-	55.42	33.53	6.94	34.77

802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.12	54.00	-0.88	5.12	3	Horizontal	357	1.50	-	48.00	32.81	7.08	34.77
AV	5.588G	97.28	Inf	-Inf	5.23	3	Horizontal	357	1.50	-	92.05	33.00	7.00	34.77
PK	5.4632G	60.13	68.20	-8.07	5.14	3	Horizontal	357	1.50	-	54.99	32.83	7.08	34.77
PK	5.5724G	107.05	Inf	-Inf	5.24	3	Horizontal	357	1.50	-	101.81	33.00	7.01	34.77
PK	5.84G	60.09	68.20	-8.11	6.38	3	Horizontal	357	1.50	-	53.71	34.06	7.09	34.77




**802.11ax HEW160_Nss1,(MCS0)_4TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15216G	47.54	54.00	-6.46	13.20	3	Vertical	270	1.50	-	34.34	38.65	9.25	34.70
PK	11.15088G	56.41	74.00	-17.59	13.20	3	Vertical	270	1.50	-	43.21	38.65	9.25	34.70
PK	16.69128G	59.06	68.20	-9.14	16.32	3	Vertical	49	2.00	-	42.74	38.12	12.76	34.56

**802.11ax HEW160_Nss1,(MCS0)_4TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1584G	50.08	54.00	-3.92	13.21	3	Horizontal	226	2.43	-	36.87	38.66	9.25	34.70
PK	11.15936G	60.19	74.00	-13.81	13.21	3	Horizontal	226	2.43	-	46.98	38.66	9.25	34.70
PK	16.7084G	59.20	68.20	-9.00	16.37	3	Horizontal	327	1.01	-	42.83	38.12	12.77	34.52



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.72288G	53.85	54.00	-0.15	3	Vertical	76	1.50	-
5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.39	54.00	-0.61	3	Horizontal	360	2.00	-
5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.78	54.00	-0.22	3	Horizontal	195	2.34	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	15.77754G	53.76	54.00	-0.24	3	Horizontal	250	1.30	-
5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	360	1.64	-
5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.371G	73.38	74.00	-0.62	3	Vertical	360	2.00	-
5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1444G	73.87	74.00	-0.13	3	Vertical	358	2.25	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.3973G	53.78	54.00	-0.22	3	Horizontal	244	1.50	-
5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.31632G	53.88	54.00	-0.12	3	Horizontal	238	2.65	-
5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	11.31862G	73.92	74.00	-0.08	3	Horizontal	204	3.00	-
5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4644G	67.41	68.20	-0.79	3	Horizontal	0	1.80	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.48944G	53.88	54.00	-0.12	3	Horizontal	220	1.50	-
5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	11.57336G	53.74	54.00	-0.26	3	Vertical	285	1.46	-
5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	11.4956G	53.93	54.00	-0.07	3	Vertical	288	1.74	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz_802.11ax HEW20-BF_Nss1 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.06	54.00	-1.94	3	Vertical	258	1.94	-
5180MHz	Pass	AV	5.1754G	109.65	Inf	-Inf	3	Vertical	258	1.94	-
5180MHz	Pass	PK	5.1488G	69.18	74.00	-4.82	3	Vertical	258	1.94	-
5180MHz	Pass	PK	5.1778G	120.25	Inf	-Inf	3	Vertical	258	1.94	-
5180MHz	Pass	AV	5.1494G	53.56	54.00	-0.44	3	Horizontal	320	1.58	-
5180MHz	Pass	PK	5.1484G	68.51	74.00	-5.49	3	Horizontal	320	1.58	-
5180MHz	Pass	AV	5.1888G	110.55	Inf	-Inf	3	Horizontal	320	1.58	-
5180MHz	Pass	PK	5.1888G	120.48	Inf	-Inf	3	Horizontal	320	1.58	-
5180MHz	Pass	AV	15.5452G	47.68	54.00	-6.32	3	Vertical	272	1.50	-
5180MHz	Pass	PK	10.35984G	58.65	68.20	-9.55	3	Vertical	277	2.92	-
5180MHz	Pass	PK	15.53824G	57.79	74.00	-16.21	3	Vertical	272	1.50	-
5180MHz	Pass	AV	15.54664G	47.58	54.00	-6.42	3	Horizontal	281	1.50	-
5180MHz	Pass	PK	10.3568G	60.62	68.20	-7.58	3	Horizontal	200	1.50	-
5180MHz	Pass	PK	15.54372G	57.82	74.00	-16.18	3	Horizontal	281	1.50	-
5200MHz	Pass	AV	5.15G	50.25	54.00	-3.75	3	Vertical	76	1.40	-
5200MHz	Pass	AV	5.2024G	110.97	Inf	-Inf	3	Vertical	76	1.40	-
5200MHz	Pass	PK	5.1488G	64.13	74.00	-9.87	3	Vertical	76	1.40	-
5200MHz	Pass	PK	5.2036G	120.92	Inf	-Inf	3	Vertical	76	1.40	-
5200MHz	Pass	AV	5.1076G	50.91	54.00	-3.09	3	Horizontal	360	2.16	-
5200MHz	Pass	AV	5.208G	115.53	Inf	-Inf	3	Horizontal	360	2.16	-
5200MHz	Pass	PK	5.1396G	61.63	74.00	-12.37	3	Horizontal	360	2.16	-
5200MHz	Pass	PK	5.2092G	124.34	Inf	-Inf	3	Horizontal	360	2.16	-
5200MHz	Pass	AV	15.60072G	53.64	54.00	-0.36	3	Vertical	75	1.50	-
5200MHz	Pass	PK	10.40054G	62.40	68.20	-5.80	3	Vertical	279	2.59	-
5200MHz	Pass	PK	15.5904G	69.23	74.00	-4.77	3	Vertical	75	1.50	-
5200MHz	Pass	AV	15.59466G	52.07	54.00	-1.93	3	Horizontal	232	3.00	-
5200MHz	Pass	PK	10.39982G	63.83	68.20	-4.37	3	Horizontal	199	1.69	-
5200MHz	Pass	PK	15.58752G	69.17	74.00	-4.83	3	Horizontal	232	3.00	-
5240MHz	Pass	AV	5.1458G	49.82	54.00	-4.18	3	Vertical	360	1.74	-
5240MHz	Pass	AV	5.2388G	111.31	Inf	-Inf	3	Vertical	360	1.74	-
5240MHz	Pass	AV	5.3834G	47.87	54.00	-6.13	3	Vertical	360	1.74	-
5240MHz	Pass	PK	5.1392G	60.19	74.00	-13.81	3	Vertical	360	1.74	-
5240MHz	Pass	PK	5.2382G	121.38	Inf	-Inf	3	Vertical	360	1.74	-
5240MHz	Pass	PK	5.36G	59.32	74.00	-14.68	3	Vertical	360	1.74	-
5240MHz	Pass	AV	5.1212G	49.57	54.00	-4.43	3	Horizontal	195	2.73	-
5240MHz	Pass	AV	5.249G	114.94	Inf	-Inf	3	Horizontal	195	2.73	-
5240MHz	Pass	AV	5.35G	48.80	54.00	-5.20	3	Horizontal	195	2.73	-
5240MHz	Pass	PK	5.1464G	60.64	74.00	-13.36	3	Horizontal	195	2.73	-
5240MHz	Pass	PK	5.2484G	123.86	Inf	-Inf	3	Horizontal	195	2.73	-
5240MHz	Pass	PK	5.3558G	59.66	74.00	-14.34	3	Horizontal	195	2.73	-
5240MHz	Pass	AV	15.72288G	53.85	54.00	-0.15	3	Vertical	76	1.50	-
5240MHz	Pass	PK	10.49332G	63.97	68.20	-4.23	3	Vertical	287	1.59	-
5240MHz	Pass	PK	15.7233G	69.36	74.00	-4.64	3	Vertical	76	1.50	-
5240MHz	Pass	AV	15.71844G	49.14	54.00	-4.86	3	Horizontal	308	1.50	-
5240MHz	Pass	PK	10.49098G	63.78	68.20	-4.42	3	Horizontal	276	1.61	-
5240MHz	Pass	PK	15.72366G	64.18	74.00	-9.82	3	Horizontal	308	1.50	-
5260MHz	Pass	AV	5.1484G	48.29	54.00	-5.71	3	Vertical	108	1.50	-
5260MHz	Pass	AV	5.2684G	111.31	Inf	-Inf	3	Vertical	108	1.50	-
5260MHz	Pass	AV	5.3674G	48.54	54.00	-5.46	3	Vertical	108	1.50	-
5260MHz	Pass	PK	5.15G	58.99	74.00	-15.01	3	Vertical	108	1.50	-
5260MHz	Pass	PK	5.2678G	121.69	Inf	-Inf	3	Vertical	108	1.50	-
5260MHz	Pass	PK	5.3596G	58.98	74.00	-15.02	3	Vertical	108	1.50	-
5260MHz	Pass	AV	5.1358G	49.51	54.00	-4.49	3	Horizontal	350	2.13	-
5260MHz	Pass	AV	5.2678G	114.97	Inf	-Inf	3	Horizontal	350	2.13	-
5260MHz	Pass	AV	5.368G	49.36	54.00	-4.64	3	Horizontal	350	2.13	-
5260MHz	Pass	PK	5.1388G	60.95	74.00	-13.05	3	Horizontal	350	2.13	-
5260MHz	Pass	PK	5.2672G	123.13	Inf	-Inf	3	Horizontal	350	2.13	-
5260MHz	Pass	PK	5.3752G	60.16	74.00	-13.84	3	Horizontal	350	2.13	-
5260MHz	Pass	AV	15.78048G	53.30	54.00	-0.70	3	Vertical	68	1.50	-
5260MHz	Pass	PK	10.52102G	65.32	68.20	-2.88	3	Vertical	270	2.90	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.77268G	71.09	74.00	-2.91	3	Vertical	68	1.50	-
5260MHz	Pass	AV	15.77754G	53.76	54.00	-0.24	3	Horizontal	250	1.30	-
5260MHz	Pass	PK	10.51484G	60.24	68.20	-7.96	3	Horizontal	212	1.50	-
5260MHz	Pass	PK	15.78804G	68.07	74.00	-5.93	3	Horizontal	250	1.30	-
5300MHz	Pass	AV	5.308G	111.73	Inf	-Inf	3	Vertical	78	1.50	-
5300MHz	Pass	AV	5.3504G	50.94	54.00	-3.06	3	Vertical	78	1.50	-
5300MHz	Pass	PK	5.3036G	122.08	Inf	-Inf	3	Vertical	78	1.50	-
5300MHz	Pass	PK	5.3608G	63.19	74.00	-10.81	3	Vertical	78	1.50	-
5300MHz	Pass	AV	5.3088G	114.42	Inf	-Inf	3	Horizontal	349	2.15	-
5300MHz	Pass	AV	5.3508G	50.15	54.00	-3.85	3	Horizontal	349	2.15	-
5300MHz	Pass	PK	5.3088G	123.90	Inf	-Inf	3	Horizontal	349	2.15	-
5300MHz	Pass	PK	5.3592G	62.01	74.00	-11.99	3	Horizontal	349	2.15	-
5300MHz	Pass	AV	10.60612G	50.63	54.00	-3.37	3	Vertical	286	1.50	-
5300MHz	Pass	AV	15.90216G	53.74	54.00	-0.26	3	Vertical	74	1.42	-
5300MHz	Pass	PK	10.60924G	64.02	74.00	-9.98	3	Vertical	286	1.50	-
5300MHz	Pass	PK	15.91242G	69.44	74.00	-4.56	3	Vertical	74	1.42	-
5300MHz	Pass	AV	10.6024G	49.14	54.00	-4.86	3	Horizontal	232	1.55	-
5300MHz	Pass	AV	15.90402G	52.60	54.00	-1.40	3	Horizontal	256	1.37	-
5300MHz	Pass	PK	10.6021G	61.65	74.00	-12.35	3	Horizontal	232	1.55	-
5300MHz	Pass	PK	15.90306G	68.23	74.00	-5.77	3	Horizontal	256	1.37	-
5320MHz	Pass	AV	5.3162G	110.14	Inf	-Inf	3	Vertical	78	2.24	-
5320MHz	Pass	AV	5.3502G	52.74	54.00	-1.26	3	Vertical	78	2.24	-
5320MHz	Pass	PK	5.3166G	120.60	Inf	-Inf	3	Vertical	78	2.24	-
5320MHz	Pass	PK	5.3518G	71.30	74.00	-2.70	3	Vertical	78	2.24	-
5320MHz	Pass	AV	5.311G	111.62	Inf	-Inf	3	Horizontal	183	1.50	-
5320MHz	Pass	AV	5.3506G	53.23	54.00	-0.77	3	Horizontal	183	1.50	-
5320MHz	Pass	PK	5.311G	121.52	Inf	-Inf	3	Horizontal	183	1.50	-
5320MHz	Pass	PK	5.356G	71.59	74.00	-2.41	3	Horizontal	183	1.50	-
5320MHz	Pass	AV	10.64844G	47.99	54.00	-6.01	3	Vertical	285	1.31	-
5320MHz	Pass	AV	15.96632G	48.39	54.00	-5.61	3	Vertical	258	1.23	-
5320MHz	Pass	PK	10.64448G	61.64	74.00	-12.36	3	Vertical	285	1.31	-
5320MHz	Pass	PK	15.96636G	65.87	74.00	-8.13	3	Vertical	258	1.23	-
5320MHz	Pass	AV	10.63056G	50.24	54.00	-3.76	3	Horizontal	232	2.06	-
5320MHz	Pass	AV	15.95632G	48.23	54.00	-5.77	3	Horizontal	203	1.17	-
5320MHz	Pass	PK	10.63448G	63.62	74.00	-10.38	3	Horizontal	232	2.06	-
5320MHz	Pass	PK	15.95208G	63.06	74.00	-10.94	3	Horizontal	203	1.17	-
5500MHz	Pass	AV	5.453G	48.43	54.00	-5.57	3	Vertical	78	1.50	-
5500MHz	Pass	AV	5.5022G	107.42	Inf	-Inf	3	Vertical	78	1.50	-
5500MHz	Pass	PK	5.4688G	63.92	68.20	-4.28	3	Vertical	78	1.50	-
5500MHz	Pass	PK	5.5028G	119.14	Inf	-Inf	3	Vertical	78	1.50	-
5500MHz	Pass	AV	5.4564G	48.21	54.00	-5.79	3	Horizontal	355	1.50	-
5500MHz	Pass	AV	5.491G	107.95	Inf	-Inf	3	Horizontal	355	1.50	-
5500MHz	Pass	PK	5.4666G	67.52	68.20	-0.68	3	Horizontal	355	1.50	-
5500MHz	Pass	PK	5.4924G	121.12	Inf	-Inf	3	Horizontal	355	1.50	-
5500MHz	Pass	AV	10.98998G	48.00	54.00	-6.00	3	Vertical	299	1.83	-
5500MHz	Pass	PK	10.98944G	60.49	74.00	-13.51	3	Vertical	299	1.83	-
5500MHz	Pass	PK	16.49876G	61.08	68.20	-7.12	3	Vertical	77	1.25	-
5500MHz	Pass	AV	10.9994G	43.77	54.00	-10.23	3	Horizontal	222	2.75	-
5500MHz	Pass	PK	10.99812G	55.03	74.00	-18.97	3	Horizontal	222	2.75	-
5500MHz	Pass	PK	16.50572G	59.30	68.20	-8.90	3	Horizontal	125	1.50	-
5580MHz	Pass	AV	5.4306G	47.22	54.00	-6.78	3	Vertical	74	1.50	-
5580MHz	Pass	AV	5.5776G	107.86	Inf	-Inf	3	Vertical	74	1.50	-
5580MHz	Pass	PK	5.463G	57.74	68.20	-10.46	3	Vertical	74	1.50	-
5580MHz	Pass	PK	5.574G	119.01	Inf	-Inf	3	Vertical	74	1.50	-
5580MHz	Pass	PK	5.7276G	58.81	68.20	-9.39	3	Vertical	74	1.50	-
5580MHz	Pass	AV	5.4552G	47.57	54.00	-6.43	3	Horizontal	355	1.50	-
5580MHz	Pass	AV	5.577G	108.34	Inf	-Inf	3	Horizontal	355	1.50	-
5580MHz	Pass	PK	5.4624G	58.40	68.20	-9.80	3	Horizontal	355	1.50	-
5580MHz	Pass	PK	5.577G	118.64	Inf	-Inf	3	Horizontal	355	1.50	-
5580MHz	Pass	PK	5.7252G	58.46	68.20	-9.74	3	Horizontal	355	1.50	-
5580MHz	Pass	AV	11.16762G	53.74	54.00	-0.26	3	Vertical	298	1.64	-
5580MHz	Pass	PK	11.16336G	67.35	74.00	-6.65	3	Vertical	298	1.64	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.72728G	59.41	68.20	-8.79	3	Vertical	110	1.47	-
5580MHz	Pass	AV	11.1546G	53.17	54.00	-0.83	3	Horizontal	297	1.39	-
5580MHz	Pass	PK	11.15484G	66.76	74.00	-7.24	3	Horizontal	297	1.39	-
5580MHz	Pass	PK	16.7409G	59.69	68.20	-8.51	3	Horizontal	216	1.57	-
5700MHz	Pass	AV	5.692G	105.48	Inf	-Inf	3	Vertical	54	1.69	-
5700MHz	Pass	PK	5.6908G	115.79	Inf	-Inf	3	Vertical	54	1.69	-
5700MHz	Pass	PK	5.7312G	59.01	68.20	-9.19	3	Vertical	54	1.69	-
5700MHz	Pass	AV	5.6912G	105.08	Inf	-Inf	3	Horizontal	4	1.29	-
5700MHz	Pass	PK	5.6916G	114.16	Inf	-Inf	3	Horizontal	4	1.29	-
5700MHz	Pass	PK	5.7304G	60.08	68.20	-8.12	3	Horizontal	4	1.29	-
5700MHz	Pass	AV	11.3996G	53.35	54.00	-0.65	3	Vertical	257	1.46	-
5700MHz	Pass	PK	11.3985G	66.91	74.00	-7.09	3	Vertical	257	1.46	-
5700MHz	Pass	PK	17.09538G	59.75	68.20	-8.45	3	Vertical	246	1.03	-
5700MHz	Pass	AV	11.3973G	53.78	54.00	-0.22	3	Horizontal	244	1.50	-
5700MHz	Pass	PK	11.3975G	64.95	74.00	-9.05	3	Horizontal	244	1.50	-
5700MHz	Pass	PK	17.0825G	61.04	68.20	-7.16	3	Horizontal	216	1.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	46.56	54.00	-7.44	3	Vertical	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	103.30	Inf	-Inf	3	Vertical	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.33	68.20	-10.87	3	Vertical	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	113.59	Inf	-Inf	3	Vertical	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9372G	60.91	68.20	-7.29	3	Vertical	92	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	46.65	54.00	-7.35	3	Horizontal	355	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	104.62	Inf	-Inf	3	Horizontal	355	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.76	68.20	-11.44	3	Horizontal	355	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	114.91	Inf	-Inf	3	Horizontal	355	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	59.56	68.20	-8.64	3	Horizontal	355	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43968G	50.53	54.00	-3.47	3	Vertical	298	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45112G	63.41	74.00	-10.59	3	Vertical	298	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17632G	59.88	68.20	-8.32	3	Vertical	68	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43944G	53.49	54.00	-0.51	3	Horizontal	235	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4392G	66.75	74.00	-7.25	3	Horizontal	235	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17344G	60.11	68.20	-8.09	3	Horizontal	238	1.50	-
5745MHz	Pass	AV	5.7414G	103.28	Inf	-Inf	3	Vertical	73	1.50	-
5745MHz	Pass	PK	5.547G	57.73	68.20	-10.47	3	Vertical	73	1.50	-
5745MHz	Pass	PK	5.7414G	114.45	Inf	-Inf	3	Vertical	73	1.50	-
5745MHz	Pass	PK	6.027G	59.50	68.20	-8.70	3	Vertical	73	1.50	-
5745MHz	Pass	AV	5.7522G	103.56	Inf	-Inf	3	Horizontal	354	1.06	-
5745MHz	Pass	PK	5.5626G	58.25	68.20	-9.95	3	Horizontal	354	1.06	-
5745MHz	Pass	PK	5.7534G	113.96	Inf	-Inf	3	Horizontal	354	1.06	-
5745MHz	Pass	PK	6.0018G	59.72	68.20	-8.48	3	Horizontal	354	1.06	-
5745MHz	Pass	AV	11.4948G	52.69	54.00	-1.31	3	Vertical	287	2.90	-
5745MHz	Pass	PK	11.49616G	65.53	74.00	-8.47	3	Vertical	287	2.90	-
5745MHz	Pass	PK	17.22292G	59.66	68.20	-8.54	3	Vertical	0	1.50	-
5745MHz	Pass	AV	11.48944G	53.88	54.00	-0.12	3	Horizontal	220	1.50	-
5745MHz	Pass	PK	11.48904G	65.94	74.00	-8.06	3	Horizontal	220	1.50	-
5745MHz	Pass	PK	17.2406G	59.59	68.20	-8.61	3	Horizontal	49	3.00	-
5785MHz	Pass	AV	5.7802G	101.91	Inf	-Inf	3	Vertical	73	1.50	-
5785MHz	Pass	PK	5.593G	58.49	68.20	-9.71	3	Vertical	73	1.50	-
5785MHz	Pass	PK	5.7934G	111.64	Inf	-Inf	3	Vertical	73	1.50	-
5785MHz	Pass	PK	5.9614G	59.62	68.20	-8.58	3	Vertical	73	1.50	-
5785MHz	Pass	AV	5.7766G	106.79	Inf	-Inf	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	5.6446G	58.88	68.20	-9.32	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	5.7766G	116.50	Inf	-Inf	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	6.0298G	59.32	68.20	-8.88	3	Horizontal	360	1.50	-
5785MHz	Pass	AV	11.57344G	53.84	54.00	-0.16	3	Vertical	279	1.43	-
5785MHz	Pass	PK	11.5724G	68.00	74.00	-6.00	3	Vertical	279	1.43	-
5785MHz	Pass	PK	17.36676G	59.92	68.20	-8.28	3	Vertical	15	1.50	-
5785MHz	Pass	AV	11.5712G	53.79	54.00	-0.21	3	Horizontal	248	1.45	-
5785MHz	Pass	PK	11.58328G	66.22	74.00	-7.78	3	Horizontal	248	1.45	-
5785MHz	Pass	PK	17.35428G	60.11	68.20	-8.09	3	Horizontal	103	3.00	-
5825MHz	Pass	AV	5.8262G	102.89	Inf	-Inf	3	Vertical	70	1.50	-
5825MHz	Pass	PK	5.6462G	57.93	68.20	-10.27	3	Vertical	70	1.50	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8226G	114.10	Inf	-Inf	3	Vertical	70	1.50	-
5825MHz	Pass	PK	6.017G	59.01	68.20	-9.19	3	Vertical	70	1.50	-
5825MHz	Pass	AV	5.819G	101.61	Inf	-Inf	3	Horizontal	343	1.50	-
5825MHz	Pass	PK	5.6078G	58.40	68.20	-9.80	3	Horizontal	343	1.50	-
5825MHz	Pass	PK	5.8178G	111.66	Inf	-Inf	3	Horizontal	343	1.50	-
5825MHz	Pass	PK	5.9654G	59.36	68.20	-8.84	3	Horizontal	343	1.50	-
5825MHz	Pass	AV	11.65168G	51.89	54.00	-2.11	3	Vertical	288	2.98	-
5825MHz	Pass	PK	11.65264G	64.64	74.00	-9.36	3	Vertical	288	2.98	-
5825MHz	Pass	PK	17.46332G	60.10	68.20	-8.10	3	Vertical	232	1.50	-
5825MHz	Pass	AV	11.6484G	53.29	54.00	-0.71	3	Horizontal	209	1.70	-
5825MHz	Pass	PK	11.64776G	66.25	74.00	-7.75	3	Horizontal	209	1.70	-
5825MHz	Pass	PK	17.4706G	59.23	68.20	-8.97	3	Horizontal	12	3.00	-
5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1288G	49.81	54.00	-4.19	3	Vertical	287	1.76	-
5190MHz	Pass	AV	5.2056G	102.79	Inf	-Inf	3	Vertical	287	1.76	-
5190MHz	Pass	PK	5.1392G	63.83	74.00	-10.17	3	Vertical	287	1.76	-
5190MHz	Pass	PK	5.1964G	113.64	Inf	-Inf	3	Vertical	287	1.76	-
5190MHz	Pass	AV	5.15G	53.39	54.00	-0.61	3	Horizontal	360	2.00	-
5190MHz	Pass	AV	5.172G	103.70	Inf	-Inf	3	Horizontal	360	2.00	-
5190MHz	Pass	PK	5.1476G	68.47	74.00	-5.53	3	Horizontal	360	2.00	-
5190MHz	Pass	PK	5.1744G	115.43	Inf	-Inf	3	Horizontal	360	2.00	-
5190MHz	Pass	AV	15.56848G	45.77	54.00	-8.23	3	Vertical	164	2.39	-
5190MHz	Pass	PK	10.38496G	55.38	68.20	-12.82	3	Vertical	259	1.46	-
5190MHz	Pass	PK	15.57052G	57.00	74.00	-17.00	3	Vertical	164	2.39	-
5190MHz	Pass	AV	15.57336G	45.76	54.00	-8.24	3	Horizontal	136	2.98	-
5190MHz	Pass	PK	10.40704G	55.28	68.20	-12.92	3	Horizontal	202	1.50	-
5190MHz	Pass	PK	15.56794G	57.95	74.00	-16.05	3	Horizontal	136	2.98	-
5230MHz	Pass	AV	5.15G	53.27	54.00	-0.73	3	Vertical	360	1.50	-
5230MHz	Pass	AV	5.214G	109.12	Inf	-Inf	3	Vertical	360	1.50	-
5230MHz	Pass	PK	5.1392G	70.35	74.00	-3.65	3	Vertical	360	1.50	-
5230MHz	Pass	PK	5.2128G	118.84	Inf	-Inf	3	Vertical	360	1.50	-
5230MHz	Pass	AV	5.15G	52.76	54.00	-1.24	3	Horizontal	187	1.50	-
5230MHz	Pass	AV	5.248G	109.12	Inf	-Inf	3	Horizontal	187	1.50	-
5230MHz	Pass	PK	5.1484G	68.83	74.00	-5.17	3	Horizontal	187	1.50	-
5230MHz	Pass	PK	5.2472G	119.73	Inf	-Inf	3	Horizontal	187	1.50	-
5230MHz	Pass	AV	15.6592G	50.57	54.00	-3.43	3	Vertical	73	1.50	-
5230MHz	Pass	PK	10.45986G	59.96	68.20	-8.24	3	Vertical	279	2.78	-
5230MHz	Pass	PK	15.66088G	67.34	74.00	-6.66	3	Vertical	73	1.50	-
5230MHz	Pass	AV	15.68062G	51.06	54.00	-2.94	3	Horizontal	313	2.93	-
5230MHz	Pass	PK	10.46G	63.56	68.20	-4.64	3	Horizontal	299	1.51	-
5230MHz	Pass	PK	15.71492G	65.43	74.00	-8.57	3	Horizontal	313	2.93	-
5270MHz	Pass	AV	5.26G	110.96	Inf	-Inf	3	Vertical	257	2.03	-
5270MHz	Pass	AV	5.3512G	52.09	54.00	-1.91	3	Vertical	257	2.03	-
5270MHz	Pass	PK	5.256G	121.84	Inf	-Inf	3	Vertical	257	2.03	-
5270MHz	Pass	PK	5.3508G	66.20	74.00	-7.80	3	Vertical	257	2.03	-
5270MHz	Pass	AV	5.2884G	110.79	Inf	-Inf	3	Horizontal	360	1.64	-
5270MHz	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	360	1.64	-
5270MHz	Pass	PK	5.288G	123.23	Inf	-Inf	3	Horizontal	360	1.64	-
5270MHz	Pass	PK	5.3504G	71.24	74.00	-2.76	3	Horizontal	360	1.64	-
5270MHz	Pass	AV	15.8156G	52.06	54.00	-1.94	3	Vertical	71	1.48	-
5270MHz	Pass	PK	10.5328G	63.66	68.20	-4.54	3	Vertical	268	3.00	-
5270MHz	Pass	PK	15.78248G	68.71	74.00	-5.29	3	Vertical	71	1.48	-
5270MHz	Pass	AV	15.81912G	50.70	54.00	-3.30	3	Horizontal	218	1.50	-
5270MHz	Pass	PK	10.53296G	62.32	68.20	-5.88	3	Horizontal	272	1.44	-
5270MHz	Pass	PK	15.77736G	64.83	74.00	-9.17	3	Horizontal	218	1.50	-
5310MHz	Pass	AV	5.3064G	105.54	Inf	-Inf	3	Vertical	76	1.50	-
5310MHz	Pass	AV	5.3504G	50.24	54.00	-3.76	3	Vertical	76	1.50	-
5310MHz	Pass	PK	5.3068G	117.44	Inf	-Inf	3	Vertical	76	1.50	-
5310MHz	Pass	PK	5.3508G	73.54	74.00	-0.46	3	Vertical	76	1.50	-
5310MHz	Pass	AV	5.3116G	106.99	Inf	-Inf	3	Horizontal	181	1.96	-
5310MHz	Pass	AV	5.35G	48.60	54.00	-5.40	3	Horizontal	181	1.96	-
5310MHz	Pass	PK	5.312G	117.09	Inf	-Inf	3	Horizontal	181	1.96	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	5.3544G	63.86	74.00	-10.14	3	Horizontal	181	1.96	-
5310MHz	Pass	AV	10.62336G	45.46	54.00	-8.54	3	Vertical	278	1.58	-
5310MHz	Pass	AV	15.96424G	45.73	54.00	-8.27	3	Vertical	252	2.80	-
5310MHz	Pass	PK	10.63072G	61.15	74.00	-12.85	3	Vertical	278	1.58	-
5310MHz	Pass	PK	15.91496G	57.19	74.00	-16.81	3	Vertical	252	2.80	-
5310MHz	Pass	AV	10.63872G	44.44	54.00	-9.56	3	Horizontal	314	1.50	-
5310MHz	Pass	AV	15.91016G	45.77	54.00	-8.23	3	Horizontal	179	2.02	-
5310MHz	Pass	PK	10.61984G	56.79	74.00	-17.21	3	Horizontal	314	1.50	-
5310MHz	Pass	PK	15.90552G	57.74	74.00	-16.26	3	Horizontal	179	2.02	-
5510MHz	Pass	AV	5.4488G	49.14	54.00	-4.86	3	Vertical	81	1.34	-
5510MHz	Pass	AV	5.5036G	105.98	Inf	-Inf	3	Vertical	81	1.34	-
5510MHz	Pass	PK	5.4684G	67.58	68.20	-0.62	3	Vertical	81	1.34	-
5510MHz	Pass	PK	5.5016G	117.43	Inf	-Inf	3	Vertical	81	1.34	-
5510MHz	Pass	AV	5.4488G	49.22	54.00	-4.78	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	5.5268G	106.38	Inf	-Inf	3	Horizontal	0	1.50	-
5510MHz	Pass	PK	5.468G	60.96	68.20	-7.24	3	Horizontal	0	1.50	-
5510MHz	Pass	PK	5.5264G	117.25	Inf	-Inf	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	11.01928G	48.55	54.00	-5.45	3	Vertical	291	1.78	-
5510MHz	Pass	PK	11.02648G	60.32	74.00	-13.68	3	Vertical	291	1.78	-
5510MHz	Pass	PK	16.52606G	58.57	68.20	-9.63	3	Vertical	218	1.20	-
5510MHz	Pass	AV	11.00152G	49.44	54.00	-4.56	3	Horizontal	209	2.11	-
5510MHz	Pass	PK	11.02G	62.91	74.00	-11.09	3	Horizontal	209	2.11	-
5510MHz	Pass	PK	16.5332G	58.53	68.20	-9.67	3	Horizontal	48	1.69	-
5550MHz	Pass	AV	5.4592G	47.92	54.00	-6.08	3	Vertical	88	1.50	-
5550MHz	Pass	AV	5.5552G	106.36	Inf	-Inf	3	Vertical	88	1.50	-
5550MHz	Pass	PK	5.4668G	60.02	68.20	-8.18	3	Vertical	88	1.50	-
5550MHz	Pass	PK	5.5472G	117.12	Inf	-Inf	3	Vertical	88	1.50	-
5550MHz	Pass	AV	5.4532G	48.14	54.00	-5.86	3	Horizontal	3	1.73	-
5550MHz	Pass	AV	5.536G	105.99	Inf	-Inf	3	Horizontal	3	1.73	-
5550MHz	Pass	PK	5.4648G	60.23	68.20	-7.97	3	Horizontal	3	1.73	-
5550MHz	Pass	PK	5.538G	117.10	Inf	-Inf	3	Horizontal	3	1.73	-
5550MHz	Pass	AV	11.08264G	50.93	54.00	-3.07	3	Vertical	255	1.48	-
5550MHz	Pass	PK	11.08376G	64.24	74.00	-9.76	3	Vertical	255	1.48	-
5550MHz	Pass	PK	16.64838G	58.45	68.20	-9.75	3	Vertical	257	2.42	-
5550MHz	Pass	AV	11.08296G	53.68	54.00	-0.32	3	Horizontal	215	2.29	-
5550MHz	Pass	PK	11.08206G	68.54	74.00	-5.46	3	Horizontal	215	2.29	-
5550MHz	Pass	PK	16.6534G	59.71	68.20	-8.49	3	Horizontal	262	2.61	-
5670MHz	Pass	AV	5.6634G	103.55	Inf	-Inf	3	Vertical	99	1.60	-
5670MHz	Pass	PK	5.661G	114.57	Inf	-Inf	3	Vertical	99	1.60	-
5670MHz	Pass	PK	5.7342G	59.90	68.20	-8.30	3	Vertical	99	1.60	-
5670MHz	Pass	AV	5.688G	104.71	Inf	-Inf	3	Horizontal	4	1.71	-
5670MHz	Pass	PK	5.6868G	115.80	Inf	-Inf	3	Horizontal	4	1.71	-
5670MHz	Pass	PK	5.7882G	60.23	68.20	-7.97	3	Horizontal	4	1.71	-
5670MHz	Pass	AV	11.32096G	51.35	54.00	-2.65	3	Vertical	289	1.32	-
5670MHz	Pass	PK	11.34G	65.08	74.00	-8.92	3	Vertical	289	1.32	-
5670MHz	Pass	PK	17.01482G	58.29	68.20	-9.91	3	Vertical	202	1.64	-
5670MHz	Pass	AV	11.31632G	53.88	54.00	-0.12	3	Horizontal	238	2.65	-
5670MHz	Pass	PK	11.31632G	66.85	74.00	-7.15	3	Horizontal	238	2.65	-
5670MHz	Pass	PK	17.01286G	59.84	68.20	-8.36	3	Horizontal	190	1.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.92	54.00	-8.08	3	Vertical	58	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.693G	103.34	Inf	-Inf	3	Vertical	58	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	57.38	68.20	-10.82	3	Vertical	58	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	114.07	Inf	-Inf	3	Vertical	58	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	60.25	68.20	-7.95	3	Vertical	58	1.72	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.99	54.00	-8.01	3	Horizontal	356	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.703G	103.13	Inf	-Inf	3	Horizontal	356	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	57.07	68.20	-11.13	3	Horizontal	356	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.703G	114.03	Inf	-Inf	3	Horizontal	356	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.889G	60.37	68.20	-7.83	3	Horizontal	356	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39968G	49.94	54.00	-4.06	3	Vertical	278	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	64.92	74.00	-9.08	3	Vertical	278	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1293G	59.93	68.20	-8.27	3	Vertical	87	2.62	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40024G	53.86	54.00	-0.14	3	Horizontal	247	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41964G	67.53	74.00	-6.47	3	Horizontal	247	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13064G	60.26	68.20	-7.94	3	Horizontal	246	1.50	-
5755MHz	Pass	AV	5.7418G	101.48	Inf	-Inf	3	Vertical	81	1.50	-
5755MHz	Pass	PK	5.545G	59.06	68.20	-9.14	3	Vertical	81	1.50	-
5755MHz	Pass	PK	5.767G	110.75	Inf	-Inf	3	Vertical	81	1.50	-
5755MHz	Pass	PK	6.0298G	60.17	68.20	-8.03	3	Vertical	81	1.50	-
5755MHz	Pass	AV	5.773G	102.89	Inf	-Inf	3	Horizontal	2	1.50	-
5755MHz	Pass	PK	5.6434G	59.12	68.20	-9.08	3	Horizontal	2	1.50	-
5755MHz	Pass	PK	5.7706G	113.76	Inf	-Inf	3	Horizontal	2	1.50	-
5755MHz	Pass	PK	5.9758G	59.69	68.20	-8.51	3	Horizontal	2	1.50	-
5755MHz	Pass	AV	11.49312G	51.75	54.00	-2.25	3	Vertical	255	1.50	-
5755MHz	Pass	PK	11.50776G	65.53	74.00	-8.47	3	Vertical	255	1.50	-
5755MHz	Pass	PK	17.26996G	59.27	68.20	-8.93	3	Vertical	191	1.94	-
5755MHz	Pass	AV	11.51496G	53.63	54.00	-0.37	3	Horizontal	246	1.50	-
5755MHz	Pass	PK	11.516G	68.20	74.00	-5.80	3	Horizontal	246	1.50	-
5755MHz	Pass	PK	17.25764G	58.92	68.20	-9.28	3	Horizontal	4	2.62	-
5795MHz	Pass	AV	5.7914G	101.89	Inf	-Inf	3	Vertical	75	1.54	-
5795MHz	Pass	PK	5.5922G	59.23	68.20	-8.97	3	Vertical	75	1.54	-
5795MHz	Pass	PK	5.7914G	112.74	Inf	-Inf	3	Vertical	75	1.54	-
5795MHz	Pass	PK	5.957G	60.84	68.20	-7.36	3	Vertical	75	1.54	-
5795MHz	Pass	AV	5.777G	102.10	Inf	-Inf	3	Horizontal	356	1.50	-
5795MHz	Pass	PK	5.633G	59.83	68.20	-8.37	3	Horizontal	356	1.50	-
5795MHz	Pass	PK	5.777G	111.94	Inf	-Inf	3	Horizontal	356	1.50	-
5795MHz	Pass	PK	5.9366G	59.80	68.20	-8.40	3	Horizontal	356	1.50	-
5795MHz	Pass	AV	11.57336G	53.74	54.00	-0.26	3	Vertical	285	1.46	-
5795MHz	Pass	PK	11.58984G	67.23	74.00	-6.77	3	Vertical	285	1.46	-
5795MHz	Pass	PK	17.42468G	59.53	68.20	-8.67	3	Vertical	149	1.09	-
5795MHz	Pass	AV	11.57592G	52.97	54.00	-1.03	3	Horizontal	221	1.70	-
5795MHz	Pass	PK	11.57304G	66.95	74.00	-7.05	3	Horizontal	221	1.70	-
5795MHz	Pass	PK	17.39316G	59.30	68.20	-8.90	3	Horizontal	241	2.43	-
5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.24	54.00	-0.76	3	Vertical	269	1.50	-
5210MHz	Pass	AV	5.176G	103.60	Inf	-Inf	3	Vertical	269	1.50	-
5210MHz	Pass	AV	5.406G	47.25	54.00	-6.75	3	Vertical	269	1.50	-
5210MHz	Pass	PK	5.146G	73.62	74.00	-0.38	3	Vertical	269	1.50	-
5210MHz	Pass	PK	5.198G	113.70	Inf	-Inf	3	Vertical	269	1.50	-
5210MHz	Pass	PK	5.405G	59.34	74.00	-14.66	3	Vertical	269	1.50	-
5210MHz	Pass	AV	5.149G	53.78	54.00	-0.22	3	Horizontal	195	2.34	-
5210MHz	Pass	AV	5.176G	105.03	Inf	-Inf	3	Horizontal	195	2.34	-
5210MHz	Pass	AV	5.359G	47.57	54.00	-6.43	3	Horizontal	195	2.34	-
5210MHz	Pass	PK	5.144G	66.44	74.00	-7.56	3	Horizontal	195	2.34	-
5210MHz	Pass	PK	5.246G	113.40	Inf	-Inf	3	Horizontal	195	2.34	-
5210MHz	Pass	PK	5.44G	58.98	74.00	-15.02	3	Horizontal	195	2.34	-
5210MHz	Pass	AV	15.70744G	44.39	54.00	-9.61	3	Vertical	171	2.14	-
5210MHz	Pass	PK	10.3766G	55.32	68.20	-12.88	3	Vertical	243	3.00	-
5210MHz	Pass	PK	15.69016G	55.98	74.00	-18.02	3	Vertical	171	2.14	-
5210MHz	Pass	AV	15.70744G	44.44	54.00	-9.56	3	Horizontal	316	2.18	-
5210MHz	Pass	PK	10.41352G	55.10	68.20	-13.10	3	Horizontal	235	1.00	-
5210MHz	Pass	PK	15.6252G	55.30	74.00	-18.70	3	Horizontal	316	2.18	-
5290MHz	Pass	AV	5.15G	49.70	54.00	-4.30	3	Vertical	360	2.00	-
5290MHz	Pass	AV	5.265G	102.70	Inf	-Inf	3	Vertical	360	2.00	-
5290MHz	Pass	AV	5.35G	53.35	54.00	-0.65	3	Vertical	360	2.00	-
5290MHz	Pass	PK	5.146G	62.59	74.00	-11.41	3	Vertical	360	2.00	-
5290MHz	Pass	PK	5.252G	114.82	Inf	-Inf	3	Vertical	360	2.00	-
5290MHz	Pass	PK	5.371G	73.38	74.00	-0.62	3	Vertical	360	2.00	-
5290MHz	Pass	AV	5.149G	48.79	54.00	-5.21	3	Horizontal	202	1.50	-
5290MHz	Pass	AV	5.257G	104.37	Inf	-Inf	3	Horizontal	202	1.50	-
5290MHz	Pass	AV	5.35G	51.75	54.00	-2.25	3	Horizontal	202	1.50	-
5290MHz	Pass	PK	5.15G	60.74	74.00	-13.26	3	Horizontal	202	1.50	-
5290MHz	Pass	PK	5.255G	116.19	Inf	-Inf	3	Horizontal	202	1.50	-
5290MHz	Pass	PK	5.384G	70.36	74.00	-3.64	3	Horizontal	202	1.50	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	15.79416G	43.89	54.00	-10.11	3	Vertical	342	1.00	-
5290MHz	Pass	PK	10.59488G	54.63	68.20	-13.57	3	Vertical	34	1.50	-
5290MHz	Pass	PK	15.82328G	55.26	74.00	-18.74	3	Vertical	342	1.00	-
5290MHz	Pass	AV	15.82808G	43.83	54.00	-10.17	3	Horizontal	93	2.70	-
5290MHz	Pass	PK	10.57232G	54.25	68.20	-13.95	3	Horizontal	303	1.50	-
5290MHz	Pass	PK	15.79672G	54.87	74.00	-19.13	3	Horizontal	93	2.70	-
5530MHz	Pass	AV	5.46G	52.05	54.00	-1.95	3	Vertical	65	2.47	-
5530MHz	Pass	AV	5.493G	102.51	Inf	-Inf	3	Vertical	65	2.47	-
5530MHz	Pass	PK	5.464G	67.54	68.20	-0.66	3	Vertical	65	2.47	-
5530MHz	Pass	PK	5.556G	111.53	Inf	-Inf	3	Vertical	65	2.47	-
5530MHz	Pass	PK	5.744G	60.31	68.20	-7.89	3	Vertical	65	2.47	-
5530MHz	Pass	AV	5.458G	51.48	54.00	-2.52	3	Horizontal	348	1.50	-
5530MHz	Pass	AV	5.501G	101.31	Inf	-Inf	3	Horizontal	348	1.50	-
5530MHz	Pass	PK	5.462G	65.44	68.20	-2.76	3	Horizontal	348	1.50	-
5530MHz	Pass	PK	5.503G	112.65	Inf	-Inf	3	Horizontal	348	1.50	-
5530MHz	Pass	PK	5.746G	59.43	68.20	-8.77	3	Horizontal	348	1.50	-
5530MHz	Pass	AV	11.00208G	50.53	54.00	-3.47	3	Vertical	253	1.50	-
5530MHz	Pass	PK	11.00096G	63.85	74.00	-10.15	3	Vertical	253	1.50	-
5530MHz	Pass	PK	16.51032G	55.06	68.20	-13.14	3	Vertical	322	1.73	-
5530MHz	Pass	AV	11.0014G	47.98	54.00	-6.02	3	Horizontal	214	1.50	-
5530MHz	Pass	PK	11.0022G	66.03	74.00	-7.97	3	Horizontal	214	1.50	-
5530MHz	Pass	PK	16.60536G	55.06	68.20	-13.14	3	Horizontal	237	2.17	-
5610MHz	Pass	AV	5.46G	50.19	54.00	-3.81	3	Vertical	85	1.50	-
5610MHz	Pass	AV	5.576G	106.73	Inf	-Inf	3	Vertical	85	1.50	-
5610MHz	Pass	PK	5.468G	63.00	68.20	-5.20	3	Vertical	85	1.50	-
5610MHz	Pass	PK	5.614G	116.73	Inf	-Inf	3	Vertical	85	1.50	-
5610MHz	Pass	PK	5.725G	67.55	68.20	-0.65	3	Vertical	85	1.50	-
5610MHz	Pass	AV	5.459G	49.78	54.00	-4.22	3	Horizontal	356	1.28	-
5610MHz	Pass	AV	5.576G	106.22	Inf	-Inf	3	Horizontal	356	1.28	-
5610MHz	Pass	PK	5.469G	63.05	68.20	-5.15	3	Horizontal	356	1.28	-
5610MHz	Pass	PK	5.579G	116.44	Inf	-Inf	3	Horizontal	356	1.28	-
5610MHz	Pass	PK	5.726G	66.56	68.20	-1.64	3	Horizontal	356	1.28	-
5610MHz	Pass	AV	11.16236G	51.53	54.00	-2.47	3	Vertical	255	1.08	-
5610MHz	Pass	PK	11.16176G	70.85	74.00	-3.15	3	Vertical	255	1.08	-
5610MHz	Pass	PK	16.80856G	54.18	68.20	-14.02	3	Vertical	324	2.75	-
5610MHz	Pass	AV	11.1581G	52.86	54.00	-1.14	3	Horizontal	242	1.50	-
5610MHz	Pass	PK	11.1572G	71.59	74.00	-2.41	3	Horizontal	242	1.50	-
5610MHz	Pass	PK	16.79516G	53.05	68.20	-15.15	3	Horizontal	145	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.16	54.00	-6.84	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.683G	102.05	Inf	-Inf	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	58.50	68.20	-9.70	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.691G	113.36	Inf	-Inf	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.928G	61.13	68.20	-7.07	3	Vertical	80	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	46.85	54.00	-7.15	3	Horizontal	7	1.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.665G	103.92	Inf	-Inf	3	Horizontal	7	1.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.465G	58.66	68.20	-9.54	3	Horizontal	7	1.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.655G	115.05	Inf	-Inf	3	Horizontal	7	1.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.918G	60.59	68.20	-7.61	3	Horizontal	7	1.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3204G	52.92	54.00	-1.08	3	Vertical	252	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.32116G	73.06	74.00	-0.94	3	Vertical	252	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	16.99608G	47.32	68.20	-20.88	3	Vertical	207	1.93	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.31882G	53.71	54.00	-0.29	3	Horizontal	204	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.31862G	73.92	74.00	-0.08	3	Horizontal	204	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.02456G	47.81	68.20	-20.39	3	Horizontal	217	1.31	-
5775MHz	Pass	AV	5.7522G	99.69	Inf	-Inf	3	Vertical	74	1.50	-
5775MHz	Pass	PK	5.589G	60.08	68.20	-8.12	3	Vertical	74	1.50	-
5775MHz	Pass	PK	5.7486G	110.98	Inf	-Inf	3	Vertical	74	1.50	-
5775MHz	Pass	PK	5.9874G	60.29	68.20	-7.91	3	Vertical	74	1.50	-
5775MHz	Pass	AV	5.7498G	103.53	Inf	-Inf	3	Horizontal	358	1.50	-
5775MHz	Pass	PK	5.643G	60.85	68.20	-7.35	3	Horizontal	358	1.50	-
5775MHz	Pass	PK	5.7738G	112.05	Inf	-Inf	3	Horizontal	358	1.50	-
5775MHz	Pass	PK	5.9274G	60.31	68.20	-7.89	3	Horizontal	358	1.50	-



RSE TX above 1GHz_Beamforming


Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	AV	11.4956G	53.93	54.00	-0.07	3	Vertical	288	1.74	-
5775MHz	Pass	PK	11.49496G	68.28	74.00	-5.72	3	Vertical	288	1.74	-
5775MHz	Pass	PK	17.35028G	52.42	68.20	-15.78	3	Vertical	2	1.50	-
5775MHz	Pass	AV	11.48432G	52.93	54.00	-1.07	3	Horizontal	234	2.79	-
5775MHz	Pass	PK	11.48282G	73.54	74.00	-0.46	3	Horizontal	234	2.79	-
5775MHz	Pass	PK	17.39636G	50.64	68.20	-17.56	3	Horizontal	111	1.97	-
5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	50.06	54.00	-3.94	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1768G	97.60	Inf	-Inf	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.376G	47.75	54.00	-6.25	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	73.87	74.00	-0.13	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2308G	107.93	Inf	-Inf	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3952G	72.30	74.00	-1.70	3	Vertical	358	2.25	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	50.43	54.00	-3.57	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2116G	95.18	Inf	-Inf	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	48.02	54.00	-5.98	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1276G	71.83	74.00	-2.17	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1768G	111.95	Inf	-Inf	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3868G	71.21	74.00	-2.79	3	Horizontal	208	2.80	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.77528G	44.25	54.00	-9.75	3	Vertical	323	2.15	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.54256G	53.78	68.20	-14.42	3	Vertical	46	1.71	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.70744G	55.51	74.00	-18.49	3	Vertical	323	2.15	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.71512G	44.33	54.00	-9.67	3	Horizontal	226	1.43	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45232G	53.95	68.20	-14.25	3	Horizontal	293	2.49	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78136G	55.55	74.00	-18.45	3	Horizontal	226	1.43	-
5570MHz	Pass	AV	5.4572G	49.06	54.00	-4.94	3	Vertical	79	2.34	-
5570MHz	Pass	AV	5.5076G	96.05	Inf	-Inf	3	Vertical	79	2.34	-
5570MHz	Pass	PK	5.4608G	65.09	68.20	-3.11	3	Vertical	79	2.34	-
5570MHz	Pass	PK	5.6024G	107.34	Inf	-Inf	3	Vertical	79	2.34	-
5570MHz	Pass	PK	5.738G	61.57	68.20	-6.63	3	Vertical	79	2.34	-
5570MHz	Pass	AV	5.4536G	47.93	54.00	-6.07	3	Horizontal	0	1.80	-
5570MHz	Pass	AV	5.504G	100.42	Inf	-Inf	3	Horizontal	0	1.80	-
5570MHz	Pass	PK	5.4644G	67.41	68.20	-0.79	3	Horizontal	0	1.80	-
5570MHz	Pass	PK	5.5052G	109.75	Inf	-Inf	3	Horizontal	0	1.80	-
5570MHz	Pass	PK	5.7356G	65.69	68.20	-2.51	3	Horizontal	0	1.80	-
5570MHz	Pass	AV	11.17136G	42.22	54.00	-11.78	3	Vertical	131	2.33	-
5570MHz	Pass	PK	11.10672G	53.44	74.00	-20.56	3	Vertical	131	2.33	-
5570MHz	Pass	AV	11.16912G	42.33	54.00	-11.67	3	Horizontal	297	1.30	-
5570MHz	Pass	PK	11.06576G	53.72	74.00	-20.28	3	Horizontal	297	1.30	-
5570MHz	Pass	PK	16.66328G	53.91	68.20	-14.29	3	Horizontal	79	2.34	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.06	54.00	-1.94	5.21	3	Vertical	258	1.94	-	46.85	33.10	6.87	34.76
AV	5.1754G	109.65	Inf	-Inf	5.27	3	Vertical	258	1.94	-	104.38	33.15	6.88	34.76
PK	5.1488G	69.18	74.00	-4.82	5.21	3	Vertical	258	1.94	-	63.97	33.10	6.87	34.76
PK	5.1778G	120.25	Inf	-Inf	5.28	3	Vertical	258	1.94	-	114.97	33.16	6.88	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.56	54.00	-0.44	5.21	3	Horizontal	320	1.58	-	48.35	33.10	6.87	34.76
PK	5.1484G	68.51	74.00	-5.49	5.21	3	Horizontal	320	1.58	-	63.30	33.10	6.87	34.76
AV	5.1888G	110.55	Inf	-Inf	5.31	3	Horizontal	320	1.58	-	105.24	33.18	6.89	34.76
PK	5.1888G	120.48	Inf	-Inf	5.31	3	Horizontal	320	1.58	-	115.17	33.18	6.89	34.76




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5180MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5452G	47.68	54.00	-6.32	15.51	3	Vertical	272	1.50	-	32.17	38.33	12.11	34.93
PK	10.35984G	58.65	68.20	-9.55	12.54	3	Vertical	277	2.92	-	46.11	38.58	8.99	35.03
PK	15.53824G	57.79	74.00	-16.21	15.55	3	Vertical	272	1.50	-	42.24	38.37	12.10	34.92

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5180MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54664G	47.58	54.00	-6.42	15.50	3	Horizontal	281	1.50	-	32.08	38.32	12.11	34.93
PK	10.3568G	60.62	68.20	-7.58	12.55	3	Horizontal	200	1.50	-	48.07	38.59	8.99	35.03
PK	15.54372G	57.82	74.00	-16.18	15.52	3	Horizontal	281	1.50	-	42.30	38.34	12.11	34.93



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.25	54.00	-3.75	5.21	3	Vertical	76	1.40	-	45.04	33.10	6.87	34.76
AV	5.2024G	110.97	Inf	-Inf	5.33	3	Vertical	76	1.40	-	105.64	33.20	6.89	34.76
PK	5.1488G	64.13	74.00	-9.87	5.21	3	Vertical	76	1.40	-	58.92	33.10	6.87	34.76
PK	5.2036G	120.92	Inf	-Inf	5.32	3	Vertical	76	1.40	-	115.60	33.19	6.89	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1076G	50.91	54.00	-3.09	5.11	3	Horizontal	360	2.16	-	45.80	33.02	6.85	34.76
AV	5.208G	115.53	Inf	-Inf	5.32	3	Horizontal	360	2.16	-	110.21	33.18	6.90	34.76
PK	5.1396G	61.63	74.00	-12.37	5.19	3	Horizontal	360	2.16	-	56.44	33.08	6.87	34.76
PK	5.2092G	124.34	Inf	-Inf	5.32	3	Horizontal	360	2.16	-	119.02	33.18	6.90	34.76




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5200MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60072G	53.64	54.00	-0.36	15.20	3	Vertical	75	1.50	-	38.44	38.00	12.16	34.96
PK	10.40054G	62.40	68.20	-5.80	12.51	3	Vertical	279	2.59	-	49.89	38.50	9.00	34.99
PK	15.5904G	69.23	74.00	-4.77	15.26	3	Vertical	75	1.50	-	53.97	38.06	12.15	34.95

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5200MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59466G	52.07	54.00	-1.93	15.24	3	Horizontal	232	3.00	-	36.83	38.03	12.16	34.95
PK	10.39982G	63.83	68.20	-4.37	12.51	3	Horizontal	199	1.69	-	51.32	38.50	9.00	34.99
PK	15.58752G	69.17	74.00	-4.83	15.27	3	Horizontal	232	3.00	-	53.90	38.07	12.15	34.95

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	49.82	54.00	-4.18	5.20	3	Vertical	360	1.74	-	44.62	33.09	6.87	34.76
AV	5.2388G	111.31	Inf	-Inf	5.29	3	Vertical	360	1.74	-	106.02	33.12	6.93	34.76
AV	5.3834G	47.87	54.00	-6.13	5.23	3	Vertical	360	1.74	-	42.64	32.90	7.10	34.77
PK	5.1392G	60.19	74.00	-13.81	5.19	3	Vertical	360	1.74	-	55.00	33.08	6.87	34.76
PK	5.2382G	121.38	Inf	-Inf	5.29	3	Vertical	360	1.74	-	116.09	33.12	6.93	34.76
PK	5.36G	59.32	74.00	-14.68	5.06	3	Vertical	360	1.74	-	54.26	32.76	7.07	34.77


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1212G	49.57	54.00	-4.43	5.14	3	Horizontal	195	2.73	-	44.43	33.04	6.86	34.76
AV	5.249G	114.94	Inf	-Inf	5.29	3	Horizontal	195	2.73	-	109.65	33.10	6.95	34.76
AV	5.35G	48.80	54.00	-5.20	4.99	3	Horizontal	195	2.73	-	43.81	32.70	7.06	34.77
PK	5.1464G	60.64	74.00	-13.36	5.20	3	Horizontal	195	2.73	-	55.44	33.09	6.87	34.76
PK	5.2484G	123.86	Inf	-Inf	5.29	3	Horizontal	195	2.73	-	118.57	33.10	6.95	34.76
PK	5.3558G	59.66	74.00	-14.34	5.03	3	Horizontal	195	2.73	-	54.63	32.73	7.07	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5240MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72288G	53.85	54.00	-0.15	15.33	3	Vertical	76	1.50	-	38.52	38.08	12.28	35.03
PK	10.49332G	63.97	68.20	-4.23	12.71	3	Vertical	287	1.59	-	51.26	38.59	9.03	34.91
PK	15.7233G	69.36	74.00	-4.64	15.33	3	Vertical	76	1.50	-	54.03	38.08	12.28	35.03

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5240MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71844G	49.14	54.00	-4.86	15.33	3	Horizontal	308	1.50	-	33.81	38.08	12.28	35.03
PK	10.49098G	63.78	68.20	-4.42	12.71	3	Horizontal	276	1.61	-	51.07	38.59	9.03	34.91
PK	15.72366G	64.18	74.00	-9.82	15.34	3	Horizontal	308	1.50	-	48.84	38.08	12.29	35.03

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.29	54.00	-5.71	5.21	3	Vertical	108	1.50	-	43.08	33.10	6.87	34.76
AV	5.2684G	111.31	Inf	-Inf	5.23	3	Vertical	108	1.50	-	106.08	33.03	6.97	34.77
AV	5.3674G	48.54	54.00	-5.46	5.11	3	Vertical	108	1.50	-	43.43	32.80	7.08	34.77
PK	5.15G	58.99	74.00	-15.01	5.21	3	Vertical	108	1.50	-	53.78	33.10	6.87	34.76
PK	5.2678G	121.69	Inf	-Inf	5.23	3	Vertical	108	1.50	-	116.46	33.03	6.97	34.77
PK	5.3596G	58.98	74.00	-15.02	5.06	3	Vertical	108	1.50	-	53.92	32.76	7.07	34.77


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	49.51	54.00	-4.49	5.17	3	Horizontal	350	2.13	-	44.34	33.07	6.86	34.76
AV	5.2678G	114.97	Inf	-Inf	5.23	3	Horizontal	350	2.13	-	109.74	33.03	6.97	34.77
AV	5.368G	49.36	54.00	-4.64	5.12	3	Horizontal	350	2.13	-	44.24	32.81	7.08	34.77
PK	5.1388G	60.95	74.00	-13.05	5.19	3	Horizontal	350	2.13	-	55.76	33.08	6.87	34.76
PK	5.2672G	123.13	Inf	-Inf	5.23	3	Horizontal	350	2.13	-	117.90	33.03	6.97	34.77
PK	5.3752G	60.16	74.00	-13.84	5.17	3	Horizontal	350	2.13	-	54.99	32.85	7.09	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78048G	53.30	54.00	-0.70	15.30	3	Vertical	68	1.50	-	38.00	38.02	12.34	35.06
PK	10.52102G	65.32	68.20	-2.88	12.81	3	Vertical	270	2.90	-	52.51	38.66	9.04	34.89
PK	15.77268G	71.09	74.00	-2.91	15.30	3	Vertical	68	1.50	-	55.79	38.03	12.33	35.06


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77754G	53.76	54.00	-0.24	15.30	3	Horizontal	250	1.30	-	38.46	38.02	12.34	35.06
PK	10.51484G	60.24	68.20	-7.96	12.78	3	Horizontal	212	1.50	-	47.46	38.64	9.04	34.90
PK	15.78804G	68.07	74.00	-5.93	15.29	3	Horizontal	250	1.30	-	52.78	38.01	12.35	35.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	111.73	Inf	-Inf	5.11	3	Vertical	78	1.50	-	106.62	32.87	7.01	34.77
AV	5.3504G	50.94	54.00	-3.06	4.99	3	Vertical	78	1.50	-	45.95	32.70	7.06	34.77
PK	5.3036G	122.08	Inf	-Inf	5.13	3	Vertical	78	1.50	-	116.95	32.89	7.01	34.77
PK	5.3608G	63.19	74.00	-10.81	5.06	3	Vertical	78	1.50	-	58.13	32.76	7.07	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	114.42	Inf	-Inf	5.11	3	Horizontal	349	2.15	-	109.31	32.86	7.02	34.77
AV	5.3508G	50.15	54.00	-3.85	4.99	3	Horizontal	349	2.15	-	45.16	32.70	7.06	34.77
PK	5.3088G	123.90	Inf	-Inf	5.11	3	Horizontal	349	2.15	-	118.79	32.86	7.02	34.77
PK	5.3592G	62.01	74.00	-11.99	5.06	3	Horizontal	349	2.15	-	56.95	32.76	7.07	34.77



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60612G	50.63	54.00	-3.37	13.11	3	Vertical	286	1.50	-	37.52	38.91	9.07	34.87
AV	15.90216G	53.74	54.00	-0.26	14.93	3	Vertical	74	1.42	-	38.81	37.60	12.46	35.13
PK	10.60924G	64.02	74.00	-9.98	13.12	3	Vertical	286	1.50	-	50.90	38.92	9.07	34.87
PK	15.91242G	69.44	74.00	-4.56	14.93	3	Vertical	74	1.42	-	54.51	37.60	12.47	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6024G	49.14	54.00	-4.86	13.10	3	Horizontal	232	1.55	-	36.04	38.90	9.07	34.87
AV	15.90402G	52.60	54.00	-1.40	14.93	3	Horizontal	256	1.37	-	37.67	37.60	12.46	35.13
PK	10.6021G	61.65	74.00	-12.35	13.10	3	Horizontal	232	1.55	-	48.55	38.90	9.07	34.87
PK	15.90306G	68.23	74.00	-5.77	14.93	3	Horizontal	256	1.37	-	53.30	37.60	12.46	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	110.14	Inf	-Inf	5.09	3	Vertical	78	2.24	-	105.05	32.84	7.02	34.77
AV	5.3502G	52.74	54.00	-1.26	4.99	3	Vertical	78	2.24	-	47.75	32.70	7.06	34.77
PK	5.3166G	120.60	Inf	-Inf	5.08	3	Vertical	78	2.24	-	115.52	32.83	7.02	34.77
PK	5.3518G	71.30	74.00	-2.70	5.00	3	Vertical	78	2.24	-	66.30	32.71	7.06	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	111.62	Inf	-Inf	5.11	3	Horizontal	183	1.50	-	106.51	32.86	7.02	34.77
AV	5.3506G	53.23	54.00	-0.77	4.99	3	Horizontal	183	1.50	-	48.24	32.70	7.06	34.77
PK	5.311G	121.52	Inf	-Inf	5.11	3	Horizontal	183	1.50	-	116.41	32.86	7.02	34.77
PK	5.356G	71.59	74.00	-2.41	5.04	3	Horizontal	183	1.50	-	66.55	32.74	7.07	34.77



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64844G	47.99	54.00	-6.01	13.23	3	Vertical	285	1.31	-	34.76	39.00	9.08	34.85
AV	15.96632G	48.39	54.00	-5.61	14.96	3	Vertical	258	1.23	-	33.43	37.60	12.53	35.17
PK	10.64448G	61.64	74.00	-12.36	13.22	3	Vertical	285	1.31	-	48.42	38.99	9.08	34.85
PK	15.96636G	65.87	74.00	-8.13	14.96	3	Vertical	258	1.23	-	50.91	37.60	12.53	35.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63056G	50.24	54.00	-3.76	13.18	3	Horizontal	232	2.06	-	37.06	38.96	9.08	34.86
AV	15.95632G	48.23	54.00	-5.77	14.96	3	Horizontal	203	1.17	-	33.27	37.60	12.52	35.16
PK	10.63448G	63.62	74.00	-10.38	13.19	3	Horizontal	232	2.06	-	50.43	38.97	9.08	34.86
PK	15.95208G	63.06	74.00	-10.94	14.95	3	Horizontal	203	1.17	-	48.11	37.60	12.51	35.16



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	48.43	54.00	-5.57	5.13	3	Vertical	78	1.50	-	43.30	32.81	7.09	34.77
AV	5.5022G	107.42	Inf	-Inf	5.18	3	Vertical	78	1.50	-	102.24	32.90	7.05	34.77
PK	5.4688G	63.92	68.20	-4.28	5.15	3	Vertical	78	1.50	-	58.77	32.84	7.08	34.77
PK	5.5028G	119.14	Inf	-Inf	5.19	3	Vertical	78	1.50	-	113.95	32.91	7.05	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.21	54.00	-5.79	5.12	3	Horizontal	355	1.50	-	43.09	32.81	7.08	34.77
AV	5.491G	107.95	Inf	-Inf	5.17	3	Horizontal	355	1.50	-	102.78	32.88	7.06	34.77
PK	5.4666G	67.52	68.20	-0.68	5.14	3	Horizontal	355	1.50	-	62.38	32.83	7.08	34.77
PK	5.4924G	121.12	Inf	-Inf	5.17	3	Horizontal	355	1.50	-	115.95	32.88	7.06	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98998G	48.00	54.00	-6.00	13.18	3	Vertical	299	1.83	-	34.82	38.72	9.20	34.74
PK	10.98944G	60.49	74.00	-13.51	13.18	3	Vertical	299	1.83	-	47.31	38.72	9.20	34.74
PK	16.49876G	61.08	68.20	-7.12	16.45	3	Vertical	77	1.25	-	44.63	38.69	12.70	34.94


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9994G	43.77	54.00	-10.23	13.16	3	Horizontal	222	2.75	-	30.61	38.70	9.20	34.74
PK	10.99812G	55.03	74.00	-18.97	13.16	3	Horizontal	222	2.75	-	41.87	38.70	9.20	34.74
PK	16.50572G	59.30	68.20	-8.90	16.46	3	Horizontal	125	1.50	-	42.84	38.68	12.71	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	47.22	54.00	-6.78	5.21	3	Vertical	74	1.50	-	42.01	32.88	7.10	34.77
AV	5.5776G	107.86	Inf	-Inf	5.23	3	Vertical	74	1.50	-	102.63	33.00	7.00	34.77
PK	5.463G	57.74	68.20	-10.46	5.14	3	Vertical	74	1.50	-	52.60	32.83	7.08	34.77
PK	5.574G	119.01	Inf	-Inf	5.24	3	Vertical	74	1.50	-	113.77	33.00	7.01	34.77
PK	5.7276G	58.81	68.20	-9.39	5.68	3	Vertical	74	1.50	-	53.13	33.51	6.94	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	47.57	54.00	-6.43	5.12	3	Horizontal	355	1.50	-	42.45	32.81	7.08	34.77
AV	5.577G	108.34	Inf	-Inf	5.23	3	Horizontal	355	1.50	-	103.11	33.00	7.00	34.77
PK	5.4624G	58.40	68.20	-9.80	5.13	3	Horizontal	355	1.50	-	53.27	32.82	7.08	34.77
PK	5.577G	118.64	Inf	-Inf	5.23	3	Horizontal	355	1.50	-	113.41	33.00	7.00	34.77
PK	5.7252G	58.46	68.20	-9.74	5.67	3	Horizontal	355	1.50	-	52.79	33.50	6.94	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5580MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16762G	53.74	54.00	-0.26	13.23	3	Vertical	298	1.64	-	40.51	38.67	9.26	34.70
PK	11.16336G	67.35	74.00	-6.65	13.21	3	Vertical	298	1.64	-	54.14	38.66	9.25	34.70
PK	16.72728G	59.41	68.20	-8.79	16.43	3	Vertical	110	1.47	-	42.98	38.15	12.77	34.49

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5580MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1546G	53.17	54.00	-0.83	13.20	3	Horizontal	297	1.39	-	39.97	38.65	9.25	34.70
PK	11.15484G	66.76	74.00	-7.24	13.20	3	Horizontal	297	1.39	-	53.56	38.65	9.25	34.70
PK	16.7409G	59.69	68.20	-8.51	16.49	3	Horizontal	216	1.57	-	43.20	38.18	12.77	34.46

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.692G	105.48	Inf	-Inf	5.52	3	Vertical	54	1.69	-	99.96	33.34	6.95	34.77
PK	5.6908G	115.79	Inf	-Inf	5.51	3	Vertical	54	1.69	-	110.28	33.33	6.95	34.77
PK	5.7312G	59.01	68.20	-9.19	5.69	3	Vertical	54	1.69	-	53.32	33.52	6.94	34.77


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	105.08	Inf	-Inf	5.51	3	Horizontal	4	1.29	-	99.57	33.33	6.95	34.77
PK	5.6916G	114.16	Inf	-Inf	5.51	3	Horizontal	4	1.29	-	108.65	33.33	6.95	34.77
PK	5.7304G	60.08	68.20	-8.12	5.69	3	Horizontal	4	1.29	-	54.39	33.52	6.94	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3996G	53.35	54.00	-0.65	13.59	3	Vertical	257	1.46	-	39.76	38.90	9.33	34.64
PK	11.3985G	66.91	74.00	-7.09	13.59	3	Vertical	257	1.46	-	53.32	38.90	9.33	34.64
PK	17.09538G	59.75	68.20	-8.45	16.81	3	Vertical	246	1.03	-	42.94	38.00	12.88	34.07

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3973G	53.78	54.00	-0.22	13.59	3	Horizontal	244	1.50	-	40.19	38.90	9.33	34.64
PK	11.3975G	64.95	74.00	-9.05	13.59	3	Horizontal	244	1.50	-	51.36	38.90	9.33	34.64
PK	17.0825G	61.04	68.20	-7.16	16.82	3	Horizontal	216	1.87	-	44.22	38.00	12.87	34.05



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	46.56	54.00	-7.44	5.26	3	Vertical	92	1.50	-	41.30	32.92	7.11	34.77
AV	5.714G	103.30	Inf	-Inf	5.63	3	Vertical	92	1.50	-	97.67	33.46	6.94	34.77
PK	5.462G	57.33	68.20	-10.87	5.13	3	Vertical	92	1.50	-	52.20	32.82	7.08	34.77
PK	5.7128G	113.59	Inf	-Inf	5.62	3	Vertical	92	1.50	-	107.97	33.45	6.94	34.77
PK	5.9372G	60.91	68.20	-7.29	7.04	3	Vertical	92	1.50	-	53.87	34.30	7.51	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	46.65	54.00	-7.35	5.24	3	Horizontal	355	1.47	-	41.41	32.91	7.10	34.77
AV	5.7188G	104.62	Inf	-Inf	5.65	3	Horizontal	355	1.47	-	98.97	33.48	6.94	34.77
PK	5.4692G	56.76	68.20	-11.44	5.15	3	Horizontal	355	1.47	-	51.61	32.84	7.08	34.77
PK	5.7212G	114.91	Inf	-Inf	5.65	3	Horizontal	355	1.47	-	109.26	33.48	6.94	34.77
PK	5.9264G	59.56	68.20	-8.64	7.00	3	Horizontal	355	1.47	-	52.56	34.30	7.47	34.77




802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43968G	50.53	54.00	-3.47	13.54	3	Vertical	298	1.69	-	36.99	38.82	9.35	34.63
PK	11.45112G	63.41	74.00	-10.59	13.53	3	Vertical	298	1.69	-	49.88	38.80	9.35	34.62
PK	17.17632G	59.88	68.20	-8.32	16.95	3	Vertical	68	1.09	-	42.93	38.23	12.90	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43944G	53.49	54.00	-0.51	13.54	3	Horizontal	235	1.81	-	39.95	38.82	9.35	34.63
PK	11.4392G	66.75	74.00	-7.25	13.53	3	Horizontal	235	1.81	-	53.22	38.82	9.34	34.63
PK	17.17344G	60.11	68.20	-8.09	16.95	3	Horizontal	238	1.50	-	43.16	38.22	12.90	34.17



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	103.28	Inf	-Inf	5.73	3	Vertical	73	1.50	-	97.55	33.57	6.93	34.77
PK	5.547G	57.73	68.20	-10.47	5.24	3	Vertical	73	1.50	-	52.49	32.99	7.02	34.77
PK	5.7414G	114.45	Inf	-Inf	5.73	3	Vertical	73	1.50	-	108.72	33.57	6.93	34.77
PK	6.027G	59.50	68.20	-8.70	7.03	3	Vertical	73	1.50	-	52.47	34.09	7.71	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	103.56	Inf	-Inf	5.77	3	Horizontal	354	1.06	-	97.79	33.61	6.93	34.77
PK	5.5626G	58.25	68.20	-9.95	5.24	3	Horizontal	354	1.06	-	53.01	33.00	7.01	34.77
PK	5.7534G	113.96	Inf	-Inf	5.78	3	Horizontal	354	1.06	-	108.18	33.62	6.93	34.77
PK	6.0018G	59.72	68.20	-8.48	7.20	3	Horizontal	354	1.06	-	52.52	34.19	7.78	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4948G	52.69	54.00	-1.31	13.46	3	Vertical	287	2.90	-	39.23	38.71	9.36	34.61
PK	11.49616G	65.53	74.00	-8.47	13.46	3	Vertical	287	2.90	-	52.07	38.71	9.36	34.61
PK	17.22292G	59.66	68.20	-8.54	16.95	3	Vertical	0	1.50	-	42.71	38.28	12.91	34.24

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5745MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48944G	53.88	54.00	-0.12	13.47	3	Horizontal	220	1.50	-	40.41	38.72	9.36	34.61
PK	11.48904G	65.94	74.00	-8.06	13.47	3	Horizontal	220	1.50	-	52.47	38.72	9.36	34.61
PK	17.2406G	59.59	68.20	-8.61	16.92	3	Horizontal	49	3.00	-	42.67	38.26	12.92	34.26



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	101.91	Inf	-Inf	5.93	3	Vertical	73	1.50	-	95.98	33.78	6.92	34.77
PK	5.593G	58.49	68.20	-9.71	5.22	3	Vertical	73	1.50	-	53.27	33.00	6.99	34.77
PK	5.7934G	111.64	Inf	-Inf	6.00	3	Vertical	73	1.50	-	105.64	33.86	6.91	34.77
PK	5.9614G	59.62	68.20	-8.58	7.13	3	Vertical	73	1.50	-	52.49	34.28	7.62	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	106.79	Inf	-Inf	5.91	3	Horizontal	360	1.50	-	100.88	33.76	6.92	34.77
PK	5.6446G	58.88	68.20	-9.32	5.20	3	Horizontal	360	1.50	-	53.68	33.00	6.97	34.77
PK	5.7766G	116.50	Inf	-Inf	5.91	3	Horizontal	360	1.50	-	110.59	33.76	6.92	34.77
PK	6.0298G	59.32	68.20	-8.88	7.02	3	Horizontal	360	1.50	-	52.30	34.08	7.71	34.77




**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57344G	53.84	54.00	-0.16	13.31	3	Vertical	279	1.43	-	40.53	38.55	9.39	34.63
PK	11.5724G	68.00	74.00	-6.00	13.32	3	Vertical	279	1.43	-	54.68	38.56	9.39	34.63
PK	17.36676G	59.92	68.20	-8.28	16.86	3	Vertical	15	1.50	-	43.06	38.33	12.96	34.43

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5785MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5712G	53.79	54.00	-0.21	13.32	3	Horizontal	248	1.45	-	40.47	38.56	9.39	34.63
PK	11.58328G	66.22	74.00	-7.78	13.29	3	Horizontal	248	1.45	-	52.93	38.53	9.39	34.63
PK	17.35428G	60.11	68.20	-8.09	16.85	3	Horizontal	103	3.00	-	43.26	38.31	12.95	34.41



802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	102.89	Inf	-Inf	6.26	3	Vertical	70	1.50	-	96.63	34.00	7.03	34.77
PK	5.6462G	57.93	68.20	-10.27	5.20	3	Vertical	70	1.50	-	52.73	33.00	6.97	34.77
PK	5.8226G	114.10	Inf	-Inf	6.23	3	Vertical	70	1.50	-	107.87	33.99	7.01	34.77
PK	6.017G	59.01	68.20	-9.19	7.10	3	Vertical	70	1.50	-	51.91	34.13	7.74	34.77


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	101.61	Inf	-Inf	6.20	3	Horizontal	343	1.50	-	95.41	33.98	6.99	34.77
PK	5.6078G	58.40	68.20	-9.80	5.22	3	Horizontal	343	1.50	-	53.18	33.00	6.99	34.77
PK	5.8178G	111.66	Inf	-Inf	6.19	3	Horizontal	343	1.50	-	105.47	33.97	6.99	34.77
PK	5.9654G	59.36	68.20	-8.84	7.14	3	Horizontal	343	1.50	-	52.22	34.27	7.64	34.77

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65168G	51.89	54.00	-2.11	13.22	3	Vertical	288	2.98	-	38.67	38.45	9.42	34.65
PK	11.65264G	64.64	74.00	-9.36	13.22	3	Vertical	288	2.98	-	51.42	38.45	9.42	34.65
PK	17.46332G	60.10	68.20	-8.10	16.63	3	Vertical	232	1.50	-	43.47	38.21	12.98	34.56

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5825MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6484G	53.29	54.00	-0.71	13.21	3	Horizontal	209	1.70	-	40.08	38.45	9.41	34.65
PK	11.64776G	66.25	74.00	-7.75	13.21	3	Horizontal	209	1.70	-	53.04	38.45	9.41	34.65
PK	17.4706G	59.23	68.20	-8.97	16.61	3	Horizontal	12	3.00	-	42.62	38.19	12.99	34.57



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1288G	49.81	54.00	-4.19	5.16	3	Vertical	287	1.76	-	44.65	33.06	6.86	34.76
AV	5.2056G	102.79	Inf	-Inf	5.33	3	Vertical	287	1.76	-	97.46	33.19	6.90	34.76
PK	5.1392G	63.83	74.00	-10.17	5.19	3	Vertical	287	1.76	-	58.64	33.08	6.87	34.76
PK	5.1964G	113.64	Inf	-Inf	5.32	3	Vertical	287	1.76	-	108.32	33.19	6.89	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.39	54.00	-0.61	5.21	3	Horizontal	360	2.00	-	48.18	33.10	6.87	34.76
AV	5.172G	103.70	Inf	-Inf	5.26	3	Horizontal	360	2.00	-	98.44	33.14	6.88	34.76
PK	5.1476G	68.47	74.00	-5.53	5.21	3	Horizontal	360	2.00	-	63.26	33.10	6.87	34.76
PK	5.1744G	115.43	Inf	-Inf	5.27	3	Horizontal	360	2.00	-	110.16	33.15	6.88	34.76




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56848G	45.77	54.00	-8.23	15.38	3	Vertical	164	2.39	-	30.39	38.19	12.13	34.94
PK	10.38496G	55.38	68.20	-12.82	12.52	3	Vertical	259	1.46	-	42.86	38.53	9.00	35.01
PK	15.57052G	57.00	74.00	-17.00	15.37	3	Vertical	164	2.39	-	41.63	38.18	12.13	34.94


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57336G	45.76	54.00	-8.24	15.36	3	Horizontal	136	2.98	-	30.40	38.16	12.14	34.94
PK	10.40704G	55.28	68.20	-12.92	12.52	3	Horizontal	202	1.50	-	42.76	38.51	9.00	34.99
PK	15.56794G	57.95	74.00	-16.05	15.38	3	Horizontal	136	2.98	-	42.57	38.19	12.13	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.27	54.00	-0.73	5.21	3	Vertical	360	1.50	-	48.06	33.10	6.87	34.76
AV	5.214G	109.12	Inf	-Inf	5.32	3	Vertical	360	1.50	-	103.80	33.17	6.91	34.76
PK	5.1392G	70.35	74.00	-3.65	5.19	3	Vertical	360	1.50	-	65.16	33.08	6.87	34.76
PK	5.2128G	118.84	Inf	-Inf	5.31	3	Vertical	360	1.50	-	113.53	33.17	6.90	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.76	54.00	-1.24	5.21	3	Horizontal	187	1.50	-	47.55	33.10	6.87	34.76
AV	5.248G	109.12	Inf	-Inf	5.29	3	Horizontal	187	1.50	-	103.83	33.10	6.95	34.76
PK	5.1484G	68.83	74.00	-5.17	5.21	3	Horizontal	187	1.50	-	63.62	33.10	6.87	34.76
PK	5.2472G	119.73	Inf	-Inf	5.29	3	Horizontal	187	1.50	-	114.44	33.11	6.94	34.76




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6592G	50.57	54.00	-3.43	15.29	3	Vertical	73	1.50	-	35.28	38.06	12.22	34.99
PK	10.45986G	59.96	68.20	-8.24	12.64	3	Vertical	279	2.78	-	47.32	38.56	9.02	34.94
PK	15.66088G	67.34	74.00	-6.66	15.29	3	Vertical	73	1.50	-	52.05	38.06	12.22	34.99


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68062G	51.06	54.00	-2.94	15.32	3	Horizontal	313	2.93	-	35.74	38.08	12.24	35.00
PK	10.46G	63.56	68.20	-4.64	12.64	3	Horizontal	299	1.51	-	50.92	38.56	9.02	34.94
PK	15.71492G	65.43	74.00	-8.57	15.35	3	Horizontal	313	2.93	-	50.08	38.09	12.28	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.26G	110.96	Inf	-Inf	5.25	3	Vertical	257	2.03	-	105.71	33.06	6.96	34.77
AV	5.3512G	52.09	54.00	-1.91	5.00	3	Vertical	257	2.03	-	47.09	32.71	7.06	34.77
PK	5.256G	121.84	Inf	-Inf	5.26	3	Vertical	257	2.03	-	116.58	33.08	6.95	34.77
PK	5.3508G	66.20	74.00	-7.80	4.99	3	Vertical	257	2.03	-	61.21	32.70	7.06	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2884G	110.79	Inf	-Inf	5.17	3	Horizontal	360	1.64	-	105.62	32.95	6.99	34.77
AV	5.35G	53.60	54.00	-0.40	4.99	3	Horizontal	360	1.64	-	48.61	32.70	7.06	34.77
PK	5.288G	123.23	Inf	-Inf	5.17	3	Horizontal	360	1.64	-	118.06	32.95	6.99	34.77
PK	5.3504G	71.24	74.00	-2.76	4.99	3	Horizontal	360	1.64	-	66.25	32.70	7.06	34.77




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8156G	52.06	54.00	-1.94	15.24	3	Vertical	71	1.48	-	36.82	37.94	12.38	35.08
PK	10.5328G	63.66	68.20	-4.54	12.86	3	Vertical	268	3.00	-	50.80	38.70	9.05	34.89
PK	15.78248G	68.71	74.00	-5.29	15.30	3	Vertical	71	1.48	-	53.41	38.02	12.34	35.06


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81912G	50.70	54.00	-3.30	15.21	3	Horizontal	218	1.50	-	35.49	37.92	12.38	35.09
PK	10.53296G	62.32	68.20	-5.88	12.86	3	Horizontal	272	1.44	-	49.46	38.70	9.05	34.89
PK	15.77736G	64.83	74.00	-9.17	15.30	3	Horizontal	218	1.50	-	49.53	38.02	12.34	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	105.54	Inf	-Inf	5.11	3	Vertical	76	1.50	-	100.43	32.87	7.01	34.77
AV	5.3504G	50.24	54.00	-3.76	4.99	3	Vertical	76	1.50	-	45.25	32.70	7.06	34.77
PK	5.3068G	117.44	Inf	-Inf	5.11	3	Vertical	76	1.50	-	112.33	32.87	7.01	34.77
PK	5.3508G	73.54	74.00	-0.46	4.99	3	Vertical	76	1.50	-	68.55	32.70	7.06	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	106.99	Inf	-Inf	5.10	3	Horizontal	181	1.96	-	101.89	32.85	7.02	34.77
AV	5.35G	48.60	54.00	-5.40	4.99	3	Horizontal	181	1.96	-	43.61	32.70	7.06	34.77
PK	5.312G	117.09	Inf	-Inf	5.10	3	Horizontal	181	1.96	-	111.99	32.85	7.02	34.77
PK	5.3544G	63.86	74.00	-10.14	5.03	3	Horizontal	181	1.96	-	58.83	32.73	7.07	34.77



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62336G	45.46	54.00	-8.54	13.17	3	Vertical	278	1.58	-	32.29	38.95	9.08	34.86
AV	15.96424G	45.73	54.00	-8.27	14.95	3	Vertical	252	2.80	-	30.78	37.60	12.52	35.17
PK	10.63072G	61.15	74.00	-12.85	13.18	3	Vertical	278	1.58	-	47.97	38.96	9.08	34.86
PK	15.91496G	57.19	74.00	-16.81	14.94	3	Vertical	252	2.80	-	42.25	37.60	12.48	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63872G	44.44	54.00	-9.56	13.20	3	Horizontal	314	1.50	-	31.24	38.98	9.08	34.86
AV	15.91016G	45.77	54.00	-8.23	14.93	3	Horizontal	179	2.02	-	30.84	37.60	12.47	35.14
PK	10.61984G	56.79	74.00	-17.21	13.15	3	Horizontal	314	1.50	-	43.64	38.94	9.07	34.86
PK	15.90552G	57.74	74.00	-16.26	14.93	3	Horizontal	179	2.02	-	42.81	37.60	12.47	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	49.14	54.00	-4.86	5.12	3	Vertical	81	1.34	-	44.02	32.80	7.09	34.77
AV	5.5036G	105.98	Inf	-Inf	5.19	3	Vertical	81	1.34	-	100.79	32.91	7.05	34.77
PK	5.4684G	67.58	68.20	-0.62	5.15	3	Vertical	81	1.34	-	62.43	32.84	7.08	34.77
PK	5.5016G	117.43	Inf	-Inf	5.18	3	Vertical	81	1.34	-	112.25	32.90	7.05	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	49.22	54.00	-4.78	5.12	3	Horizontal	0	1.50	-	44.10	32.80	7.09	34.77
AV	5.5268G	106.38	Inf	-Inf	5.22	3	Horizontal	0	1.50	-	101.16	32.95	7.04	34.77
PK	5.468G	60.96	68.20	-7.24	5.15	3	Horizontal	0	1.50	-	55.81	32.84	7.08	34.77
PK	5.5264G	117.25	Inf	-Inf	5.22	3	Horizontal	0	1.50	-	112.03	32.95	7.04	34.77




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01928G	48.55	54.00	-5.45	13.16	3	Vertical	291	1.78	-	35.39	38.68	9.21	34.73
PK	11.02648G	60.32	74.00	-13.68	13.15	3	Vertical	291	1.78	-	47.17	38.67	9.21	34.73
PK	16.52606G	58.57	68.20	-9.63	16.42	3	Vertical	218	1.20	-	42.15	38.60	12.71	34.89


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00152G	49.44	54.00	-4.56	13.16	3	Horizontal	209	2.11	-	36.28	38.70	9.20	34.74
PK	11.02G	62.91	74.00	-11.09	13.16	3	Horizontal	209	2.11	-	49.75	38.68	9.21	34.73
PK	16.53326G	58.53	68.20	-9.67	16.41	3	Horizontal	48	1.69	-	42.12	38.57	12.71	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.92	54.00	-6.08	5.13	3	Vertical	88	1.50	-	42.79	32.82	7.08	34.77
AV	5.5552G	106.36	Inf	-Inf	5.25	3	Vertical	88	1.50	-	101.11	33.00	7.02	34.77
PK	5.4668G	60.02	68.20	-8.18	5.14	3	Vertical	88	1.50	-	54.88	32.83	7.08	34.77
PK	5.5472G	117.12	Inf	-Inf	5.24	3	Vertical	88	1.50	-	111.88	32.99	7.02	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	48.14	54.00	-5.86	5.13	3	Horizontal	3	1.73	-	43.01	32.81	7.09	34.77
AV	5.536G	105.99	Inf	-Inf	5.23	3	Horizontal	3	1.73	-	100.76	32.97	7.03	34.77
PK	5.4648G	60.23	68.20	-7.97	5.14	3	Horizontal	3	1.73	-	55.09	32.83	7.08	34.77
PK	5.538G	117.10	Inf	-Inf	5.24	3	Horizontal	3	1.73	-	111.86	32.98	7.03	34.77




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5550MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08264G	50.93	54.00	-3.07	13.13	3	Vertical	255	1.48	-	37.80	38.62	9.23	34.72
PK	11.08376G	64.24	74.00	-9.76	13.13	3	Vertical	255	1.48	-	51.11	38.62	9.23	34.72
PK	16.64838G	58.45	68.20	-9.75	16.31	3	Vertical	257	2.42	-	42.14	38.20	12.75	34.64


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5550MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08296G	53.68	54.00	-0.32	13.13	3	Horizontal	215	2.29	-	40.55	38.62	9.23	34.72
PK	11.08206G	68.54	74.00	-5.46	13.13	3	Horizontal	215	2.29	-	55.41	38.62	9.23	34.72
PK	16.6534G	59.71	68.20	-8.49	16.31	3	Horizontal	262	2.61	-	43.40	38.19	12.75	34.63




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	103.55	Inf	-Inf	5.30	3	Vertical	99	1.60	-	98.25	33.11	6.96	34.77
PK	5.661G	114.57	Inf	-Inf	5.29	3	Vertical	99	1.60	-	109.28	33.09	6.97	34.77
PK	5.7342G	59.90	68.20	-8.30	5.71	3	Vertical	99	1.60	-	54.19	33.54	6.94	34.77

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.688G	104.71	Inf	-Inf	5.48	3	Horizontal	4	1.71	-	99.23	33.30	6.95	34.77
PK	5.6868G	115.80	Inf	-Inf	5.48	3	Horizontal	4	1.71	-	110.32	33.29	6.96	34.77
PK	5.7882G	60.23	68.20	-7.97	5.97	3	Horizontal	4	1.71	-	54.26	33.83	6.91	34.77

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32096G	51.35	54.00	-2.65	13.55	3	Vertical	289	1.32	-	37.80	38.90	9.31	34.66
PK	11.34G	65.08	74.00	-8.92	13.56	3	Vertical	289	1.32	-	51.52	38.90	9.31	34.65
PK	17.01482G	58.29	68.20	-9.91	16.89	3	Vertical	202	1.64	-	41.40	38.00	12.85	33.96


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31632G	53.88	54.00	-0.12	13.54	3	Horizontal	238	2.65	-	40.34	38.90	9.30	34.66
PK	11.31632G	66.85	74.00	-7.15	13.54	3	Horizontal	238	2.65	-	53.31	38.90	9.30	34.66
PK	17.01286G	59.84	68.20	-8.36	16.89	3	Horizontal	190	1.32	-	42.95	38.00	12.85	33.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.92	54.00	-8.08	5.13	3	Vertical	58	1.72	-	40.79	32.82	7.08	34.77
AV	5.693G	103.34	Inf	-Inf	5.52	3	Vertical	58	1.72	-	97.82	33.34	6.95	34.77
PK	5.464G	57.38	68.20	-10.82	5.14	3	Vertical	58	1.72	-	52.24	32.83	7.08	34.77
PK	5.692G	114.07	Inf	-Inf	5.52	3	Vertical	58	1.72	-	108.55	33.34	6.95	34.77
PK	5.912G	60.25	68.20	-7.95	6.93	3	Vertical	58	1.72	-	53.32	34.30	7.40	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.99	54.00	-8.01	5.13	3	Horizontal	356	1.25	-	40.86	32.82	7.08	34.77
AV	5.703G	103.13	Inf	-Inf	5.59	3	Horizontal	356	1.25	-	97.54	33.41	6.95	34.77
PK	5.461G	57.07	68.20	-11.13	5.13	3	Horizontal	356	1.25	-	51.94	32.82	7.08	34.77
PK	5.703G	114.03	Inf	-Inf	5.59	3	Horizontal	356	1.25	-	108.44	33.41	6.95	34.77
PK	5.889G	60.37	68.20	-7.83	6.79	3	Horizontal	356	1.25	-	53.58	34.26	7.30	34.77




802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39968G	49.94	54.00	-4.06	13.59	3	Vertical	278	1.50	-	36.35	38.90	9.33	34.64
PK	11.42G	64.92	74.00	-9.08	13.57	3	Vertical	278	1.50	-	51.35	38.86	9.34	34.63
PK	17.1293G	59.93	68.20	-8.27	16.87	3	Vertical	87	2.62	-	43.06	38.09	12.89	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40024G	53.86	54.00	-0.14	13.59	3	Horizontal	247	1.50	-	40.27	38.90	9.33	34.64
PK	11.41964G	67.53	74.00	-6.47	13.57	3	Horizontal	247	1.50	-	53.96	38.86	9.34	34.63
PK	17.13064G	60.26	68.20	-7.94	16.86	3	Horizontal	246	1.50	-	43.40	38.09	12.89	34.12



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7418G	101.48	Inf	-Inf	5.73	3	Vertical	81	1.50	-	95.75	33.57	6.93	34.77
PK	5.545G	59.06	68.20	-9.14	5.25	3	Vertical	81	1.50	-	53.81	32.99	7.03	34.77
PK	5.767G	110.75	Inf	-Inf	5.85	3	Vertical	81	1.50	-	104.90	33.70	6.92	34.77
PK	6.0298G	60.17	68.20	-8.03	7.02	3	Vertical	81	1.50	-	53.15	34.08	7.71	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.773G	102.89	Inf	-Inf	5.89	3	Horizontal	2	1.50	-	97.00	33.74	6.92	34.77
PK	5.6434G	59.12	68.20	-9.08	5.20	3	Horizontal	2	1.50	-	53.92	33.00	6.97	34.77
PK	5.7706G	113.76	Inf	-Inf	5.87	3	Horizontal	2	1.50	-	107.89	33.72	6.92	34.77
PK	5.9758G	59.69	68.20	-8.51	7.16	3	Horizontal	2	1.50	-	52.53	34.25	7.68	34.77




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49312G	51.75	54.00	-2.25	13.46	3	Vertical	255	1.50	-	38.29	38.71	9.36	34.61
PK	11.50776G	65.53	74.00	-8.47	13.44	3	Vertical	255	1.50	-	52.09	38.68	9.37	34.61
PK	17.26996G	59.27	68.20	-8.93	16.86	3	Vertical	191	1.94	-	42.41	38.23	12.93	34.30

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5755MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51496G	53.63	54.00	-0.37	13.43	3	Horizontal	246	1.50	-	40.20	38.67	9.37	34.61
PK	11.516G	68.20	74.00	-5.80	13.43	3	Horizontal	246	1.50	-	54.77	38.67	9.37	34.61
PK	17.25764G	58.92	68.20	-9.28	16.87	3	Horizontal	4	2.62	-	42.05	38.24	12.92	34.29



802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	101.89	Inf	-Inf	5.99	3	Vertical	75	1.54	-	95.90	33.85	6.91	34.77
PK	5.5922G	59.23	68.20	-8.97	5.23	3	Vertical	75	1.54	-	54.00	33.00	7.00	34.77
PK	5.7914G	112.74	Inf	-Inf	5.99	3	Vertical	75	1.54	-	106.75	33.85	6.91	34.77
PK	5.957G	60.84	68.20	-7.36	7.12	3	Vertical	75	1.54	-	53.72	34.29	7.60	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	102.10	Inf	-Inf	5.91	3	Horizontal	356	1.50	-	96.19	33.76	6.92	34.77
PK	5.633G	59.83	68.20	-8.37	5.21	3	Horizontal	356	1.50	-	54.62	33.00	6.98	34.77
PK	5.777G	111.94	Inf	-Inf	5.91	3	Horizontal	356	1.50	-	106.03	33.76	6.92	34.77
PK	5.9366G	59.80	68.20	-8.40	7.04	3	Horizontal	356	1.50	-	52.76	34.30	7.51	34.77




**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57336G	53.74	54.00	-0.26	13.31	3	Vertical	285	1.46	-	40.43	38.55	9.39	34.63
PK	11.58984G	67.23	74.00	-6.77	13.27	3	Vertical	285	1.46	-	53.96	38.52	9.39	34.64
PK	17.42468G	59.53	68.20	-8.67	16.79	3	Vertical	149	1.09	-	42.74	38.33	12.97	34.51


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57592G	52.97	54.00	-1.03	13.31	3	Horizontal	221	1.70	-	39.66	38.55	9.39	34.63
PK	11.57304G	66.95	74.00	-7.05	13.31	3	Horizontal	221	1.70	-	53.64	38.55	9.39	34.63
PK	17.39316G	59.30	68.20	-8.90	16.88	3	Horizontal	241	2.43	-	42.42	38.39	12.96	34.47

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.24	54.00	-0.76	5.21	3	Vertical	269	1.50	-	48.03	33.10	6.87	34.76
AV	5.176G	103.60	Inf	-Inf	5.27	3	Vertical	269	1.50	-	98.33	33.15	6.88	34.76
AV	5.406G	47.25	54.00	-6.75	5.33	3	Vertical	269	1.50	-	41.92	32.98	7.12	34.77
PK	5.146G	73.62	74.00	-0.38	5.20	3	Vertical	269	1.50	-	68.42	33.09	6.87	34.76
PK	5.198G	113.70	Inf	-Inf	5.33	3	Vertical	269	1.50	-	108.37	33.20	6.89	34.76
PK	5.405G	59.34	74.00	-14.66	5.33	3	Vertical	269	1.50	-	54.01	32.98	7.12	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.78	54.00	-0.22	5.21	3	Horizontal	195	2.34	-	48.57	33.10	6.87	34.76
AV	5.176G	105.03	Inf	-Inf	5.27	3	Horizontal	195	2.34	-	99.76	33.15	6.88	34.76
AV	5.359G	47.57	54.00	-6.43	5.05	3	Horizontal	195	2.34	-	42.52	32.75	7.07	34.77
PK	5.144G	66.44	74.00	-7.56	5.20	3	Horizontal	195	2.34	-	61.24	33.09	6.87	34.76
PK	5.246G	113.40	Inf	-Inf	5.29	3	Horizontal	195	2.34	-	108.11	33.11	6.94	34.76
PK	5.44G	58.98	74.00	-15.02	5.16	3	Horizontal	195	2.34	-	53.82	32.84	7.09	34.77




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70744G	44.39	54.00	-9.61	15.34	3	Vertical	171	2.14	-	29.05	38.09	12.27	35.02
PK	10.3766G	55.32	68.20	-12.88	12.53	3	Vertical	243	3.00	-	42.79	38.55	8.99	35.01
PK	15.69016G	55.98	74.00	-18.02	15.33	3	Vertical	171	2.14	-	40.65	38.09	12.25	35.01

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70744G	44.44	54.00	-9.56	15.34	3	Horizontal	316	2.18	-	29.10	38.09	12.27	35.02
PK	10.41352G	55.10	68.20	-13.10	12.54	3	Horizontal	235	1.00	-	42.56	38.51	9.01	34.98
PK	15.6252G	55.30	74.00	-18.70	15.25	3	Horizontal	316	2.18	-	40.05	38.03	12.19	34.97



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.70	54.00	-4.30	5.21	3	Vertical	360	2.00	-	44.49	33.10	6.87	34.76
AV	5.265G	102.70	Inf	-Inf	5.23	3	Vertical	360	2.00	-	97.47	33.04	6.96	34.77
AV	5.35G	53.35	54.00	-0.65	4.99	3	Vertical	360	2.00	-	48.36	32.70	7.06	34.77
PK	5.146G	62.59	74.00	-11.41	5.20	3	Vertical	360	2.00	-	57.39	33.09	6.87	34.76
PK	5.252G	114.82	Inf	-Inf	5.27	3	Vertical	360	2.00	-	109.55	33.09	6.95	34.77
PK	5.371G	73.38	74.00	-0.62	5.15	3	Vertical	360	2.00	-	68.23	32.83	7.09	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.79	54.00	-5.21	5.21	3	Horizontal	202	1.50	-	43.58	33.10	6.87	34.76
AV	5.257G	104.37	Inf	-Inf	5.26	3	Horizontal	202	1.50	-	99.11	33.07	6.96	34.77
AV	5.35G	51.75	54.00	-2.25	4.99	3	Horizontal	202	1.50	-	46.76	32.70	7.06	34.77
PK	5.15G	60.74	74.00	-13.26	5.21	3	Horizontal	202	1.50	-	55.53	33.10	6.87	34.76
PK	5.255G	116.19	Inf	-Inf	5.26	3	Horizontal	202	1.50	-	110.93	33.08	6.95	34.77
PK	5.384G	70.36	74.00	-3.64	5.23	3	Horizontal	202	1.50	-	65.13	32.90	7.10	34.77




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79416G	43.89	54.00	-10.11	15.30	3	Vertical	342	1.00	-	28.59	38.01	12.36	35.07
PK	10.59488G	54.63	68.20	-13.57	13.08	3	Vertical	34	1.50	-	41.55	38.88	9.07	34.87
PK	15.82328G	55.26	74.00	-18.74	15.20	3	Vertical	342	1.00	-	40.06	37.91	12.38	35.09


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82808G	43.83	54.00	-10.17	15.19	3	Horizontal	93	2.70	-	28.64	37.89	12.39	35.09
PK	10.57232G	54.25	68.20	-13.95	13.00	3	Horizontal	303	1.50	-	41.25	38.82	9.06	34.88
PK	15.79672G	54.87	74.00	-19.13	15.29	3	Horizontal	93	2.70	-	39.58	38.00	12.36	35.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.05	54.00	-1.95	5.13	3	Vertical	65	2.47	-	46.92	32.82	7.08	34.77
AV	5.493G	102.51	Inf	-Inf	5.18	3	Vertical	65	2.47	-	97.33	32.89	7.06	34.77
PK	5.464G	67.54	68.20	-0.66	5.14	3	Vertical	65	2.47	-	62.40	32.83	7.08	34.77
PK	5.556G	111.53	Inf	-Inf	5.25	3	Vertical	65	2.47	-	106.28	33.00	7.02	34.77
PK	5.744G	60.31	68.20	-7.89	5.74	3	Vertical	65	2.47	-	54.57	33.58	6.93	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.48	54.00	-2.52	5.13	3	Horizontal	348	1.50	-	46.35	32.82	7.08	34.77
AV	5.501G	101.31	Inf	-Inf	5.18	3	Horizontal	348	1.50	-	96.13	32.90	7.05	34.77
PK	5.462G	65.44	68.20	-2.76	5.13	3	Horizontal	348	1.50	-	60.31	32.82	7.08	34.77
PK	5.503G	112.65	Inf	-Inf	5.19	3	Horizontal	348	1.50	-	107.46	32.91	7.05	34.77
PK	5.746G	59.43	68.20	-8.77	5.74	3	Horizontal	348	1.50	-	53.69	33.58	6.93	34.77




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00208G	50.53	54.00	-3.47	13.16	3	Vertical	253	1.50	-	37.37	38.70	9.20	34.74
PK	11.00096G	63.85	74.00	-10.15	13.16	3	Vertical	253	1.50	-	50.69	38.70	9.20	34.74
PK	16.51032G	55.06	68.20	-13.14	16.45	3	Vertical	322	1.73	-	38.61	38.66	12.71	34.92

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5530MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0014G	47.98	54.00	-6.02	13.16	3	Horizontal	214	1.50	-	34.82	38.70	9.20	34.74
PK	11.0022G	66.03	74.00	-7.97	13.16	3	Horizontal	214	1.50	-	52.87	38.70	9.20	34.74
PK	16.60536G	55.06	68.20	-13.14	16.30	3	Horizontal	237	2.17	-	38.76	38.29	12.74	34.73



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.19	54.00	-3.81	5.13	3	Vertical	85	1.50	-	45.06	32.82	7.08	34.77
AV	5.576G	106.73	Inf	-Inf	5.24	3	Vertical	85	1.50	-	101.49	33.00	7.01	34.77
PK	5.468G	63.00	68.20	-5.20	5.15	3	Vertical	85	1.50	-	57.85	32.84	7.08	34.77
PK	5.614G	116.73	Inf	-Inf	5.21	3	Vertical	85	1.50	-	111.52	33.00	6.98	34.77
PK	5.725G	67.55	68.20	-0.65	5.67	3	Vertical	85	1.50	-	61.88	33.50	6.94	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.78	54.00	-4.22	5.13	3	Horizontal	356	1.28	-	44.65	32.82	7.08	34.77
AV	5.576G	106.22	Inf	-Inf	5.24	3	Horizontal	356	1.28	-	100.98	33.00	7.01	34.77
PK	5.469G	63.05	68.20	-5.15	5.15	3	Horizontal	356	1.28	-	57.90	32.84	7.08	34.77
PK	5.579G	116.44	Inf	-Inf	5.23	3	Horizontal	356	1.28	-	111.21	33.00	7.00	34.77
PK	5.726G	66.56	68.20	-1.64	5.67	3	Horizontal	356	1.28	-	60.89	33.50	6.94	34.77




**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16236G	51.53	54.00	-2.47	13.21	3	Vertical	255	1.08	-	38.32	38.66	9.25	34.70
PK	11.16176G	70.85	74.00	-3.15	13.21	3	Vertical	255	1.08	-	57.64	38.66	9.25	34.70
PK	16.80856G	54.18	68.20	-14.02	16.75	3	Vertical	324	2.75	-	37.43	38.28	12.79	34.32


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1581G	52.86	54.00	-1.14	13.21	3	Horizontal	242	1.50	-	39.65	38.66	9.25	34.70
PK	11.1572G	71.59	74.00	-2.41	13.21	3	Horizontal	242	1.50	-	58.38	38.66	9.25	34.70
PK	16.79516G	53.05	68.20	-15.15	16.73	3	Horizontal	145	1.06	-	36.32	38.29	12.79	34.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.16	54.00	-6.84	5.13	3	Vertical	80	1.50	-	42.03	32.82	7.08	34.77
AV	5.683G	102.05	Inf	-Inf	5.45	3	Vertical	80	1.50	-	96.60	33.26	6.96	34.77
PK	5.465G	58.50	68.20	-9.70	5.14	3	Vertical	80	1.50	-	53.36	32.83	7.08	34.77
PK	5.691G	113.36	Inf	-Inf	5.51	3	Vertical	80	1.50	-	107.85	33.33	6.95	34.77
PK	5.928G	61.13	68.20	-7.07	7.00	3	Vertical	80	1.50	-	54.13	34.30	7.47	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.85	54.00	-7.15	5.12	3	Horizontal	7	1.37	-	41.73	32.81	7.08	34.77
AV	5.665G	103.92	Inf	-Inf	5.31	3	Horizontal	7	1.37	-	98.61	33.12	6.96	34.77
PK	5.465G	58.66	68.20	-9.54	5.14	3	Horizontal	7	1.37	-	53.52	32.83	7.08	34.77
PK	5.655G	115.05	Inf	-Inf	5.24	3	Horizontal	7	1.37	-	109.81	33.04	6.97	34.77
PK	5.918G	60.59	68.20	-7.61	6.96	3	Horizontal	7	1.37	-	53.63	34.30	7.43	34.77




802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3204G	52.92	54.00	-1.08	13.55	3	Vertical	252	1.50	-	39.37	38.90	9.31	34.66
PK	11.32116G	73.06	74.00	-0.94	13.55	3	Vertical	252	1.50	-	59.51	38.90	9.31	34.66
PK	16.99608G	47.32	68.20	-20.88	16.90	3	Vertical	207	1.93	-	30.42	38.00	12.85	33.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31882G	53.71	54.00	-0.29	13.55	3	Horizontal	204	3.00	-	40.16	38.90	9.31	34.66
PK	11.31862G	73.92	74.00	-0.08	13.55	3	Horizontal	204	3.00	-	60.37	38.90	9.31	34.66
PK	17.02456G	47.81	68.20	-20.39	16.89	3	Horizontal	217	1.31	-	30.92	38.00	12.86	33.97



802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	99.69	Inf	-Inf	5.77	3	Vertical	74	1.50	-	93.92	33.61	6.93	34.77
PK	5.589G	60.08	68.20	-8.12	5.23	3	Vertical	74	1.50	-	54.85	33.00	7.00	34.77
PK	5.7486G	110.98	Inf	-Inf	5.75	3	Vertical	74	1.50	-	105.23	33.59	6.93	34.77
PK	5.9874G	60.29	68.20	-7.91	7.19	3	Vertical	74	1.50	-	53.10	34.23	7.73	34.77


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	103.53	Inf	-Inf	5.76	3	Horizontal	358	1.50	-	97.77	33.60	6.93	34.77
PK	5.643G	60.85	68.20	-7.35	5.20	3	Horizontal	358	1.50	-	55.65	33.00	6.97	34.77
PK	5.7738G	112.05	Inf	-Inf	5.89	3	Horizontal	358	1.50	-	106.16	33.74	6.92	34.77
PK	5.9274G	60.31	68.20	-7.89	7.00	3	Horizontal	358	1.50	-	53.31	34.30	7.47	34.77

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4956G	53.93	54.00	-0.07	13.46	3	Vertical	288	1.74	-	40.47	38.71	9.36	34.61
PK	11.49496G	68.28	74.00	-5.72	13.46	3	Vertical	288	1.74	-	54.82	38.71	9.36	34.61
PK	17.35028G	52.42	68.20	-15.78	16.84	3	Vertical	2	1.50	-	35.58	38.30	12.95	34.41


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48432G	52.93	54.00	-1.07	13.48	3	Horizontal	234	2.79	-	39.45	38.73	9.36	34.61
PK	11.48282G	73.54	74.00	-0.46	13.48	3	Horizontal	234	2.79	-	60.06	38.73	9.36	34.61
PK	17.39636G	50.64	68.20	-17.56	16.88	3	Horizontal	111	1.97	-	33.76	38.39	12.96	34.47

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	50.06	54.00	-3.94	5.20	3	Vertical	358	2.25	-	44.86	33.09	6.87	34.76
AV	5.1768G	97.60	Inf	-Inf	5.27	3	Vertical	358	2.25	-	92.33	33.15	6.88	34.76
AV	5.376G	47.75	54.00	-6.25	5.18	3	Vertical	358	2.25	-	42.57	32.86	7.09	34.77
PK	5.1444G	73.87	74.00	-0.13	5.20	3	Vertical	358	2.25	-	68.67	33.09	6.87	34.76
PK	5.2308G	107.93	Inf	-Inf	5.31	3	Vertical	358	2.25	-	102.62	33.14	6.93	34.76
PK	5.3952G	72.30	74.00	-1.70	5.31	3	Vertical	358	2.25	-	66.99	32.97	7.11	34.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	50.43	54.00	-3.57	5.19	3	Horizontal	208	2.80	-	45.24	33.08	6.87	34.76
AV	5.2116G	95.18	Inf	-Inf	5.32	3	Horizontal	208	2.80	-	89.86	33.18	6.90	34.76
AV	5.3616G	48.02	54.00	-5.98	5.08	3	Horizontal	208	2.80	-	42.94	32.77	7.08	34.77
PK	5.1276G	71.83	74.00	-2.17	5.16	3	Horizontal	208	2.80	-	66.67	33.06	6.86	34.76
PK	5.1768G	111.95	Inf	-Inf	5.27	3	Horizontal	208	2.80	-	106.68	33.15	6.88	34.76
PK	5.3868G	71.21	74.00	-2.79	5.25	3	Horizontal	208	2.80	-	65.96	32.92	7.10	34.77



802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77528G	44.25	54.00	-9.75	15.30	3	Vertical	323	2.15	-	28.95	38.02	12.34	35.06
PK	10.54256G	53.78	68.20	-14.42	12.89	3	Vertical	46	1.71	-	40.89	38.73	9.05	34.89
PK	15.70744G	55.51	74.00	-18.49	15.34	3	Vertical	323	2.15	-	40.17	38.09	12.27	35.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71512G	44.33	54.00	-9.67	15.34	3	Horizontal	226	1.43	-	28.99	38.08	12.28	35.02
PK	10.45232G	53.95	68.20	-14.25	12.63	3	Horizontal	293	2.49	-	41.32	38.55	9.02	34.94
PK	15.78136G	55.55	74.00	-18.45	15.30	3	Horizontal	226	1.43	-	40.25	38.02	12.34	35.06



802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	49.06	54.00	-4.94	5.12	3	Vertical	79	2.34	-	43.94	32.81	7.08	34.77
AV	5.5076G	96.05	Inf	-Inf	5.20	3	Vertical	79	2.34	-	90.85	32.92	7.05	34.77
PK	5.4608G	65.09	68.20	-3.11	5.13	3	Vertical	79	2.34	-	59.96	32.82	7.08	34.77
PK	5.6024G	107.34	Inf	-Inf	5.22	3	Vertical	79	2.34	-	102.12	33.00	6.99	34.77
PK	5.738G	61.57	68.20	-6.63	5.71	3	Vertical	79	2.34	-	55.86	33.55	6.93	34.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.93	54.00	-6.07	5.13	3	Horizontal	0	1.80	-	42.80	32.81	7.09	34.77
AV	5.504G	100.42	Inf	-Inf	5.19	3	Horizontal	0	1.80	-	95.23	32.91	7.05	34.77
PK	5.4644G	67.41	68.20	-0.79	5.14	3	Horizontal	0	1.80	-	62.27	32.83	7.08	34.77
PK	5.5052G	109.75	Inf	-Inf	5.19	3	Horizontal	0	1.80	-	104.56	32.91	7.05	34.77
PK	5.7356G	65.69	68.20	-2.51	5.71	3	Horizontal	0	1.80	-	59.98	33.54	6.94	34.77




**802.11ax HEW160-BF_Nss1,(MCS0)_4TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17136G	42.22	54.00	-11.78	13.23	3	Vertical	131	2.33	-	28.99	38.67	9.26	34.70
PK	11.10672G	53.44	74.00	-20.56	13.14	3	Vertical	131	2.33	-	40.30	38.61	9.24	34.71

**802.11ax HEW160-BF_Nss1,(MCS0)_4TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16912G	42.33	54.00	-11.67	13.23	3	Horizontal	297	1.30	-	29.10	38.67	9.26	34.70
PK	11.06576G	53.72	74.00	-20.28	13.13	3	Horizontal	297	1.30	-	40.59	38.63	9.22	34.72
PK	16.66328G	53.91	68.20	-14.29	16.31	3	Horizontal	79	2.34	-	37.60	38.17	12.75	34.61



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.60068G	49.85	54.00	-4.15	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.874G	44.44	54.00	-9.56	3	Vertical	10	1.54
Mode 1	Pass	AV	7.31044G	47.17	54.00	-6.83	3	Vertical	90	2.44
Mode 1	Pass	AV	10.4008G	47.83	68.20	-20.37	3	Vertical	285	2.14
Mode 1	Pass	AV	12.18915G	45.40	54.00	-8.60	3	Vertical	87	1.89
Mode 1	Pass	AV	15.5996G	48.97	54.00	-5.03	3	Vertical	90	1.43
Mode 1	Pass	PK	4.8736G	57.27	74.00	-16.73	3	Vertical	10	1.54
Mode 1	Pass	PK	7.31052G	61.40	74.00	-12.60	3	Vertical	90	2.44
Mode 1	Pass	PK	10.40084G	61.44	68.20	-6.76	3	Vertical	285	2.14
Mode 1	Pass	PK	12.19011G	60.78	74.00	-13.22	3	Vertical	87	1.89
Mode 1	Pass	PK	15.59984G	67.72	74.00	-6.28	3	Vertical	90	1.43
Mode 1	Pass	AV	4.8732G	47.77	54.00	-6.23	3	Horizontal	204	1.33
Mode 1	Pass	AV	7.31431G	43.83	54.00	-10.17	3	Horizontal	155	1.90
Mode 1	Pass	AV	10.4016G	49.01	68.20	-19.19	3	Horizontal	298	1.88
Mode 1	Pass	AV	12.18205G	46.50	54.00	-7.50	3	Horizontal	57	2.29
Mode 1	Pass	AV	15.60068G	49.85	54.00	-4.15	3	Horizontal	323	1.66
Mode 1	Pass	PK	4.8723G	60.91	74.00	-13.09	3	Horizontal	204	1.33
Mode 1	Pass	PK	7.31447G	57.61	74.00	-16.39	3	Horizontal	155	1.90
Mode 1	Pass	PK	10.4016G	61.77	68.20	-6.43	3	Horizontal	298	1.88
Mode 1	Pass	PK	12.18229G	61.60	74.00	-12.40	3	Horizontal	57	2.29
Mode 1	Pass	PK	15.59589G	69.66	74.00	-4.34	3	Horizontal	323	1.66

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	44.44	54.00	-9.56	8.13	3	Vertical	10	1.54	36.31	32.60	9.70	34.17
AV	7.31044G	47.17	54.00	-6.83	13.58	3	Vertical	90	2.44	33.59	36.76	11.32	34.50
AV	10.4008G	47.83	68.20	-20.37	17.00	3	Vertical	285	2.14	30.83	38.90	12.69	34.59
AV	12.18915G	45.40	54.00	-8.60	18.37	3	Vertical	87	1.89	27.03	39.20	13.43	34.26
AV	15.5996G	48.97	54.00	-5.03	20.05	3	Vertical	90	1.43	28.92	38.70	15.72	34.37
PK	4.8736G	57.27	74.00	-16.73	8.12	3	Vertical	10	1.54	49.15	32.59	9.70	34.17
PK	7.31052G	61.40	74.00	-12.60	13.58	3	Vertical	90	2.44	47.82	36.76	11.32	34.50
PK	10.40084G	61.44	68.20	-6.76	17.00	3	Vertical	285	2.14	44.44	38.90	12.69	34.59
PK	12.19011G	60.78	74.00	-13.22	18.37	3	Vertical	87	1.89	42.41	39.20	13.43	34.26
PK	15.59984G	67.72	74.00	-6.28	20.05	3	Vertical	90	1.43	47.67	38.70	15.72	34.37

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8732G	47.77	54.00	-6.23	8.12	3	Horizontal	204	1.33	39.65	32.59	9.70	34.17
AV	7.31431G	43.83	54.00	-10.17	13.56	3	Horizontal	155	1.90	30.27	36.74	11.32	34.50
AV	10.4016G	49.01	68.20	-19.19	17.00	3	Horizontal	298	1.88	32.01	38.90	12.69	34.59
AV	12.18205G	46.50	54.00	-7.50	18.35	3	Horizontal	57	2.29	28.15	39.20	13.42	34.27
AV	15.60068G	49.85	54.00	-4.15	20.05	3	Horizontal	323	1.66	29.80	38.70	15.72	34.37
PK	4.8723G	60.91	74.00	-13.09	8.12	3	Horizontal	204	1.33	52.79	32.59	9.70	34.17
PK	7.31447G	57.61	74.00	-16.39	13.56	3	Horizontal	155	1.90	44.05	36.74	11.32	34.50
PK	10.4016G	61.77	68.20	-6.43	17.00	3	Horizontal	298	1.88	44.77	38.90	12.69	34.59
PK	12.18229G	61.60	74.00	-12.40	18.35	3	Horizontal	57	2.29	43.25	39.20	13.42	34.27
PK	15.59589G	69.66	74.00	-4.34	20.07	3	Horizontal	323	1.66	49.59	38.71	15.72	34.36