











**Appendix B. Test Result of Maximum EIRP & Power Spectral Density**

Test Engineer :	Carry Xu	Temperature :	22~23°C
		Relative Humidity :	41~42%

**<CDD 1S4T Mode>**

**Maximum EIRP**

**Test Result**

TestMode	Antenna	Freq(MHz)	Read Level (dBμV/m)	Path Loss (dB)	DT Factor	Final Level (dBμV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX20MIMO	total	5935	82.24	6.76	0.09	89.09	-6.11	≤30.00	PASS
	total	5955	102.42	6.85	0.09	109.36	14.16	≤30.00	PASS
	total	6175	101.32	7.86	0.09	109.27	14.07	≤30.00	PASS
	total	6415	99.66	8.87	0.09	108.62	13.42	≤30.00	PASS
	total	6435	99.9	8.97	0.09	108.96	13.76	≤30.00	PASS
	total	6475	99.4	9.09	0.09	108.58	13.38	≤30.00	PASS
	total	6515	98.99	9.22	0.09	108.3	13.1	≤30.00	PASS
	total	6535	99.46	9.34	0.09	108.89	13.69	≤30.00	PASS
	total	6695	98.11	9.87	0.09	108.07	12.87	≤30.00	PASS
	total	6855	100.05	10.03	0.09	110.17	14.97	≤30.00	PASS
	total	6875	98.51	10.07	0.09	108.67	13.47	≤30.00	PASS
	total	6895	98.89	10.07	0.09	109.05	13.85	≤30.00	PASS
	total	6995	98.71	10.21	0.09	109.01	13.81	≤30.00	PASS
	total	7095	98.05	10.43	0.09	108.57	13.37	≤30.00	PASS
	total	7115	77.4	10.47	0.09	87.96	-7.24	≤30.00	PASS
11AX40MIMO	total	5965	104.71	6.86	0.17	111.74	16.54	≤30.00	PASS
	total	6165	104.74	7.95	0.17	112.86	17.66	≤30.00	PASS
	total	6405	101.64	8.8	0.17	110.61	15.41	≤30.00	PASS
	total	6445	101.31	8.97	0.17	110.45	15.25	≤30.00	PASS
	total	6485	102.03	9.09	0.17	111.29	16.09	≤30.00	PASS
	total	6525	101.3	9.28	0.17	110.75	15.55	≤30.00	PASS
	total	6565	101.13	9.4	0.17	110.7	15.5	≤30.00	PASS
	total	6685	101.99	9.81	0.17	111.97	16.77	≤30.00	PASS
	total	6845	102.32	10.01	0.17	112.5	17.3	≤30.00	PASS
	total	6885	103.36	10.07	0.17	113.6	18.4	≤30.00	PASS
	total	6925	101.24	10.12	0.17	111.53	16.33	≤30.00	PASS
	total	7005	101.5	10.21	0.17	111.88	16.68	≤30.00	PASS
total	7085	101.12	10.37	0.17	111.66	16.46	≤30.00	PASS	
11AX80MIMO	total	5985	107.58	7.03	0.33	114.94	19.74	≤30.00	PASS
	total	6145	107.44	7.69	0.33	115.46	20.26	≤30.00	PASS
	total	6385	104.9	8.8	0.33	114.03	18.83	≤30.00	PASS
	total	6465	104.16	9.03	0.33	113.52	18.32	≤30.00	PASS
	total	6545	104.62	9.28	0.33	114.23	19.03	≤30.00	PASS





TestMode	Antenna	Freq(MHz)	Read Level (dBµV/m)	Path Loss (dB)	DT Factor	Final Level (dBµV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX80MIMO	total	6625	103.82	9.57	0.33	113.72	18.52	≤30.00	PASS
	total	6705	104.4	9.89	0.33	114.62	19.42	≤30.00	PASS
	total	6785	105.1	9.93	0.33	115.36	20.16	≤30.00	PASS
	total	6865	105.95	10.03	0.33	116.31	21.11	≤30.00	PASS
	total	6945	104.21	10.16	0.33	114.7	19.5	≤30.00	PASS
	total	7025	104.08	10.29	0.33	114.7	19.5	≤30.00	PASS
11AX160MIMO	total	6025	108.2	7.03	0.55	115.78	20.58	≤30.00	PASS
	total	6185	110.46	7.78	0.55	118.79	23.59	≤30.00	PASS
	total	6345	108.55	8.44	0.55	117.54	22.34	≤30.00	PASS
	total	6505	106.95	9.28	0.55	116.78	22.48	≤30.00	PASS
	total	6665	107.19	9.69	0.55	117.43	22.23	≤30.00	PASS
	total	6825	107.17	9.96	0.55	117.68	22	≤30.00	PASS
	total	6985	106.44	10.21	0.55	117.2	21.58	≤30.00	PASS

Note:

EIRP(dBm) = Final Level(dBµV/m) - 95.2

Final Level(dBµV/m) = Read Level(dBµV/m) + Path Loss(dB) + DT Factor

Path Loss(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Preamp Factor(dB)



### Maximum power spectral density

#### Test Result

TestMode	Antenna	Freq(MHz)	Read Level (dBμV/m)	Path Loss (dB)	DT Factor	Final Level (dBμV/m)	EIRP PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	total	5935	75.23	6.76	0.09	82.08	-13.12	≤5.00	PASS
	total	5955	92.35	6.84	0.09	99.28	4.08	≤5.00	PASS
	total	6175	91.88	7.86	0.09	99.83	4.63	≤5.00	PASS
	total	6415	90.77	8.87	0.09	99.73	4.53	≤5.00	PASS
	total	6435	90.45	8.97	0.09	99.51	4.31	≤5.00	PASS
	total	6475	90.64	9.09	0.09	99.82	4.62	≤5.00	PASS
	total	6515	90.6	9.22	0.09	99.91	4.71	≤5.00	PASS
	total	6535	90.73	9.00	0.09	99.82	4.62	≤5.00	PASS
	total	6695	89.43	9.87	0.09	99.39	4.19	≤5.00	PASS
	total	6855	89.81	10.03	0.09	99.93	4.73	≤5.00	PASS
	total	6875	89.16	10.08	0.09	99.33	4.13	≤5.00	PASS
	total	6895	90.01	10.07	0.09	100.17	4.97	≤5.00	PASS
	total	6995	89.75	10.21	0.09	100.05	4.85	≤5.00	PASS
	total	7095	88.9	10.44	0.09	99.43	4.23	≤5.00	PASS
total	7115	68.94	10.47	0.09	79.5	-15.7	≤5.00	PASS	
11AX40MIMO	total	5965	92.84	6.86	0.17	99.87	4.67	≤5.00	PASS
	total	6165	91.43	7.95	0.17	99.55	4.35	≤5.00	PASS
	total	6405	90.49	8.80	0.17	99.46	4.26	≤5.00	PASS
	total	6445	90.32	8.97	0.17	99.46	4.26	≤5.00	PASS
	total	6485	90.75	9.09	0.17	100.01	4.81	≤5.00	PASS
	total	6525	90.23	9.28	0.17	99.68	4.48	≤5.00	PASS
	total	6565	90.16	9.40	0.17	99.73	4.53	≤5.00	PASS
	total	6685	90.15	9.82	0.17	100.14	4.94	≤5.00	PASS
	total	6845	89.92	10.01	0.17	100.1	4.9	≤5.00	PASS
	total	6885	89.92	10.07	0.17	100.16	4.96	≤5.00	PASS
	total	6925	89.11	10.12	0.17	99.4	4.2	≤5.00	PASS
	total	7005	89.75	10.21	0.17	100.13	4.93	≤5.00	PASS
total	7085	89.51	10.37	0.17	100.05	4.85	≤5.00	PASS	
11AX80MIMO	total	5985	92.46	7.03	0.33	99.82	4.62	≤5.00	PASS
	total	6145	91.7	7.70	0.33	99.73	4.53	≤5.00	PASS
	total	6385	90.57	8.80	0.33	99.7	4.5	≤5.00	PASS
	total	6465	89.95	9.03	0.33	99.31	4.11	≤5.00	PASS
	total	6545	90.31	9.28	0.33	99.92	4.72	≤5.00	PASS
	total	6625	89.63	9.57	0.33	99.53	4.33	≤5.00	PASS



TestMode	Antenna	Freq(MHz)	Read Level (dBµV/m)	Path Loss (dB)	DT Factor	Final Level (dBµV/m)	EIRP PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX80MIMO	total	6705	89.16	9.89	0.33	99.38	4.18	≤5.00	PASS
	total	6785	89.36	9.92	0.33	99.61	4.41	≤5.00	PASS
	total	6865	89.61	10.03	0.33	99.97	4.77	≤5.00	PASS
	total	6945	89.16	10.17	0.33	99.66	4.46	≤5.00	PASS
	total	7025	89.53	10.30	0.33	100.16	4.96	≤5.00	PASS
11AX160MIMO	total	6025	91.64	7.03	0.55	99.22	4.02	≤5.00	PASS
	total	6185	91.44	7.77	0.55	99.76	4.56	≤5.00	PASS
	total	6345	90.41	8.44	0.55	99.4	4.2	≤5.00	PASS
	total	6505	89.99	9.28	0.55	99.82	4.62	≤5.00	PASS
	total	6665	89.37	9.69	0.55	99.61	4.41	≤5.00	PASS
	total	6825	88.76	9.96	0.55	99.27	4.07	≤5.00	PASS
	total	6985	88.88	10.21	0.55	99.64	4.44	≤5.00	PASS

Note:

EIRP PSD(dBm/MHz) = Final Level(dBµV/m) - 95.2


Final Level(dBµV/m) = Read Level(dBµV/m) + Path Loss(dB) + DT Factor

Path Loss(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Preamp Factor(dB)

Path loss has been compensated in the graph.



Test Graphs






11AX20MIMO\_Total\_5955



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 4



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 2 Plane : Y IMEI : #10 Powersetting : 13 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 5956.04, 92.35, -----, -----, 100, 52 Peak, VERTICAL




11AX20MIMO\_Total\_6175



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 3  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 12  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6176.12	91.88	-----	-----	100	53 Peak	VERTICAL




11AX20MIMO\_Total\_6415



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel:+86-512-57900158  
 fax:+86-512-57900958  
<http://www.sporton.com.cn>

Data: 4



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 4  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6411.56	90.77	-----	-----	244	162	Peak	VERTICAL




11AX20MIMO\_Total\_6435



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 5  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6436.12	90.45	-----	-----	100	54	Peak	VERTICAL






11AX20MIMO\_Total\_6475



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 4



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 6  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6469.04	90.64	-----	-----	100	164	Peak	VERTICAL




11AX20MIMO\_Total\_6515



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 2  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Read Freq	Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6515.80	90.60	-----	-----	100	60	Peak	VERTICAL




11AX20MIMO\_Total\_6535



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 2 Plane : Y IMEI : #10 Powersetting : 10 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6539.28, 90.38, -----, -----, 102, 163, Peak, VERTICAL




11AX20MIMO\_Total\_6695



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel:+86-512-57900158  
 fax:+86-512-57900958  
<http://www.sporton.com.cn>

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 9  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
1	Freq	Level	Limit	Line	cm	deg	
	MHz	dBuV	dB	dBuV/m			
1	6691.40	89.43	-----	-----	107	50 Peak	VERTICAL




11AX20MIMO\_Total\_6855



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 9 Plane : Y IMEI : #10 Powersetting : 11 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6859.36, 89.81, -----, -----, 100, 167, Peak, VERTICAL




11AX20MIMO\_Total\_6875



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 40 Plane : Y IMEI : #10 Powersetting : 11 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6880.84, 89.16, -----, -----, 100, 116 Peak, VERTICAL




11AX20MIMO\_Total\_6895



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 11 Plane : Y IMEI : #10 Powersetting : 11 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6896.36, 90.01, -----, -----, 100, 50, Peak, VERTICAL




11AX20MIMO\_Total\_6995



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 12  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6995.84	89.75	-----	-----	100	116 Peak	VERTICAL






11AX20MIMO\_Total\_7095



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 13 Plane : Y IMEI : #10 Powersetting : 10 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 7095.96, 88.90, -----, -----, 100, 60 Peak, VERTICAL




11AX20MIMO\_Total\_7115



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 1



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 14  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : -7  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
Freq	Level	Limit	Line				
MHz	dBuV	dB	dBuV/m	cm	deg		
1 7115.92	68.94	-----	-----	111	114	Peak	VERTICAL




11AX40MIMO\_Total\_5965



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 1



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 15 Plane : Y IMEI : #10 Powersetting : 15 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 5971.00, 92.84, -----, -----, 192, 157, Peak, VERTICAL




11AX40MIMO\_Total\_6165



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+886-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 1



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 16  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 15  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6181.00	91.43	-----	-----	100	52 Peak	VERTICAL




11AX40MIMO\_Total\_6405



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 17  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 13  
 : PSD

	Read Freq	Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6396.52	90.49	-----	-----	241	152	Peak	VERTICAL




11AX40MIMO\_Total\_6445



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 18 Plane : Y IMEI : #10 Powersetting : 12 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6440.92, 90.32, -----, -----, 100, 53 Peak, VERTICAL




11AX40MIMO\_Total\_6485



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS Condition : 3m VERTICAL RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto Project : (FR)#R2230133 Mode : 19 Plane : Y Full-directivity IMEI : #10 Powersetting : 13 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6475.80, 90.75, -----, -----, 100, 50, Peak, VERTICAL




11AX40MIMO\_Total\_6525



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 44 Plane : Y IMEI : #10 Powersetting : 12 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6529.08, 90.23, -----, -----, 100, 164 Peak, VERTICAL






11AX40MIMO\_Total\_6565



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 20  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 12  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6559.40	90.16	-----	-----	100	163 Peak	VERTICAL




11AX40MIMO\_Total\_6685



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+886-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 21  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 13  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6680.92	90.15	-----	-----	100	51 Peak	VERTICAL




11AX40MIMO\_Total\_6845



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 22  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 14  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6840.68	89.92	-----	-----	100	50	Peak	VERTICAL




11AX40MIMO\_Total\_6885



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 4



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 41  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 15  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6895.96	89.92	-----	-----	100	50 Peak	VERTICAL




11AX40MIMO\_Total\_6925



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 23  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 13  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6930.84	89.11	-----	-----	100	116	Peak	VERTICAL




11AX40MIMO\_Total\_7005



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 23 Plane : Y IMEI : #10 Powersetting : PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6930.84, 89.11, -----, -----, 100, 116 Peak, VERTICAL




11AX40MIMO\_Total\_7085



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 25  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 13  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
1	Freq	Level	Limit	Line	cm	deg	
	MHz	dBuV	dB	dBuV/m			
1	7075.56	89.51	-----	-----	100	50 Peak	VERTICAL




11AX80MIMO\_Total\_5985



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 1



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 26 Plane : Y IMEI : #10 Powersetting : 18 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 5994.44, 92.46, -----, -----, 102, 162, Peak, VERTICAL






11AX80MIMO\_Total\_6145



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 27 Plane : Y IMEI : #10 Powersetting : 19 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6136.04, 91.70, -----, -----, 103, 54 Peak, VERTICAL




11AX80MIMO\_Total\_6385



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 4



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 28  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 16  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6396.52	90.57	-----	-----	248	152 Peak	VERTICAL




11AX80MIMO\_Total\_6465



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 29  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 15  
 : PSD

	Read Freq	Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6454.60	89.95	-----	-----	114	163	Peak	VERTICAL




11AX80MIMO\_Total\_6545



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 6



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 45 Plane : Y IMEI : #10 Powersetting : 15.5 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6530.92, 90.31, -----, -----, 100, 239, Peak, VERTICAL




11AX80MIMO\_Total\_6625



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 30 Plane : Y IMEI : #10 Powersetting : 16 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6614.44, 89.63, -----, -----, 101, 163, Peak, VERTICAL




11AX80MIMO\_Total\_6705



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel:+886-512-57900158  
 fax:+86-512-57900958  
<http://www.sporton.com.cn>

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 31  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 16  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6715.88	89.16	-----	-----	100	50	Peak	VERTICAL




11AX80MIMO\_Total\_6785



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 32  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 17  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
1	Freq	Level	Limit	Line	cm	deg	
	MHz	dBuV	dB	dBuV/m			
1	6756.20	89.36	-----	-----	100	49 Peak	VERTICAL




11AX80MIMO\_Total\_6865



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 42 Plane : Y IMEI : #10 Powersetting : 18 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6855.72, 89.61, -----, -----, 100, 50, Peak, VERTICAL






11AX80MIMO\_Total\_6945



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 33  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 17  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6956.68	89.16	-----	-----	100	49	Peak	VERTICAL




11AX80MIMO\_Total\_7025



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 34  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 16  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	7036.20	89.53	-----	-----	100	115	Peak	VERTICAL




11AX160MIMO\_Total\_6025



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 9



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 35  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 19  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6001.32	91.64	-----	-----	223	148 Peak	VERTICAL




11AX160MIMO\_Total\_6185



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+886-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 Project : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Mode : (FR)#R2230133  
 Plane : 36  
 : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 22  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6157.16	91.44	-----	-----	300	146 Peak	VERTICAL




11AX160MIMO\_Total\_6345



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 37  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 20  
 : PSD

	Read Freq	Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6309.80	90.41	-----	-----	100	159	Peak	VERTICAL




11AX160MIMO\_Total\_6505



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 8



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 4G  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 18.5  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6530.92	89.99	-----	-----	100	241 Peak	VERTICAL




11AX160MIMO\_Total\_6665



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 3



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 38  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 19  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6635.88	89.37	-----	-----	100	52 Peak	VERTICAL




11AX160MIMO\_Total\_6825



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 2



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 43  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 20  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6795.88	88.76	-----	-----	100	51 Peak	VERTICAL






11AX160MIMO\_Total\_6985



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 1



Site : 03CH05-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 39  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 19  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	7007.40	88.88	-----	-----	187	49 Peak	VERTICAL



<TXBF 1S4T Mode>

Maximum EIRP

Test Result

TestMode	Antenna	Freq(MHz)	Read Level (dBμV/m)	Path Loss (dB)	DT Factor	Final Level (dBμV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX20MIMO	total	5935	91.35	7.65	0.09	99.09	3.89	≤30.00	PASS
	total	5955	103.03	6.55	0.09	109.67	15.66	≤30.00	PASS
	total	6175	103.12	8.75	0.09	111.96	16.76	≤30.00	PASS
	total	6415	100.46	9.76	0.09	110.31	15.11	≤30.00	PASS
	total	6435	100.61	9.86	0.09	110.56	15.36	≤30.00	PASS
	total	6475	99.83	9.98	0.09	109.9	14.7	≤30.00	PASS
	total	6515	100.69	10.11	0.09	110.89	15.69	≤30.00	PASS
	total	6535	100.18	10.21	0.09	110.48	15.28	≤30.00	PASS
	total	6695	100.76	10.76	0.09	111.61	16.41	≤30.00	PASS
	total	6855	102.08	10.94	0.09	113.11	17.91	≤30.00	PASS
	total	6875	100.41	10.94	0.09	111.44	16.24	≤30.00	PASS
	total	6895	101.9	10.98	0.09	112.97	17.77	≤30.00	PASS
	total	6995	100.86	11.08	0.09	112.03	16.83	≤30.00	PASS
	total	7095	98.71	11.32	0.09	110.12	14.92	≤30.00	PASS
total	7115	86.03	11.35	0.09	97.47	2.27	≤30.00	PASS	
11AX40MIMO	total	5965	105.62	7.58	0.17	113.37	18.17	≤30.00	PASS
	total	6165	106.87	8.51	0.17	115.55	20.35	≤30.00	PASS
	total	6405	104.88	9.58	0.17	114.63	19.43	≤30.00	PASS
	total	6445	104.56	9.66	0.17	114.39	19.19	≤30.00	PASS
	total	6485	103.84	9.82	0.17	113.83	18.63	≤30.00	PASS
	total	6525	103.62	10.07	0.17	113.86	18.66	≤30.00	PASS
	total	6565	103.67	10.2	0.17	114.04	18.84	≤30.00	PASS
	total	6685	103.77	10.59	0.17	114.53	19.33	≤30.00	PASS
	total	6845	104.83	10.74	0.17	115.74	20.54	≤30.00	PASS
	total	6885	105.36	10.8	0.17	116.33	21.13	≤30.00	PASS
	total	6925	103.09	10.83	0.17	114.09	18.89	≤30.00	PASS
	total	7005	103.72	10.98	0.17	114.87	19.67	≤30.00	PASS
total	7085	102.07	11.15	0.17	113.39	18.19	≤30.00	PASS	
11AX80MIMO	total	5985	108.61	7.22	0.33	116.16	20.96	≤30.00	PASS
	total	6145	109.51	8.16	0.33	118	22.8	≤30.00	PASS
	total	6385	107.04	9.18	0.33	116.55	21.35	≤30.00	PASS
	total	6465	105.98	9.48	0.33	115.79	20.59	≤30.00	PASS
	total	6545	106.64	9.73	0.33	116.7	21.5	≤30.00	PASS



TestMode	Antenna	Freq(MHz)	Read Level (dBµV/m)	Path Loss (dB)	DT Factor	Final Level (dBµV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX80MIMO	total	6625	105.5	10.02	0.33	115.85	20.65	≤30.00	PASS
	total	6705	106.37	10.32	0.33	117.02	21.82	≤30.00	PASS
	total	6785	107.81	10.39	0.33	118.53	23.33	≤30.00	PASS
	total	6865	107.38	10.5	0.33	118.21	23.01	≤30.00	PASS
	total	6945	107.25	10.64	0.33	118.22	23.02	≤30.00	PASS
	total	7025	106.19	10.74	0.33	117.26	22.06	≤30.00	PASS
11AX160MIMO	total	6025	112.29	7.11	0.55	119.95	24.75	≤30.00	PASS
	total	6185	111.73	8.16	0.55	120.44	25.21	≤30.00	PASS
	total	6345	110.29	8.59	0.55	119.43	24.23	≤30.00	PASS
	total	6505	108.39	9.67	0.55	118.61	23.95	≤30.00	PASS
	total	6665	108.83	9.77	0.55	119.15	23.52	≤30.00	PASS
	total	6825	110.16	10.04	0.55	120.75	25.55	≤30.00	PASS
	total	6985	107.86	10.31	0.55	118.72	23.41	≤30.00	PASS

Note:

EIRP(dBm) = Final Level(dBµV/m) - 95.2

Final Level(dBµV/m) = Read Level(dBµV/m) + Path Loss(dB) + DT Factor

Path Loss(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Preamp Factor(dB)



### Maximum power spectral density

#### Test Result

TestMode	Antenna	Freq(MHz)	Read Level (dBμV/m)	Path Loss (dB)	DT Factor	Final Level (dBμV/m)	EIRP PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	total	5935	82.73	7.65	0.09	90.47	-4.73	≤5.00	PASS
	total	5955	92.26	7.73	0.09	100.08	4.88	≤5.00	PASS
	total	6175	91.11	8.75	0.09	99.95	4.75	≤5.00	PASS
	total	6415	89.48	9.76	0.09	99.33	4.13	≤5.00	PASS
	total	6435	89.82	9.86	0.09	99.77	4.57	≤5.00	PASS
	total	6475	89.97	9.98	0.09	100.04	4.84	≤5.00	PASS
	total	6515	89.97	10.11	0.09	100.17	4.97	≤5.00	PASS
	total	6535	89.34	10.22	0.09	99.65	4.45	≤5.00	PASS
	total	6695	88.51	10.76	0.09	99.36	4.16	≤5.00	PASS
	total	6855	89.14	10.94	0.09	100.17	4.52	≤5.00	PASS
	total	6875	88.87	10.94	0.09	99.9	4.7	≤5.00	PASS
	total	6895	88.71	10.98	0.09	99.78	4.58	≤5.00	PASS
	total	6995	88.52	11.08	0.09	99.69	4.49	≤5.00	PASS
	total	7095	88.45	11.33	0.09	99.87	4.67	≤5.00	PASS
	total	7115	78.36	11.35	0.09	89.8	-5.4	≤5.00	PASS
11AX40MIMO	total	5965	92.14	7.57	0.17	99.88	4.68	≤5.00	PASS
	total	6165	91.06	8.50	0.17	99.73	4.53	≤5.00	PASS
	total	6405	90.34	9.58	0.17	100.09	4.89	≤5.00	PASS
	total	6445	89.74	9.66	0.17	99.57	4.37	≤5.00	PASS
	total	6485	90.17	9.82	0.17	100.16	4.96	≤5.00	PASS
	total	6525	89.51	10.08	0.17	99.76	4.56	≤5.00	PASS
	total	6565	89.6	10.19	0.17	99.96	4.76	≤5.00	PASS
	total	6685	89.41	10.59	0.17	100.17	4.97	≤5.00	PASS
	total	6845	88.8	10.74	0.17	99.71	4.51	≤5.00	PASS
	total	6885	88.95	10.81	0.17	99.93	4.73	≤5.00	PASS
	total	6925	89.12	10.83	0.17	100.12	4.92	≤5.00	PASS
	total	7005	88.11	10.97	0.17	99.25	4.05	≤5.00	PASS
total	7085	88.49	11.15	0.17	99.81	4.61	≤5.00	PASS	
11AX80MIMO	total	5985	92.49	7.22	0.33	100.04	4.84	≤5.00	PASS
	total	6145	90.88	8.16	0.33	99.37	4.17	≤5.00	PASS
	total	6385	89.93	9.18	0.33	99.44	4.24	≤5.00	PASS
	total	6465	89.77	9.48	0.33	99.58	4.38	≤5.00	PASS
	total	6545	89.94	9.73	0.33	100	4.8	≤5.00	PASS
	total	6625	89.36	10.02	0.33	99.71	4.51	≤5.00	PASS



TestMode	Antenna	Freq(MHz)	Read Level (dBµV/m)	Path Loss (dB)	DT Factor	Final Level (dBµV/m)	EIRP PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX80MIMO	total	6705	88.68	10.32	0.33	99.33	4.13	≤5.00	PASS
	total	6785	88.68	10.40	0.33	99.41	4.21	≤5.00	PASS
	total	6865	89.01	10.51	0.33	99.85	4.65	≤5.00	PASS
	total	6945	88.59	10.64	0.33	99.56	4.36	≤5.00	PASS
	total	7025	88.45	10.75	0.33	99.53	4.33	≤5.00	PASS
11AX160MIMO	total	6025	92.42	7.11	0.55	100.08	4.88	≤5.00	PASS
	total	6185	91.17	8.16	0.55	99.88	4.68	≤5.00	PASS
	total	6345	90.72	8.59	0.55	99.86	4.66	≤5.00	PASS
	total	6505	90.29	9.17	0.55	100.01	4.81	≤5.00	PASS
	total	6665	89.46	9.77	0.55	99.78	4.58	≤5.00	PASS
	total	6825	89.29	10.04	0.55	99.88	4.68	≤5.00	PASS
	total	6985	89.06	10.30	0.55	99.91	4.71	≤5.00	PASS

Note:


EIRP PSD(dBm/MHz) = Final Level(dBµV/m) - 95.2

Final Level(dBµV/m) = Read Level(dBµV/m) + Path Loss(dB) + DT Factor

Path Loss(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Preamp Factor(dB)



Test Graphs






11AX20MIMO\_Total\_5955



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 19



Site : 03CH06-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 50 Plane : X IMEI : #10 Powersetting : 10 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 5959.12, 92.26, -----, -----, 100, 232 Peak, VERTICAL




11AX20MIMO\_Total\_6175



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 20



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 51  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 11  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6172.92	91.11	-----	-----	100	349	Peak	VERTICAL






11AX20MIMO\_Total\_6415



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 18



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 52  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 9.5  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
Freq	Level	Limit	Line				
MHz	dBuV	dB	dBuV/m	cm	deg		
1 6409.36	89.48	-----	-----	132	238	Peak	VERTICAL




11AX20MIMO\_Total\_6435



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel:+86-512-57900158  
 fax:+86-512-57900958  
<http://www.sporton.com.cn>

Data: 13



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 53  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 9.5  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6439.76	89.82	-----	-----	100	344	Peak	VERTICAL




11AX20MIMO\_Total\_6475



No. 1098, Pengxi North Road, Kunshan  
Economic & Technical Development  
Zone, Jiangsu, China  
tel: +86-512-57900158  
fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 20



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 54  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 8  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6468.04	89.97	-----	-----	100	343 Peak	VERTICAL




11AX20MIMO\_Total\_6515



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 9



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 55  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 8.5  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6509.20	89.97	-----	-----	100	340	Peak	VERTICAL




11AX20MIMO\_Total\_6535



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 14



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 56  
 Plane : Z  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 7  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6537.92	89.34	-----	-----	115	104	Peak	VERTICAL




11AX20MIMO\_Total\_6695



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 17



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 57  
 Plane : Z  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 8  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6699.80	88.51	-----	-----	100	121	Peak	VERTICAL




11AX20MIMO\_Total\_6855



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 5



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 58  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6861.52	89.14	-----	-----	155	247 Peak	VERTICAL




11AX20MIMO\_Total\_6875



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 11



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 88  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 9.5  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
Freq	Level	Limit	Line				
MHz	dBuV	dB	dBuV/m	cm	deg		
1 6871.12	88.87	-----	-----	209	239	Peak	VERTICAL






11AX20MIMO\_Total\_6895



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 8



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 59  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 10  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
1	Freq	Level	Limit	Line	cm	deg	
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6903.08	88.71	-----	-----	128	248	Peak VERTICAL




11AX20MIMO\_Total\_6995



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 9



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 60  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 9  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6990.44	88.52	-----	-----	109	247 Peak	VERTICAL




11AX20MIMO\_Total\_7095



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 15



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 61  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 8.5  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	7099.40	88.45	-----	-----	100	244 Peak	VERTICAL




11AX20MIMO\_Total\_7115



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 5



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 62  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : -14  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	7108.56	78.36	-----	-----	100	307 Peak	VERTICAL




11AX40MIMO\_Total\_5965



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 9



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 63  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 13  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	5960.28	92.14	-----	-----	102	236	Peak	VERTICAL




11AX40MIMO\_Total\_6165



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 7



Site : 03CH06-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 64 Plane : Y IMEI : #10 Powersetting : 14.5 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6153.32, 91.06, -----, -----, 101, 237, Peak, VERTICAL




11AX40MIMO\_Total\_6405



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn

Data: 12



Site : 03CH06-KS Condition : 3m VERTICAL Project : (FR)#R2230133 Mode : 65 Plane : Y IMEI : #10 Powersetting : 12 PSD

Table with 8 columns: Freq, Read Level, Over Limit, Limit Line, A/Pos, T/Pos, Remark, Pol/Phase. Row 1: 6402.60, 90.34, -----, -----, 150, 248, Peak, VERTICAL




11AX40MIMO\_Total\_6445



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+886-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 10



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 66  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 12.5  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6430.36	89.74	-----	-----	100	251	Peak	VERTICAL






11AX40MIMO\_Total\_6485



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 9



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 67  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 12  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6471.24	90.17	-----	-----	100	340 Peak	VERTICAL




11AX40MIMO\_Total\_6525



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 8



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 92  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 11  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6539.80	89.51	-----	-----	100	239	Peak	VERTICAL




11AX40MIMO\_Total\_6565



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 11



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 68  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 11  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6576.92	89.60	-----	-----	127	247	Peak	VERTICAL




11AX40MIMO\_Total\_6685



No. 1098, Pengxi North Road, Kunshan  
 Economic & Technical Development  
 Zone, Jiangsu, China  
 tel: +86-512-57900158  
 fax: +86-512-57900958  
<http://www.sporton.com.cn>

Data: 10



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 69  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 12  
 : PSD

	Read	Over	Limit	A/Pos	T/Pos	Remark	Pol/Phase
1	Freq	Level	Limit	Line	cm	deg	
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6687.80	89.41	-----	-----	100	352 Peak	VERTICAL




11AX40MIMO\_Total\_6845



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 8



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 Project : (FR)#R2230133  
 Mode : 70  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 14  
 : PSD

	Read Freq	Over Level	Limit	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg	
1	6841.96	88.80	-----	-----	100	351 Peak	VERTICAL




11AX40MIMO\_Total\_6885



No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China  
tel:+86-512-57900158  
fax:+86-512-57900958  
http://www.sporton.com.cn

Data: 7



Site : 03CH06-KS  
 Condition : 3m VERTICAL  
 : RBW: 1000.000KHz VBW: 3000.000KHz SWT: Auto  
 Project : (FR)#R2230133  
 Mode : 89  
 Plane : Y  
 : Full-directivity  
 IMEI : #10  
 Powersetting : 14  
 : PSD

	Freq	Read Level	Over Limit	Limit Line	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV	dB	dBuV/m	cm	deg		
1	6882.36	88.95	-----	-----	150	256	Peak	VERTICAL