



REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
00	N/A	N/A	14.09.02	First Release	xueping
01			14.09.02	Update FCC ID	Linda Fan




NOTES:

- Surface Material: 50#壓花Mylar (embossing)
- Surface Material tolerance: 0.052 ± 0.004 mm
- Surface Material color: white
- printing color is as color defined in artwork
- Adhesive base: Synthetic Resin
- Adhesive thickness: $0.033 + / - 0.003$ mm
- Adhesion to steel (180#磨鋼粘着力): 1.0-2.2 kg/inch
- Initial Tack (初期力): 1-6#
- Release Power (90#剥离力): 4-20 g/in
- Holding Power (持粘力測試法): minimum 1hr/kg*inch²
- Package Style: Reel
- When label is adhesived on housing smooth face (material ABS) after it is tested under test condition $-40 \sim 70^{\circ}\text{C}$ 90%R.H. 72hrs, it must be fine.
- This part must comply with ROHS.

SCALE: 1:1

Package style

MATERIAL (SPEC.)		SCALE	FOXCONN		
50#壓花白Mylar (embossing)		1:1			
FINISH		SHEET	HON HAI PRECISION IND. CO., LTD. CNSBG		
N/A		1/1			
Select		UNIT	PART NAME		
Dim. Tol.	A B C EPS EPE BAG CTN Label	MM	Product Information barcode label		
0~6	0.05 0.05 0.10		MODEL	PART NO.	DESIGNED
6~30	0.10 0.15 0.20 0.50 0.50 3.00		U46C222.12	500.01762.005	Linda Fan
30~120	0.15 0.20 0.30 0.50 0.50 5.00 2.00		CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED
120~300	0.20 0.30 0.40 1.00 1.00 10.00 3.00	SIZE	TC8737C		Sunny
300~450	0.25 0.40 0.50 2.00 2.00 15.00 5.00	A4			
450~600	0.30 0.50 0.60 3.00 3.00 20.00 5.00				
DRAFT TOLERANCE					
±0.2*					
CRITICAL DIM. MARK *					



Label Here