


802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
Setting 81
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53628G	53.96	74.00	-20.04	10.80	3	Vertical	242	1.50	-
AV	15.54262G	41.13	54.00	-12.87	10.80	3	Vertical	242	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
Setting 81
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54894G	53.65	74.00	-20.35	10.79	3	Horizontal	255	2.21	-
AV	15.53992G	41.34	54.00	-12.66	10.80	3	Horizontal	255	2.21	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5200MHz_TX




EUT Y_4TX
Setting 95
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	70.58	74.00	-3.42	3.36	3	Vertical	356	1.61	-
AV	5.1498G	53.84	54.00	-0.16	3.36	3	Vertical	356	1.61	-
PK	5.1988G	120.64	Inf	-Inf	3.41	3	Vertical	356	1.61	-
AV	5.2018G	109.10	Inf	-Inf	3.41	3	Vertical	356	1.61	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5200MHz_TX




EUT Y_4TX
 Setting 95
 04-E-2-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1494G	61.37	74.00	-12.63	3.36	3	Horizontal	57	1.67	-
AV	5.1496G	47.16	54.00	-6.84	3.36	3	Horizontal	57	1.67	-
PK	5.2038G	112.74	Inf	-Inf	3.42	3	Horizontal	57	1.67	-
AV	5.196G	100.58	Inf	-Inf	3.41	3	Horizontal	57	1.67	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5200MHz_TX




EUT Y_4TX
Setting 95
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5958G	53.64	74.00	-20.36	10.75	3	Vertical	2	1.50	-
AV	15.5991G	40.67	54.00	-13.33	10.74	3	Vertical	2	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5200MHz_TX




EUT Y_4TX
 Setting 95
 04-E-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60642G	54.53	74.00	-19.47	10.73	3	Horizontal	223	1.66	-
AV	15.6037G	41.34	54.00	-12.66	10.74	3	Horizontal	223	1.66	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT_Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	62.24	74.00	-11.76	3.36	3	Vertical	357	1.54	-
AV	5.1497G	50.82	54.00	-3.18	3.36	3	Vertical	357	1.54	-
PK	5.2388G	125.89	Inf	-Inf	3.54	3	Vertical	357	1.54	-
AV	5.2418G	112.81	Inf	-Inf	3.54	3	Vertical	357	1.54	-
PK	5.3516G	62.89	74.00	-11.11	3.94	3	Vertical	357	1.54	-
AV	5.3873G	51.27	54.00	-2.73	4.09	3	Vertical	357	1.54	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1497G	59.06	74.00	-14.94	3.36	3	Horizontal	55	1.68	-
AV	5.15G	47.33	54.00	-6.67	3.36	3	Horizontal	55	1.68	-
PK	5.2436G	116.90	Inf	-Inf	3.56	3	Horizontal	55	1.68	-
AV	5.231G	104.04	Inf	-Inf	3.51	3	Horizontal	55	1.68	-
PK	5.3858G	59.64	74.00	-14.36	4.08	3	Horizontal	55	1.68	-
AV	5.3711G	47.46	54.00	-6.54	4.02	3	Horizontal	55	1.68	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71942G	55.67	74.00	-18.33	10.63	3	Vertical	7	1.49	-
AV	15.72158G	42.74	54.00	-11.26	10.63	3	Vertical	7	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72378G	56.62	74.00	-17.38	10.63	3	Horizontal	62	1.62	-
AV	15.72186G	43.52	54.00	-10.48	10.63	3	Horizontal	62	1.62	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6225G	61.20	68.20	-7.00	4.72	3	Vertical	236	1.50	-
PK	5.7515G	121.60	Inf	-Inf	4.90	3	Vertical	236	1.50	-
AV	5.7435G	109.70	Inf	-Inf	4.89	3	Vertical	236	1.50	-
PK	5.973G	59.67	68.20	-8.53	5.97	3	Vertical	236	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	58.32	68.20	-9.88	4.73	3	Horizontal	45	1.54	-
PK	5.7435G	114.35	Inf	-Inf	4.89	3	Horizontal	45	1.54	-
AV	5.741G	102.95	Inf	-Inf	4.88	3	Horizontal	45	1.54	-
PK	5.958G	58.69	68.20	-9.51	5.88	3	Horizontal	45	1.54	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4931G	52.29	74.00	-21.71	10.50	3	Vertical	231	2.46	-
AV	11.49287G	39.94	54.00	-14.06	10.50	3	Vertical	231	2.46	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48919G	51.93	74.00	-22.07	10.50	3	Horizontal	305	2.07	-
AV	11.4884G	40.05	54.00	-13.95	10.50	3	Horizontal	305	2.07	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.5365G	59.99	68.20	-8.21	4.58	3	Vertical	90	1.40	-
PK	5.778G	121.48	Inf	-Inf	4.96	3	Vertical	90	1.40	-
AV	5.7815G	108.87	Inf	-Inf	4.96	3	Vertical	90	1.40	-
PK	5.938G	61.02	68.20	-7.18	5.77	3	Vertical	90	1.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.552G	57.85	68.20	-10.35	4.60	3	Horizontal	44	1.67	-
PK	5.783G	114.49	Inf	-Inf	4.97	3	Horizontal	44	1.67	-
AV	5.7815G	103.05	Inf	-Inf	4.96	3	Horizontal	44	1.67	-
PK	5.969G	60.04	68.20	-8.16	5.94	3	Horizontal	44	1.67	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5721G	52.24	74.00	-21.76	10.43	3	Vertical	350	2.01	-
AV	11.56862G	39.52	54.00	-14.48	10.43	3	Vertical	350	2.01	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57195G	52.36	74.00	-21.64	10.43	3	Horizontal	129	2.42	-
AV	11.57002G	39.78	54.00	-14.22	10.43	3	Horizontal	129	2.42	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6195G	59.04	68.20	-9.16	4.72	3	Vertical	93	1.42	-
PK	5.818G	121.82	Inf	-Inf	5.10	3	Vertical	93	1.42	-
AV	5.8215G	108.93	Inf	-Inf	5.13	3	Vertical	93	1.42	-
PK	5.9465G	60.13	68.20	-8.07	5.82	3	Vertical	93	1.42	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6445G	59.57	68.20	-8.63	4.73	3	Horizontal	90	1.49	-
PK	5.818G	121.89	Inf	-Inf	5.10	3	Horizontal	90	1.49	-
AV	5.832G	109.28	Inf	-Inf	5.18	3	Horizontal	90	1.49	-
PK	5.93G	60.42	68.20	-7.78	5.72	3	Horizontal	90	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65245G	52.35	74.00	-21.65	10.37	3	Vertical	228	1.86	-
AV	11.65261G	39.41	54.00	-14.59	10.37	3	Vertical	228	1.86	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64583G	53.23	74.00	-20.77	10.36	3	Horizontal	178	2.36	-
AV	11.6512G	39.37	54.00	-14.63	10.37	3	Horizontal	178	2.36	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 72
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.12	74.00	-5.88	3.36	3	Vertical	358	1.50	-
AV	5.15G	53.58	54.00	-0.42	3.36	3	Vertical	358	1.50	-
PK	5.175G	113.97	Inf	-Inf	3.39	3	Vertical	358	1.50	-
AV	5.1956G	103.26	Inf	-Inf	3.41	3	Vertical	358	1.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 72
04-E-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1444G	57.81	74.00	-16.19	3.35	3	Horizontal	50	1.63	-
AV	5.1484G	47.05	54.00	-6.95	3.36	3	Horizontal	50	1.63	-
PK	5.1936G	106.10	Inf	-Inf	3.40	3	Horizontal	50	1.63	-
AV	5.1908G	94.80	Inf	-Inf	3.40	3	Horizontal	50	1.63	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 72
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56533G	52.98	74.00	-21.02	10.77	3	Vertical	227	2.06	-
AV	15.5712G	42.27	54.00	-11.73	10.76	3	Vertical	227	2.06	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 72
04-E-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56711G	53.23	74.00	-20.77	10.77	3	Horizontal	302	1.79	-
AV	15.56836G	41.81	54.00	-12.19	10.77	3	Horizontal	302	1.79	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 04-B-2-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	70.20	74.00	-3.80	3.36	3	Vertical	354	1.50	-
AV	5.15G	53.77	54.00	-0.23	3.36	3	Vertical	354	1.50	-
PK	5.2368G	117.54	Inf	-Inf	3.53	3	Vertical	354	1.50	-
AV	5.2356G	107.32	Inf	-Inf	3.53	3	Vertical	354	1.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 90
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1414G	61.37	74.00	-12.63	3.35	3	Horizontal	58	1.70	-
AV	5.1486G	47.58	54.00	-6.42	3.36	3	Horizontal	58	1.70	-
PK	5.2362G	108.91	Inf	-Inf	3.53	3	Horizontal	58	1.70	-
AV	5.231G	98.10	Inf	-Inf	3.51	3	Horizontal	58	1.70	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 90
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69225G	53.22	74.00	-20.78	10.66	3	Vertical	236	1.61	-
AV	15.69323G	42.18	54.00	-11.82	10.66	3	Vertical	236	1.61	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 90
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68719G	52.88	74.00	-21.12	10.66	3	Horizontal	106	1.55	-
AV	15.68678G	42.10	54.00	-11.90	10.66	3	Horizontal	106	1.55	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	62.97	68.20	-5.23	4.72	3	Vertical	236	1.49	-
PK	5.742G	118.44	Inf	-Inf	4.88	3	Vertical	236	1.49	-
AV	5.7415G	107.52	Inf	-Inf	4.88	3	Vertical	236	1.49	-
PK	5.928G	62.68	68.20	-5.52	5.71	3	Vertical	236	1.49	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6415G	58.48	68.20	-9.72	4.73	3	Horizontal	38	1.63	-
PK	5.759G	112.11	Inf	-Inf	4.92	3	Horizontal	38	1.63	-
AV	5.76G	101.46	Inf	-Inf	4.92	3	Horizontal	38	1.63	-
PK	5.93G	59.96	68.20	-8.24	5.72	3	Horizontal	38	1.63	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51149G	52.36	74.00	-21.64	10.49	3	Vertical	155	1.72	-
AV	11.50563G	41.19	54.00	-12.81	10.50	3	Vertical	155	1.72	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
 Setting 92
 04-B-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51032G	52.23	74.00	-21.77	10.49	3	Horizontal	267	1.80	-
AV	11.51305G	41.22	54.00	-12.78	10.48	3	Horizontal	267	1.80	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	61.07	68.20	-7.13	4.74	3	Vertical	86	1.43	-
PK	5.8085G	117.48	Inf	-Inf	5.05	3	Vertical	86	1.43	-
AV	5.801G	106.97	Inf	-Inf	5.01	3	Vertical	86	1.43	-
PK	5.9515G	61.77	68.20	-6.43	5.84	3	Vertical	86	1.43	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.597G	58.18	68.20	-10.02	4.68	3	Horizontal	46	1.50	-
PK	5.7995G	111.14	Inf	-Inf	5.00	3	Horizontal	46	1.50	-
AV	5.8125G	100.84	Inf	-Inf	5.07	3	Horizontal	46	1.50	-
PK	5.945G	59.39	68.20	-8.81	5.81	3	Horizontal	46	1.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59107G	52.85	74.00	-21.15	10.41	3	Vertical	317	1.58	-
AV	11.5929G	41.74	54.00	-12.26	10.41	3	Vertical	317	1.58	-

802.11ax HEW40_Nss4,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-B-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58895G	52.46	74.00	-21.54	10.41	3	Horizontal	239	2.41	-
AV	11.59285G	41.21	54.00	-12.79	10.41	3	Horizontal	239	2.41	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5210MHz_TX




EUT_Y_4TX
 Setting 72
 04-B-2-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	68.20	74.00	-5.80	3.36	3	Vertical	358	1.44	-
AV	5.1499G	53.77	54.00	-0.23	3.36	3	Vertical	358	1.44	-
PK	5.2092G	109.29	Inf	-Inf	3.44	3	Vertical	358	1.44	-
AV	5.196G	99.51	Inf	-Inf	3.41	3	Vertical	358	1.44	-
PK	5.3572G	61.23	74.00	-12.77	3.96	3	Vertical	358	1.44	-
AV	5.3668G	49.69	54.00	-4.31	4.00	3	Vertical	358	1.44	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5210MHz_TX




EUT Y_4TX
Setting 72
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.116G	60.28	74.00	-13.72	3.33	3	Horizontal	50	1.64	-
AV	5.1164G	48.16	54.00	-5.84	3.33	3	Horizontal	50	1.64	-
PK	5.1932G	101.86	Inf	-Inf	3.40	3	Horizontal	50	1.64	-
AV	5.1968G	91.15	Inf	-Inf	3.41	3	Horizontal	50	1.64	-
PK	5.3964G	57.53	74.00	-16.47	4.13	3	Horizontal	50	1.64	-
AV	5.3816G	46.33	54.00	-7.67	4.06	3	Horizontal	50	1.64	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5210MHz_TX




EUT Y_4TX
 Setting 72
 04-B-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62504G	53.11	74.00	-20.89	10.72	3	Vertical	347	1.90	-
AV	15.62879G	41.61	54.00	-12.39	10.72	3	Vertical	347	1.90	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5210MHz_TX




EUT Y_4TX
Setting 72
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62727G	52.68	74.00	-21.32	10.72	3	Horizontal	328	2.03	-
AV	15.63015G	41.89	54.00	-12.11	10.72	3	Horizontal	328	2.03	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5775MHz_TX




EUT Y_4TX
Setting 85
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	68.18	68.20	-0.02	4.73	3	Vertical	1	1.38	-
PK	5.7565G	112.71	Inf	-Inf	4.91	3	Vertical	1	1.38	-
AV	5.7445G	101.62	Inf	-Inf	4.89	3	Vertical	1	1.38	-
PK	5.9325G	64.74	68.20	-3.46	5.74	3	Vertical	1	1.38	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5775MHz_TX




EUT Y_4TX
Setting 85
04-B-2-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.618G	62.03	68.20	-6.17	4.72	3	Horizontal	37	1.50	-
PK	5.777G	107.24	Inf	-Inf	4.95	3	Horizontal	37	1.50	-
AV	5.76G	96.13	Inf	-Inf	4.92	3	Horizontal	37	1.50	-
PK	5.934G	62.44	68.20	-5.76	5.75	3	Horizontal	37	1.50	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5775MHz_TX




EUT Y_4TX
 Setting 85
 04-B-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55864G	52.50	74.00	-21.50	10.45	3	Vertical	195	2.44	-
AV	11.54036G	40.96	54.00	-13.04	10.46	3	Vertical	195	2.44	-

802.11ax HEW80_Nss4,(MCS0)_4TX

29/06/2019

5775MHz_TX



EUT Y_4TX
Setting 85
04-B-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54967G	52.81	74.00	-21.19	10.45	3	Horizontal	61	2.31	-
AV	11.55158G	41.20	54.00	-12.80	10.45	3	Horizontal	61	2.31	-



For beamforming mode:
1 Stream 4 TX for TxBF mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1499G	53.98	54.00	-0.02	3.36	3	Vertical	0	1.49	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
Setting 77
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1499G	73.27	74.00	-0.73	3.36	3	Vertical	359	1.50	-
AV	5.1499G	53.75	54.00	-0.25	3.36	3	Vertical	359	1.50	-
PK	5.1781G	122.81	Inf	-Inf	3.39	3	Vertical	359	1.50	-
AV	5.1785G	110.43	Inf	-Inf	3.39	3	Vertical	359	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
Setting 77
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1491G	63.88	74.00	-10.12	3.36	3	Horizontal	62	1.50	-
AV	5.1499G	47.61	54.00	-6.39	3.36	3	Horizontal	62	1.50	-
PK	5.1883G	110.12	Inf	-Inf	3.40	3	Horizontal	62	1.50	-
AV	5.1883G	99.06	Inf	-Inf	3.40	3	Horizontal	62	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
 Setting 77
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.55652G	56.59	74.00	-17.41	10.78	3	Vertical	32	2.64	-
AV	15.55736G	43.16	54.00	-10.84	10.78	3	Vertical	32	2.64	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5180MHz_TX




EUT Y_4TX
 Setting 77
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.55308G	56.43	74.00	-17.57	10.79	3	Horizontal	360	1.80	-
AV	15.5576G	43.22	54.00	-10.78	10.78	3	Horizontal	360	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/06/2019

5200MHz_TX




EUT Y_4TX
Setting 94
04-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	72.20	74.00	-1.80	3.36	3	Vertical	352	1.52	-
AV	5.1488G	53.76	54.00	-0.24	3.36	3	Vertical	352	1.52	-
PK	5.1926G	124.89	Inf	-Inf	3.40	3	Vertical	352	1.52	-
AV	5.1922G	113.42	Inf	-Inf	3.40	3	Vertical	352	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/06/2019

5200MHz_TX




EUT Y_4TX
Setting 94
04-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.148G	60.03	74.00	-13.97	3.36	3	Horizontal	64	1.48	-
AV	5.148G	44.65	54.00	-9.35	3.36	3	Horizontal	64	1.48	-
PK	5.198G	115.97	Inf	-Inf	3.41	3	Horizontal	64	1.48	-
AV	5.1984G	103.93	Inf	-Inf	3.41	3	Horizontal	64	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/06/2019

5200MHz_TX




EUT Y_4TX
Setting 94
04-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5848G	54.06	74.00	-19.94	10.76	3	Vertical	20	1.52	-
AV	15.60076G	40.15	54.00	-13.85	10.74	3	Vertical	20	1.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

28/06/2019

5200MHz_TX




EUT Y_4TX
Setting 94
04-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59588G	56.39	74.00	-17.61	10.75	3	Horizontal	331	1.83	-
AV	15.59712G	42.75	54.00	-11.25	10.74	3	Horizontal	331	1.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT_Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.51	74.00	-11.49	3.36	3	Vertical	356	1.47	-
AV	5.15G	49.20	54.00	-4.80	3.36	3	Vertical	356	1.47	-
PK	5.2334G	125.57	Inf	-Inf	3.52	3	Vertical	356	1.47	-
AV	5.2364G	114.18	Inf	-Inf	3.53	3	Vertical	356	1.47	-
PK	5.3681G	61.38	74.00	-12.62	4.00	3	Vertical	356	1.47	-
AV	5.3516G	48.63	54.00	-5.37	3.94	3	Vertical	356	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT_Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.099G	56.28	74.00	-17.72	3.31	3	Horizontal	237	1.57	-
AV	5.1455G	43.50	54.00	-10.50	3.36	3	Horizontal	237	1.57	-
PK	5.2451G	115.41	Inf	-Inf	3.56	3	Horizontal	237	1.57	-
AV	5.243G	103.56	Inf	-Inf	3.56	3	Horizontal	237	1.57	-
PK	5.384G	56.22	74.00	-17.78	4.07	3	Horizontal	237	1.57	-
AV	5.3741G	43.71	54.00	-10.29	4.03	3	Horizontal	237	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.70916G	57.03	74.00	-16.97	10.65	3	Vertical	326	1.50	-
AV	15.71736G	43.67	54.00	-10.33	10.64	3	Vertical	326	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5240MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71716G	59.61	74.00	-14.39	10.64	3	Horizontal	232	2.93	-
AV	15.719G	45.99	54.00	-8.01	10.63	3	Horizontal	232	2.93	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6305G	60.65	68.20	-7.55	4.72	3	Vertical	88	1.50	-
PK	5.7435G	125.64	Inf	-Inf	4.89	3	Vertical	88	1.50	-
AV	5.7435G	113.58	Inf	-Inf	4.89	3	Vertical	88	1.50	-
PK	5.9785G	60.00	68.20	-8.20	5.99	3	Vertical	88	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT_Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6445G	57.94	68.20	-10.26	4.73	3	Horizontal	51	1.46	-
PK	5.7485G	117.85	Inf	-Inf	4.90	3	Horizontal	51	1.46	-
AV	5.751G	106.34	Inf	-Inf	4.90	3	Horizontal	51	1.46	-
PK	5.975G	59.28	68.20	-8.92	5.97	3	Horizontal	51	1.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50445G	53.77	74.00	-20.23	10.50	3	Vertical	146	1.50	-
AV	11.4944G	40.51	54.00	-13.49	10.49	3	Vertical	146	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49175G	54.24	74.00	-19.76	10.50	3	Horizontal	54	1.49	-
AV	11.49051G	40.85	54.00	-13.15	10.50	3	Horizontal	54	1.49	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6195G	60.49	68.20	-7.71	4.72	3	Vertical	333	1.25	-
PK	5.7935G	124.59	Inf	-Inf	4.99	3	Vertical	333	1.25	-
AV	5.7895G	112.40	Inf	-Inf	4.98	3	Vertical	333	1.25	-
PK	5.9385G	60.87	68.20	-7.33	5.77	3	Vertical	333	1.25	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6405G	57.33	68.20	-10.87	4.73	3	Horizontal	40	1.49	-
PK	5.783G	116.74	Inf	-Inf	4.97	3	Horizontal	40	1.49	-
AV	5.7835G	104.93	Inf	-Inf	4.97	3	Horizontal	40	1.49	-
PK	5.9395G	58.31	68.20	-9.89	5.78	3	Horizontal	40	1.49	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55825G	55.60	74.00	-18.40	10.45	3	Vertical	270	1.57	-
AV	11.57145G	42.71	54.00	-11.29	10.43	3	Vertical	270	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56748G	55.04	74.00	-18.96	10.43	3	Horizontal	294	1.50	-
AV	11.57228G	41.77	54.00	-12.23	10.43	3	Horizontal	294	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.617G	59.02	68.20	-9.18	4.72	3	Vertical	95	1.59	-
PK	5.823G	125.03	Inf	-Inf	5.14	3	Vertical	95	1.59	-
AV	5.828G	113.42	Inf	-Inf	5.15	3	Vertical	95	1.59	-
PK	5.946G	60.63	68.20	-7.57	5.82	3	Vertical	95	1.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.5905G	57.90	68.20	-10.30	4.67	3	Horizontal	49	1.63	-
PK	5.83G	120.59	Inf	-Inf	5.16	3	Horizontal	49	1.63	-
AV	5.8295G	108.75	Inf	-Inf	5.16	3	Horizontal	49	1.63	-
PK	5.941G	58.94	68.20	-9.26	5.78	3	Horizontal	49	1.63	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65695G	53.03	74.00	-20.97	10.36	3	Vertical	341	1.48	-
AV	11.6459G	39.81	54.00	-14.19	10.36	3	Vertical	341	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64882G	52.18	74.00	-21.82	10.37	3	Horizontal	292	2.04	-
AV	11.65154G	39.00	54.00	-15.00	10.37	3	Horizontal	292	2.04	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 73
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1464G	73.61	74.00	-0.39	3.36	3	Vertical	74	1.65	-
AV	5.15G	52.94	54.00	-1.06	3.36	3	Vertical	74	1.65	-
PK	5.1748G	117.26	Inf	-Inf	3.38	3	Vertical	74	1.65	-
AV	5.2032G	104.08	Inf	-Inf	3.42	3	Vertical	74	1.65	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT_Y_4TX
Setting 73
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1454G	66.00	74.00	-8.00	3.36	3	Horizontal	63	1.50	-
AV	5.15G	44.17	54.00	-9.83	3.36	3	Horizontal	63	1.50	-
PK	5.2018G	108.96	Inf	-Inf	3.41	3	Horizontal	63	1.50	-
AV	5.2012G	97.16	Inf	-Inf	3.41	3	Horizontal	63	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
 Setting 73
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56304G	53.55	74.00	-20.45	10.77	3	Vertical	114	2.47	-
AV	15.5611G	39.37	54.00	-14.63	10.77	3	Vertical	114	2.47	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5190MHz_TX




EUT Y_4TX
Setting 73
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57756G	53.06	74.00	-20.94	10.76	3	Horizontal	76	1.56	-
AV	15.56804G	39.36	54.00	-14.64	10.77	3	Horizontal	76	1.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 91
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1484G	73.79	74.00	-0.21	3.36	3	Vertical	355	1.57	-
AV	5.1496G	53.87	54.00	-0.13	3.36	3	Vertical	355	1.57	-
PK	5.2372G	122.46	Inf	-Inf	3.53	3	Vertical	355	1.57	-
AV	5.2321G	109.92	Inf	-Inf	3.51	3	Vertical	355	1.57	-
PK	5.3533G	63.53	74.00	-10.47	3.95	3	Vertical	355	1.57	-
AV	5.3779G	49.12	54.00	-4.88	4.05	3	Vertical	355	1.57	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 91
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1385G	58.81	74.00	-15.19	3.35	3	Horizontal	240	1.61	-
AV	5.1487G	44.29	54.00	-9.71	3.36	3	Horizontal	240	1.61	-
PK	5.2441G	111.44	Inf	-Inf	3.56	3	Horizontal	240	1.61	-
AV	5.2447G	98.21	Inf	-Inf	3.56	3	Horizontal	240	1.61	-
PK	5.3662G	56.30	74.00	-17.70	4.00	3	Horizontal	240	1.61	-
AV	5.3791G	42.77	54.00	-11.23	4.06	3	Horizontal	240	1.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 91
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68815G	54.44	74.00	-19.56	10.66	3	Vertical	7	2.43	-
AV	15.6872G	40.48	54.00	-13.52	10.66	3	Vertical	7	2.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5230MHz_TX




EUT Y_4TX
Setting 91
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.6781G	54.16	74.00	-19.84	10.67	3	Horizontal	232	2.91	-
AV	15.6804G	40.59	54.00	-13.41	10.67	3	Horizontal	232	2.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
 Setting 92
 04-E-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6015G	60.95	68.20	-7.25	4.69	3	Vertical	91	1.50	-
PK	5.753G	122.11	Inf	-Inf	4.91	3	Vertical	91	1.50	-
AV	5.751G	109.52	Inf	-Inf	4.90	3	Vertical	91	1.50	-
PK	5.925G	61.73	68.20	-6.47	5.70	3	Vertical	91	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.576G	57.36	68.20	-10.84	4.65	3	Horizontal	49	1.46	-
PK	5.754G	115.45	Inf	-Inf	4.91	3	Horizontal	49	1.46	-
AV	5.756G	102.50	Inf	-Inf	4.91	3	Horizontal	49	1.46	-
PK	5.925G	57.56	68.20	-10.64	5.70	3	Horizontal	49	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-E-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5188G	52.73	74.00	-21.27	10.48	3	Vertical	133	1.33	-
AV	11.52225G	39.14	54.00	-14.86	10.47	3	Vertical	133	1.33	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5755MHz_TX




EUT Y_4TX
 Setting 92
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5061G	52.81	74.00	-21.19	10.50	3	Horizontal	272	1.50	-
AV	11.51485G	39.10	54.00	-14.90	10.48	3	Horizontal	272	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6485G	61.51	68.20	-6.69	4.74	3	Vertical	88	1.52	-
PK	5.7935G	121.47	Inf	-Inf	4.99	3	Vertical	88	1.52	-
AV	5.8125G	109.05	Inf	-Inf	5.07	3	Vertical	88	1.52	-
PK	5.974G	62.05	68.20	-6.15	5.97	3	Vertical	88	1.52	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-E-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	57.00	68.20	-11.20	4.73	3	Horizontal	34	1.48	-
PK	5.793G	113.17	Inf	-Inf	4.99	3	Horizontal	34	1.48	-
AV	5.7915G	100.47	Inf	-Inf	4.98	3	Horizontal	34	1.48	-
PK	5.978G	59.01	68.20	-9.19	5.99	3	Horizontal	34	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5861G	54.01	74.00	-19.99	10.43	3	Vertical	290	2.37	-
AV	11.59142G	39.90	54.00	-14.10	10.41	3	Vertical	290	2.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-E-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5959G	53.72	74.00	-20.28	10.41	3	Horizontal	296	1.76	-
AV	11.59256G	39.88	54.00	-14.12	10.41	3	Horizontal	296	1.76	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

10/07/2019

5210MHz_TX




EUT_Y_4TX
Setting 72
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1499G	73.82	74.00	-0.18	3.36	3	Vertical	0	1.49	-
AV	5.1499G	53.98	54.00	-0.02	3.36	3	Vertical	0	1.49	-
PK	5.2232G	115.69	Inf	-Inf	3.49	3	Vertical	0	1.49	-
AV	5.2188G	102.99	Inf	-Inf	3.47	3	Vertical	0	1.49	-
PK	5.37G	61.60	74.00	-12.40	4.02	3	Vertical	0	1.49	-
AV	5.3548G	48.93	54.00	-5.07	3.95	3	Vertical	0	1.49	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5210MHz_TX




EUT_Y_4TX
Setting 72
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.128G	59.01	74.00	-14.99	3.34	3	Horizontal	238	1.51	-
AV	5.1496G	43.95	54.00	-10.05	3.36	3	Horizontal	238	1.51	-
PK	5.2216G	104.01	Inf	-Inf	3.48	3	Horizontal	238	1.51	-
AV	5.2228G	92.44	Inf	-Inf	3.49	3	Horizontal	238	1.51	-
PK	5.3744G	56.15	74.00	-17.85	4.03	3	Horizontal	238	1.51	-
AV	5.3616G	43.75	54.00	-10.25	3.98	3	Horizontal	238	1.51	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5210MHz_TX




EUT Y_4TX
Setting 72
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63135G	56.36	74.00	-17.64	10.71	3	Vertical	217	1.32	-
AV	15.63425G	42.29	54.00	-11.71	10.71	3	Vertical	217	1.32	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5210MHz_TX




EUT Y_4TX
 Setting 72
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63322G	55.98	74.00	-18.02	10.71	3	Horizontal	328	1.56	-
AV	15.63077G	42.21	54.00	-11.79	10.72	3	Horizontal	328	1.56	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5775MHz_TX




EUT Y_4TX
Setting 85
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.638G	67.98	68.20	-0.22	4.73	3	Vertical	333	1.50	-
PK	5.7585G	118.14	Inf	-Inf	4.92	3	Vertical	333	1.50	-
AV	5.778G	105.86	Inf	-Inf	4.96	3	Vertical	333	1.50	-
PK	5.9275G	63.41	68.20	-4.79	5.71	3	Vertical	333	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5775MHz_TX




EUT Y_4TX
Setting 85
04-B-4-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6445G	60.27	68.20	-7.93	4.73	3	Horizontal	45	1.48	-
PK	5.766G	111.49	Inf	-Inf	4.93	3	Horizontal	45	1.48	-
AV	5.7685G	99.64	Inf	-Inf	4.94	3	Horizontal	45	1.48	-
PK	5.9275G	59.94	68.20	-8.26	5.71	3	Horizontal	45	1.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5775MHz_TX




EUT Y_4TX
 Setting 85
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54931G	52.81	74.00	-21.19	10.45	3	Vertical	339	2.46	-
AV	11.54924G	38.89	54.00	-15.11	10.45	3	Vertical	339	2.46	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/07/2019

5775MHz_TX



EUT Y_4TX
 Setting 85
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55332G	53.97	74.00	-20.03	10.45	3	Horizontal	45	2.37	-
AV	11.55046G	39.00	54.00	-15.00	10.45	3	Horizontal	45	2.37	-



2 Stream 4 TX for TxBF mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	AV	5.1499G	53.92	54.00	-0.08	3.36	3	Vertical	2	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5180MHz_TX




EUT Y_4TX
Setting 79
04-B-4-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1498G	72.48	74.00	-1.52	3.36	3	Vertical	353	1.48	-
AV	5.1492G	53.76	54.00	-0.24	3.36	3	Vertical	353	1.48	-
PK	5.1828G	120.96	Inf	-Inf	3.39	3	Vertical	353	1.48	-
AV	5.1788G	108.26	Inf	-Inf	3.39	3	Vertical	353	1.48	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5180MHz_TX




EUT Y_4TX
Setting 79
04-B-4-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	62.80	74.00	-11.20	3.36	3	Horizontal	43	1.67	-
AV	5.1497G	47.56	54.00	-6.44	3.36	3	Horizontal	43	1.67	-
PK	5.1847G	111.63	Inf	-Inf	3.39	3	Horizontal	43	1.67	-
AV	5.1836G	98.90	Inf	-Inf	3.39	3	Horizontal	43	1.67	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5180MHz_TX




EUT Y_4TX
Setting 79
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.54408G	56.20	74.00	-17.80	10.79	3	Vertical	64	2.15	-
AV	15.5448G	42.50	54.00	-11.50	10.79	3	Vertical	64	2.15	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5180MHz_TX




EUT Y_4TX
Setting 79
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5426G	56.43	74.00	-17.57	10.80	3	Horizontal	3	1.96	-
AV	15.5457G	42.58	54.00	-11.42	10.79	3	Horizontal	3	1.96	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5200MHz_TX




EUT Y_4TX
 Setting 93
 04-B-4-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.144G	72.92	74.00	-1.08	3.35	3	Vertical	355	1.49	-
AV	5.1494G	53.78	54.00	-0.22	3.36	3	Vertical	355	1.49	-
PK	5.2038G	124.07	Inf	-Inf	3.42	3	Vertical	355	1.49	-
AV	5.1982G	111.76	Inf	-Inf	3.41	3	Vertical	355	1.49	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5200MHz_TX




EUT Y_4TX
Setting 93
04-B-4-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	59.66	74.00	-14.34	3.36	3	Horizontal	320	1.50	-
AV	5.148G	47.07	54.00	-6.93	3.36	3	Horizontal	320	1.50	-
PK	5.2052G	114.57	Inf	-Inf	3.43	3	Horizontal	320	1.50	-
AV	5.2036G	101.94	Inf	-Inf	3.42	3	Horizontal	320	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5200MHz_TX




EUT Y_4TX
Setting 93
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.59476G	57.10	74.00	-16.90	10.75	3	Vertical	214	2.38	-
AV	15.59328G	42.74	54.00	-11.26	10.76	3	Vertical	214	2.38	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5200MHz_TX




EUT Y_4TX
Setting 93
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60386G	56.86	74.00	-17.14	10.74	3	Horizontal	354	2.05	-
AV	15.59668G	42.78	54.00	-11.22	10.74	3	Horizontal	354	2.05	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5240MHz_TX




EUT_Y_4TX
Setting 96
04-B-4-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.02	74.00	-11.98	3.36	3	Vertical	353	1.50	-
AV	5.15G	49.28	54.00	-4.72	3.36	3	Vertical	353	1.50	-
PK	5.2439G	125.42	Inf	-Inf	3.56	3	Vertical	353	1.50	-
AV	5.2436G	112.07	Inf	-Inf	3.56	3	Vertical	353	1.50	-
PK	5.3741G	62.53	74.00	-11.47	4.03	3	Vertical	353	1.50	-
AV	5.3507G	49.84	54.00	-4.16	3.94	3	Vertical	353	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5240MHz_TX




EUT_Y_4TX
Setting 96
04-B-4-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1116G	60.16	74.00	-13.84	3.32	3	Horizontal	322	1.81	-
AV	5.15G	46.56	54.00	-7.44	3.36	3	Horizontal	322	1.81	-
PK	5.2445G	115.65	Inf	-Inf	3.56	3	Horizontal	322	1.81	-
AV	5.2436G	103.67	Inf	-Inf	3.56	3	Horizontal	322	1.81	-
PK	5.375G	59.47	74.00	-14.53	4.03	3	Horizontal	322	1.81	-
AV	5.3591G	46.60	54.00	-7.40	3.98	3	Horizontal	322	1.81	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5240MHz_TX




EUT Y_4TX
 Setting 96
 04-B-4
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71404G	58.92	74.00	-15.08	10.64	3	Vertical	170	1.83	-
AV	15.71518G	44.70	54.00	-9.30	10.64	3	Vertical	170	1.83	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5240MHz_TX




EUT Y_4TX
Setting 96
04-B-4
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.721G	60.16	74.00	-13.84	10.63	3	Horizontal	301	2.48	-
AV	15.7155G	45.34	54.00	-8.66	10.64	3	Horizontal	301	2.48	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5745MHz_TX




EUT Y_4TX
Setting 96
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.5985G	61.66	68.20	-6.54	4.69	3	Vertical	52	1.76	-
PK	5.75G	116.90	Inf	-Inf	4.91	3	Vertical	52	1.76	-
AV	5.747G	104.72	Inf	-Inf	4.89	3	Vertical	52	1.76	-
PK	5.982G	61.67	68.20	-6.53	6.02	3	Vertical	52	1.76	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5745MHz_TX




EUT Y_4TX
 Setting 96
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.63G	61.43	68.20	-6.77	4.72	3	Horizontal	42	1.77	-
PK	5.7485G	116.77	Inf	-Inf	4.90	3	Horizontal	42	1.77	-
AV	5.752G	104.62	Inf	-Inf	4.90	3	Horizontal	42	1.77	-
PK	5.931G	61.30	68.20	-6.90	5.72	3	Horizontal	42	1.77	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5745MHz_TX




EUT Y_4TX
 Setting 96
 04-W-3
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48985G	53.30	74.00	-20.70	10.50	3	Vertical	184	1.39	-
AV	11.49035G	39.70	54.00	-14.30	10.50	3	Vertical	184	1.39	-
PK	17.23555G	59.35	68.20	-8.85	13.62	3	Vertical	225	2.47	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5745MHz_TX




EUT Y_4TX
 Setting 96
 04-W-3
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49285G	53.57	74.00	-20.43	10.50	3	Horizontal	294	1.56	-
AV	11.48965G	40.44	54.00	-13.56	10.50	3	Horizontal	294	1.56	-
PK	17.2342G	60.33	68.20	-7.87	13.62	3	Horizontal	4	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6165G	62.03	68.20	-6.17	4.71	3	Vertical	85	1.25	-
PK	5.7885G	125.28	Inf	-Inf	4.98	3	Vertical	85	1.25	-
AV	5.7875G	113.13	Inf	-Inf	4.97	3	Vertical	85	1.25	-
PK	5.941G	63.00	68.20	-5.20	5.78	3	Vertical	85	1.25	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	60.67	68.20	-7.53	4.73	3	Horizontal	38	1.50	-
PK	5.78G	118.31	Inf	-Inf	4.96	3	Horizontal	38	1.50	-
AV	5.777G	107.26	Inf	-Inf	4.95	3	Horizontal	38	1.50	-
PK	5.935G	61.58	68.20	-6.62	5.76	3	Horizontal	38	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5785MHz_TX




EUT Y_4TX
Setting 96
04-W-3
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5911G	53.26	74.00	-20.74	10.41	3	Vertical	199	1.72	-
AV	11.54725G	39.84	54.00	-14.16	10.46	3	Vertical	199	1.72	-
PK	17.345G	61.37	68.20	-6.83	13.83	3	Vertical	225	2.31	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 04-W-3
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58745G	53.46	74.00	-20.54	10.43	3	Horizontal	341	2.13	-
AV	11.5666G	40.15	54.00	-13.85	10.43	3	Horizontal	341	2.13	-
PK	17.34625G	63.87	68.20	-4.33	13.84	3	Horizontal	206	2.35	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6415G	61.92	68.20	-6.28	4.73	3	Vertical	88	1.44	-
PK	5.8285G	125.47	Inf	-Inf	5.15	3	Vertical	88	1.44	-
AV	5.8285G	113.27	Inf	-Inf	5.15	3	Vertical	88	1.44	-
PK	5.95G	63.45	68.20	-4.75	5.83	3	Vertical	88	1.44	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6255G	60.51	68.20	-7.69	4.72	3	Horizontal	45	1.60	-
PK	5.8165G	116.98	Inf	-Inf	5.09	3	Horizontal	45	1.60	-
AV	5.8165G	106.22	Inf	-Inf	5.09	3	Horizontal	45	1.60	-
PK	5.9895G	61.62	68.20	-6.58	6.05	3	Horizontal	45	1.60	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 04-W-3
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65172G	53.85	74.00	-20.15	10.37	3	Vertical	152	1.52	-
AV	11.64368G	39.72	54.00	-14.28	10.36	3	Vertical	152	1.52	-
PK	17.48204G	63.19	68.20	-5.01	14.11	3	Vertical	226	2.30	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

02/07/2019

5825MHz_TX




EUT Y_4TX
Setting 96
04-W-3
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.6501G	53.26	74.00	-20.74	10.37	3	Horizontal	76	1.74	-
AV	11.6458G	40.17	54.00	-13.83	10.36	3	Horizontal	76	1.74	-
PK	17.48465G	65.99	68.20	-2.21	14.11	3	Horizontal	230	2.93	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5190MHz_TX




EUT Y_4TX
Setting 74
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	71.59	74.00	-2.41	3.36	3	Vertical	0	1.57	-
AV	5.15G	53.89	54.00	-0.11	3.36	3	Vertical	0	1.57	-
PK	5.2026G	117.53	Inf	-Inf	3.42	3	Vertical	0	1.57	-
AV	5.1992G	104.49	Inf	-Inf	3.41	3	Vertical	0	1.57	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5190MHz_TX




EUT Y_4TX
Setting 74
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	61.01	74.00	-12.99	3.36	3	Horizontal	307	1.50	-
AV	5.15G	47.41	54.00	-6.59	3.36	3	Horizontal	307	1.50	-
PK	5.179G	104.79	Inf	-Inf	3.39	3	Horizontal	307	1.50	-
AV	5.1786G	90.33	Inf	-Inf	3.39	3	Horizontal	307	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT Y_4TX
 Setting 74
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57888G	56.22	74.00	-17.78	10.76	3	Vertical	101	1.89	-
AV	15.5655G	42.28	54.00	-11.72	10.77	3	Vertical	101	1.89	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5190MHz_TX




EUT Y_4TX
Setting 74
04-S-5
FSP(100019))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57212G	56.09	74.00	-17.91	10.76	3	Horizontal	285	1.38	-
AV	15.57664G	42.37	54.00	-11.63	10.76	3	Horizontal	285	1.38	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5230MHz_TX




EUT Y_4TX
Setting 91
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1487G	71.70	74.00	-2.30	3.36	3	Vertical	2	1.50	-
AV	5.1499G	53.92	54.00	-0.08	3.36	3	Vertical	2	1.50	-
PK	5.2243G	121.12	Inf	-Inf	3.49	3	Vertical	2	1.50	-
AV	5.2327G	107.91	Inf	-Inf	3.52	3	Vertical	2	1.50	-
PK	5.3761G	63.45	74.00	-10.55	4.04	3	Vertical	2	1.50	-
AV	5.3731G	50.82	54.00	-3.18	4.03	3	Vertical	2	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5230MHz_TX




EUT_Y_4TX
Setting 91
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1451G	60.59	74.00	-13.41	3.36	3	Horizontal	324	1.50	-
AV	5.1496G	47.93	54.00	-6.07	3.36	3	Horizontal	324	1.50	-
PK	5.2123G	111.63	Inf	-Inf	3.45	3	Horizontal	324	1.50	-
AV	5.2258G	98.69	Inf	-Inf	3.49	3	Horizontal	324	1.50	-
PK	5.3611G	60.21	74.00	-13.79	3.98	3	Horizontal	324	1.50	-
AV	5.3608G	46.89	54.00	-7.11	3.98	3	Horizontal	324	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT Y_4TX
 Setting 91
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68834G	55.63	74.00	-18.37	10.66	3	Vertical	162	1.92	-
AV	15.68508G	41.48	54.00	-12.52	10.66	3	Vertical	162	1.92	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5230MHz_TX




EUT Y_4TX
 Setting 91
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69514G	55.66	74.00	-18.34	10.66	3	Horizontal	198	1.46	-
AV	15.69146G	41.58	54.00	-12.42	10.66	3	Horizontal	198	1.46	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	62.70	68.20	-5.50	4.73	3	Vertical	238	1.50	-
PK	5.754G	121.05	Inf	-Inf	4.91	3	Vertical	238	1.50	-
AV	5.7615G	107.93	Inf	-Inf	4.92	3	Vertical	238	1.50	-
PK	5.9255G	63.25	68.20	-4.95	5.70	3	Vertical	238	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5755MHz_TX




EUT Y_4TX
 Setting 92
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.5585G	61.05	68.20	-7.15	4.62	3	Horizontal	38	1.47	-
PK	5.742G	114.01	Inf	-Inf	4.88	3	Horizontal	38	1.47	-
AV	5.7715G	101.74	Inf	-Inf	4.94	3	Horizontal	38	1.47	-
PK	5.9865G	61.70	68.20	-6.50	6.03	3	Horizontal	38	1.47	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT Y_4TX
 Setting 92
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5147G	52.25	74.00	-21.75	10.48	3	Vertical	19	2.42	-
AV	11.5073G	38.41	54.00	-15.59	10.49	3	Vertical	19	2.42	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5755MHz_TX




EUT Y_4TX
Setting 92
04-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51248G	52.58	74.00	-21.42	10.49	3	Horizontal	75	1.51	-
AV	11.50644G	38.39	54.00	-15.61	10.50	3	Horizontal	75	1.51	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6485G	62.41	68.20	-5.79	4.74	3	Vertical	239	1.41	-
PK	5.806G	119.96	Inf	-Inf	5.03	3	Vertical	239	1.41	-
AV	5.8105G	107.30	Inf	-Inf	5.06	3	Vertical	239	1.41	-
PK	5.944G	64.07	68.20	-4.13	5.81	3	Vertical	239	1.41	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

02/07/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-L-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6035G	61.04	68.20	-7.16	4.69	3	Horizontal	36	1.46	-
PK	5.779G	114.92	Inf	-Inf	4.96	3	Horizontal	36	1.46	-
AV	5.7775G	102.31	Inf	-Inf	4.95	3	Horizontal	36	1.46	-
PK	5.99G	61.98	68.20	-6.22	6.05	3	Horizontal	36	1.46	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT Y_4TX
 Setting 92
 04-S-5
 FSP(100019))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58474G	52.51	74.00	-21.49	10.43	3	Vertical	73	2.27	-
AV	11.59178G	38.28	54.00	-15.72	10.41	3	Vertical	73	2.27	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

06/07/2019

5795MHz_TX




EUT Y_4TX
Setting 92
04-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5853G	52.33	74.00	-21.67	10.43	3	Horizontal	197	1.97	-
AV	11.5804G	38.30	54.00	-15.70	10.43	3	Horizontal	197	1.97	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

02/07/2019

5210MHz_TX




EUT_Y_4TX
Setting 72
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.149G	69.42	74.00	-4.58	3.36	3	Vertical	356	1.50	-
AV	5.1485G	53.82	54.00	-0.18	3.36	3	Vertical	356	1.50	-
PK	5.2085G	113.00	Inf	-Inf	3.44	3	Vertical	356	1.50	-
AV	5.2025G	101.13	Inf	-Inf	3.42	3	Vertical	356	1.50	-
PK	5.353G	62.90	74.00	-11.10	3.95	3	Vertical	356	1.50	-
AV	5.353G	50.01	54.00	-3.99	3.95	3	Vertical	356	1.50	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

02/07/2019

5210MHz_TX




EUT_Y_4TX
Setting 72
04-L-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.142G	61.44	74.00	-12.56	3.35	3	Horizontal	51	1.64	-
AV	5.1485G	48.03	54.00	-5.97	3.36	3	Horizontal	51	1.64	-
PK	5.1845G	104.26	Inf	-Inf	3.39	3	Horizontal	51	1.64	-
AV	5.2195G	91.98	Inf	-Inf	3.48	3	Horizontal	51	1.64	-
PK	5.3575G	60.14	74.00	-13.86	3.96	3	Horizontal	51	1.64	-
AV	5.358G	47.25	54.00	-6.75	3.96	3	Horizontal	51	1.64	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT Y_4TX
 Setting 72
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62408G	56.35	74.00	-17.65	10.72	3	Vertical	161	1.46	-
AV	15.62642G	42.08	54.00	-11.92	10.72	3	Vertical	161	1.46	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

06/07/2019

5210MHz_TX




EUT Y_4TX
 Setting 72
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.62728G	55.95	74.00	-18.05	10.72	3	Horizontal	75	2.31	-
AV	15.63176G	42.03	54.00	-11.97	10.71	3	Horizontal	75	2.31	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

06/07/2019

5775MHz_TX




EUT Y_4TX
Setting 88
04-S-5-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6215G	67.91	68.20	-0.29	4.72	3	Vertical	4	1.29	-
PK	5.784G	116.86	Inf	-Inf	4.97	3	Vertical	4	1.29	-
AV	5.782G	104.30	Inf	-Inf	4.96	3	Vertical	4	1.29	-
PK	5.9435G	63.71	68.20	-4.49	5.80	3	Vertical	4	1.29	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

06/07/2019

5775MHz_TX




EUT Y_4TX
Setting 88
04-S-5-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6495G	61.21	68.20	-6.99	4.74	3	Horizontal	48	1.50	-
PK	5.7585G	108.51	Inf	-Inf	4.92	3	Horizontal	48	1.50	-
AV	5.7585G	97.25	Inf	-Inf	4.92	3	Horizontal	48	1.50	-
PK	5.989G	61.03	68.20	-7.17	6.04	3	Horizontal	48	1.50	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

06/07/2019

5775MHz_TX




EUT Y_4TX
Setting 88
04-S-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55216G	52.32	74.00	-21.68	10.45	3	Vertical	37	2.21	-
AV	11.55822G	38.81	54.00	-15.19	10.45	3	Vertical	37	2.21	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


06/07/2019

5775MHz_TX



EUT Y_4TX
 Setting 88
 04-S-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.549666G	52.02	74.00	-21.98	10.45	3	Horizontal	318	1.97	-
AV	11.55302G	38.77	54.00	-15.23	10.45	3	Horizontal	318	1.97	-





RSE Co-location Result																																																			
Operating Mode	1	Polarization	Vertical																																																
Operating Function	Normal Link																																																		
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> </div> <div style="text-align: right;"> <p>Date: 2019-07-25 Time: 23:33:05</p> </div> </div>																																																			
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1067.52</td> <td>37.41</td> <td>54.00</td> <td>-16.59</td> <td>46.84</td> <td>2.69</td> <td>24.66</td> <td>36.78</td> <td>101</td> <td>35 Average</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>1068.97</td> <td>48.03</td> <td>74.00</td> <td>-25.97</td> <td>57.46</td> <td>2.69</td> <td>24.66</td> <td>36.78</td> <td>101</td> <td>35 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	1067.52	37.41	54.00	-16.59	46.84	2.69	24.66	36.78	101	35 Average	VERTICAL	2	1068.97	48.03	74.00	-25.97	57.46	2.69	24.66	36.78	101	35 Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																									
1	1067.52	37.41	54.00	-16.59	46.84	2.69	24.66	36.78	101	35 Average	VERTICAL																																								
2	1068.97	48.03	74.00	-25.97	57.46	2.69	24.66	36.78	101	35 Peak	VERTICAL																																								