



RSE below 1GHz Result																																																																																																									
Operating Mode	1	Polarization	Vertical																																																																																																						
Operating Function	Normal Link																																																																																																								
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p style="font-size: small;">Date: 2019-07-25 Time: 20:12:48</p> </div> </div>																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>31.94</td> <td>33.68</td> <td>40.00</td> <td>-6.32</td> <td>40.00</td> <td>0.71</td> <td>24.51</td> <td>31.54</td> <td>100</td> <td>167</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>48.43</td> <td>34.12</td> <td>40.00</td> <td>-5.88</td> <td>49.44</td> <td>0.92</td> <td>15.46</td> <td>31.70</td> <td>100</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>74.62</td> <td>32.06</td> <td>40.00</td> <td>-7.94</td> <td>49.89</td> <td>1.12</td> <td>12.93</td> <td>31.88</td> <td>200</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>199.75</td> <td>34.00</td> <td>43.50</td> <td>-9.50</td> <td>48.01</td> <td>1.73</td> <td>16.20</td> <td>31.94</td> <td>100</td> <td>187</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>399.57</td> <td>40.86</td> <td>46.00</td> <td>-5.14</td> <td>48.02</td> <td>2.56</td> <td>22.47</td> <td>32.19</td> <td>125</td> <td>172</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>500.45</td> <td>35.37</td> <td>46.00</td> <td>-10.63</td> <td>41.08</td> <td>2.94</td> <td>23.83</td> <td>32.48</td> <td>100</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	31.94	33.68	40.00	-6.32	40.00	0.71	24.51	31.54	100	167	QP	VERTICAL	2	48.43	34.12	40.00	-5.88	49.44	0.92	15.46	31.70	100	224	Peak	VERTICAL	3	74.62	32.06	40.00	-7.94	49.89	1.12	12.93	31.88	200	360	Peak	VERTICAL	4	199.75	34.00	43.50	-9.50	48.01	1.73	16.20	31.94	100	187	Peak	VERTICAL	5	399.57	40.86	46.00	-5.14	48.02	2.56	22.47	32.19	125	172	Peak	VERTICAL	6	500.45	35.37	46.00	-10.63	41.08	2.94	23.83	32.48	100	222	Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	31.94	33.68	40.00	-6.32	40.00	0.71	24.51	31.54	100	167	QP	VERTICAL																																																																																													
2	48.43	34.12	40.00	-5.88	49.44	0.92	15.46	31.70	100	224	Peak	VERTICAL																																																																																													
3	74.62	32.06	40.00	-7.94	49.89	1.12	12.93	31.88	200	360	Peak	VERTICAL																																																																																													
4	199.75	34.00	43.50	-9.50	48.01	1.73	16.20	31.94	100	187	Peak	VERTICAL																																																																																													
5	399.57	40.86	46.00	-5.14	48.02	2.56	22.47	32.19	125	172	Peak	VERTICAL																																																																																													
6	500.45	35.37	46.00	-10.63	41.08	2.94	23.83	32.48	100	222	Peak	VERTICAL																																																																																													
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit. Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									



RSE below 1GHz Result

RSE below 1GHz Result																																																																																																			
Operating Mode	1	Polarization	Horizontal																																																																																																
Operating Function	Normal Link																																																																																																		
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p style="font-size: small;">Date: 2019-07-25 Time: 20:09:13</p> </div> </div>																																																																																																			
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>32.91</td> <td>35.76</td> <td>40.00</td> <td>-4.24</td> <td>42.57</td> <td>0.72</td> <td>23.99</td> <td>31.52</td> <td>200</td> <td>16</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>36.79</td> <td>33.22</td> <td>40.00</td> <td>-6.78</td> <td>42.24</td> <td>0.78</td> <td>21.69</td> <td>31.49</td> <td>200</td> <td>35</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>75.59</td> <td>29.18</td> <td>40.00</td> <td>-10.82</td> <td>46.92</td> <td>1.13</td> <td>13.01</td> <td>31.88</td> <td>300</td> <td>63</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>299.66</td> <td>35.18</td> <td>46.00</td> <td>-10.82</td> <td>45.27</td> <td>2.21</td> <td>19.78</td> <td>32.08</td> <td>100</td> <td>258</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5</td> <td>350.10</td> <td>34.92</td> <td>46.00</td> <td>-11.08</td> <td>43.40</td> <td>2.46</td> <td>21.20</td> <td>32.14</td> <td>100</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>6</td> <td>399.57</td> <td>38.45</td> <td>46.00</td> <td>-7.55</td> <td>45.61</td> <td>2.56</td> <td>22.47</td> <td>32.19</td> <td>100</td> <td>134</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	32.91	35.76	40.00	-4.24	42.57	0.72	23.99	31.52	200	16	Peak HORIZONTAL	2	36.79	33.22	40.00	-6.78	42.24	0.78	21.69	31.49	200	35	Peak HORIZONTAL	3	75.59	29.18	40.00	-10.82	46.92	1.13	13.01	31.88	300	63	Peak HORIZONTAL	4	299.66	35.18	46.00	-10.82	45.27	2.21	19.78	32.08	100	258	Peak HORIZONTAL	5	350.10	34.92	46.00	-11.08	43.40	2.46	21.20	32.14	100	280	Peak HORIZONTAL	6	399.57	38.45	46.00	-7.55	45.61	2.56	22.47	32.19	100	134	Peak HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	32.91	35.76	40.00	-4.24	42.57	0.72	23.99	31.52	200	16	Peak HORIZONTAL																																																																																								
2	36.79	33.22	40.00	-6.78	42.24	0.78	21.69	31.49	200	35	Peak HORIZONTAL																																																																																								
3	75.59	29.18	40.00	-10.82	46.92	1.13	13.01	31.88	300	63	Peak HORIZONTAL																																																																																								
4	299.66	35.18	46.00	-10.82	45.27	2.21	19.78	32.08	100	258	Peak HORIZONTAL																																																																																								
5	350.10	34.92	46.00	-11.08	43.40	2.46	21.20	32.14	100	280	Peak HORIZONTAL																																																																																								
6	399.57	38.45	46.00	-7.55	45.61	2.56	22.47	32.19	100	134	Peak HORIZONTAL																																																																																								
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit. Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																			



RSE below 1GHz Result

RSE below 1GHz Result																																																																																																			
Operating Mode	2	Polarization	Vertical																																																																																																
Operating Function	Normal Link																																																																																																		
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p style="font-size: small;">Date: 2019-07-25 Time: 20:42:24</p> </div> </div>																																																																																																			
<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>32.91</td> <td>33.40</td> <td>40.00</td> <td>-6.60</td> <td>40.21</td> <td>0.72</td> <td>23.99</td> <td>31.52</td> <td>100</td> <td>143</td> <td>QP</td> </tr> <tr> <td>2</td> <td>48.43</td> <td>33.04</td> <td>40.00</td> <td>-6.96</td> <td>48.36</td> <td>0.92</td> <td>15.46</td> <td>31.70</td> <td>150</td> <td>266</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>67.83</td> <td>30.68</td> <td>40.00</td> <td>-9.32</td> <td>48.95</td> <td>1.01</td> <td>12.60</td> <td>31.88</td> <td>200</td> <td>107</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>73.65</td> <td>32.10</td> <td>40.00</td> <td>-7.90</td> <td>50.02</td> <td>1.10</td> <td>12.86</td> <td>31.88</td> <td>200</td> <td>3</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>199.75</td> <td>35.85</td> <td>43.50</td> <td>-7.65</td> <td>49.86</td> <td>1.73</td> <td>16.20</td> <td>31.94</td> <td>100</td> <td>168</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>399.57</td> <td>42.45</td> <td>46.00</td> <td>-3.55</td> <td>49.61</td> <td>2.56</td> <td>22.47</td> <td>32.19</td> <td>125</td> <td>188</td> <td>Peak</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	32.91	33.40	40.00	-6.60	40.21	0.72	23.99	31.52	100	143	QP	2	48.43	33.04	40.00	-6.96	48.36	0.92	15.46	31.70	150	266	Peak	3	67.83	30.68	40.00	-9.32	48.95	1.01	12.60	31.88	200	107	Peak	4	73.65	32.10	40.00	-7.90	50.02	1.10	12.86	31.88	200	3	Peak	5	199.75	35.85	43.50	-7.65	49.86	1.73	16.20	31.94	100	168	Peak	6	399.57	42.45	46.00	-3.55	49.61	2.56	22.47	32.19	125	188	Peak
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	32.91	33.40	40.00	-6.60	40.21	0.72	23.99	31.52	100	143	QP																																																																																								
2	48.43	33.04	40.00	-6.96	48.36	0.92	15.46	31.70	150	266	Peak																																																																																								
3	67.83	30.68	40.00	-9.32	48.95	1.01	12.60	31.88	200	107	Peak																																																																																								
4	73.65	32.10	40.00	-7.90	50.02	1.10	12.86	31.88	200	3	Peak																																																																																								
5	199.75	35.85	43.50	-7.65	49.86	1.73	16.20	31.94	100	168	Peak																																																																																								
6	399.57	42.45	46.00	-3.55	49.61	2.56	22.47	32.19	125	188	Peak																																																																																								
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit.</p> <p>Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																			



RSE below 1GHz Result

RSE below 1GHz Result																																																																																																									
Operating Mode	2	Polarization	Horizontal																																																																																																						
Operating Function	Normal Link																																																																																																								
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p style="font-size: small;">Date: 2019-07-25 Time: 20:40:21</p> </div> </div>																																																																																																									
<table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>31.12</td> <td>40.00</td> <td>-8.88</td> <td>36.88</td> <td>0.69</td> <td>25.11</td> <td>31.56</td> <td>300</td> <td>204</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>74.62</td> <td>29.55</td> <td>40.00</td> <td>-10.45</td> <td>47.38</td> <td>1.12</td> <td>12.93</td> <td>31.88</td> <td>150</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>199.75</td> <td>30.53</td> <td>43.50</td> <td>-12.97</td> <td>44.54</td> <td>1.73</td> <td>16.20</td> <td>31.94</td> <td>200</td> <td>87</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>299.66</td> <td>36.24</td> <td>46.00</td> <td>-9.76</td> <td>46.33</td> <td>2.21</td> <td>19.78</td> <td>32.08</td> <td>100</td> <td>251</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>399.57</td> <td>39.27</td> <td>46.00</td> <td>-6.73</td> <td>46.43</td> <td>2.56</td> <td>22.47</td> <td>32.19</td> <td>100</td> <td>259</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>608.12</td> <td>32.88</td> <td>46.00</td> <td>-13.12</td> <td>36.92</td> <td>3.30</td> <td>25.00</td> <td>32.34</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	30.97	31.12	40.00	-8.88	36.88	0.69	25.11	31.56	300	204	Peak	HORIZONTAL	2	74.62	29.55	40.00	-10.45	47.38	1.12	12.93	31.88	150	0	Peak	HORIZONTAL	3	199.75	30.53	43.50	-12.97	44.54	1.73	16.20	31.94	200	87	Peak	HORIZONTAL	4	299.66	36.24	46.00	-9.76	46.33	2.21	19.78	32.08	100	251	Peak	HORIZONTAL	5	399.57	39.27	46.00	-6.73	46.43	2.56	22.47	32.19	100	259	Peak	HORIZONTAL	6	608.12	32.88	46.00	-13.12	36.92	3.30	25.00	32.34	300	0	Peak	HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	30.97	31.12	40.00	-8.88	36.88	0.69	25.11	31.56	300	204	Peak	HORIZONTAL																																																																																													
2	74.62	29.55	40.00	-10.45	47.38	1.12	12.93	31.88	150	0	Peak	HORIZONTAL																																																																																													
3	199.75	30.53	43.50	-12.97	44.54	1.73	16.20	31.94	200	87	Peak	HORIZONTAL																																																																																													
4	299.66	36.24	46.00	-9.76	46.33	2.21	19.78	32.08	100	251	Peak	HORIZONTAL																																																																																													
5	399.57	39.27	46.00	-6.73	46.43	2.56	22.47	32.19	100	259	Peak	HORIZONTAL																																																																																													
6	608.12	32.88	46.00	-13.12	36.92	3.30	25.00	32.34	300	0	Peak	HORIZONTAL																																																																																													
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit. Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									



For non-beamforming mode:

4 Stream 4 TX for SDM mode & 1 Stream 4 TX for CDD mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	2.4846G	53.95	54.00	-0.05	32.25	3	Vertical	85	1.90	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3876G	58.83	74.00	-15.17	31.93	3	Vertical	147	1.93	-
AV	2.3854G	45.78	54.00	-8.22	31.92	3	Vertical	147	1.93	-
PK	2.413G	123.68	Inf	-Inf	32.01	3	Vertical	147	1.93	-
AV	2.4128G	119.70	Inf	-Inf	32.01	3	Vertical	147	1.93	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2412MHz_TX




EUT_Y_4TX
Setting 96
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.389G	57.13	74.00	-16.87	31.93	3	Horizontal	56	2.37	-
AV	2.3892G	44.49	54.00	-9.51	31.93	3	Horizontal	56	2.37	-
PK	2.413G	117.27	Inf	-Inf	32.01	3	Horizontal	56	2.37	-
AV	2.4112G	113.22	Inf	-Inf	32.00	3	Horizontal	56	2.37	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82394G	49.55	74.00	-24.45	4.71	3	Vertical	113	1.23	-
AV	4.82394G	42.53	54.00	-11.47	4.71	3	Vertical	113	1.23	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82394G	52.31	74.00	-21.69	4.71	3	Horizontal	98	1.85	-
AV	4.824G	47.80	54.00	-6.20	4.71	3	Horizontal	98	1.85	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3422G	56.08	74.00	-17.92	31.79	3	Vertical	289	1.33	-
AV	2.3882G	44.39	54.00	-9.61	31.93	3	Vertical	289	1.33	-
PK	2.4378G	121.27	Inf	-Inf	32.09	3	Vertical	289	1.33	-
AV	2.4362G	117.52	Inf	-Inf	32.09	3	Vertical	289	1.33	-
PK	2.4998G	57.05	74.00	-16.95	32.31	3	Vertical	289	1.33	-
AV	2.485G	44.66	54.00	-9.34	32.26	3	Vertical	289	1.33	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3478G	55.80	74.00	-18.20	31.82	3	Horizontal	174	1.51	-
AV	2.3882G	44.00	54.00	-10.00	31.93	3	Horizontal	174	1.51	-
PK	2.4378G	114.29	Inf	-Inf	32.09	3	Horizontal	174	1.51	-
AV	2.4378G	110.36	Inf	-Inf	32.09	3	Horizontal	174	1.51	-
PK	2.499G	56.23	74.00	-17.77	32.31	3	Horizontal	174	1.51	-
AV	2.4858G	44.34	54.00	-9.66	32.26	3	Horizontal	174	1.51	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87401G	46.75	74.00	-27.25	4.80	3	Vertical	195	2.08	-
AV	4.87397G	34.50	54.00	-19.50	4.80	3	Vertical	195	2.08	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87401G	47.41	74.00	-26.59	4.80	3	Horizontal	275	1.43	-
AV	4.87393G	35.39	54.00	-18.61	4.80	3	Horizontal	275	1.43	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.461G	123.81	Inf	-Inf	32.17	3	Vertical	167	1.43	-
AV	2.4612G	120.09	Inf	-Inf	32.17	3	Vertical	167	1.43	-
PK	2.4912G	57.61	74.00	-16.39	32.28	3	Vertical	167	1.43	-
AV	2.4835G	46.17	54.00	-7.83	32.25	3	Vertical	167	1.43	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.463G	114.48	Inf	-Inf	32.18	3	Horizontal	80	1.26	-
AV	2.4612G	110.59	Inf	-Inf	32.17	3	Horizontal	80	1.26	-
PK	2.495G	56.29	74.00	-17.71	32.30	3	Horizontal	80	1.26	-
AV	2.4836G	44.46	54.00	-9.54	32.25	3	Horizontal	80	1.26	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
 Setting 96
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92316G	46.90	74.00	-27.10	4.90	3	Vertical	130	1.49	-
AV	4.92396G	33.93	54.00	-20.07	4.90	3	Vertical	130	1.49	-

802.11b_Nss1,(1Mbps)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92388G	46.36	74.00	-27.64	4.90	3	Horizontal	40	1.50	-
AV	4.92402G	33.59	54.00	-20.41	4.90	3	Horizontal	40	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	66.14	74.00	-7.86	31.93	3	Vertical	88	1.83	-
AV	2.39G	51.82	54.00	-2.18	31.93	3	Vertical	88	1.83	-
PK	2.4056G	123.27	Inf	-Inf	31.98	3	Vertical	88	1.83	-
AV	2.4138G	111.65	Inf	-Inf	32.01	3	Vertical	88	1.83	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	58.40	74.00	-15.60	31.93	3	Horizontal	63	1.06	-
AV	2.39G	47.35	54.00	-6.65	31.93	3	Horizontal	63	1.06	-
PK	2.4158G	116.90	Inf	-Inf	32.02	3	Horizontal	63	1.06	-
AV	2.4178G	103.85	Inf	-Inf	32.02	3	Horizontal	63	1.06	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
 Setting 96
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82347G	45.95	74.00	-28.05	4.71	3	Vertical	138	1.89	-
AV	4.82358G	33.59	54.00	-20.41	4.71	3	Vertical	138	1.89	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82352G	45.81	74.00	-28.19	4.71	3	Horizontal	275	2.28	-
AV	4.823G	33.51	54.00	-20.49	4.71	3	Horizontal	275	2.28	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.351G	55.95	74.00	-18.05	31.82	3	Vertical	87	2.10	-
AV	2.3826G	44.90	54.00	-9.10	31.92	3	Vertical	87	2.10	-
PK	2.4402G	123.92	Inf	-Inf	32.10	3	Vertical	87	2.10	-
AV	2.4406G	111.85	Inf	-Inf	32.10	3	Vertical	87	2.10	-
PK	2.4854G	56.57	74.00	-17.43	32.26	3	Vertical	87	2.10	-
AV	2.4858G	45.80	54.00	-8.20	32.26	3	Vertical	87	2.10	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3726G	55.99	74.00	-18.01	31.89	3	Horizontal	61	1.29	-
AV	2.387G	44.88	54.00	-9.12	31.92	3	Horizontal	61	1.29	-
PK	2.4342G	115.54	Inf	-Inf	32.08	3	Horizontal	61	1.29	-
AV	2.4318G	104.09	Inf	-Inf	32.08	3	Horizontal	61	1.29	-
PK	2.4854G	56.37	74.00	-17.63	32.26	3	Horizontal	61	1.29	-
AV	2.485G	45.23	54.00	-8.77	32.26	3	Horizontal	61	1.29	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87448G	47.14	74.00	-26.86	4.80	3	Vertical	275	1.64	-
AV	4.87327G	34.21	54.00	-19.79	4.80	3	Vertical	275	1.64	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87371G	46.68	74.00	-27.32	4.80	3	Horizontal	41	1.19	-
AV	4.87372G	34.07	54.00	-19.93	4.80	3	Horizontal	41	1.19	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 92
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4608G	122.85	Inf	-Inf	32.17	3	Vertical	83	1.82	-
AV	2.4628G	110.25	Inf	-Inf	32.18	3	Vertical	83	1.82	-
PK	2.4848G	67.25	74.00	-6.75	32.25	3	Vertical	83	1.82	-
AV	2.4835G	53.92	54.00	-0.08	32.25	3	Vertical	83	1.82	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 92
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4608G	116.15	Inf	-Inf	32.17	3	Horizontal	38	1.75	-
AV	2.4584G	103.21	Inf	-Inf	32.17	3	Horizontal	38	1.75	-
PK	2.4836G	61.81	74.00	-12.19	32.25	3	Horizontal	38	1.75	-
AV	2.4835G	49.10	54.00	-4.90	32.25	3	Horizontal	38	1.75	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 92
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.93516G	47.15	74.00	-26.85	4.91	3	Vertical	221	1.39	-
AV	4.93612G	34.13	54.00	-19.87	4.91	3	Vertical	221	1.39	-

802.11ax HEW20_Nss4,(MCS0)_4TX

25/07/2019

2462MHz_TX




EUT Y_4TX
Setting 92
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.93696G	47.16	74.00	-26.84	4.91	3	Horizontal	23	1.67	-
AV	4.93564G	34.14	54.00	-19.86	4.91	3	Horizontal	23	1.67	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	63.85	74.00	-10.15	31.93	3	Vertical	274	1.78	-
AV	2.39G	53.78	54.00	-0.22	31.93	3	Vertical	274	1.78	-
PK	2.4264G	120.82	Inf	-Inf	32.05	3	Vertical	274	1.78	-
AV	2.4248G	109.65	Inf	-Inf	32.04	3	Vertical	274	1.78	-
PK	2.4892G	58.47	74.00	-15.53	32.27	3	Vertical	274	1.78	-
AV	2.484G	48.05	54.00	-5.95	32.25	3	Vertical	274	1.78	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	63.67	74.00	-10.33	31.93	3	Horizontal	49	2.06	-
AV	2.39G	51.24	54.00	-2.76	31.93	3	Horizontal	49	2.06	-
PK	2.4308G	114.18	Inf	-Inf	32.07	3	Horizontal	49	2.06	-
AV	2.4264G	104.07	Inf	-Inf	32.05	3	Horizontal	49	2.06	-
PK	2.4928G	56.67	74.00	-17.33	32.29	3	Horizontal	49	2.06	-
AV	2.4835G	46.67	54.00	-7.33	32.25	3	Horizontal	49	2.06	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.83512G	46.42	74.00	-27.58	4.73	3	Vertical	282	1.64	-
AV	4.84844G	35.75	54.00	-18.25	4.76	3	Vertical	282	1.64	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.84368G	46.47	74.00	-27.53	4.75	3	Horizontal	173	1.43	-
AV	4.83488G	35.65	54.00	-18.35	4.73	3	Horizontal	173	1.43	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	64.25	74.00	-9.75	31.93	3	Vertical	85	1.90	-
AV	2.3858G	53.84	54.00	-0.16	31.92	3	Vertical	85	1.90	-
PK	2.4418G	120.84	Inf	-Inf	32.11	3	Vertical	85	1.90	-
AV	2.4458G	109.79	Inf	-Inf	32.12	3	Vertical	85	1.90	-
PK	2.4838G	65.44	74.00	-8.56	32.25	3	Vertical	85	1.90	-
AV	2.4846G	53.95	54.00	-0.05	32.25	3	Vertical	85	1.90	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	58.07	74.00	-15.93	31.93	3	Horizontal	53	2.26	-
AV	2.3898G	48.01	54.00	-5.99	31.93	3	Horizontal	53	2.26	-
PK	2.4474G	114.09	Inf	-Inf	32.12	3	Horizontal	53	2.26	-
AV	2.4442G	103.57	Inf	-Inf	32.11	3	Horizontal	53	2.26	-
PK	2.4846G	60.37	74.00	-13.63	32.25	3	Horizontal	53	2.26	-
AV	2.4846G	49.56	54.00	-4.44	32.25	3	Horizontal	53	2.26	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.88564G	46.51	74.00	-27.49	4.82	3	Vertical	352	1.46	-
AV	4.88654G	35.48	54.00	-18.52	4.82	3	Vertical	352	1.46	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 94
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.88102G	47.10	74.00	-26.90	4.81	3	Horizontal	160	1.65	-
AV	4.86326G	35.64	54.00	-18.36	4.78	3	Horizontal	160	1.65	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2452MHz_TX




EUT Y_4TX
Setting 85
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3728G	56.97	74.00	-17.03	31.89	3	Vertical	268	1.64	-
AV	2.3848G	46.47	54.00	-7.53	31.92	3	Vertical	268	1.64	-
PK	2.4588G	118.89	Inf	-Inf	32.17	3	Vertical	268	1.64	-
AV	2.4472G	107.89	Inf	-Inf	32.12	3	Vertical	268	1.64	-
PK	2.4852G	63.44	74.00	-10.56	32.26	3	Vertical	268	1.64	-
AV	2.4844G	53.79	54.00	-0.21	32.25	3	Vertical	268	1.64	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2452MHz_TX




EUT Y_4TX
Setting 85
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3672G	56.39	74.00	-17.61	31.86	3	Horizontal	40	1.74	-
AV	2.3616G	46.32	54.00	-7.68	31.85	3	Horizontal	40	1.74	-
PK	2.4372G	111.44	Inf	-Inf	32.09	3	Horizontal	40	1.74	-
AV	2.4488G	102.22	Inf	-Inf	32.13	3	Horizontal	40	1.74	-
PK	2.4835G	62.72	74.00	-11.28	32.25	3	Horizontal	40	1.74	-
AV	2.4844G	50.29	54.00	-3.71	32.25	3	Horizontal	40	1.74	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2452MHz_TX




EUT Y_4TX
Setting 85
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.896G	46.04	74.00	-27.96	4.84	3	Vertical	199	1.52	-
AV	4.90556G	35.19	54.00	-18.81	4.86	3	Vertical	199	1.52	-

802.11ax HEW40_Nss4,(MCS0)_4TX

25/07/2019

2452MHz_TX



EUT Y_4TX
Setting 85
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.90492G	46.00	74.00	-28.00	4.86	3	Horizontal	318	1.69	-
AV	4.8942G	35.47	54.00	-18.53	4.84	3	Horizontal	318	1.69	-



For beamforming mode:
1 Stream 4 TX for TxBF mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4838G	53.83	54.00	-0.17	32.25	3	Vertical	82	1.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 94
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	68.60	74.00	-5.40	31.93	3	Vertical	94	1.85	-
AV	2.39G	53.79	54.00	-0.21	31.93	3	Vertical	94	1.85	-
PK	2.416G	128.48	Inf	-Inf	32.02	3	Vertical	94	1.85	-
AV	2.416G	116.02	Inf	-Inf	32.02	3	Vertical	94	1.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 94
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3864G	59.27	74.00	-14.73	31.92	3	Horizontal	247	1.76	-
AV	2.39G	46.79	54.00	-7.21	31.93	3	Horizontal	247	1.76	-
PK	2.4164G	119.66	Inf	-Inf	32.02	3	Horizontal	247	1.76	-
AV	2.4156G	107.37	Inf	-Inf	32.02	3	Horizontal	247	1.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 94
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8233G	45.76	74.00	-28.24	4.71	3	Vertical	147	2.52	-
AV	4.82292G	32.57	54.00	-21.43	4.71	3	Vertical	147	2.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
 Setting 94
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.83196G	45.87	74.00	-28.13	4.72	3	Horizontal	249	2.88	-
AV	4.82332G	32.61	54.00	-21.39	4.71	3	Horizontal	249	2.88	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.379G	56.95	74.00	-17.05	31.90	3	Vertical	91	1.92	-
AV	2.3898G	45.29	54.00	-8.71	31.93	3	Vertical	91	1.92	-
PK	2.429G	129.51	Inf	-Inf	32.06	3	Vertical	91	1.92	-
AV	2.4334G	117.16	Inf	-Inf	32.08	3	Vertical	91	1.92	-
PK	2.4835G	58.59	74.00	-15.41	32.25	3	Vertical	91	1.92	-
AV	2.4854G	46.11	54.00	-7.89	32.26	3	Vertical	91	1.92	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.371G	56.01	74.00	-17.99	31.88	3	Horizontal	246	1.87	-
AV	2.3898G	44.37	54.00	-9.63	31.93	3	Horizontal	246	1.87	-
PK	2.4438G	119.46	Inf	-Inf	32.11	3	Horizontal	246	1.87	-
AV	2.4438G	107.89	Inf	-Inf	32.11	3	Horizontal	246	1.87	-
PK	2.4958G	56.91	74.00	-17.09	32.30	3	Horizontal	246	1.87	-
AV	2.489G	44.84	54.00	-9.16	32.27	3	Horizontal	246	1.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.88268G	50.97	74.00	-23.03	4.82	3	Vertical	166	1.50	-
AV	4.88088G	35.81	54.00	-18.19	4.81	3	Vertical	166	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.88264G	47.71	74.00	-26.29	4.82	3	Horizontal	278	1.01	-
AV	4.87G	33.81	54.00	-20.19	4.79	3	Horizontal	278	1.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
Setting 89
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.466G	126.63	Inf	-Inf	32.19	3	Vertical	82	1.58	-
AV	2.4578G	114.35	Inf	-Inf	32.16	3	Vertical	82	1.58	-
PK	2.4836G	70.86	74.00	-3.14	32.25	3	Vertical	82	1.58	-
AV	2.4836G	53.79	54.00	-0.21	32.25	3	Vertical	82	1.58	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
Setting 89
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.4662G	116.08	Inf	-Inf	32.19	3	Horizontal	42	1.77	-
AV	2.4612G	107.40	Inf	-Inf	32.17	3	Horizontal	42	1.77	-
PK	2.485G	61.76	74.00	-12.24	32.26	3	Horizontal	42	1.77	-
AV	2.4836G	45.80	54.00	-8.20	32.25	3	Horizontal	42	1.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
 Setting 89
 03-C-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.9298G	47.70	74.00	-26.30	4.90	3	Vertical	268	1.66	-
AV	4.92528G	35.91	54.00	-18.09	4.89	3	Vertical	268	1.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
Setting 89
03-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.9312G	46.27	74.00	-27.73	4.90	3	Horizontal	164	1.46	-
AV	4.934G	32.74	54.00	-21.26	4.91	3	Horizontal	164	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3836G	67.02	74.00	-6.98	31.92	3	Vertical	96	2.02	-
AV	2.3872G	53.78	54.00	-0.22	31.92	3	Vertical	96	2.02	-
PK	2.42G	126.32	Inf	-Inf	32.03	3	Vertical	96	2.02	-
AV	2.4264G	113.43	Inf	-Inf	32.05	3	Vertical	96	2.02	-
PK	2.4835G	58.27	74.00	-15.73	32.25	3	Vertical	96	2.02	-
AV	2.4835G	45.92	54.00	-8.08	32.25	3	Vertical	96	2.02	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	63.63	74.00	-10.37	31.93	3	Horizontal	236	1.77	-
AV	2.39G	51.39	54.00	-2.61	31.93	3	Horizontal	236	1.77	-
PK	2.4172G	117.43	Inf	-Inf	32.02	3	Horizontal	236	1.77	-
AV	2.4112G	104.60	Inf	-Inf	32.00	3	Horizontal	236	1.77	-
PK	2.4835G	56.84	74.00	-17.16	32.25	3	Horizontal	236	1.77	-
AV	2.4848G	44.72	54.00	-9.28	32.25	3	Horizontal	236	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.84329G	48.17	74.00	-25.83	4.75	3	Vertical	301	2.36	-
AV	4.84408G	33.53	54.00	-20.47	4.75	3	Vertical	301	2.36	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
 Setting 93
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.84345G	48.26	74.00	-25.74	4.75	3	Horizontal	225	2.74	-
AV	4.84322G	33.26	54.00	-20.74	4.75	3	Horizontal	225	2.74	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT Y_4TX
Setting 91
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3894G	62.76	74.00	-11.24	31.93	3	Vertical	82	1.66	-
AV	2.3898G	47.59	54.00	-6.41	31.93	3	Vertical	82	1.66	-
PK	2.451G	125.84	Inf	-Inf	32.14	3	Vertical	82	1.66	-
AV	2.4498G	112.80	Inf	-Inf	32.13	3	Vertical	82	1.66	-
PK	2.4842G	68.34	74.00	-5.66	32.25	3	Vertical	82	1.66	-
AV	2.4838G	53.83	54.00	-0.17	32.25	3	Vertical	82	1.66	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT_Y_4TX
Setting 91
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	60.87	74.00	-13.13	31.93	3	Horizontal	45	1.73	-
AV	2.3898G	48.12	54.00	-5.88	31.93	3	Horizontal	45	1.73	-
PK	2.4418G	115.22	Inf	-Inf	32.11	3	Horizontal	45	1.73	-
AV	2.4254G	107.40	Inf	-Inf	32.05	3	Horizontal	45	1.73	-
PK	2.4866G	63.64	74.00	-10.36	32.26	3	Horizontal	45	1.73	-
AV	2.4835G	50.27	54.00	-3.73	32.25	3	Horizontal	45	1.73	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT Y_4TX
Setting 91
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87529G	50.49	74.00	-23.51	4.80	3	Vertical	288	1.74	-
AV	4.87569G	34.78	54.00	-19.22	4.80	3	Vertical	288	1.74	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT Y_4TX
Setting 91
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87481G	46.57	74.00	-27.43	4.80	3	Horizontal	296	1.01	-
AV	4.87474G	32.68	54.00	-21.32	4.80	3	Horizontal	296	1.01	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT Y_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3812G	57.06	74.00	-16.94	31.90	3	Vertical	82	1.59	-
AV	2.39G	44.77	54.00	-9.23	31.93	3	Vertical	82	1.59	-
PK	2.4572G	124.22	Inf	-Inf	32.16	3	Vertical	82	1.59	-
AV	2.4564G	111.48	Inf	-Inf	32.16	3	Vertical	82	1.59	-
PK	2.4844G	69.72	74.00	-4.28	32.25	3	Vertical	82	1.59	-
AV	2.484G	53.82	54.00	-0.18	32.25	3	Vertical	82	1.59	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT_Y_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3524G	56.78	74.00	-17.22	31.82	3	Horizontal	43	1.72	-
AV	2.3868G	44.43	54.00	-9.57	31.92	3	Horizontal	43	1.72	-
PK	2.4432G	112.29	Inf	-Inf	32.11	3	Horizontal	43	1.72	-
AV	2.4428G	104.64	Inf	-Inf	32.11	3	Horizontal	43	1.72	-
PK	2.4892G	61.64	74.00	-12.36	32.27	3	Horizontal	43	1.72	-
AV	2.486G	48.51	54.00	-5.49	32.26	3	Horizontal	43	1.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT Y_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.90375G	49.37	74.00	-24.63	4.86	3	Vertical	235	1.50	-
AV	4.9031G	34.58	54.00	-19.42	4.86	3	Vertical	235	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/06/2019

2452MHz_TX



EUT Y_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.90387G	46.57	74.00	-27.43	4.86	3	Horizontal	290	1.27	-
AV	4.90541G	32.90	54.00	-21.10	4.86	3	Horizontal	290	1.27	-



2 Stream 4 TX for TxBF mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	AV	2.4835G	53.90	54.00	-0.10	32.25	3	Vertical	72	1.56	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	68.45	74.00	-5.55	31.93	3	Vertical	266	1.40	-
AV	2.39G	52.49	54.00	-1.51	31.93	3	Vertical	266	1.40	-
PK	2.4192G	126.77	Inf	-Inf	32.03	3	Vertical	266	1.40	-
AV	2.4156G	113.46	Inf	-Inf	32.02	3	Vertical	266	1.40	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	61.57	74.00	-12.43	31.93	3	Horizontal	231	2.28	-
AV	2.39G	47.81	54.00	-6.19	31.93	3	Horizontal	231	2.28	-
PK	2.4112G	118.60	Inf	-Inf	32.00	3	Horizontal	231	2.28	-
AV	2.4128G	107.69	Inf	-Inf	32.01	3	Horizontal	231	2.28	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82472G	45.94	74.00	-28.06	4.71	3	Vertical	64	1.61	-
AV	4.82385G	32.43	54.00	-21.57	4.71	3	Vertical	64	1.61	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2412MHz_TX




EUT Y_4TX
 Setting 96
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.82318G	46.20	74.00	-27.80	4.71	3	Horizontal	356	2.80	-
AV	4.82324G	32.50	54.00	-21.50	4.71	3	Horizontal	356	2.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.381G	56.45	74.00	-17.55	31.90	3	Vertical	93	1.94	-
AV	2.3898G	44.66	54.00	-9.34	31.93	3	Vertical	93	1.94	-
PK	2.441G	126.40	Inf	-Inf	32.10	3	Vertical	93	1.94	-
AV	2.4298G	113.69	Inf	-Inf	32.06	3	Vertical	93	1.94	-
PK	2.4914G	56.82	74.00	-17.18	32.28	3	Vertical	93	1.94	-
AV	2.4838G	45.20	54.00	-8.80	32.25	3	Vertical	93	1.94	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3502G	56.33	74.00	-17.67	31.82	3	Horizontal	240	1.02	-
AV	2.3898G	44.29	54.00	-9.71	31.93	3	Horizontal	240	1.02	-
PK	2.4442G	118.17	Inf	-Inf	32.11	3	Horizontal	240	1.02	-
AV	2.439G	105.51	Inf	-Inf	32.10	3	Horizontal	240	1.02	-
PK	2.4866G	56.73	74.00	-17.27	32.26	3	Horizontal	240	1.02	-
AV	2.493G	44.57	54.00	-9.43	32.29	3	Horizontal	240	1.02	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8748G	47.45	74.00	-26.55	4.80	3	Vertical	167	2.19	-
AV	4.87428G	33.23	54.00	-20.77	4.80	3	Vertical	167	2.19	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

25/07/2019

2437MHz_TX




EUT Y_4TX
Setting 96
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.8731G	46.98	74.00	-27.02	4.80	3	Horizontal	181	2.49	-
AV	4.87378G	33.44	54.00	-20.56	4.80	3	Horizontal	181	2.49	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT_Y_4TX
Setting 95
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3652G	56.66	74.00	-17.34	31.86	3	Vertical	72	1.56	-
AV	2.3892G	44.45	54.00	-9.55	31.93	3	Vertical	72	1.56	-
PK	2.46G	125.54	Inf	-Inf	32.17	3	Vertical	72	1.56	-
AV	2.4552G	113.03	Inf	-Inf	32.16	3	Vertical	72	1.56	-
PK	2.4844G	69.54	74.00	-4.46	32.25	3	Vertical	72	1.56	-
AV	2.4835G	53.90	54.00	-0.10	32.25	3	Vertical	72	1.56	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT_Y_4TX
Setting 95
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3872G	56.43	74.00	-17.57	31.92	3	Horizontal	38	1.78	-
AV	2.3628G	44.30	54.00	-9.70	31.86	3	Horizontal	38	1.78	-
PK	2.4544G	115.80	Inf	-Inf	32.15	3	Horizontal	38	1.78	-
AV	2.4644G	106.53	Inf	-Inf	32.18	3	Horizontal	38	1.78	-
PK	2.4835G	61.59	74.00	-12.41	32.25	3	Horizontal	38	1.78	-
AV	2.4835G	48.04	54.00	-5.96	32.25	3	Horizontal	38	1.78	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
 Setting 95
 03-M-1
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.9241G	49.19	74.00	-24.81	4.90	3	Vertical	2	1.50	-
AV	4.92538G	34.65	54.00	-19.35	4.89	3	Vertical	2	1.50	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/06/2019

2462MHz_TX




EUT Y_4TX
Setting 95
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.92623G	46.68	74.00	-27.32	4.89	3	Horizontal	306	1.50	-
AV	4.92643G	32.61	54.00	-21.39	4.89	3	Horizontal	306	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.39G	65.32	74.00	-8.68	31.93	3	Vertical	96	1.84	-
AV	2.39G	53.76	54.00	-0.24	31.93	3	Vertical	96	1.84	-
PK	2.416G	124.07	Inf	-Inf	32.02	3	Vertical	96	1.84	-
AV	2.4148G	112.48	Inf	-Inf	32.01	3	Vertical	96	1.84	-
PK	2.4876G	57.85	74.00	-16.15	32.26	3	Vertical	96	1.84	-
AV	2.486G	46.28	54.00	-7.72	32.26	3	Vertical	96	1.84	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.386G	64.59	74.00	-9.41	31.92	3	Horizontal	242	1.76	-
AV	2.39G	50.79	54.00	-3.21	31.93	3	Horizontal	242	1.76	-
PK	2.4136G	115.86	Inf	-Inf	32.01	3	Horizontal	242	1.76	-
AV	2.4148G	107.53	Inf	-Inf	32.01	3	Horizontal	242	1.76	-
PK	2.484G	57.42	74.00	-16.58	32.25	3	Horizontal	242	1.76	-
AV	2.4835G	45.38	54.00	-8.62	32.25	3	Horizontal	242	1.76	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
 Setting 93
 03-L-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.84356G	46.75	74.00	-27.25	4.75	3	Vertical	223	1.37	-
AV	4.84384G	33.52	54.00	-20.48	4.75	3	Vertical	223	1.37	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

25/07/2019

2422MHz_TX




EUT Y_4TX
Setting 93
03-L-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.84366G	47.13	74.00	-26.87	4.75	3	Horizontal	276	3.00	-
AV	4.84416G	33.45	54.00	-20.55	4.75	3	Horizontal	276	3.00	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT_Y_4TX
Setting 92
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	64.39	74.00	-9.61	31.93	3	Vertical	75	1.86	-
AV	2.3898G	50.90	54.00	-3.10	31.93	3	Vertical	75	1.86	-
PK	2.4466G	125.09	Inf	-Inf	32.12	3	Vertical	75	1.86	-
AV	2.449G	111.68	Inf	-Inf	32.13	3	Vertical	75	1.86	-
PK	2.4846G	69.36	74.00	-4.64	32.25	3	Vertical	75	1.86	-
AV	2.4835G	53.84	54.00	-0.16	32.25	3	Vertical	75	1.86	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT_Y_4TX
Setting 92
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3898G	58.02	74.00	-15.98	31.93	3	Horizontal	49	2.07	-
AV	2.3898G	45.83	54.00	-8.17	31.93	3	Horizontal	49	2.07	-
PK	2.4498G	116.05	Inf	-Inf	32.13	3	Horizontal	49	2.07	-
AV	2.4254G	107.68	Inf	-Inf	32.05	3	Horizontal	49	2.07	-
PK	2.4835G	65.73	74.00	-8.27	32.25	3	Horizontal	49	2.07	-
AV	2.4838G	50.01	54.00	-3.99	32.25	3	Horizontal	49	2.07	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT Y_4TX
Setting 92
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87617G	49.01	74.00	-24.99	4.80	3	Vertical	276	1.50	-
AV	4.87625G	34.69	54.00	-19.31	4.80	3	Vertical	276	1.50	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2437MHz_TX




EUT Y_4TX
Setting 92
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.87502G	47.00	74.00	-27.00	4.80	3	Horizontal	93	1.77	-
AV	4.8756G	32.82	54.00	-21.18	4.80	3	Horizontal	93	1.77	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT_Y_4TX
Setting 84
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3604G	57.18	74.00	-16.82	31.85	3	Vertical	82	1.56	-
AV	2.39G	44.62	54.00	-9.38	31.93	3	Vertical	82	1.56	-
PK	2.4556G	123.04	Inf	-Inf	32.16	3	Vertical	82	1.56	-
AV	2.4572G	109.59	Inf	-Inf	32.16	3	Vertical	82	1.56	-
PK	2.4868G	71.06	74.00	-2.94	32.26	3	Vertical	82	1.56	-
AV	2.4844G	53.77	54.00	-0.23	32.25	3	Vertical	82	1.56	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT_Y_4TX
Setting 84
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	2.3828G	56.71	74.00	-17.29	31.92	3	Horizontal	44	1.97	-
AV	2.3892G	44.34	54.00	-9.66	31.93	3	Horizontal	44	1.97	-
PK	2.444G	114.19	Inf	-Inf	32.11	3	Horizontal	44	1.97	-
AV	2.4432G	106.67	Inf	-Inf	32.11	3	Horizontal	44	1.97	-
PK	2.4868G	62.89	74.00	-11.11	32.26	3	Horizontal	44	1.97	-
AV	2.4835G	48.12	54.00	-5.88	32.25	3	Horizontal	44	1.97	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/06/2019

2452MHz_TX




EUT Y_4TX
Setting 84
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.90056G	50.58	74.00	-23.42	4.85	3	Vertical	288	1.54	-
AV	4.89504G	35.56	54.00	-18.44	4.84	3	Vertical	288	1.54	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


29/06/2019

2452MHz_TX



EUT Y_4TX
Setting 84
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	4.9036G	46.96	74.00	-27.04	4.86	3	Horizontal	275	1.09	-
AV	4.89532G	33.16	54.00	-20.84	4.84	3	Horizontal	275	1.09	-





RSE Co-location Result																																																			
Operating Mode	1	Polarization	Vertical																																																
Operating Function	Normal Link																																																		
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> </div> <div style="text-align: right;"> <p>Date: 2019-07-25 Time: 23:33:05</p> </div> </div>																																																			
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">1067.52</td> <td style="text-align: center;">37.41</td> <td style="text-align: center;">54.00</td> <td style="text-align: center;">-16.59</td> <td style="text-align: center;">46.84</td> <td style="text-align: center;">2.69</td> <td style="text-align: center;">24.66</td> <td style="text-align: center;">36.78</td> <td style="text-align: center;">101</td> <td style="text-align: center;">35 Average</td> <td style="text-align: center;">VERTICAL</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">1068.97</td> <td style="text-align: center;">48.03</td> <td style="text-align: center;">74.00</td> <td style="text-align: center;">-25.97</td> <td style="text-align: center;">57.46</td> <td style="text-align: center;">2.69</td> <td style="text-align: center;">24.66</td> <td style="text-align: center;">36.78</td> <td style="text-align: center;">101</td> <td style="text-align: center;">35 Peak</td> <td style="text-align: center;">VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	1067.52	37.41	54.00	-16.59	46.84	2.69	24.66	36.78	101	35 Average	VERTICAL	2	1068.97	48.03	74.00	-25.97	57.46	2.69	24.66	36.78	101	35 Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																									
1	1067.52	37.41	54.00	-16.59	46.84	2.69	24.66	36.78	101	35 Average	VERTICAL																																								
2	1068.97	48.03	74.00	-25.97	57.46	2.69	24.66	36.78	101	35 Peak	VERTICAL																																								