


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15804G	53.06	74.00	-20.94	40.14	3	Horizontal	234	1.61	-	38.66	7.51	33.25	
AV	11.1548G	39.92	54.00	-14.08	27.02	3	Horizontal	234	1.61	-	38.65	7.50	33.25	
PK	16.7478G	67.72	68.20	-0.48	51.76	3	Horizontal	15	1.82	-	39.99	9.27	33.30	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.691G	114.40	Inf	-Inf	107.71	3	Vertical	252	2.11	-	33.72	5.11	32.14
AV	5.6918G	101.55	Inf	-Inf	94.86	3	Vertical	252	2.11	-	33.72	5.11	32.14
PK	5.7252G	67.40	68.20	-0.80	60.72	3	Vertical	252	2.11	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	113.25	Inf	-Inf	106.59	3	Horizontal	37	1.80	-	33.71	5.09	32.14
AV	5.7078G	100.62	Inf	-Inf	93.95	3	Horizontal	37	1.80	-	33.72	5.09	32.14
PK	5.7276G	67.90	68.20	-0.30	61.21	3	Horizontal	37	1.80	-	33.76	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39566G	53.54	74.00	-20.46	40.38	3	Vertical	277	2.45	-	38.80	7.59	33.23
AV	11.40142G	38.90	54.00	-15.10	25.74	3	Vertical	277	2.45	-	38.80	7.59	33.23
PK	17.09884G	55.25	68.20	-12.95	38.07	3	Vertical	186	1.11	-	41.30	9.31	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40056G	52.77	74.00	-21.23	39.61	3	Horizontal	180	1.61	-	38.80	7.59	33.23
AV	11.4037G	38.80	54.00	-15.20	25.63	3	Horizontal	180	1.61	-	38.81	7.59	33.23
PK	17.09658G	56.00	68.20	-12.20	38.82	3	Horizontal	97	2.90	-	41.30	9.31	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	116.00	Inf	-Inf	109.33	3	Vertical	176	1.80	-	33.73	5.08	32.14
AV	5.7136G	104.47	Inf	-Inf	97.79	3	Vertical	176	1.80	-	33.73	5.09	32.14
PK	5.8952G	57.37	68.20	-10.83	50.25	3	Vertical	176	1.80	-	33.98	5.29	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	115.19	Inf	-Inf	108.51	3	Horizontal	226	1.31	-	33.75	5.07	32.14
AV	5.7256G	104.74	Inf	-Inf	98.06	3	Horizontal	226	1.31	-	33.75	5.07	32.14
PK	5.9144G	57.13	68.20	-11.07	49.91	3	Horizontal	226	1.31	-	34.03	5.34	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4407G	52.00	74.00	-22.00	38.75	3	Vertical	145	2.63	-	38.88	7.60	33.23
AV	11.438G	38.89	54.00	-15.11	25.64	3	Vertical	145	2.63	-	38.88	7.60	33.23
PK	17.1662G	57.13	68.20	-11.07	39.40	3	Vertical	307	1.05	-	41.76	9.32	33.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4611G	51.78	74.00	-22.22	38.47	3	Horizontal	356	1.43	-	38.92	7.61	33.22
AV	11.446G	39.00	54.00	-15.00	25.73	3	Horizontal	356	1.43	-	38.89	7.61	33.23
PK	17.1572G	68.06	68.20	-0.14	50.40	3	Horizontal	9	2.12	-	41.70	9.32	33.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 100
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	58.89	74.00	-15.11	52.54	3	Vertical	289	1.79	-	33.50	5.00	32.15
AV	5.15G	44.46	54.00	-9.54	38.11	3	Vertical	289	1.79	-	33.50	5.00	32.15
PK	5.2874G	114.63	Inf	-Inf	108.04	3	Vertical	289	1.79	-	33.67	5.06	32.14
AV	5.2724G	101.79	Inf	-Inf	95.23	3	Vertical	289	1.79	-	33.64	5.06	32.14
PK	5.3528G	69.83	74.00	-4.17	63.24	3	Vertical	289	1.79	-	33.71	5.02	32.14
AV	5.35G	53.76	54.00	-0.24	47.18	3	Vertical	289	1.79	-	33.70	5.02	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 100
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.18	74.00	-11.82	55.83	3	Horizontal	239	1.80	-	33.50	5.00	32.15
AV	5.1488G	45.38	54.00	-8.62	39.03	3	Horizontal	239	1.80	-	33.50	5.00	32.15
PK	5.2658G	118.80	Inf	-Inf	112.24	3	Horizontal	239	1.80	-	33.63	5.07	32.14
AV	5.2646G	106.19	Inf	-Inf	99.63	3	Horizontal	239	1.80	-	33.63	5.07	32.14
PK	5.3522G	72.01	74.00	-1.99	65.43	3	Horizontal	239	1.80	-	33.70	5.02	32.14
AV	5.35G	53.48	54.00	-0.52	46.90	3	Horizontal	239	1.80	-	33.70	5.02	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82032G	52.23	74.00	-21.77	39.20	3	Vertical	224	1.82	-	37.42	9.14	33.53
AV	15.78072G	39.21	54.00	-14.79	26.17	3	Vertical	224	1.82	-	37.40	9.12	33.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7812G	57.77	74.00	-16.23	44.73	3	Horizontal	243	1.92	-	37.40	9.12	33.48	
AV	15.78048G	43.34	54.00	-10.66	30.30	3	Horizontal	243	1.92	-	37.40	9.12	33.48	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	114.77	Inf	-Inf	108.17	3	Vertical	311.3	1.80	-	33.70	5.04	32.14
AV	5.3232G	101.57	Inf	-Inf	94.97	3	Vertical	311.3	1.80	-	33.70	5.04	32.14
PK	5.3628G	67.52	74.00	-6.48	60.91	3	Vertical	311.3	1.80	-	33.73	5.02	32.14
AV	5.35G	52.95	54.00	-1.05	46.36	3	Vertical	311.3	1.80	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3228G	117.53	Inf	-Inf	110.93	3	Horizontal	242	1.77	-	33.70	5.04	32.14	
AV	5.3216G	104.48	Inf	-Inf	97.88	3	Horizontal	242	1.77	-	33.70	5.04	32.14	
PK	5.3504G	72.63	74.00	-1.37	66.05	3	Horizontal	242	1.77	-	33.70	5.02	32.14	
AV	5.35G	53.20	54.00	-0.80	46.61	3	Horizontal	242	1.77	-	33.70	5.03	32.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92962G	52.28	74.00	-21.72	39.29	3	Vertical	160	2.02	-	37.47	9.18	33.66
AV	15.9281G	37.80	54.00	-16.20	24.82	3	Vertical	160	2.02	-	37.47	9.17	33.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92912G	51.21	74.00	-22.79	38.22	3	Horizontal	217	1.81	-	37.47	9.18	33.66
AV	15.92588G	37.94	54.00	-16.06	24.95	3	Horizontal	217	1.81	-	37.47	9.17	33.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	62.78	74.00	-11.22	55.95	3	Vertical	201	1.47	-	33.90	5.06	32.13	
AV	5.46G	48.91	54.00	-5.09	42.08	3	Vertical	201	1.47	-	33.90	5.06	32.13	
PK	5.4656G	68.06	68.20	-0.14	61.22	3	Vertical	201	1.47	-	33.90	5.07	32.13	
PK	5.5128G	112.13	Inf	-Inf	105.25	3	Vertical	201	1.47	-	33.90	5.11	32.13	
AV	5.5044G	98.96	Inf	-Inf	92.09	3	Vertical	201	1.47	-	33.90	5.10	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Y_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	63.79	74.00	-10.21	56.96	3	Horizontal	251	1.63	-	33.90	5.06	32.13	
AV	5.46G	49.20	54.00	-4.80	42.37	3	Horizontal	251	1.63	-	33.90	5.06	32.13	
PK	5.4668G	65.50	68.20	-2.70	58.66	3	Horizontal	251	1.63	-	33.90	5.07	32.13	
PK	5.5036G	112.42	Inf	-Inf	105.55	3	Horizontal	251	1.63	-	33.90	5.10	32.13	
AV	5.5056G	98.04	Inf	-Inf	91.16	3	Horizontal	251	1.63	-	33.90	5.11	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01746G	52.08	74.00	-21.92	39.37	3	Vertical	177	1.86	-	38.52	7.46	33.27
AV	11.01684G	37.98	54.00	-16.02	25.27	3	Vertical	177	1.86	-	38.52	7.46	33.27
PK	16.5266G	53.83	68.20	-14.37	38.74	3	Vertical	86	1.67	-	38.94	9.25	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02092G	51.89	74.00	-22.11	39.18	3	Horizontal	277	2.52	-	38.52	7.46	33.27
AV	11.01994G	38.01	54.00	-15.99	25.30	3	Horizontal	277	2.52	-	38.52	7.46	33.27
PK	16.5253G	53.05	68.20	-15.15	37.96	3	Horizontal	324	1.62	-	38.93	9.25	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 95
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4412G	63.67	74.00	-10.33	56.88	3	Vertical	178.7	2.90	-	33.88	5.04	32.13
PK	5.4612G	65.24	68.20	-2.96	58.41	3	Vertical	178.7	2.90	-	33.90	5.06	32.13
AV	5.4596G	47.42	54.00	-6.58	40.59	3	Vertical	178.7	2.90	-	33.90	5.06	32.13
PK	5.5676G	116.32	Inf	-Inf	109.38	3	Vertical	178.7	2.90	-	33.90	5.17	32.13
AV	5.5676G	103.62	Inf	-Inf	96.68	3	Vertical	178.7	2.90	-	33.90	5.17	32.13
PK	5.7436G	57.19	68.20	-11.01	50.48	3	Vertical	178.7	2.90	-	33.79	5.06	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 95
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	62.05	74.00	-11.95	55.23	3	Horizontal	187	1.56	-	33.90	5.05	32.13
PK	5.4692G	67.48	68.20	-0.72	60.64	3	Horizontal	187	1.56	-	33.90	5.07	32.13
AV	5.4596G	47.14	54.00	-6.86	40.31	3	Horizontal	187	1.56	-	33.90	5.06	32.13
PK	5.5436G	118.18	Inf	-Inf	111.27	3	Horizontal	187	1.56	-	33.90	5.14	32.13
AV	5.5444G	106.03	Inf	-Inf	99.12	3	Horizontal	187	1.56	-	33.90	5.14	32.13
PK	5.7476G	57.36	68.20	-10.84	50.65	3	Horizontal	187	1.56	-	33.80	5.05	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10064G	52.42	74.00	-21.58	39.59	3	Vertical	41	2.14	-	38.60	7.49	33.26
AV	11.10028G	37.99	54.00	-16.01	25.16	3	Vertical	41	2.14	-	38.60	7.49	33.26
PK	16.65448G	53.64	68.20	-14.56	37.94	3	Vertical	113	1.41	-	39.65	9.27	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.09782G	52.01	74.00	-21.99	39.19	3	Horizontal	79	2.82	-	38.60	7.48	33.26	
AV	11.10362G	38.00	54.00	-16.00	25.17	3	Horizontal	79	2.82	-	38.60	7.49	33.26	
PK	16.6474G	58.92	68.20	-9.28	43.22	3	Horizontal	16	1.89	-	39.65	9.26	33.21	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 84
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	111.21	Inf	-Inf	104.43	3	Vertical	244	1.80	-	33.78	5.14	32.14
AV	5.6536G	98.03	Inf	-Inf	91.23	3	Vertical	244	1.80	-	33.79	5.15	32.14
PK	5.7252G	67.40	68.20	-0.80	60.72	3	Vertical	244	1.80	-	33.75	5.07	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 84
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6556G	113.75	Inf	-Inf	106.96	3	Horizontal	186	1.71	-	33.79	5.14	32.14
AV	5.654G	100.63	Inf	-Inf	93.83	3	Horizontal	186	1.71	-	33.79	5.15	32.14
PK	5.7256G	67.68	68.20	-0.52	61.00	3	Horizontal	186	1.71	-	33.75	5.07	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 84
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34418G	51.64	74.00	-22.36	38.57	3	Vertical	329	2.58	-	38.74	7.57	33.24
AV	11.3383G	37.66	54.00	-16.34	24.59	3	Vertical	329	2.58	-	38.74	7.57	33.24
PK	17.01028G	55.45	68.20	-12.75	38.47	3	Vertical	199	1.83	-	41.21	9.30	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 84
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34016G	51.51	74.00	-22.49	38.44	3	Horizontal	180	1.94	-	38.74	7.57	33.24
AV	11.33598G	37.69	54.00	-16.31	24.62	3	Horizontal	180	1.94	-	38.74	7.57	33.24
PK	17.00516G	57.38	68.20	-10.82	40.40	3	Horizontal	9	1.80	-	41.21	9.30	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	117.45	Inf	-Inf	110.77	3	Vertical	73.6	1.54	-	33.71	5.11	32.14
AV	5.694G	105.16	Inf	-Inf	98.48	3	Vertical	73.6	1.54	-	33.71	5.11	32.14
PK	5.8532G	63.56	68.20	-4.64	56.74	3	Vertical	73.6	1.54	-	33.81	5.16	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	119.32	Inf	-Inf	112.64	3	Horizontal	223	1.76	-	33.74	5.08	32.14
AV	5.6932G	106.60	Inf	-Inf	99.92	3	Horizontal	223	1.76	-	33.71	5.11	32.14
PK	5.8508G	66.23	68.20	-1.97	59.43	3	Horizontal	223	1.76	-	33.80	5.15	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41654G	52.34	74.00	-21.66	39.14	3	Vertical	70	1.33	-	38.83	7.60	33.23
AV	11.42498G	38.72	54.00	-15.28	25.50	3	Vertical	70	1.33	-	38.85	7.60	33.23
PK	17.12998G	56.57	68.20	-11.63	39.14	3	Vertical	193	2.58	-	41.51	9.31	33.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42244G	52.77	74.00	-21.23	39.56	3	Horizontal	21	2.92	-	38.84	7.60	33.23
AV	11.42084G	38.91	54.00	-15.09	25.70	3	Horizontal	21	2.92	-	38.84	7.60	33.23
PK	17.10012G	67.82	68.20	-0.38	50.64	3	Horizontal	50	2.02	-	41.30	9.31	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 89
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	56.99	74.00	-17.01	50.64	3	Vertical	316.1	1.74	-	33.50	5.00	32.15
AV	5.1492G	44.42	54.00	-9.58	38.07	3	Vertical	316.1	1.74	-	33.50	5.00	32.15
PK	5.2676G	112.58	Inf	-Inf	106.01	3	Vertical	316.1	1.74	-	33.64	5.07	32.14
PK	5.3596G	68.78	74.00	-5.22	62.18	3	Vertical	316.1	1.74	-	33.72	5.02	32.14
AV	5.3196G	98.03	Inf	-Inf	91.43	3	Vertical	316.1	1.74	-	33.70	5.04	32.14
AV	5.3516G	50.70	54.00	-3.30	44.12	3	Vertical	316.1	1.74	-	33.70	5.02	32.14
PK	5.4716G	57.79	68.20	-10.41	50.95	3	Vertical	316.1	1.74	-	33.90	5.07	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 89
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.17	74.00	-13.83	53.82	3	Horizontal	242.2	1.83	-	33.50	5.00	32.15
AV	5.1492G	46.61	54.00	-7.39	40.26	3	Horizontal	242.2	1.83	-	33.50	5.00	32.15
PK	5.3196G	113.42	Inf	-Inf	106.82	3	Horizontal	242.2	1.83	-	33.70	5.04	32.14
AV	5.3212G	100.69	Inf	-Inf	94.09	3	Horizontal	242.2	1.83	-	33.70	5.04	32.14
PK	5.374G	66.97	74.00	-7.03	60.35	3	Horizontal	242.2	1.83	-	33.75	5.01	32.14
AV	5.3628G	53.97	54.00	-0.03	47.36	3	Horizontal	242.2	1.83	-	33.73	5.02	32.14
PK	5.4604G	58.48	68.20	-9.72	51.65	3	Horizontal	242.2	1.83	-	33.90	5.06	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86844G	51.34	74.00	-22.66	38.30	3	Vertical	264	1.60	-	37.47	9.15	33.58
AV	15.8719G	37.83	54.00	-16.17	24.79	3	Vertical	264	1.60	-	37.47	9.16	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86944G	51.65	74.00	-22.35	38.62	3	Horizontal	258	2.25	-	37.47	9.15	33.59
AV	15.86698G	37.84	54.00	-16.16	24.80	3	Horizontal	258	2.25	-	37.47	9.15	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	57.04	68.20	-11.16	50.45	3	Vertical	68.1	1.80	-	33.70	5.03	32.14
AV	5.35G	44.04	54.00	-9.96	37.45	3	Vertical	68.1	1.80	-	33.70	5.03	32.14
PK	5.459G	64.67	74.00	-9.33	57.84	3	Vertical	68.1	1.80	-	33.90	5.06	32.13
AV	5.46G	51.80	54.00	-2.20	44.97	3	Vertical	68.1	1.80	-	33.90	5.06	32.13
PK	5.466G	64.58	68.20	-3.62	57.74	3	Vertical	68.1	1.80	-	33.90	5.07	32.13
PK	5.518G	108.81	Inf	-Inf	101.92	3	Vertical	68.1	1.80	-	33.90	5.12	32.13
AV	5.519G	95.78	Inf	-Inf	88.89	3	Vertical	68.1	1.80	-	33.90	5.12	32.13
PK	5.753G	56.68	68.20	-11.52	49.99	3	Vertical	68.1	1.80	-	33.79	5.05	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 85
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	57.20	68.20	-11.00	50.61	3	Horizontal	186.7	1.59	-	33.70	5.03	32.14
AV	5.35G	44.69	54.00	-9.31	38.10	3	Horizontal	186.7	1.59	-	33.70	5.03	32.14
PK	5.447G	65.97	74.00	-8.03	59.16	3	Horizontal	186.7	1.59	-	33.89	5.05	32.13
PK	5.464G	68.08	68.20	-0.12	61.25	3	Horizontal	186.7	1.59	-	33.90	5.06	32.13
AV	5.46G	53.79	54.00	-0.21	46.96	3	Horizontal	186.7	1.59	-	33.90	5.06	32.13
PK	5.544G	110.94	Inf	-Inf	104.03	3	Horizontal	186.7	1.59	-	33.90	5.14	32.13
AV	5.544G	98.67	Inf	-Inf	91.76	3	Horizontal	186.7	1.59	-	33.90	5.14	32.13
PK	5.744G	57.96	68.20	-10.24	51.25	3	Horizontal	186.7	1.59	-	33.79	5.06	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06264G	51.86	74.00	-22.14	39.09	3	Vertical	284	1.50	-	38.56	7.47	33.26
AV	11.0612G	37.60	54.00	-16.40	24.83	3	Vertical	284	1.50	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05656G	51.50	74.00	-22.50	38.73	3	Horizontal	84	2.45	-	38.56	7.47	33.26
AV	11.05814G	37.58	54.00	-16.42	24.81	3	Horizontal	84	2.45	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 89
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	60.73	74.00	-13.27	53.91	3	Vertical	16.3	2.89	-	33.90	5.05	32.13
AV	5.4588G	46.74	54.00	-7.26	39.91	3	Vertical	16.3	2.89	-	33.90	5.06	32.13
PK	5.466G	65.04	68.20	-3.16	58.20	3	Vertical	16.3	2.89	-	33.90	5.07	32.13
PK	5.5764G	111.00	Inf	-Inf	104.05	3	Vertical	16.3	2.89	-	33.90	5.18	32.13
AV	5.5756G	98.51	Inf	-Inf	91.56	3	Vertical	16.3	2.89	-	33.90	5.18	32.13
PK	5.7268G	62.22	68.20	-5.98	55.54	3	Vertical	16.3	2.89	-	33.75	5.07	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 89
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	64.94	74.00	-9.06	58.12	3	Horizontal	228	1.82	-	33.90	5.05	32.13
PK	5.4628G	67.22	68.20	-0.98	60.39	3	Horizontal	228	1.82	-	33.90	5.06	32.13
AV	5.4596G	50.72	54.00	-3.28	43.89	3	Horizontal	228	1.82	-	33.90	5.06	32.13
PK	5.5812G	114.06	Inf	-Inf	107.11	3	Horizontal	228	1.82	-	33.90	5.18	32.13
AV	5.5804G	99.23	Inf	-Inf	92.28	3	Horizontal	228	1.82	-	33.90	5.18	32.13
PK	5.7284G	67.38	68.20	-0.82	60.69	3	Horizontal	228	1.82	-	33.76	5.07	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2207G	51.84	74.00	-22.16	38.86	3	Vertical	246	1.36	-	38.70	7.53	33.25
AV	11.2237G	37.79	54.00	-16.21	24.81	3	Vertical	246	1.36	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21558G	51.74	74.00	-22.26	38.76	3	Horizontal	343	2.55	-	38.70	7.53	33.25
AV	11.22332G	37.82	54.00	-16.18	24.84	3	Horizontal	343	2.55	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6844G	112.72	Inf	-Inf	106.01	3	Vertical	307.4	1.81	-	33.73	5.12	32.14
AV	5.6876G	100.53	Inf	-Inf	93.84	3	Vertical	307.4	1.81	-	33.72	5.11	32.14
PK	5.85G	61.92	68.20	-6.28	55.12	3	Vertical	307.4	1.81	-	33.80	5.15	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	115.93	Inf	-Inf	109.15	3	Horizontal	224.6	1.82	-	33.78	5.14	32.14
AV	5.6844G	100.06	Inf	-Inf	93.35	3	Horizontal	224.6	1.82	-	33.73	5.12	32.14
PK	5.8516G	64.77	68.20	-3.43	57.96	3	Horizontal	224.6	1.82	-	33.81	5.15	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38264G	52.77	74.00	-21.23	39.64	3	Vertical	183	2.31	-	38.78	7.58	33.23
AV	11.38466G	38.08	54.00	-15.92	24.95	3	Vertical	183	2.31	-	38.78	7.58	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38468G	52.55	74.00	-21.45	39.42	3	Horizontal	71	1.86	-	38.78	7.58	33.23
AV	11.37964G	38.13	54.00	-15.87	25.00	3	Horizontal	71	1.86	-	38.78	7.58	33.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_4TX
Setting 68
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	65.85	74.00	-8.15	59.50	3	Vertical	181.9	1.06	-	33.50	5.00	32.15
AV	5.1476G	46.32	54.00	-7.68	39.97	3	Vertical	181.9	1.06	-	33.50	5.00	32.15
PK	5.178G	105.31	Inf	-Inf	98.90	3	Vertical	181.9	1.06	-	33.50	5.06	32.15
AV	5.1764G	92.81	Inf	-Inf	86.41	3	Vertical	181.9	1.06	-	33.50	5.05	32.15
PK	5.3844G	70.11	74.00	-3.89	63.47	3	Vertical	181.9	1.06	-	33.77	5.01	32.14
AV	5.35G	45.49	54.00	-8.51	38.91	3	Vertical	181.9	1.06	-	33.70	5.02	32.14
PK	5.4644G	61.77	68.20	-6.43	54.94	3	Vertical	181.9	1.06	-	33.90	5.06	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	69.42	74.00	-4.58	63.08	3	Horizontal	249.4	1.84	-	33.50	4.99	32.15
AV	5.1476G	47.00	54.00	-7.00	40.65	3	Horizontal	249.4	1.84	-	33.50	5.00	32.15
PK	5.2756G	104.41	Inf	-Inf	97.84	3	Horizontal	249.4	1.84	-	33.65	5.06	32.14
AV	5.2708G	92.01	Inf	-Inf	85.45	3	Horizontal	249.4	1.84	-	33.64	5.06	32.14
PK	5.3732G	73.84	74.00	-0.16	67.22	3	Horizontal	249.4	1.84	-	33.75	5.01	32.14
AV	5.3508G	46.37	54.00	-7.63	39.79	3	Horizontal	249.4	1.84	-	33.70	5.02	32.14
PK	5.4612G	59.98	68.20	-8.22	53.15	3	Horizontal	249.4	1.84	-	33.90	5.06	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74556G	51.35	74.00	-22.65	38.28	3	Vertical	124	2.76	-	37.40	9.11	33.44
AV	15.7548G	37.88	54.00	-16.12	24.82	3	Vertical	124	2.76	-	37.40	9.11	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75446G	51.81	74.00	-22.19	38.75	3	Horizontal	55	2.85	-	37.40	9.11	33.45
AV	15.75034G	37.91	54.00	-16.09	24.85	3	Horizontal	55	2.85	-	37.40	9.11	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 67
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1716G	56.62	68.20	-11.58	50.23	3	Vertical	286	1.45	-	33.50	5.04	32.15
PK	5.4596G	68.83	74.00	-5.17	62.00	3	Vertical	286	1.45	-	33.90	5.06	32.13
AV	5.4596G	48.00	54.00	-6.00	41.17	3	Vertical	286	1.45	-	33.90	5.06	32.13
PK	5.4692G	66.57	68.20	-1.63	59.73	3	Vertical	286	1.45	-	33.90	5.07	32.13
AV	5.4996G	91.17	Inf	-Inf	84.30	3	Vertical	286	1.45	-	33.90	5.10	32.13
PK	5.562G	102.20	Inf	-Inf	95.27	3	Vertical	286	1.45	-	33.90	5.16	32.13
PK	5.7796G	58.70	68.20	-9.50	52.09	3	Vertical	286	1.45	-	33.74	5.02	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 67
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2052G	57.54	68.20	-10.66	51.08	3	Horizontal	360	2.25	-	33.51	5.10	32.15
PK	5.442G	67.42	74.00	-6.58	60.63	3	Horizontal	360	2.25	-	33.88	5.04	32.13
PK	5.4612G	62.04	68.20	-6.16	55.21	3	Horizontal	360	2.25	-	33.90	5.06	32.13
AV	5.458G	47.29	54.00	-6.71	40.46	3	Horizontal	360	2.25	-	33.90	5.06	32.13
PK	5.5028G	103.45	Inf	-Inf	96.58	3	Horizontal	360	2.25	-	33.90	5.10	32.13
AV	5.5956G	90.35	Inf	-Inf	83.39	3	Horizontal	360	2.25	-	33.90	5.20	32.14
PK	5.7604G	63.56	68.20	-4.64	56.89	3	Horizontal	360	2.25	-	33.78	5.04	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 67
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1393G	52.19	74.00	-21.81	39.31	3	Vertical	321	1.55	-	38.64	7.50	33.26
AV	11.13962G	38.18	54.00	-15.82	25.30	3	Vertical	321	1.55	-	38.64	7.50	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 67
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14116G	51.97	74.00	-22.03	39.09	3	Horizontal	331	2.93	-	38.64	7.50	33.26
AV	11.14272G	38.09	54.00	-15.91	25.21	3	Horizontal	331	2.93	-	38.64	7.50	33.26