





11AX40MIMO_Ant3_2437_30~1000





Date: 23.NOV.2023 11:47:25


11AX40MIMO_Ant3_2437_1000~26500





Date: 23.NOV.2023 11:47:41






































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.163	45.97	-19.33	65.30	35.50	0.04	10.43	QP
2	0.163	30.77	-24.53	55.30	20.30	0.04	10.43	Average
3	0.200	40.95	-22.67	63.62	30.50	0.03	10.42	QP
4	0.200	28.65	-24.97	53.62	18.20	0.03	10.42	Average
5	0.444	35.44	-21.54	56.98	25.19	-0.01	10.26	QP
6	0.444	27.04	-19.94	46.98	16.79	-0.01	10.26	Average
7	2.309	33.44	-22.56	56.00	23.50	-0.12	10.06	QP
8	2.309	25.44	-20.56	46.00	15.50	-0.12	10.06	Average
9	2.736	36.57	-19.43	56.00	26.60	-0.09	10.06	QP
10 *	2.736	26.87	-19.13	46.00	16.90	-0.09	10.06	Average
11	3.041	34.18	-21.82	56.00	24.20	-0.08	10.06	QP
12	3.041	26.18	-19.82	46.00	16.20	-0.08	10.06	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.151	41.97	-23.99	65.96	31.50	0.04	10.43	QP
2	0.151	30.97	-24.99	55.96	20.50	0.04	10.43	Average
3	0.161	40.67	-24.76	65.43	30.20	0.04	10.43	QP
4	0.161	27.07	-28.36	55.43	16.60	0.04	10.43	Average
5	0.189	41.03	-23.03	64.06	30.56	0.05	10.42	QP
6	0.189	27.10	-26.96	54.06	16.63	0.05	10.42	Average
7	2.167	34.14	-21.86	56.00	24.20	-0.12	10.06	QP
8 *	2.167	26.74	-19.26	46.00	16.80	-0.12	10.06	Average
9	2.422	35.03	-20.97	56.00	25.09	-0.12	10.06	QP
10	2.422	26.43	-19.57	46.00	16.49	-0.12	10.06	Average
11	2.707	33.13	-22.87	56.00	23.20	-0.13	10.06	QP
12	2.707	25.43	-20.57	46.00	15.50	-0.13	10.06	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Ryan Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Plane
Mode 1	2400-2483.5	CDD 1S4T	802.11b	01	2412	1Mbps	-	Wall
Mode 2	2400-2483.5	CDD 1S4T	802.11b	06	2437	1Mbps	-	Wall
Mode 3	2400-2483.5	CDD 1S4T	802.11b	11	2462	1Mbps	-	Wall
Mode 4	2400-2483.5	CDD 1S4T	802.11g	01	2412	6Mbps	-	Wall
Mode 5	2400-2483.5	CDD 1S4T	802.11g	06	2437	6Mbps	-	Wall
Mode 6	2400-2483.5	CDD 1S4T	802.11g	11	2462	6Mbps	-	Wall
Mode 7	2400-2483.5	CDD 1S4T	802.11ax HE20	01	2412	MCS0	-	Wall
Mode 8	2400-2483.5	CDD 1S4T	802.11ax HE20	06	2437	MCS0	-	Wall
Mode 9	2400-2483.5	CDD 1S4T	802.11ax HE20	11	2462	MCS0	-	Wall
Mode 10	2400-2483.5	CDD 1S4T	802.11ax HE40	03	2422	MCS0	-	Wall
Mode 11	2400-2483.5	CDD 1S4T	802.11ax HE40	06	2437	MCS0	-	Wall
Mode 12	2400-2483.5	CDD 1S4T	802.11ax HE40	09	2452	MCS0	-	Wall
Mode 28	2400-2483.5	CDD 1S4T	802.11ax HE40	08	2447	MCS0	-	Y
Mode 29	2400-2483.5	CDD 1S4T	802.11ax HE40	07	2442	MCS0	-	Y
Mode 10	2400-2483.5	CDD 1S4T	802.11ax HE40	03	2422	MCS0	-	Y(LF)



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Plane
Mode 13	2400-2483.5	BF 1S4T	802.11ax HE20	01	2412	MCS0	-	Wall
Mode 14	2400-2483.5	BF 1S4T	802.11ax HE20	06	2437	MCS0	-	Wall
Mode 15	2400-2483.5	BF 1S4T	802.11ax HE20	11	2462	MCS0	-	Wall
Mode 16	2400-2483.5	BF 1S4T	802.11ax HE40	03	2422	MCS0	-	Wall
Mode 17	2400-2483.5	BF 1S4T	802.11ax HE40	06	2437	MCS0	-	Wall
Mode 18	2400-2483.5	BF 1S4T	802.11ax HE40	09	2452	MCS0	-	Wall
Mode 30	2400-2483.5	BF 1S4T	802.11ax HE40	08	2447	MCS0	-	Y
Mode 31	2400-2483.5	BF 1S4T	802.11ax HE40	07	2447	MCS0	-	Y



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.43	47.01	54.00	-6.99	H	AVERAGE	Pass	Band Edge
1	802.11b	01	9330.00	52.59	54.00	-1.41	V	AVERAGE	Pass	Harmonic
2	802.11b	06	2498.80	48.37	54.00	-5.63	V	AVERAGE	Pass	Band Edge
2	802.11b	06	9330.00	53.02	54.00	-0.98	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2500.00	48.37	54.00	-5.63	H	AVERAGE	Pass	Band Edge
3	802.11b	11	8206.59	53.02	54.00	-0.98	V	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	53.51	54.00	-0.49	V	AVERAGE	Pass	Band Edge
4	802.11g	01	9315.00	52.83	54.00	-1.17	V	AVERAGE	Pass	Harmonic
5	802.11g	06	2493.64	49.01	54.00	-4.99	H	AVERAGE	Pass	Band Edge
5	802.11g	06	9314.21	52.70	54.00	-1.30	V	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.55	52.25	54.00	-1.75	V	AVERAGE	Pass	Band Edge
6	802.11g	11	8206.00	53.07	54.00	-0.93	V	AVERAGE	Pass	Harmonic
7	802.11ax HE20	01	2389.95	53.52	54.00	-0.48	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	9330.00	51.18	54.00	-2.82	V	AVERAGE	Pass	Harmonic
8	802.11ax HE20	06	2498.87	52.71	54.00	-1.29	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	06	8122.52	51.49	54.00	-2.51	V	AVERAGE	Pass	Harmonic
9	802.11ax HE20	11	2485.10	73.50	74.00	-0.50	H	PEAK	Pass	Band Edge
9	802.11ax HE20	11	8205.85	52.42	54.00	-1.58	V	AVERAGE	Pass	Harmonic
10	802.11ax HE40	03	2389.97	53.55	54.00	-0.45	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	03	9330.00	51.37	54.00	-2.63	V	AVERAGE	Pass	Harmonic
11	802.11ax HE40	06	2484.00	53.53	54.00	-0.47	H	AVERAGE	Pass	Band Edge
11	802.11ax HE40	06	8122.52	51.32	54.00	-2.68	V	AVERAGE	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11ax HE40	09	2484.21	53.20	54.00	-0.80	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	8172.52	52.28	54.00	-1.72	V	AVERAGE	Pass	Harmonic
28	802.11ax HE40	08	2485.13	53.34	54.00	-0.66	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	08	8160.00	50.59	54.00	-3.41	V	AVERAGE	Pass	Harmonic
29	802.11ax HE40	07	2485.01	53.55	54.00	-0.65	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	07	8145.00	51.27	54.00	-2.73	V	AVERAGE	Pass	Harmonic
10	802.11ax HE40	03	833.16	37.09	46.00	-8.91	H	PEAK	Pass	LF
13	802.11ax HE20	01	2389.95	53.50	54.00	-0.50	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	8040.00	50.71	54.00	-3.29	H	Average	Pass	Harmonic
14	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	8122.52	51.41	54.00	-2.59	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	11	2483.81	53.06	54.00	-0.94	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	8205.85	52.03	54.00	-1.97	H	AVERAGE	Pass	Harmonic
16	802.11ax HE40	03	2389.63	53.54	54.00	-0.46	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	8072.53	51.70	54.00	-2.30	H	AVERAGE	Pass	Harmonic
17	802.11ax HE40	06	2483.81	52.71	54.00	-1.29	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	8122.52	52.08	54.00	-1.92	H	AVERAGE	Pass	Harmonic
18	802.11ax HE40	09	2485.65	53.10	54.00	-0.90	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	8172.52	51.78	54.00	-2.22	H	AVERAGE	Pass	Harmonic
30	802.11ax HE40	08	2483.87	53.24	54.00	-0.76	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	08	8160.00	52.76	54.00	-1.24	H	Average	Pass	Harmonic
31	802.11ax HE40	07	2483.81	53.39	54.00	-0.61	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	07	8145.00	52.79	54.00	-1.21	H	Average	Pass	Harmonic



1																																									
Mode	Band Edge																																								
2400-2483.5_802.11b_CH01_2412MHz																																									
ANT	CDD 1S4T																																								
Pol.	Horizontal																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2412 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.65</td> <td>60.36</td> <td>74.00</td> <td>-13.64</td> <td>48.80</td> <td>31.86</td> <td>6.58</td> <td>32.88</td> <td>6.00</td> <td>261</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2375.65	60.36	74.00	-13.64	48.80	31.86	6.58	32.88	6.00	261	320	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	2375.65	60.36	74.00	-13.64	48.80	31.86	6.58	32.88	6.00	261	320	PEAK																													
<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2412 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>122.10</td> <td>-----</td> <td>-----</td> <td>110.81</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>261</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	122.10	-----	-----	110.81	32.27	6.63	32.81	6.00	261	320	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	2412.00	122.10	-----	-----	110.81	32.27	6.63	32.81	6.00	261	320	PEAK																													
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>47.01</td> <td>54.00</td> <td>-6.99</td> <td>35.22</td> <td>32.05</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>261</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.43	47.01	54.00	-6.99	35.22	32.05	6.60	32.86	6.00	261	320	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	2389.43	47.01	54.00	-6.99	35.22	32.05	6.60	32.86	6.00	261	320	AVERAGE																													
<p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>117.48</td> <td>-----</td> <td>-----</td> <td>105.39</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>261</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	117.48	-----	-----	105.39	32.27	6.63	32.81	6.00	261	320	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	2412.00	117.48	-----	-----	105.39	32.27	6.63	32.81	6.00	261	320	AVERAGE																													



		1																																																																																
Mode	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.07</td> <td>60.18</td> <td>74.00</td> <td>-13.82</td> <td>48.77</td> <td>31.74</td> <td>6.57</td> <td>32.90</td> <td>6.00</td> <td>100</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2367.07	60.18	74.00	-13.82	48.77	31.74	6.57	32.90	6.00	100	336	PEAK	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>123.42</td> <td>-----</td> <td>-----</td> <td>111.33</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>100</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	123.42	-----	-----	111.33	32.27	6.63	32.81	6.00	100	336	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2367.07	60.18	74.00	-13.82	48.77	31.74	6.57	32.90	6.00	100	336	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	123.42	-----	-----	111.33	32.27	6.63	32.81	6.00	100	336	PEAK																																																																						
Avg	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>35.17</td> <td>32.05</td> <td>6.60</td> <td>32.06</td> <td>6.00</td> <td>100</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.43	46.96	54.00	-7.04	35.17	32.05	6.60	32.06	6.00	100	336	AVERAGE	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>118.78</td> <td>-----</td> <td>-----</td> <td>106.69</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>100</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	118.78	-----	-----	106.69	32.27	6.63	32.81	6.00	100	336	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.43	46.96	54.00	-7.04	35.17	32.05	6.60	32.06	6.00	100	336	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	118.78	-----	-----	106.69	32.27	6.63	32.81	6.00	100	336	AVERAGE																																																																						



Mode	1																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																																																
ANT	CDD 1S4T																																																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4824.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.38</td><td>34.20</td><td>9.47</td><td>61.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>8040.00</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>62.72</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>146</td><td>Peak</td></tr> <tr><td>3</td><td>8040.00</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>61.98</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>146</td><td>Average</td></tr> <tr><td>4</td><td>8670.00</td><td>49.13</td><td>97.00</td><td>-47.96</td><td>60.85</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>9330.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>60.32</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>231</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>57.98</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>231</td><td>Average</td></tr> <tr><td>7</td><td>9960.00</td><td>50.91</td><td>97.00</td><td>-46.18</td><td>60.56</td><td>37.42</td><td>13.83</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	43.36	74.00	-30.64	61.38	34.20	9.47	61.69	0.00	---	---	PEAK	2	8040.00	50.53	74.00	-23.47	62.72	35.88	12.44	60.51	0.00	100	146	Peak	3	8040.00	49.79	54.00	-4.21	61.98	35.88	12.44	60.51	0.00	100	146	Average	4	8670.00	49.13	97.00	-47.96	60.85	36.04	12.95	60.71	0.00	---	---	Peak	5	9330.00	49.47	74.00	-24.53	60.32	36.60	13.32	60.77	0.00	300	231	Peak	6	9330.00	47.13	54.00	-6.87	57.98	36.60	13.32	60.77	0.00	300	231	Average	7	9960.00	50.91	97.00	-46.18	60.56	37.42	13.83	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4824.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>62.44</td><td>34.20</td><td>9.47</td><td>61.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>8040.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>64.35</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>154</td><td>Peak</td></tr> <tr><td>3</td><td>8040.00</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>63.10</td><td>35.88</td><td>12.44</td><td>60.51</td><td>0.00</td><td>100</td><td>154</td><td>Average</td></tr> <tr><td>4</td><td>9330.00</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>65.27</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>143</td><td>Peak</td></tr> <tr><td>5</td><td>9330.00</td><td>52.59</td><td>54.00</td><td>-1.41</td><td>63.44</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>143</td><td>Average</td></tr> <tr><td>6</td><td>10005.00</td><td>50.44</td><td>98.28</td><td>-47.84</td><td>59.97</td><td>37.49</td><td>13.89</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4824.00	44.42	74.00	-29.58	62.44	34.20	9.47	61.69	0.00	---	---	PEAK	2	8040.00	52.16	74.00	-21.84	64.35	35.88	12.44	60.51	0.00	100	154	Peak	3	8040.00	50.91	54.00	-3.09	63.10	35.88	12.44	60.51	0.00	100	154	Average	4	9330.00	54.42	74.00	-19.58	65.27	36.60	13.32	60.77	0.00	100	143	Peak	5	9330.00	52.59	54.00	-1.41	63.44	36.60	13.32	60.77	0.00	100	143	Average	6	10005.00	50.44	98.28	-47.84	59.97	37.49	13.89	60.91	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																									
1	4824.00	43.36	74.00	-30.64	61.38	34.20	9.47	61.69	0.00	---	---	PEAK																																																																																																																																																																																																																					
2	8040.00	50.53	74.00	-23.47	62.72	35.88	12.44	60.51	0.00	100	146	Peak																																																																																																																																																																																																																					
3	8040.00	49.79	54.00	-4.21	61.98	35.88	12.44	60.51	0.00	100	146	Average																																																																																																																																																																																																																					
4	8670.00	49.13	97.00	-47.96	60.85	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																					
5	9330.00	49.47	74.00	-24.53	60.32	36.60	13.32	60.77	0.00	300	231	Peak																																																																																																																																																																																																																					
6	9330.00	47.13	54.00	-6.87	57.98	36.60	13.32	60.77	0.00	300	231	Average																																																																																																																																																																																																																					
7	9960.00	50.91	97.00	-46.18	60.56	37.42	13.83	60.90	0.00	---	---	Peak																																																																																																																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																									
1	4824.00	44.42	74.00	-29.58	62.44	34.20	9.47	61.69	0.00	---	---	PEAK																																																																																																																																																																																																																					
2	8040.00	52.16	74.00	-21.84	64.35	35.88	12.44	60.51	0.00	100	154	Peak																																																																																																																																																																																																																					
3	8040.00	50.91	54.00	-3.09	63.10	35.88	12.44	60.51	0.00	100	154	Average																																																																																																																																																																																																																					
4	9330.00	54.42	74.00	-19.58	65.27	36.60	13.32	60.77	0.00	100	143	Peak																																																																																																																																																																																																																					
5	9330.00	52.59	54.00	-1.41	63.44	36.60	13.32	60.77	0.00	100	143	Average																																																																																																																																																																																																																					
6	10005.00	50.44	98.28	-47.84	59.97	37.49	13.89	60.91	0.00	---	---	Peak																																																																																																																																																																																																																					







Mode	2																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.95</td> <td>60.58</td> <td>74.00</td> <td>-13.42</td> <td>48.85</td> <td>32.00</td> <td>6.60</td> <td>32.87</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.95	60.58	74.00	-13.42	48.85	32.00	6.60	32.87	6.00	127	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>123.78</td> <td>-----</td> <td>-----</td> <td>111.43</td> <td>32.43</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	123.78	-----	-----	111.43	32.43	6.67	32.75	6.00	127	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2385.95	60.58	74.00	-13.42	48.85	32.00	6.60	32.87	6.00	127	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	123.78	-----	-----	111.43	32.43	6.67	32.75	6.00	127	360	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.61</td> <td>46.73</td> <td>54.00</td> <td>-7.27</td> <td>34.95</td> <td>32.04</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.61	46.73	54.00	-7.27	34.95	32.04	6.60	32.86	6.00	127	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>119.09</td> <td>-----</td> <td>-----</td> <td>106.74</td> <td>32.43</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.09	-----	-----	106.74	32.43	6.67	32.75	6.00	127	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.61	46.73	54.00	-7.27	34.95	32.04	6.60	32.86	6.00	127	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	119.09	-----	-----	106.74	32.43	6.67	32.75	6.00	127	360	AVERAGE																																																																								



Mode	2																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11b_CH06_2437MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.92</td> <td>61.36</td> <td>74.00</td> <td>-12.64</td> <td>48.32</td> <td>32.88</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2497.92	61.36	74.00	-12.64	48.32	32.88	6.75	32.59	6.00	127	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2497.92	61.36	74.00	-12.64	48.32	32.88	6.75	32.59	6.00	127	360	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.62</td> <td>48.35</td> <td>54.00</td> <td>-5.65</td> <td>35.28</td> <td>32.90</td> <td>6.75</td> <td>32.58</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2499.62	48.35	54.00	-5.65	35.28	32.90	6.75	32.58	6.00	127	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2499.62	48.35	54.00	-5.65	35.28	32.90	6.75	32.58	6.00	127	360	AVERAGE																																							



	2																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1" data-bbox="255 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2362.83</td> <td>60.01</td> <td>74.00</td> <td>-13.99</td> <td>48.67</td> <td>31.68</td> <td>6.56</td> <td>32.90</td> <td>6.00</td> <td>153</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2362.83	60.01	74.00	-13.99	48.67	31.68	6.56	32.90	6.00	153	14	PEAK	 <table border="1" data-bbox="877 1108 1420 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>125.20</td> <td>-----</td> <td>-----</td> <td>112.86</td> <td>32.42</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>153</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	125.20	-----	-----	112.86	32.42	6.67	32.75	6.00	153	14	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2362.83	60.01	74.00	-13.99	48.67	31.68	6.56	32.90	6.00	153	14	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	125.20	-----	-----	112.86	32.42	6.67	32.75	6.00	153	14	PEAK																																																																						
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>46.76</td> <td>54.00</td> <td>-7.24</td> <td>34.97</td> <td>32.05</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>153</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.38	46.76	54.00	-7.24	34.97	32.05	6.60	32.86	6.00	153	14	AVERAGE	 <table border="1" data-bbox="877 1792 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>120.44</td> <td>-----</td> <td>-----</td> <td>108.10</td> <td>32.42</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>153</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	120.44	-----	-----	108.10	32.42	6.67	32.75	6.00	153	14	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.38	46.76	54.00	-7.24	34.97	32.05	6.60	32.86	6.00	153	14	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	120.44	-----	-----	108.10	32.42	6.67	32.75	6.00	153	14	AVERAGE																																																																						







Mode	2																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11b_CH06_2437MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1" data-bbox="255 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.69</td> <td>61.94</td> <td>74.00</td> <td>-12.06</td> <td>48.95</td> <td>32.84</td> <td>6.75</td> <td>32.60</td> <td>6.00</td> <td>153</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2492.69	61.94	74.00	-12.06	48.95	32.84	6.75	32.60	6.00	153	14	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2492.69	61.94	74.00	-12.06	48.95	32.84	6.75	32.60	6.00	153	14	PEAK																																							
Avg	<table border="1" data-bbox="255 1780 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.80</td> <td>48.37</td> <td>54.00</td> <td>-5.63</td> <td>35.32</td> <td>32.89</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>153</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2498.80	48.37	54.00	-5.63	35.32	32.89	6.75	32.59	6.00	153	14	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2498.80	48.37	54.00	-5.63	35.32	32.89	6.75	32.59	6.00	153	14	AVERAGE																																							







Mode	2																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>42.22</td><td>74.00</td><td>-31.78</td><td>60.14</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7311.00</td><td>44.22</td><td>74.00</td><td>-29.78</td><td>57.36</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8130.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>63.95</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>147</td><td>Peak</td></tr> <tr><td>4</td><td>8130.00</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>62.61</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>147</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>49.96</td><td>99.19</td><td>-49.23</td><td>61.68</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>60.10</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>58.31</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Average</td></tr> <tr><td>8</td><td>9960.00</td><td>51.33</td><td>99.19</td><td>-47.86</td><td>60.98</td><td>37.42</td><td>13.83</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	42.22	74.00	-31.78	60.14	34.20	9.52	61.64	0.00	---	---	PEAK	2	7311.00	44.22	74.00	-29.78	57.36	35.64	11.69	60.47	0.00	---	---	PEAK	3	8130.00	51.76	74.00	-22.24	63.95	35.90	12.45	60.54	0.00	100	147	Peak	4	8130.00	50.42	54.00	-3.58	62.61	35.90	12.45	60.54	0.00	100	147	Average	5	8670.00	49.96	99.19	-49.23	61.68	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	49.25	74.00	-24.75	60.10	36.60	13.32	60.77	0.00	300	226	Peak	7	9330.00	47.46	54.00	-6.54	58.31	36.60	13.32	60.77	0.00	300	226	Average	8	9960.00	51.33	99.19	-47.86	60.98	37.42	13.83	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>62.67</td><td>34.20</td><td>9.52</td><td>61.64</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7311.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>58.69</td><td>35.64</td><td>11.69</td><td>60.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8130.00</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>65.03</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>157</td><td>Peak</td></tr> <tr><td>4</td><td>8130.00</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>64.18</td><td>35.90</td><td>12.45</td><td>60.54</td><td>0.00</td><td>100</td><td>157</td><td>Average</td></tr> <tr><td>5</td><td>9330.00</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>65.47</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>143</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>53.02</td><td>54.00</td><td>-0.98</td><td>63.87</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>143</td><td>Average</td></tr> <tr><td>7</td><td>9975.00</td><td>50.87</td><td>99.40</td><td>-48.53</td><td>60.47</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4874.00	44.75	74.00	-29.25	62.67	34.20	9.52	61.64	0.00	---	---	PEAK	2	7311.00	45.55	74.00	-28.45	58.69	35.64	11.69	60.47	0.00	---	---	PEAK	3	8130.00	52.84	74.00	-21.16	65.03	35.90	12.45	60.54	0.00	100	157	Peak	4	8130.00	51.99	54.00	-2.01	64.18	35.90	12.45	60.54	0.00	100	157	Average	5	9330.00	54.62	74.00	-19.38	65.47	36.60	13.32	60.77	0.00	100	143	Peak	6	9330.00	53.02	54.00	-0.98	63.87	36.60	13.32	60.77	0.00	100	143	Average	7	9975.00	50.87	99.40	-48.53	60.47	37.45	13.85	60.90	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																			
1	4874.00	42.22	74.00	-31.78	60.14	34.20	9.52	61.64	0.00	---	---	PEAK																																																																																																																																																																																																																																															
2	7311.00	44.22	74.00	-29.78	57.36	35.64	11.69	60.47	0.00	---	---	PEAK																																																																																																																																																																																																																																															
3	8130.00	51.76	74.00	-22.24	63.95	35.90	12.45	60.54	0.00	100	147	Peak																																																																																																																																																																																																																																															
4	8130.00	50.42	54.00	-3.58	62.61	35.90	12.45	60.54	0.00	100	147	Average																																																																																																																																																																																																																																															
5	8670.00	49.96	99.19	-49.23	61.68	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																															
6	9330.00	49.25	74.00	-24.75	60.10	36.60	13.32	60.77	0.00	300	226	Peak																																																																																																																																																																																																																																															
7	9330.00	47.46	54.00	-6.54	58.31	36.60	13.32	60.77	0.00	300	226	Average																																																																																																																																																																																																																																															
8	9960.00	51.33	99.19	-47.86	60.98	37.42	13.83	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																			
1	4874.00	44.75	74.00	-29.25	62.67	34.20	9.52	61.64	0.00	---	---	PEAK																																																																																																																																																																																																																																															
2	7311.00	45.55	74.00	-28.45	58.69	35.64	11.69	60.47	0.00	---	---	PEAK																																																																																																																																																																																																																																															
3	8130.00	52.84	74.00	-21.16	65.03	35.90	12.45	60.54	0.00	100	157	Peak																																																																																																																																																																																																																																															
4	8130.00	51.99	54.00	-2.01	64.18	35.90	12.45	60.54	0.00	100	157	Average																																																																																																																																																																																																																																															
5	9330.00	54.62	74.00	-19.38	65.47	36.60	13.32	60.77	0.00	100	143	Peak																																																																																																																																																																																																																																															
6	9330.00	53.02	54.00	-0.98	63.87	36.60	13.32	60.77	0.00	100	143	Average																																																																																																																																																																																																																																															
7	9975.00	50.87	99.40	-48.53	60.47	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																															



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.53</td> <td>62.14</td> <td>74.00</td> <td>-11.86</td> <td>49.25</td> <td>32.78</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>265</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.53	62.14	74.00	-11.86	49.25	32.78	6.73	32.62	6.00	265	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>123.28</td> <td>-----</td> <td>-----</td> <td>110.66</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>265</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	123.28	-----	-----	110.66	32.60	6.70	32.68	6.00	265	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.53	62.14	74.00	-11.86	49.25	32.78	6.73	32.62	6.00	265	360	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	123.28	-----	-----	110.66	32.60	6.70	32.68	6.00	265	360	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.00</td> <td>48.37</td> <td>54.00</td> <td>-5.63</td> <td>35.29</td> <td>32.90</td> <td>6.76</td> <td>32.58</td> <td>6.00</td> <td>265</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2500.00	48.37	54.00	-5.63	35.29	32.90	6.76	32.58	6.00	265	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>118.76</td> <td>-----</td> <td>-----</td> <td>106.14</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>265</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	118.76	-----	-----	106.14	32.60	6.70	32.68	6.00	265	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2500.00	48.37	54.00	-5.63	35.29	32.90	6.76	32.58	6.00	265	360	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	118.76	-----	-----	106.14	32.60	6.70	32.68	6.00	265	360	AVERAGE																																																																						







Mode	3																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																															
ANT	CDD 1S4T																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.94</td> <td>61.83</td> <td>74.00</td> <td>-12.17</td> <td>48.77</td> <td>32.89</td> <td>6.75</td> <td>32.58</td> <td>6.00</td> <td>300</td> <td>6 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2498.94	61.83	74.00	-12.17	48.77	32.89	6.75	32.58	6.00	300	6 PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>123.16</td> <td>-----</td> <td>-----</td> <td>110.54</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>300</td> <td>6 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	123.16	-----	-----	110.54	32.60	6.70	32.68	6.00	300	6 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2498.94	61.83	74.00	-12.17	48.77	32.89	6.75	32.58	6.00	300	6 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2462.00	123.16	-----	-----	110.54	32.60	6.70	32.68	6.00	300	6 PEAK																																																																					
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.25</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>35.28</td> <td>32.89</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>300</td> <td>6 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2498.25	48.33	54.00	-5.67	35.28	32.89	6.75	32.59	6.00	300	6 AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>118.45</td> <td>-----</td> <td>-----</td> <td>105.83</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>6.00</td> <td>300</td> <td>6 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	118.45	-----	-----	105.83	32.60	6.70	32.68	6.00	300	6 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2498.25	48.33	54.00	-5.67	35.28	32.89	6.75	32.59	6.00	300	6 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2462.00	118.45	-----	-----	105.83	32.60	6.70	32.68	6.00	300	6 AVERAGE																																																																					



Mode	3																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4934.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>61.02</td><td>34.20</td><td>9.58</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7386.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>56.62</td><td>35.73</td><td>11.72</td><td>60.58</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8220.00</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>64.72</td><td>35.90</td><td>12.47</td><td>60.57</td><td>0.00</td><td>100</td><td>153</td><td>Peak</td></tr> <tr><td>4</td><td>8220.00</td><td>51.53</td><td>54.00</td><td>-2.47</td><td>63.73</td><td>35.90</td><td>12.47</td><td>60.57</td><td>0.00</td><td>100</td><td>153</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>49.85</td><td>98.75</td><td>-48.90</td><td>61.57</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>60.01</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>288</td><td>103</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>58.65</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>288</td><td>103</td><td>Average</td></tr> <tr><td>8</td><td>9990.00</td><td>50.66</td><td>98.75</td><td>-48.09</td><td>60.21</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4934.00	43.22	74.00	-30.78	61.02	34.20	9.58	61.58	0.00	---	---	Peak	2	7386.00	43.49	74.00	-30.51	56.62	35.73	11.72	60.58	0.00	---	---	Peak	3	8220.00	52.52	74.00	-21.48	64.72	35.90	12.47	60.57	0.00	100	153	Peak	4	8220.00	51.53	54.00	-2.47	63.73	35.90	12.47	60.57	0.00	100	153	Average	5	8670.00	49.85	98.75	-48.90	61.57	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	49.16	74.00	-24.84	60.01	36.60	13.32	60.77	0.00	288	103	Peak	7	9330.00	47.80	54.00	-6.20	58.65	36.60	13.32	60.77	0.00	288	103	Average	8	9990.00	50.66	98.75	-48.09	60.21	37.48	13.88	60.91	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4934.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>63.64</td><td>34.20</td><td>9.58</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7386.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>57.17</td><td>35.73</td><td>11.72</td><td>60.58</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8206.59</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>66.52</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>101</td><td>149</td><td>PEAK</td></tr> <tr><td>4</td><td>8206.59</td><td>53.02</td><td>54.00</td><td>-0.98</td><td>65.23</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>101</td><td>149</td><td>AVERAGE</td></tr> <tr><td>5</td><td>9330.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>64.64</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>142</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>52.93</td><td>54.00</td><td>-1.07</td><td>63.78</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>142</td><td>Average</td></tr> <tr><td>7</td><td>9990.00</td><td>51.64</td><td>99.43</td><td>-47.79</td><td>61.19</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4934.00	45.84	74.00	-28.16	63.64	34.20	9.58	61.58	0.00	---	---	Peak	2	7386.00	44.04	74.00	-29.96	57.17	35.73	11.72	60.58	0.00	---	---	Peak	3	8206.59	54.31	74.00	-19.69	66.52	35.90	12.46	60.57	0.00	101	149	PEAK	4	8206.59	53.02	54.00	-0.98	65.23	35.90	12.46	60.57	0.00	101	149	AVERAGE	5	9330.00	53.79	74.00	-20.21	64.64	36.60	13.32	60.77	0.00	100	142	Peak	6	9330.00	52.93	54.00	-1.07	63.78	36.60	13.32	60.77	0.00	100	142	Average	7	9990.00	51.64	99.43	-47.79	61.19	37.48	13.88	60.91	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																			
1	4934.00	43.22	74.00	-30.78	61.02	34.20	9.58	61.58	0.00	---	---	Peak																																																																																																																																																																																																																																															
2	7386.00	43.49	74.00	-30.51	56.62	35.73	11.72	60.58	0.00	---	---	Peak																																																																																																																																																																																																																																															
3	8220.00	52.52	74.00	-21.48	64.72	35.90	12.47	60.57	0.00	100	153	Peak																																																																																																																																																																																																																																															
4	8220.00	51.53	54.00	-2.47	63.73	35.90	12.47	60.57	0.00	100	153	Average																																																																																																																																																																																																																																															
5	8670.00	49.85	98.75	-48.90	61.57	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																															
6	9330.00	49.16	74.00	-24.84	60.01	36.60	13.32	60.77	0.00	288	103	Peak																																																																																																																																																																																																																																															
7	9330.00	47.80	54.00	-6.20	58.65	36.60	13.32	60.77	0.00	288	103	Average																																																																																																																																																																																																																																															
8	9990.00	50.66	98.75	-48.09	60.21	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																			
1	4934.00	45.84	74.00	-28.16	63.64	34.20	9.58	61.58	0.00	---	---	Peak																																																																																																																																																																																																																																															
2	7386.00	44.04	74.00	-29.96	57.17	35.73	11.72	60.58	0.00	---	---	Peak																																																																																																																																																																																																																																															
3	8206.59	54.31	74.00	-19.69	66.52	35.90	12.46	60.57	0.00	101	149	PEAK																																																																																																																																																																																																																																															
4	8206.59	53.02	54.00	-0.98	65.23	35.90	12.46	60.57	0.00	101	149	AVERAGE																																																																																																																																																																																																																																															
5	9330.00	53.79	74.00	-20.21	64.64	36.60	13.32	60.77	0.00	100	142	Peak																																																																																																																																																																																																																																															
6	9330.00	52.93	54.00	-1.07	63.78	36.60	13.32	60.77	0.00	100	142	Average																																																																																																																																																																																																																																															
7	9990.00	51.64	99.43	-47.79	61.19	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																															



Mode	4																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>68.64</td> <td>74.00</td> <td>-5.36</td> <td>56.85</td> <td>32.05</td> <td>6.00</td> <td>32.86</td> <td>6.00</td> <td>127</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	68.64	74.00	-5.36	56.85	32.05	6.00	32.86	6.00	127	327	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>122.94</td> <td>-----</td> <td>-----</td> <td>110.89</td> <td>32.25</td> <td>6.63</td> <td>32.83</td> <td>6.00</td> <td>127</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	122.94	-----	-----	110.89	32.25	6.63	32.83	6.00	127	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.56	68.64	74.00	-5.36	56.85	32.05	6.00	32.86	6.00	127	327	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	122.94	-----	-----	110.89	32.25	6.63	32.83	6.00	127	327	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>52.11</td> <td>54.00</td> <td>-1.89</td> <td>40.31</td> <td>32.06</td> <td>6.00</td> <td>32.86</td> <td>6.00</td> <td>127</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	52.11	54.00	-1.89	40.31	32.06	6.00	32.86	6.00	127	327	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>112.95</td> <td>-----</td> <td>-----</td> <td>100.90</td> <td>32.25</td> <td>6.63</td> <td>32.83</td> <td>6.00</td> <td>127</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.95	-----	-----	100.90	32.25	6.63	32.83	6.00	127	327	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.69	52.11	54.00	-1.89	40.31	32.06	6.00	32.86	6.00	127	327	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	112.95	-----	-----	100.90	32.25	6.63	32.83	6.00	127	327	AVERAGE																																																																								







Mode	4																																																																																		
	Band Edge																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																		
ANT	CDD 1S4T																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>70.46</td> <td>-3.54</td> <td>58.67</td> <td>32.05</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	70.46	-3.54	58.67	32.05	6.00	32.06	6.00	100	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>124.79</td> <td>-----</td> <td>-----</td> <td>112.65</td> <td>32.30</td> <td>6.64</td> <td>32.80</td> <td>6.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	124.79	-----	-----	112.65	32.30	6.64	32.80	6.00	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.43	70.46	-3.54	58.67	32.05	6.00	32.06	6.00	100	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	124.79	-----	-----	112.65	32.30	6.64	32.80	6.00	100	360	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>53.51</td> <td>-0.49</td> <td>41.71</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.51	-0.49	41.71	32.06	6.00	32.06	6.00	100	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>114.58</td> <td>-----</td> <td>-----</td> <td>102.44</td> <td>32.30</td> <td>6.64</td> <td>32.80</td> <td>6.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.58	-----	-----	102.44	32.30	6.64	32.80	6.00	100	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.95	53.51	-0.49	41.71	32.06	6.00	32.06	6.00	100	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	114.58	-----	-----	102.44	32.30	6.64	32.80	6.00	100	360	AVERAGE																																																																							



Mode	4																																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>59.06</td> <td>34.20</td> <td>9.47</td> <td>60.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8039.20</td> <td>52.71</td> <td>74.00</td> <td>-21.29</td> <td>64.29</td> <td>35.88</td> <td>12.44</td> <td>59.90</td> <td>0.00</td> <td>107</td> <td>152</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>8039.20</td> <td>50.12</td> <td>54.00</td> <td>-3.88</td> <td>61.70</td> <td>35.88</td> <td>12.44</td> <td>59.90</td> <td>0.00</td> <td>107</td> <td>152</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>8670.00</td> <td>48.70</td> <td>92.69</td> <td>-43.99</td> <td>60.42</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>9315.00</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>60.63</td> <td>36.60</td> <td>13.30</td> <td>60.78</td> <td>0.00</td> <td>272</td> <td>225</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>9315.00</td> <td>46.66</td> <td>54.00</td> <td>-7.34</td> <td>57.54</td> <td>36.60</td> <td>13.30</td> <td>60.78</td> <td>0.00</td> <td>272</td> <td>225</td> <td>AVERAGE</td> </tr> <tr> <td>7</td> <td>9975.00</td> <td>50.46</td> <td>92.69</td> <td>-42.23</td> <td>60.06</td> <td>37.45</td> <td>13.85</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.82	74.00	-32.18	59.06	34.20	9.47	60.91	0.00	---	---	Peak	2	8039.20	52.71	74.00	-21.29	64.29	35.88	12.44	59.90	0.00	107	152	PEAK	3	8039.20	50.12	54.00	-3.88	61.70	35.88	12.44	59.90	0.00	107	152	AVERAGE	4	8670.00	48.70	92.69	-43.99	60.42	36.04	12.95	60.71	0.00	---	---	Peak	5	9315.00	49.76	74.00	-24.24	60.63	36.60	13.30	60.78	0.00	272	225	PEAK	6	9315.00	46.66	54.00	-7.34	57.54	36.60	13.30	60.78	0.00	272	225	AVERAGE	7	9975.00	50.46	92.69	-42.23	60.06	37.45	13.85	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>59.06</td> <td>34.20</td> <td>9.47</td> <td>60.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8039.20</td> <td>52.84</td> <td>74.00</td> <td>-21.16</td> <td>64.42</td> <td>35.88</td> <td>12.44</td> <td>59.90</td> <td>0.00</td> <td>100</td> <td>152</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>8039.20</td> <td>50.80</td> <td>54.00</td> <td>-3.20</td> <td>62.39</td> <td>35.88</td> <td>12.44</td> <td>59.91</td> <td>0.00</td> <td>100</td> <td>152</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>8670.00</td> <td>48.95</td> <td>94.73</td> <td>-45.78</td> <td>60.67</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>9315.00</td> <td>54.91</td> <td>74.00</td> <td>-19.09</td> <td>65.79</td> <td>36.60</td> <td>13.30</td> <td>60.78</td> <td>0.00</td> <td>100</td> <td>141</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>9315.00</td> <td>52.83</td> <td>54.00</td> <td>-1.17</td> <td>63.71</td> <td>36.60</td> <td>13.30</td> <td>60.78</td> <td>0.00</td> <td>100</td> <td>141</td> <td>Average</td> </tr> <tr> <td>7</td> <td>9990.00</td> <td>51.03</td> <td>94.73</td> <td>-43.70</td> <td>60.58</td> <td>37.48</td> <td>13.88</td> <td>60.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.82	74.00	-32.18	59.06	34.20	9.47	60.91	0.00	---	---	Peak	2	8039.20	52.84	74.00	-21.16	64.42	35.88	12.44	59.90	0.00	100	152	PEAK	3	8039.20	50.80	54.00	-3.20	62.39	35.88	12.44	59.91	0.00	100	152	AVERAGE	4	8670.00	48.95	94.73	-45.78	60.67	36.04	12.95	60.71	0.00	---	---	Peak	5	9315.00	54.91	74.00	-19.09	65.79	36.60	13.30	60.78	0.00	100	141	Peak	6	9315.00	52.83	54.00	-1.17	63.71	36.60	13.30	60.78	0.00	100	141	Average	7	9990.00	51.03	94.73	-43.70	60.58	37.48	13.88	60.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																											
1	4824.00	41.82	74.00	-32.18	59.06	34.20	9.47	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																									
2	8039.20	52.71	74.00	-21.29	64.29	35.88	12.44	59.90	0.00	107	152	PEAK																																																																																																																																																																																																																																									
3	8039.20	50.12	54.00	-3.88	61.70	35.88	12.44	59.90	0.00	107	152	AVERAGE																																																																																																																																																																																																																																									
4	8670.00	48.70	92.69	-43.99	60.42	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																									
5	9315.00	49.76	74.00	-24.24	60.63	36.60	13.30	60.78	0.00	272	225	PEAK																																																																																																																																																																																																																																									
6	9315.00	46.66	54.00	-7.34	57.54	36.60	13.30	60.78	0.00	272	225	AVERAGE																																																																																																																																																																																																																																									
7	9975.00	50.46	92.69	-42.23	60.06	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																											
1	4824.00	41.82	74.00	-32.18	59.06	34.20	9.47	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																									
2	8039.20	52.84	74.00	-21.16	64.42	35.88	12.44	59.90	0.00	100	152	PEAK																																																																																																																																																																																																																																									
3	8039.20	50.80	54.00	-3.20	62.39	35.88	12.44	59.91	0.00	100	152	AVERAGE																																																																																																																																																																																																																																									
4	8670.00	48.95	94.73	-45.78	60.67	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																									
5	9315.00	54.91	74.00	-19.09	65.79	36.60	13.30	60.78	0.00	100	141	Peak																																																																																																																																																																																																																																									
6	9315.00	52.83	54.00	-1.17	63.71	36.60	13.30	60.78	0.00	100	141	Average																																																																																																																																																																																																																																									
7	9990.00	51.03	94.73	-43.70	60.58	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																									







Mode	5																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11g_CH06_2437MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 16.3 0</p> <p>2310 2335.4 2360.8 2386.2 2411.6 2437</p> <p>Frequency (MHz)</p> <p style="text-align: right; color: red;">FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.90</td> <td>60.34</td> <td>74.00</td> <td>-13.66</td> <td>48.66</td> <td>31.96</td> <td>6.59</td> <td>32.87</td> <td>6.00</td> <td>204</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.90	60.34	74.00	-13.66	48.66	31.96	6.59	32.87	6.00	204	331	PEAK	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 16.3 0</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <p style="text-align: right; color: red;">FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>124.00</td> <td>-----</td> <td>-----</td> <td>111.79</td> <td>32.39</td> <td>6.66</td> <td>32.76</td> <td>6.00</td> <td>204</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	124.00	-----	-----	111.79	32.39	6.66	32.76	6.00	204	331	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2382.90	60.34	74.00	-13.66	48.66	31.96	6.59	32.87	6.00	204	331	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	124.00	-----	-----	111.79	32.39	6.66	32.76	6.00	204	331	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>2310 2335.4 2360.8 2386.2 2411.6 2437</p> <p>Frequency (MHz)</p> <p style="text-align: right; color: red;">FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.49</td> <td>47.36</td> <td>54.00</td> <td>-6.64</td> <td>35.58</td> <td>32.04</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>204</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.49	47.36	54.00	-6.64	35.58	32.04	6.60	32.86	6.00	204	331	AVERAGE	 <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <p style="text-align: right; color: red;">FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>114.34</td> <td>-----</td> <td>-----</td> <td>102.05</td> <td>32.39</td> <td>6.66</td> <td>32.76</td> <td>6.00</td> <td>204</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	114.34	-----	-----	102.05	32.39	6.66	32.76	6.00	204	331	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.49	47.36	54.00	-6.64	35.58	32.04	6.60	32.86	6.00	204	331	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	114.34	-----	-----	102.05	32.39	6.66	32.76	6.00	204	331	AVERAGE																																																																								



Mode	5																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Horizontal	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.05</td> <td>61.97</td> <td>74.00</td> <td>-12.03</td> <td>48.93</td> <td>32.88</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>204</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2498.05	61.97	74.00	-12.03	48.93	32.88	6.75	32.59	6.00	204	331	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2498.05	61.97	74.00	-12.03	48.93	32.88	6.75	32.59	6.00	204	331	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.64</td> <td>49.01</td> <td>54.00</td> <td>-4.99</td> <td>36.01</td> <td>32.85</td> <td>6.75</td> <td>32.60</td> <td>6.00</td> <td>204</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2493.64	49.01	54.00	-4.99	36.01	32.85	6.75	32.60	6.00	204	331	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
cm	deg																																																		
1	2493.64	49.01	54.00	-4.99	36.01	32.85	6.75	32.60	6.00	204	331	AVERAGE																																							



Mode	5																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.06</td> <td>59.95</td> <td>74.00</td> <td>-14.05</td> <td>48.50</td> <td>31.77</td> <td>6.57</td> <td>32.89</td> <td>6.00</td> <td>230</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2369.06	59.95	74.00	-14.05	48.50	31.77	6.57	32.89	6.00	230	0	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>125.27</td> <td>-----</td> <td>-----</td> <td>112.93</td> <td>32.42</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>230</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	125.27	-----	-----	112.93	32.42	6.67	32.75	6.00	230	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2369.06	59.95	74.00	-14.05	48.50	31.77	6.57	32.89	6.00	230	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	125.27	-----	-----	112.93	32.42	6.67	32.75	6.00	230	0	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.60</td> <td>47.26</td> <td>54.00</td> <td>-6.74</td> <td>35.49</td> <td>32.03</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>230</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2387.60	47.26	54.00	-6.74	35.49	32.03	6.60	32.86	6.00	230	0	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>115.29</td> <td>-----</td> <td>-----</td> <td>102.99</td> <td>32.40</td> <td>6.66</td> <td>32.76</td> <td>6.00</td> <td>230</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	115.29	-----	-----	102.99	32.40	6.66	32.76	6.00	230	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2387.60	47.26	54.00	-6.74	35.49	32.03	6.60	32.86	6.00	230	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	115.29	-----	-----	102.99	32.40	6.66	32.76	6.00	230	0	AVERAGE																																																																						



	5																																																		
Mode	Band Edge - R																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1" data-bbox="255 1108 774 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.31</td> <td>61.90</td> <td>74.00</td> <td>-12.10</td> <td>48.93</td> <td>32.83</td> <td>6.74</td> <td>32.60</td> <td>6.00</td> <td>230</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2491.31	61.90	74.00	-12.10	48.93	32.83	6.74	32.60	6.00	230	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2491.31	61.90	74.00	-12.10	48.93	32.83	6.74	32.60	6.00	230	0	PEAK																																							
Avg	<table border="1" data-bbox="255 1780 774 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.24</td> <td>48.91</td> <td>54.00</td> <td>-5.09</td> <td>35.86</td> <td>32.89</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>230</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2498.24	48.91	54.00	-5.09	35.86	32.89	6.75	32.59	6.00	230	0	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2498.24	48.91	54.00	-5.09	35.86	32.89	6.75	32.59	6.00	230	0	AVERAGE																																							



Mode	5																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>59.77</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7311.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>57.94</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8122.52</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>64.44</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr> <tr><td>4</td><td>8122.52</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>61.98</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>100</td><td>153</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>48.75</td><td>94.71</td><td>-45.96</td><td>60.47</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>59.67</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>46.93</td><td>54.00</td><td>-7.07</td><td>57.78</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Average</td></tr> <tr><td>8</td><td>9960.00</td><td>51.03</td><td>94.71</td><td>-43.68</td><td>60.68</td><td>37.42</td><td>13.83</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4874.00	42.62	74.00	-31.38	59.77	34.20	9.52	60.87	0.00	---	---	Peak	2	7311.00	44.94	74.00	-29.06	57.94	35.64	11.69	60.33	0.00	---	---	Peak	3	8122.52	52.75	74.00	-21.25	64.44	35.90	12.45	60.04	0.00	100	153	PEAK	4	8122.52	50.29	54.00	-3.71	61.98	35.90	12.45	60.04	0.00	100	153	AVERAGE	5	8670.00	48.75	94.71	-45.96	60.47	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	48.82	74.00	-25.18	59.67	36.60	13.32	60.77	0.00	300	226	Peak	7	9330.00	46.93	54.00	-7.07	57.78	36.60	13.32	60.77	0.00	300	226	Average	8	9960.00	51.03	94.71	-43.68	60.68	37.42	13.83	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>58.49</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7311.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>57.48</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8122.52</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>65.61</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>107</td><td>152</td><td>PEAK</td></tr> <tr><td>4</td><td>8122.52</td><td>51.83</td><td>54.00</td><td>-2.17</td><td>63.52</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>107</td><td>152</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>49.24</td><td>94.76</td><td>-45.52</td><td>60.96</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9314.21</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>65.99</td><td>36.60</td><td>13.30</td><td>60.78</td><td>0.00</td><td>201</td><td>141</td><td>PEAK</td></tr> <tr><td>7</td><td>9314.21</td><td>52.70</td><td>54.00</td><td>-1.30</td><td>63.58</td><td>36.60</td><td>13.30</td><td>60.78</td><td>0.00</td><td>201</td><td>141</td><td>AVERAGE</td></tr> <tr><td>8</td><td>9990.00</td><td>50.17</td><td>94.76</td><td>-44.59</td><td>59.72</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4874.00	41.34	74.00	-32.66	58.49	34.20	9.52	60.87	0.00	---	---	Peak	2	7311.00	44.48	74.00	-29.52	57.48	35.64	11.69	60.33	0.00	---	---	Peak	3	8122.52	53.92	74.00	-20.08	65.61	35.90	12.45	60.04	0.00	107	152	PEAK	4	8122.52	51.83	54.00	-2.17	63.52	35.90	12.45	60.04	0.00	107	152	AVERAGE	5	8670.00	49.24	94.76	-45.52	60.96	36.04	12.95	60.71	0.00	---	---	Peak	6	9314.21	55.11	74.00	-18.89	65.99	36.60	13.30	60.78	0.00	201	141	PEAK	7	9314.21	52.70	54.00	-1.30	63.58	36.60	13.30	60.78	0.00	201	141	AVERAGE	8	9990.00	50.17	94.76	-44.59	59.72	37.48	13.88	60.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4874.00	42.62	74.00	-31.38	59.77	34.20	9.52	60.87	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7311.00	44.94	74.00	-29.06	57.94	35.64	11.69	60.33	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8122.52	52.75	74.00	-21.25	64.44	35.90	12.45	60.04	0.00	100	153	PEAK																																																																																																																																																																																																																																																																	
4	8122.52	50.29	54.00	-3.71	61.98	35.90	12.45	60.04	0.00	100	153	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	48.75	94.71	-45.96	60.47	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	48.82	74.00	-25.18	59.67	36.60	13.32	60.77	0.00	300	226	Peak																																																																																																																																																																																																																																																																	
7	9330.00	46.93	54.00	-7.07	57.78	36.60	13.32	60.77	0.00	300	226	Average																																																																																																																																																																																																																																																																	
8	9960.00	51.03	94.71	-43.68	60.68	37.42	13.83	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4874.00	41.34	74.00	-32.66	58.49	34.20	9.52	60.87	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7311.00	44.48	74.00	-29.52	57.48	35.64	11.69	60.33	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8122.52	53.92	74.00	-20.08	65.61	35.90	12.45	60.04	0.00	107	152	PEAK																																																																																																																																																																																																																																																																	
4	8122.52	51.83	54.00	-2.17	63.52	35.90	12.45	60.04	0.00	107	152	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	49.24	94.76	-45.52	60.96	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9314.21	55.11	74.00	-18.89	65.99	36.60	13.30	60.78	0.00	201	141	PEAK																																																																																																																																																																																																																																																																	
7	9314.21	52.70	54.00	-1.30	63.58	36.60	13.30	60.78	0.00	201	141	AVERAGE																																																																																																																																																																																																																																																																	
8	9990.00	50.17	94.76	-44.59	59.72	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																																																	



Mode	6																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.42</td> <td>67.48</td> <td>74.00</td> <td>-6.52</td> <td>54.59</td> <td>32.78</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>133</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.42	67.48	74.00	-6.52	54.59	32.78	6.73	32.62	6.00	133	328	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>123.51</td> <td>-----</td> <td>-----</td> <td>110.96</td> <td>32.55</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>133</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	123.51	-----	-----	110.96	32.55	6.70	32.70	6.00	133	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.42	67.48	74.00	-6.52	54.59	32.78	6.73	32.62	6.00	133	328	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	123.51	-----	-----	110.96	32.55	6.70	32.70	6.00	133	328	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>52.02</td> <td>54.00</td> <td>-1.98</td> <td>39.15</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>133</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.51	52.02	54.00	-1.98	39.15	32.77	6.73	32.63	6.00	133	328	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>113.79</td> <td>-----</td> <td>-----</td> <td>101.24</td> <td>32.55</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>133</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	113.79	-----	-----	101.24	32.55	6.70	32.70	6.00	133	328	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.51	52.02	54.00	-1.98	39.15	32.77	6.73	32.63	6.00	133	328	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	113.79	-----	-----	101.24	32.55	6.70	32.70	6.00	133	328	AVERAGE																																																																						



6																																									
Mode	Band Edge																																								
2400-2483.5_802.11g_CH11_2462MHz																																									
ANT	CDD 1S4T																																								
Pol.	Vertical																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.96</td> <td>69.64</td> <td>74.00</td> <td>-4.36</td> <td>56.76</td> <td>32.77</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>255</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.96	69.64	74.00	-4.36	56.76	32.77	6.73	32.62	6.00	255	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2483.96	69.64	74.00	-4.36	56.76	32.77	6.73	32.62	6.00	255	0 PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>124.79</td> <td>-----</td> <td>-----</td> <td>112.20</td> <td>32.58</td> <td>6.70</td> <td>32.69</td> <td>6.00</td> <td>255</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	124.79	-----	-----	112.20	32.58	6.70	32.69	6.00	255	0 PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2462.00	124.79	-----	-----	112.20	32.58	6.70	32.69	6.00	255	0 PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>52.25</td> <td>54.00</td> <td>-1.75</td> <td>39.38</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>255</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	52.25	54.00	-1.75	39.38	32.77	6.73	32.63	6.00	255	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2483.55	52.25	54.00	-1.75	39.38	32.77	6.73	32.63	6.00	255	0 AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>114.65</td> <td>-----</td> <td>-----</td> <td>102.06</td> <td>32.58</td> <td>6.70</td> <td>32.69</td> <td>6.00</td> <td>255</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	114.65	-----	-----	102.06	32.58	6.70	32.69	6.00	255	0 AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2462.00	114.65	-----	-----	102.06	32.58	6.70	32.69	6.00	255	0 AVERAGE																														







Mode	6																																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4924.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>60.76</td><td>34.20</td><td>9.57</td><td>61.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7386.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>57.62</td><td>35.73</td><td>11.72</td><td>60.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8206.00</td><td>51.04</td><td>74.00</td><td>-22.16</td><td>64.05</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>100</td><td>153</td><td>Peak</td></tr> <tr><td>4</td><td>8206.00</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>62.66</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>100</td><td>153</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>49.11</td><td>93.13</td><td>-44.02</td><td>60.83</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>59.88</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>58.89</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>226</td><td>Average</td></tr> <tr><td>8</td><td>9990.00</td><td>50.82</td><td>93.13</td><td>-42.31</td><td>60.37</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.94	74.00	-31.06	60.76	34.20	9.57	61.59	0.00	---	---	PEAK	2	7386.00	44.49	74.00	-29.51	57.62	35.73	11.72	60.58	0.00	---	---	PEAK	3	8206.00	51.04	74.00	-22.16	64.05	35.90	12.46	60.57	0.00	100	153	Peak	4	8206.00	50.45	54.00	-3.55	62.66	35.90	12.46	60.57	0.00	100	153	Average	5	8670.00	49.11	93.13	-44.02	60.83	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	49.03	74.00	-24.97	59.88	36.60	13.32	60.77	0.00	300	226	Peak	7	9330.00	48.04	54.00	-5.96	58.89	36.60	13.32	60.77	0.00	300	226	Average	8	9990.00	50.82	93.13	-42.31	60.37	37.48	13.88	60.91	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4924.00</td><td>43.41</td><td>74.00</td><td>-30.59</td><td>61.23</td><td>34.20</td><td>9.57</td><td>61.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7386.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>57.71</td><td>35.73</td><td>11.72</td><td>60.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8206.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>66.56</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>100</td><td>146</td><td>Peak</td></tr> <tr><td>4</td><td>8206.00</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>65.28</td><td>35.90</td><td>12.46</td><td>60.57</td><td>0.00</td><td>100</td><td>146</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>47.87</td><td>96.69</td><td>-48.82</td><td>59.59</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>64.60</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>139</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>52.58</td><td>54.00</td><td>-1.42</td><td>63.43</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>139</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>50.91</td><td>96.69</td><td>-45.78</td><td>60.51</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	43.41	74.00	-30.59	61.23	34.20	9.57	61.59	0.00	---	---	PEAK	2	7386.00	44.58	74.00	-29.42	57.71	35.73	11.72	60.58	0.00	---	---	PEAK	3	8206.00	54.35	74.00	-19.65	66.56	35.90	12.46	60.57	0.00	100	146	Peak	4	8206.00	53.07	54.00	-0.93	65.28	35.90	12.46	60.57	0.00	100	146	Average	5	8670.00	47.87	96.69	-48.82	59.59	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	53.75	74.00	-20.25	64.60	36.60	13.32	60.77	0.00	100	139	Peak	7	9330.00	52.58	54.00	-1.42	63.43	36.60	13.32	60.77	0.00	100	139	Average	8	9975.00	50.91	96.69	-45.78	60.51	37.45	13.85	60.90	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																		
1	4924.00	42.94	74.00	-31.06	60.76	34.20	9.57	61.59	0.00	---	---	PEAK																																																																																																																																																																																																																																																															
2	7386.00	44.49	74.00	-29.51	57.62	35.73	11.72	60.58	0.00	---	---	PEAK																																																																																																																																																																																																																																																															
3	8206.00	51.04	74.00	-22.16	64.05	35.90	12.46	60.57	0.00	100	153	Peak																																																																																																																																																																																																																																																															
4	8206.00	50.45	54.00	-3.55	62.66	35.90	12.46	60.57	0.00	100	153	Average																																																																																																																																																																																																																																																															
5	8670.00	49.11	93.13	-44.02	60.83	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																															
6	9330.00	49.03	74.00	-24.97	59.88	36.60	13.32	60.77	0.00	300	226	Peak																																																																																																																																																																																																																																																															
7	9330.00	48.04	54.00	-5.96	58.89	36.60	13.32	60.77	0.00	300	226	Average																																																																																																																																																																																																																																																															
8	9990.00	50.82	93.13	-42.31	60.37	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	4924.00	43.41	74.00	-30.59	61.23	34.20	9.57	61.59	0.00	---	---	PEAK																																																																																																																																																																																																																																																															
2	7386.00	44.58	74.00	-29.42	57.71	35.73	11.72	60.58	0.00	---	---	PEAK																																																																																																																																																																																																																																																															
3	8206.00	54.35	74.00	-19.65	66.56	35.90	12.46	60.57	0.00	100	146	Peak																																																																																																																																																																																																																																																															
4	8206.00	53.07	54.00	-0.93	65.28	35.90	12.46	60.57	0.00	100	146	Average																																																																																																																																																																																																																																																															
5	8670.00	47.87	96.69	-48.82	59.59	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																															
6	9330.00	53.75	74.00	-20.25	64.60	36.60	13.32	60.77	0.00	100	139	Peak																																																																																																																																																																																																																																																															
7	9330.00	52.58	54.00	-1.42	63.43	36.60	13.32	60.77	0.00	100	139	Average																																																																																																																																																																																																																																																															
8	9975.00	50.91	96.69	-45.78	60.51	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																															



7																																										
Mode	Band Edge																																									
2400-2483.5_802.11ax HE20_CH01_2412MHz																																										
ANT	CDD 1S4T																																									
Pol.	Horizontal																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>71.96</td> <td>74.00</td> <td>-2.04</td> <td>60.16</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>126</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	71.96	74.00	-2.04	60.16	32.06	6.00	32.06	6.00	126	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.69	71.96	74.00	-2.04	60.16	32.06	6.00	32.06	6.00	126	335	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>122.15</td> <td>-----</td> <td>-----</td> <td>110.06</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>126</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	122.15	-----	-----	110.06	32.27	6.63	32.81	6.00	126	335	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2412.00	122.15	-----	-----	110.06	32.27	6.63	32.81	6.00	126	335	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>53.40</td> <td>54.00</td> <td>-0.52</td> <td>41.68</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>126</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	53.40	54.00	-0.52	41.68	32.06	6.00	32.06	6.00	126	335	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.69	53.40	54.00	-0.52	41.68	32.06	6.00	32.06	6.00	126	335	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.18</td> <td>-----</td> <td>-----</td> <td>98.09</td> <td>32.27</td> <td>6.63</td> <td>32.81</td> <td>6.00</td> <td>126</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.18	-----	-----	98.09	32.27	6.63	32.81	6.00	126	335	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2412.00	110.18	-----	-----	98.09	32.27	6.63	32.81	6.00	126	335	AVERAGE																														



Mode	7																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>70.29</td> <td>74.00</td> <td>-3.71</td> <td>58.49</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	70.29	74.00	-3.71	58.49	32.06	6.00	32.06	6.00	114	0 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>121.70</td> <td>-----</td> <td>-----</td> <td>109.64</td> <td>32.30</td> <td>6.64</td> <td>32.80</td> <td>6.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	121.70	-----	-----	109.64	32.30	6.64	32.80	6.00	114	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	70.29	74.00	-3.71	58.49	32.06	6.00	32.06	6.00	114	0 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	121.70	-----	-----	109.64	32.30	6.64	32.80	6.00	114	0 PEAK																																																																							
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>53.52</td> <td>54.00</td> <td>-0.48</td> <td>41.72</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>114</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.52	54.00	-0.48	41.72	32.06	6.00	32.06	6.00	114	0 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.53</td> <td>-----</td> <td>-----</td> <td>99.46</td> <td>32.26</td> <td>6.63</td> <td>32.82</td> <td>6.00</td> <td>114</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.53	-----	-----	99.46	32.26	6.63	32.82	6.00	114	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	53.52	54.00	-0.48	41.72	32.06	6.00	32.06	6.00	114	0 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	111.53	-----	-----	99.46	32.26	6.63	32.82	6.00	114	0 AVERAGE																																																																							





Mode	7																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_2412MHz																																																																																																																																																																																																																	
ANT	CDD 1S4T																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>4824.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>58.71</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>8039.20</td><td>51.51</td><td>74.00</td><td>-22.49</td><td>63.09</td><td>35.88</td><td>12.44</td><td>59.90</td><td>0.00</td><td>126</td><td>157 PEAK</td></tr> <tr><td>8039.20</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>60.04</td><td>35.88</td><td>12.44</td><td>59.91</td><td>0.00</td><td>126</td><td>157 AVERAGE</td></tr> <tr><td>8670.00</td><td>48.77</td><td>91.17</td><td>-42.40</td><td>60.49</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>9330.00</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>62.39</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>234 Peak</td></tr> <tr><td>9330.00</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>58.00</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>234 Average</td></tr> <tr><td>9990.00</td><td>51.00</td><td>91.17</td><td>-40.17</td><td>60.55</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	4824.00	41.47	74.00	-32.53	58.71	34.20	9.47	60.91	0.00	---	Peak	8039.20	51.51	74.00	-22.49	63.09	35.88	12.44	59.90	0.00	126	157 PEAK	8039.20	48.45	54.00	-5.55	60.04	35.88	12.44	59.91	0.00	126	157 AVERAGE	8670.00	48.77	91.17	-42.40	60.49	36.04	12.95	60.71	0.00	---	Peak	9330.00	51.54	74.00	-22.46	62.39	36.60	13.32	60.77	0.00	300	234 Peak	9330.00	47.15	54.00	-6.85	58.00	36.60	13.32	60.77	0.00	300	234 Average	9990.00	51.00	91.17	-40.17	60.55	37.48	13.88	60.91	0.00	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>4824.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>59.22</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>8039.20</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>64.60</td><td>35.88</td><td>12.44</td><td>59.90</td><td>0.00</td><td>100</td><td>150 PEAK</td></tr> <tr><td>8039.20</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>62.19</td><td>35.88</td><td>12.44</td><td>59.91</td><td>0.00</td><td>100</td><td>150 AVERAGE</td></tr> <tr><td>8670.00</td><td>48.68</td><td>93.79</td><td>-45.11</td><td>60.40</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>9330.00</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>64.39</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>234 Peak</td></tr> <tr><td>9330.00</td><td>51.18</td><td>54.00</td><td>-2.82</td><td>62.03</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>234 Average</td></tr> <tr><td>9960.00</td><td>50.44</td><td>93.79</td><td>-43.35</td><td>60.09</td><td>37.42</td><td>13.83</td><td>60.90</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	4824.00	41.98	74.00	-32.02	59.22	34.20	9.47	60.91	0.00	---	Peak	8039.20	53.02	74.00	-20.98	64.60	35.88	12.44	59.90	0.00	100	150 PEAK	8039.20	50.60	54.00	-3.40	62.19	35.88	12.44	59.91	0.00	100	150 AVERAGE	8670.00	48.68	93.79	-45.11	60.40	36.04	12.95	60.71	0.00	---	Peak	9330.00	53.54	74.00	-20.46	64.39	36.60	13.32	60.77	0.00	300	234 Peak	9330.00	51.18	54.00	-2.82	62.03	36.60	13.32	60.77	0.00	300	234 Average	9960.00	50.44	93.79	-43.35	60.09	37.42	13.83	60.90	0.00	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																										
4824.00	41.47	74.00	-32.53	58.71	34.20	9.47	60.91	0.00	---	Peak																																																																																																																																																																																																								
8039.20	51.51	74.00	-22.49	63.09	35.88	12.44	59.90	0.00	126	157 PEAK																																																																																																																																																																																																								
8039.20	48.45	54.00	-5.55	60.04	35.88	12.44	59.91	0.00	126	157 AVERAGE																																																																																																																																																																																																								
8670.00	48.77	91.17	-42.40	60.49	36.04	12.95	60.71	0.00	---	Peak																																																																																																																																																																																																								
9330.00	51.54	74.00	-22.46	62.39	36.60	13.32	60.77	0.00	300	234 Peak																																																																																																																																																																																																								
9330.00	47.15	54.00	-6.85	58.00	36.60	13.32	60.77	0.00	300	234 Average																																																																																																																																																																																																								
9990.00	51.00	91.17	-40.17	60.55	37.48	13.88	60.91	0.00	---	Peak																																																																																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																										
4824.00	41.98	74.00	-32.02	59.22	34.20	9.47	60.91	0.00	---	Peak																																																																																																																																																																																																								
8039.20	53.02	74.00	-20.98	64.60	35.88	12.44	59.90	0.00	100	150 PEAK																																																																																																																																																																																																								
8039.20	50.60	54.00	-3.40	62.19	35.88	12.44	59.91	0.00	100	150 AVERAGE																																																																																																																																																																																																								
8670.00	48.68	93.79	-45.11	60.40	36.04	12.95	60.71	0.00	---	Peak																																																																																																																																																																																																								
9330.00	53.54	74.00	-20.46	64.39	36.60	13.32	60.77	0.00	300	234 Peak																																																																																																																																																																																																								
9330.00	51.18	54.00	-2.82	62.03	36.60	13.32	60.77	0.00	300	234 Average																																																																																																																																																																																																								
9960.00	50.44	93.79	-43.35	60.09	37.42	13.83	60.90	0.00	---	Peak																																																																																																																																																																																																								







Mode	8																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.83</td> <td>60.67</td> <td>74.00</td> <td>-13.33</td> <td>49.06</td> <td>31.90</td> <td>6.59</td> <td>32.88</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2378.83	60.67	74.00	-13.33	49.06	31.90	6.59	32.88	6.00	127	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>123.59</td> <td>74.00</td> <td>49.67</td> <td>111.29</td> <td>32.40</td> <td>6.66</td> <td>32.76</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	123.59	74.00	49.67	111.29	32.40	6.66	32.76	6.00	127	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2378.83	60.67	74.00	-13.33	49.06	31.90	6.59	32.88	6.00	127	360	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	123.59	74.00	49.67	111.29	32.40	6.66	32.76	6.00	127	360	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.88</td> <td>47.00</td> <td>54.00</td> <td>-7.00</td> <td>35.20</td> <td>32.06</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.88	47.00	54.00	-7.00	35.20	32.06	6.60	32.86	6.00	127	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>112.92</td> <td>54.00</td> <td>58.92</td> <td>100.57</td> <td>32.43</td> <td>6.67</td> <td>32.75</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	112.92	54.00	58.92	100.57	32.43	6.67	32.75	6.00	127	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.88	47.00	54.00	-7.00	35.20	32.06	6.60	32.86	6.00	127	360	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2437.00	112.92	54.00	58.92	100.57	32.43	6.67	32.75	6.00	127	360	AVERAGE																																																																						



	8																																																											
Mode	Band Edge - R																																																											
ANT	CDD 1S4T																																																											
Pol.	Horizontal	Fundamental																																																										
Peak	 <table border="1" data-bbox="268 1115 774 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>62.55</td> <td>74.00</td> <td>-11.45</td> <td>49.68</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>127</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2483.62	62.55	74.00	-11.45	49.68	32.77	6.73	32.63	6.00	127	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2483.62	62.55	74.00	-11.45	49.68	32.77	6.73	32.63	6.00	127	360	PEAK																																																
Avg	 <table border="1" data-bbox="268 1796 774 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.87</td> <td>52.71</td> <td>54.00</td> <td>-1.29</td> <td>39.65</td> <td>32.89</td> <td>6.75</td> <td>32.58</td> <td>6.00</td> <td>127</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2498.87	52.71	54.00	-1.29	39.65	32.89	6.75	32.58	6.00	127	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2498.87	52.71	54.00	-1.29	39.65	32.89	6.75	32.58	6.00	127	360	AVERAGE																																																





Mode	8																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																															
ANT	CDD 1S4T																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.05</td> <td>59.71</td> <td>74.00</td> <td>-14.29</td> <td>48.41</td> <td>31.65</td> <td>6.56</td> <td>32.91</td> <td>6.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2361.05	59.71	74.00	-14.29	48.41	31.65	6.56	32.91	6.00	114	0 PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>125.41</td> <td>-----</td> <td>-----</td> <td>113.04</td> <td>32.44</td> <td>6.67</td> <td>32.74</td> <td>6.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	125.41	-----	-----	113.04	32.44	6.67	32.74	6.00	114	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2361.05	59.71	74.00	-14.29	48.41	31.65	6.56	32.91	6.00	114	0 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2437.00	125.41	-----	-----	113.04	32.44	6.67	32.74	6.00	114	0 PEAK																																																																					
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.50</td> <td>46.91</td> <td>54.00</td> <td>-7.09</td> <td>35.12</td> <td>32.05</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>114</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.50	46.91	54.00	-7.09	35.12	32.05	6.60	32.86	6.00	114	0 AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>114.40</td> <td>-----</td> <td>-----</td> <td>102.03</td> <td>32.44</td> <td>6.67</td> <td>32.74</td> <td>6.00</td> <td>114</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2437.00	114.40	-----	-----	102.03	32.44	6.67	32.74	6.00	114	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2389.50	46.91	54.00	-7.09	35.12	32.05	6.60	32.86	6.00	114	0 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1	2437.00	114.40	-----	-----	102.03	32.44	6.67	32.74	6.00	114	0 AVERAGE																																																																					



Mode	8																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical	Fundamental																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.19</td> <td>63.03</td> <td>74.00</td> <td>-10.97</td> <td>50.15</td> <td>32.77</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>114</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2484.19	63.03	74.00	-10.97	50.15	32.77	6.73	32.62	6.00	114	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2484.19	63.03	74.00	-10.97	50.15	32.77	6.73	32.62	6.00	114	0	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.44</td> <td>49.00</td> <td>54.00</td> <td>-5.00</td> <td>36.11</td> <td>32.78</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>114</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2484.44	49.00	54.00	-5.00	36.11	32.78	6.73	32.62	6.00	114	0	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2484.44	49.00	54.00	-5.00	36.11	32.78	6.73	32.62	6.00	114	0	AVERAGE																																							



Mode	8																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																													
	2400-2483.5_802.11ax HE20_CH06_2437MHz																																																																																																																																																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																												
Peak Avg	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>58.78</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7311.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>57.95</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8122.52</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>63.61</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>125</td><td>157</td><td>PEAK</td></tr> <tr><td>4</td><td>8122.52</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>60.94</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>125</td><td>157</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>49.06</td><td>95.91</td><td>-46.85</td><td>60.78</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>50.64</td><td>74.00</td><td>-23.36</td><td>61.49</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>232</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>58.14</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>232</td><td>Average</td></tr> <tr><td>8</td><td>10005.00</td><td>50.66</td><td>95.91</td><td>-45.25</td><td>60.19</td><td>37.49</td><td>13.89</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4874.00	41.63	74.00	-32.37	58.78	34.20	9.52	60.87	0.00	---	---	Peak	2	7311.00	44.95	74.00	-29.05	57.95	35.64	11.69	60.33	0.00	---	---	Peak	3	8122.52	51.92	74.00	-22.08	63.61	35.90	12.45	60.04	0.00	125	157	PEAK	4	8122.52	49.25	54.00	-4.75	60.94	35.90	12.45	60.04	0.00	125	157	AVERAGE	5	8670.00	49.06	95.91	-46.85	60.78	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	50.64	74.00	-23.36	61.49	36.60	13.32	60.77	0.00	300	232	Peak	7	9330.00	47.29	54.00	-6.71	58.14	36.60	13.32	60.77	0.00	300	232	Average	8	10005.00	50.66	95.91	-45.25	60.19	37.49	13.89	60.91	0.00	---	---	Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>40.80</td><td>74.00</td><td>-33.20</td><td>57.95</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7311.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>58.01</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8122.52</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>65.32</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>102</td><td>153</td><td>PEAK</td></tr> <tr><td>4</td><td>8122.52</td><td>51.49</td><td>54.00</td><td>-2.51</td><td>63.18</td><td>35.90</td><td>12.45</td><td>60.04</td><td>0.00</td><td>102</td><td>153</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>48.20</td><td>96.23</td><td>-48.03</td><td>59.92</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>64.69</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>61.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>49.82</td><td>96.23</td><td>-46.41</td><td>59.42</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4874.00	40.80	74.00	-33.20	57.95	34.20	9.52	60.87	0.00	---	---	Peak	2	7311.00	45.01	74.00	-28.99	58.01	35.64	11.69	60.33	0.00	---	---	Peak	3	8122.52	53.63	74.00	-20.37	65.32	35.90	12.45	60.04	0.00	102	153	PEAK	4	8122.52	51.49	54.00	-2.51	63.18	35.90	12.45	60.04	0.00	102	153	AVERAGE	5	8670.00	48.20	96.23	-48.03	59.92	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	53.84	74.00	-20.16	64.69	36.60	13.32	60.77	0.00	100	140	Peak	7	9330.00	51.14	54.00	-2.86	61.99	36.60	13.32	60.77	0.00	100	140	Average	8	9975.00	49.82	96.23	-46.41	59.42	37.45	13.85	60.90	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																					
1	4874.00	41.63	74.00	-32.37	58.78	34.20	9.52	60.87	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
2	7311.00	44.95	74.00	-29.05	57.95	35.64	11.69	60.33	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
3	8122.52	51.92	74.00	-22.08	63.61	35.90	12.45	60.04	0.00	125	157	PEAK																																																																																																																																																																																																																																																																		
4	8122.52	49.25	54.00	-4.75	60.94	35.90	12.45	60.04	0.00	125	157	AVERAGE																																																																																																																																																																																																																																																																		
5	8670.00	49.06	95.91	-46.85	60.78	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
6	9330.00	50.64	74.00	-23.36	61.49	36.60	13.32	60.77	0.00	300	232	Peak																																																																																																																																																																																																																																																																		
7	9330.00	47.29	54.00	-6.71	58.14	36.60	13.32	60.77	0.00	300	232	Average																																																																																																																																																																																																																																																																		
8	10005.00	50.66	95.91	-45.25	60.19	37.49	13.89	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																					
1	4874.00	40.80	74.00	-33.20	57.95	34.20	9.52	60.87	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
2	7311.00	45.01	74.00	-28.99	58.01	35.64	11.69	60.33	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
3	8122.52	53.63	74.00	-20.37	65.32	35.90	12.45	60.04	0.00	102	153	PEAK																																																																																																																																																																																																																																																																		
4	8122.52	51.49	54.00	-2.51	63.18	35.90	12.45	60.04	0.00	102	153	AVERAGE																																																																																																																																																																																																																																																																		
5	8670.00	48.20	96.23	-48.03	59.92	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																		
6	9330.00	53.84	74.00	-20.16	64.69	36.60	13.32	60.77	0.00	100	140	Peak																																																																																																																																																																																																																																																																		
7	9330.00	51.14	54.00	-2.86	61.99	36.60	13.32	60.77	0.00	100	140	Average																																																																																																																																																																																																																																																																		
8	9975.00	49.82	96.23	-46.41	59.42	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																		



9																																										
Mode	Band Edge																																									
2400-2483.5_802.11ax HE20_CH11_2462MHz																																										
ANT	CDD 1S4T																																									
Pol.	Horizontal																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.10</td> <td>73.50</td> <td>74.00</td> <td>-0.50</td> <td>66.60</td> <td>32.78</td> <td>6.74</td> <td>32.62</td> <td>0.00</td> <td>201</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.10	73.50	74.00	-0.50	66.60	32.78	6.74	32.62	0.00	201	26	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.10	73.50	74.00	-0.50	66.60	32.78	6.74	32.62	0.00	201	26	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>117.05</td> <td>-----</td> <td>-----</td> <td>110.38</td> <td>32.63</td> <td>6.71</td> <td>32.67</td> <td>0.00</td> <td>201</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	117.05	-----	-----	110.38	32.63	6.71	32.67	0.00	201	26	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	117.05	-----	-----	110.38	32.63	6.71	32.67	0.00	201	26	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.22</td> <td>52.76</td> <td>54.00</td> <td>-1.24</td> <td>45.86</td> <td>32.78</td> <td>6.74</td> <td>32.62</td> <td>0.00</td> <td>201</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.22	52.76	54.00	-1.24	45.86	32.78	6.74	32.62	0.00	201	26	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.22	52.76	54.00	-1.24	45.86	32.78	6.74	32.62	0.00	201	26	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.60</td> <td>-----</td> <td>-----</td> <td>101.01</td> <td>32.58</td> <td>6.70</td> <td>32.69</td> <td>0.00</td> <td>201</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.60	-----	-----	101.01	32.58	6.70	32.69	0.00	201	26	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	107.60	-----	-----	101.01	32.58	6.70	32.69	0.00	201	26	AVERAGE																														



		9																																																																																		
Mode	Band Edge																																																																																			
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.05</td> <td>69.09</td> <td>74.00</td> <td>-4.91</td> <td>62.18</td> <td>32.79</td> <td>6.74</td> <td>32.62</td> <td>0.00</td> <td>320</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.05	69.09	74.00	-4.91	62.18	32.79	6.74	32.62	0.00	320	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>117.70</td> <td>-----</td> <td>-----</td> <td>111.08</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>0.00</td> <td>320</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	117.70	-----	-----	111.08	32.60	6.70	32.68	0.00	320	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.05	69.09	74.00	-4.91	62.18	32.79	6.74	32.62	0.00	320	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	117.70	-----	-----	111.08	32.60	6.70	32.68	0.00	320	360	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>50.73</td> <td>54.00</td> <td>-3.27</td> <td>43.86</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>0.00</td> <td>320</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.73	54.00	-3.27	43.86	32.77	6.73	32.63	0.00	320	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.63</td> <td>-----</td> <td>-----</td> <td>101.01</td> <td>32.60</td> <td>6.70</td> <td>32.68</td> <td>0.00</td> <td>320</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.63	-----	-----	101.01	32.60	6.70	32.68	0.00	320	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.51	50.73	54.00	-3.27	43.86	32.77	6.73	32.63	0.00	320	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	107.63	-----	-----	101.01	32.60	6.70	32.68	0.00	320	360	AVERAGE																																																																								



Mode	9																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4924.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>59.44</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7386.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>56.97</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8205.85</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>64.94</td><td>35.90</td><td>12.46</td><td>60.18</td><td>0.00</td><td>102</td><td>150</td><td>PEAK</td></tr> <tr><td>4</td><td>8205.85</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>62.21</td><td>35.90</td><td>12.46</td><td>60.18</td><td>0.00</td><td>102</td><td>150</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>48.90</td><td>95.17</td><td>-46.27</td><td>60.62</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>61.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>232</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>58.09</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>232</td><td>Average</td></tr> <tr><td>8</td><td>9960.00</td><td>51.19</td><td>95.17</td><td>-43.98</td><td>60.84</td><td>37.42</td><td>13.83</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4924.00	42.38	74.00	-31.62	59.44	34.20	9.57	60.83	0.00	---	---	Peak	2	7386.00	43.93	74.00	-30.07	56.97	35.73	11.72	60.49	0.00	---	---	Peak	3	8205.85	53.12	74.00	-20.88	64.94	35.90	12.46	60.18	0.00	102	150	PEAK	4	8205.85	50.39	54.00	-3.61	62.21	35.90	12.46	60.18	0.00	102	150	AVERAGE	5	8670.00	48.90	95.17	-46.27	60.62	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	300	232	Peak	7	9330.00	47.24	54.00	-6.76	58.09	36.60	13.32	60.77	0.00	300	232	Average	8	9960.00	51.19	95.17	-43.98	60.84	37.42	13.83	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4924.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>58.68</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7386.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>57.15</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8205.85</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>66.32</td><td>35.90</td><td>12.46</td><td>60.18</td><td>0.00</td><td>101</td><td>149</td><td>PEAK</td></tr> <tr><td>4</td><td>8205.85</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>64.24</td><td>35.90</td><td>12.46</td><td>60.18</td><td>0.00</td><td>101</td><td>149</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>48.76</td><td>96.53</td><td>-47.77</td><td>60.48</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>64.49</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>62.04</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>50.30</td><td>96.53</td><td>-46.23</td><td>59.90</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4924.00	41.62	74.00	-32.38	58.68	34.20	9.57	60.83	0.00	---	---	Peak	2	7386.00	44.11	74.00	-29.89	57.15	35.73	11.72	60.49	0.00	---	---	Peak	3	8205.85	54.50	74.00	-19.50	66.32	35.90	12.46	60.18	0.00	101	149	PEAK	4	8205.85	52.42	54.00	-1.58	64.24	35.90	12.46	60.18	0.00	101	149	AVERAGE	5	8670.00	48.76	96.53	-47.77	60.48	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	53.64	74.00	-20.36	64.49	36.60	13.32	60.77	0.00	100	140	Peak	7	9330.00	51.19	54.00	-2.81	62.04	36.60	13.32	60.77	0.00	100	140	Average	8	9975.00	50.30	96.53	-46.23	59.90	37.45	13.85	60.90	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																				
1	4924.00	42.38	74.00	-31.62	59.44	34.20	9.57	60.83	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7386.00	43.93	74.00	-30.07	56.97	35.73	11.72	60.49	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8205.85	53.12	74.00	-20.88	64.94	35.90	12.46	60.18	0.00	102	150	PEAK																																																																																																																																																																																																																																																																	
4	8205.85	50.39	54.00	-3.61	62.21	35.90	12.46	60.18	0.00	102	150	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	48.90	95.17	-46.27	60.62	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	300	232	Peak																																																																																																																																																																																																																																																																	
7	9330.00	47.24	54.00	-6.76	58.09	36.60	13.32	60.77	0.00	300	232	Average																																																																																																																																																																																																																																																																	
8	9960.00	51.19	95.17	-43.98	60.84	37.42	13.83	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																				
1	4924.00	41.62	74.00	-32.38	58.68	34.20	9.57	60.83	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7386.00	44.11	74.00	-29.89	57.15	35.73	11.72	60.49	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8205.85	54.50	74.00	-19.50	66.32	35.90	12.46	60.18	0.00	101	149	PEAK																																																																																																																																																																																																																																																																	
4	8205.85	52.42	54.00	-1.58	64.24	35.90	12.46	60.18	0.00	101	149	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	48.76	96.53	-47.77	60.48	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	53.64	74.00	-20.36	64.49	36.60	13.32	60.77	0.00	100	140	Peak																																																																																																																																																																																																																																																																	
7	9330.00	51.19	54.00	-2.81	62.04	36.60	13.32	60.77	0.00	100	140	Average																																																																																																																																																																																																																																																																	
8	9975.00	50.30	96.53	-46.23	59.90	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																	



		10																																																																																
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.39</td> <td>65.65</td> <td>74.00</td> <td>-8.35</td> <td>53.89</td> <td>32.02</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>300</td> <td>4</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2387.39	65.65	74.00	-8.35	53.89	32.02	6.00	32.06	6.00	300	4	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>119.23</td> <td>-----</td> <td>-----</td> <td>106.97</td> <td>32.37</td> <td>6.66</td> <td>32.77</td> <td>6.00</td> <td>300</td> <td>4</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2422.00	119.23	-----	-----	106.97	32.37	6.66	32.77	6.00	300	4	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2387.39	65.65	74.00	-8.35	53.89	32.02	6.00	32.06	6.00	300	4	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2422.00	119.23	-----	-----	106.97	32.37	6.66	32.77	6.00	300	4	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.50</td> <td>53.25</td> <td>54.00</td> <td>-0.75</td> <td>41.48</td> <td>32.03</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>300</td> <td>4</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2387.50	53.25	54.00	-0.75	41.48	32.03	6.00	32.06	6.00	300	4	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>109.25</td> <td>-----</td> <td>-----</td> <td>96.99</td> <td>32.37</td> <td>6.66</td> <td>32.77</td> <td>6.00</td> <td>300</td> <td>4</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2422.00	109.25	-----	-----	96.99	32.37	6.66	32.77	6.00	300	4	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2387.50	53.25	54.00	-0.75	41.48	32.03	6.00	32.06	6.00	300	4	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2422.00	109.25	-----	-----	96.99	32.37	6.66	32.77	6.00	300	4	AVERAGE																																																																						





Mode	10																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.89</td> <td>62.16</td> <td>74.00</td> <td>-11.84</td> <td>49.12</td> <td>32.88</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>300</td> <td>4</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2497.89	62.16	74.00	-11.84	49.12	32.88	6.75	32.59	6.00	300	4	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2497.89	62.16	74.00	-11.84	49.12	32.88	6.75	32.59	6.00	300	4	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.52</td> <td>49.38</td> <td>54.00</td> <td>-4.62</td> <td>36.33</td> <td>32.89</td> <td>6.75</td> <td>32.59</td> <td>6.00</td> <td>300</td> <td>4</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2498.52	49.38	54.00	-4.62	36.33	32.89	6.75	32.59	6.00	300	4	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2498.52	49.38	54.00	-4.62	36.33	32.89	6.75	32.59	6.00	300	4	AVERAGE																														



	10																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.18</td> <td>66.50</td> <td>74.00</td> <td>-7.50</td> <td>54.71</td> <td>32.05</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>260</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.18	66.50	74.00	-7.50	54.71	32.05	6.00	32.06	6.00	260	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>119.45</td> <td>-----</td> <td>-----</td> <td>107.16</td> <td>32.39</td> <td>6.66</td> <td>32.76</td> <td>6.00</td> <td>260</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2422.00	119.45	-----	-----	107.16	32.39	6.66	32.76	6.00	260	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.18	66.50	74.00	-7.50	54.71	32.05	6.00	32.06	6.00	260	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2422.00	119.45	-----	-----	107.16	32.39	6.66	32.76	6.00	260	0	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>53.55</td> <td>54.00</td> <td>-0.45</td> <td>41.75</td> <td>32.06</td> <td>6.00</td> <td>32.06</td> <td>6.00</td> <td>260</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.97	53.55	54.00	-0.45	41.75	32.06	6.00	32.06	6.00	260	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>109.86</td> <td>-----</td> <td>-----</td> <td>97.63</td> <td>32.36</td> <td>6.65</td> <td>32.78</td> <td>6.00</td> <td>260</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2422.00	109.86	-----	-----	97.63	32.36	6.65	32.78	6.00	260	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.97	53.55	54.00	-0.45	41.75	32.06	6.00	32.06	6.00	260	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2422.00	109.86	-----	-----	97.63	32.36	6.65	32.78	6.00	260	0	AVERAGE																																																																						



	10																																																		
Mode	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical	Fundamental																																																	
Peak	 <table border="1" data-bbox="263 1108 790 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.16</td> <td>63.09</td> <td>74.00</td> <td>-10.91</td> <td>50.15</td> <td>32.81</td> <td>6.74</td> <td>32.61</td> <td>6.00</td> <td>260</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2489.16	63.09	74.00	-10.91	50.15	32.81	6.74	32.61	6.00	260	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2489.16	63.09	74.00	-10.91	50.15	32.81	6.74	32.61	6.00	260	0	PEAK																																							
Avg	 <table border="1" data-bbox="263 1785 790 1908"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.84</td> <td>49.43</td> <td>54.00</td> <td>-4.57</td> <td>36.35</td> <td>32.90</td> <td>6.76</td> <td>32.58</td> <td>6.00</td> <td>260</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2499.84	49.43	54.00	-4.57	36.35	32.90	6.76	32.58	6.00	260	0	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2499.84	49.43	54.00	-4.57	36.35	32.90	6.76	32.58	6.00	260	0	AVERAGE																																							



Mode	10																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																									
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																																																																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4844.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>58.57</td><td>34.20</td><td>9.49</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7266.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>58.23</td><td>35.74</td><td>11.67</td><td>60.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8072.53</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>63.63</td><td>35.90</td><td>12.44</td><td>59.96</td><td>0.00</td><td>112</td><td>150</td><td>PEAK</td></tr> <tr><td>4</td><td>8072.53</td><td>49.58</td><td>54.00</td><td>-4.42</td><td>61.20</td><td>35.90</td><td>12.44</td><td>59.96</td><td>0.00</td><td>112</td><td>150</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>48.09</td><td>90.72</td><td>-42.63</td><td>59.81</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>62.43</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>233</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.41</td><td>54.00</td><td>-6.59</td><td>58.26</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>300</td><td>233</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>50.20</td><td>90.72</td><td>-40.52</td><td>59.80</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.37	74.00	-32.63	58.57	34.20	9.49	60.89	0.00	---	---	Peak	2	7266.00	45.41	74.00	-28.59	58.23	35.74	11.67	60.23	0.00	---	---	Peak	3	8072.53	52.01	74.00	-21.99	63.63	35.90	12.44	59.96	0.00	112	150	PEAK	4	8072.53	49.58	54.00	-4.42	61.20	35.90	12.44	59.96	0.00	112	150	AVERAGE	5	8670.00	48.09	90.72	-42.63	59.81	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	51.58	74.00	-22.42	62.43	36.60	13.32	60.77	0.00	300	233	Peak	7	9330.00	47.41	54.00	-6.59	58.26	36.60	13.32	60.77	0.00	300	233	Average	8	9975.00	50.20	90.72	-40.52	59.80	37.45	13.85	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4844.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>58.63</td><td>34.20</td><td>9.49</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>7266.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>57.66</td><td>35.74</td><td>11.67</td><td>60.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>8072.53</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>63.94</td><td>35.90</td><td>12.44</td><td>59.96</td><td>0.00</td><td>100</td><td>152</td><td>PEAK</td></tr> <tr><td>4</td><td>8072.53</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>61.99</td><td>35.90</td><td>12.44</td><td>59.96</td><td>0.00</td><td>100</td><td>152</td><td>AVERAGE</td></tr> <tr><td>5</td><td>8670.00</td><td>47.84</td><td>91.24</td><td>-43.40</td><td>59.56</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>65.29</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>51.37</td><td>54.00</td><td>-2.63</td><td>62.22</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>140</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>49.98</td><td>91.24</td><td>-41.26</td><td>59.58</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.43	74.00	-32.57	58.63	34.20	9.49	60.89	0.00	---	---	Peak	2	7266.00	44.84	74.00	-29.16	57.66	35.74	11.67	60.23	0.00	---	---	Peak	3	8072.53	52.32	74.00	-21.68	63.94	35.90	12.44	59.96	0.00	100	152	PEAK	4	8072.53	50.37	54.00	-3.63	61.99	35.90	12.44	59.96	0.00	100	152	AVERAGE	5	8670.00	47.84	91.24	-43.40	59.56	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	54.44	74.00	-19.56	65.29	36.60	13.32	60.77	0.00	100	140	Peak	7	9330.00	51.37	54.00	-2.63	62.22	36.60	13.32	60.77	0.00	100	140	Average	8	9975.00	49.98	91.24	-41.26	59.58	37.45	13.85	60.90	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	4844.00	41.37	74.00	-32.63	58.57	34.20	9.49	60.89	0.00	---	---	Peak																																																																																																																																																																																																																																																														
2	7266.00	45.41	74.00	-28.59	58.23	35.74	11.67	60.23	0.00	---	---	Peak																																																																																																																																																																																																																																																														
3	8072.53	52.01	74.00	-21.99	63.63	35.90	12.44	59.96	0.00	112	150	PEAK																																																																																																																																																																																																																																																														
4	8072.53	49.58	54.00	-4.42	61.20	35.90	12.44	59.96	0.00	112	150	AVERAGE																																																																																																																																																																																																																																																														
5	8670.00	48.09	90.72	-42.63	59.81	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																														
6	9330.00	51.58	74.00	-22.42	62.43	36.60	13.32	60.77	0.00	300	233	Peak																																																																																																																																																																																																																																																														
7	9330.00	47.41	54.00	-6.59	58.26	36.60	13.32	60.77	0.00	300	233	Average																																																																																																																																																																																																																																																														
8	9975.00	50.20	90.72	-40.52	59.80	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	4844.00	41.43	74.00	-32.57	58.63	34.20	9.49	60.89	0.00	---	---	Peak																																																																																																																																																																																																																																																														
2	7266.00	44.84	74.00	-29.16	57.66	35.74	11.67	60.23	0.00	---	---	Peak																																																																																																																																																																																																																																																														
3	8072.53	52.32	74.00	-21.68	63.94	35.90	12.44	59.96	0.00	100	152	PEAK																																																																																																																																																																																																																																																														
4	8072.53	50.37	54.00	-3.63	61.99	35.90	12.44	59.96	0.00	100	152	AVERAGE																																																																																																																																																																																																																																																														
5	8670.00	47.84	91.24	-43.40	59.56	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																														
6	9330.00	54.44	74.00	-19.56	65.29	36.60	13.32	60.77	0.00	100	140	Peak																																																																																																																																																																																																																																																														
7	9330.00	51.37	54.00	-2.63	62.22	36.60	13.32	60.77	0.00	100	140	Average																																																																																																																																																																																																																																																														
8	9975.00	49.98	91.24	-41.26	59.58	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																																																										



11																																										
Mode	Band Edge - L																																									
2400-2483.5_802.11ax HE40_CH06_2437MHz																																										
ANT	CDD 1S4T																																									
Pol.	Horizontal																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.50</td> <td>62.80</td> <td>74.00</td> <td>-11.20</td> <td>51.01</td> <td>32.05</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>101</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.50	62.80	74.00	-11.20	51.01	32.05	6.60	32.86	6.00	101	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.50	62.80	74.00	-11.20	51.01	32.05	6.60	32.86	6.00	101	330	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>119.22</td> <td>-----</td> <td>-----</td> <td>106.70</td> <td>32.53</td> <td>6.69</td> <td>32.70</td> <td>6.00</td> <td>101</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.22	-----	-----	106.70	32.53	6.69	32.70	6.00	101	330	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2437.00	119.22	-----	-----	106.70	32.53	6.69	32.70	6.00	101	330	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>38.90</td> <td>32.05</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>101</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.38	50.69	54.00	-3.31	38.90	32.05	6.60	32.86	6.00	101	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.38	50.69	54.00	-3.31	38.90	32.05	6.60	32.86	6.00	101	330	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>109.61</td> <td>-----</td> <td>-----</td> <td>97.13</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>101</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.61	-----	-----	97.13	32.50	6.69	32.71	6.00	101	330	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2437.00	109.61	-----	-----	97.13	32.50	6.69	32.71	6.00	101	330	AVERAGE																														



	11																																														
Mode	Band Edge - R																																														
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																														
ANT	CDD 1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1" data-bbox="263 1115 774 1240"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2484.00</td> <td>68.77</td> <td>74.00</td> <td>-5.23</td> <td>55.89</td> <td>32.77</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 330 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2484.00	68.77	74.00	-5.23	55.89	32.77	6.73	32.62	6.00									101 330 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2484.00	68.77	74.00	-5.23	55.89	32.77	6.73	32.62	6.00																																							
								101 330 PEAK																																							
Avg	<table border="1" data-bbox="263 1792 774 1917"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2484.00</td> <td>53.53</td> <td>54.00</td> <td>-0.47</td> <td>40.65</td> <td>32.77</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 330 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2484.00	53.53	54.00	-0.47	40.65	32.77	6.73	32.62	6.00									101 330 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2484.00	53.53	54.00	-0.47	40.65	32.77	6.73	32.62	6.00																																							
								101 330 AVERAGE																																							



11																																									
Mode	Band Edge - L																																								
2400-2483.5_802.11ax HE40_CH06_2437MHz																																									
ANT	CDD 1S4T																																								
Pol.	Vertical																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2437 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. The signal level is below this limit until approximately 2386 MHz, where it rises sharply to about 115 dBuV/m at 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.11</td> <td>61.24</td> <td>74.00</td> <td>-12.76</td> <td>49.47</td> <td>32.03</td> <td>6.60</td> <td>32.06</td> <td>6.00</td> <td>282</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.11	61.24	74.00	-12.76	49.47	32.03	6.60	32.06	6.00	282	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2388.11	61.24	74.00	-12.76	49.47	32.03	6.60	32.06	6.00	282	0 PEAK																														
<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization, Fundamental component. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is visible at 2437 MHz, reaching approximately 115 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>121.24</td> <td>-----</td> <td>-----</td> <td>108.85</td> <td>32.45</td> <td>6.68</td> <td>32.74</td> <td>6.00</td> <td>282</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	121.24	-----	-----	108.85	32.45	6.68	32.74	6.00	282	0 PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2437.00	121.24	-----	-----	108.85	32.45	6.68	32.74	6.00	282	0 PEAK																														
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2437 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. The signal level is below this limit until approximately 2386 MHz, where it rises sharply to about 115 dBuV/m at 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.88</td> <td>49.32</td> <td>54.00</td> <td>-4.68</td> <td>37.52</td> <td>32.06</td> <td>6.60</td> <td>32.06</td> <td>6.00</td> <td>282</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	49.32	54.00	-4.68	37.52	32.06	6.60	32.06	6.00	282	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2389.88	49.32	54.00	-4.68	37.52	32.06	6.60	32.06	6.00	282	0 AVERAGE																														
<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization, Fundamental component, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A sharp peak is visible at 2437 MHz, reaching approximately 115 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>110.79</td> <td>-----</td> <td>-----</td> <td>98.40</td> <td>32.45</td> <td>6.68</td> <td>32.74</td> <td>6.00</td> <td>282</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.79	-----	-----	98.40	32.45	6.68	32.74	6.00	282	0 AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2437.00	110.79	-----	-----	98.40	32.45	6.68	32.74	6.00	282	0 AVERAGE																														



	11	
Mode	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH06_2437MHz	
ANT	CDD 1S4T	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	



Mode	11																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																												
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 4874.00</td> <td>40.86</td> <td>74.00</td> <td>-33.14</td> <td>58.01</td> <td>34.20</td> <td>9.52</td> <td>60.87</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 7311.00</td> <td>45.10</td> <td>74.00</td> <td>-28.90</td> <td>58.10</td> <td>35.64</td> <td>11.69</td> <td>60.33</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>3 8122.52</td> <td>52.73</td> <td>74.00</td> <td>-21.27</td> <td>64.42</td> <td>35.90</td> <td>12.45</td> <td>60.04</td> <td>0.00</td> <td>102 148 PEAK</td> </tr> <tr> <td>4 8122.52</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>62.26</td> <td>35.90</td> <td>12.45</td> <td>60.04</td> <td>0.00</td> <td>102 148 AVERAGE</td> </tr> <tr> <td>5 8670.00</td> <td>48.56</td> <td>91.93</td> <td>-43.37</td> <td>60.28</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>6 9330.00</td> <td>51.14</td> <td>74.00</td> <td>-22.86</td> <td>61.99</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>300 233 Peak</td> </tr> <tr> <td>7 9330.00</td> <td>47.47</td> <td>54.00</td> <td>-6.53</td> <td>58.32</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>300 233 Average</td> </tr> <tr> <td>8 10005.00</td> <td>50.95</td> <td>91.93</td> <td>-40.98</td> <td>60.48</td> <td>37.49</td> <td>13.89</td> <td>60.91</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4874.00	40.86	74.00	-33.14	58.01	34.20	9.52	60.87	0.00	---	2 7311.00	45.10	74.00	-28.90	58.10	35.64	11.69	60.33	0.00	---	3 8122.52	52.73	74.00	-21.27	64.42	35.90	12.45	60.04	0.00	102 148 PEAK	4 8122.52	50.57	54.00	-3.43	62.26	35.90	12.45	60.04	0.00	102 148 AVERAGE	5 8670.00	48.56	91.93	-43.37	60.28	36.04	12.95	60.71	0.00	---	6 9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	300 233 Peak	7 9330.00	47.47	54.00	-6.53	58.32	36.60	13.32	60.77	0.00	300 233 Average	8 10005.00	50.95	91.93	-40.98	60.48	37.49	13.89	60.91	0.00	---	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 4874.00</td> <td>41.49</td> <td>74.00</td> <td>-32.51</td> <td>58.64</td> <td>34.20</td> <td>9.52</td> <td>60.87</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 7311.00</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>57.68</td> <td>35.64</td> <td>11.69</td> <td>60.33</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>3 8122.52</td> <td>53.51</td> <td>74.00</td> <td>-20.49</td> <td>65.20</td> <td>35.90</td> <td>12.45</td> <td>60.04</td> <td>0.00</td> <td>100 150 PEAK</td> </tr> <tr> <td>4 8122.52</td> <td>51.32</td> <td>54.00</td> <td>-2.68</td> <td>63.01</td> <td>35.90</td> <td>12.45</td> <td>60.04</td> <td>0.00</td> <td>100 150 AVERAGE</td> </tr> <tr> <td>5 8670.00</td> <td>47.74</td> <td>93.13</td> <td>-45.39</td> <td>59.46</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>6 9330.00</td> <td>53.64</td> <td>74.00</td> <td>-20.36</td> <td>64.49</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>100 138 Peak</td> </tr> <tr> <td>7 9330.00</td> <td>51.28</td> <td>54.00</td> <td>-2.72</td> <td>62.13</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>100 138 Average</td> </tr> <tr> <td>8 9975.00</td> <td>50.96</td> <td>93.13</td> <td>-42.17</td> <td>60.56</td> <td>37.45</td> <td>13.85</td> <td>60.90</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4874.00	41.49	74.00	-32.51	58.64	34.20	9.52	60.87	0.00	---	2 7311.00	44.68	74.00	-29.32	57.68	35.64	11.69	60.33	0.00	---	3 8122.52	53.51	74.00	-20.49	65.20	35.90	12.45	60.04	0.00	100 150 PEAK	4 8122.52	51.32	54.00	-2.68	63.01	35.90	12.45	60.04	0.00	100 150 AVERAGE	5 8670.00	47.74	93.13	-45.39	59.46	36.04	12.95	60.71	0.00	---	6 9330.00	53.64	74.00	-20.36	64.49	36.60	13.32	60.77	0.00	100 138 Peak	7 9330.00	51.28	54.00	-2.72	62.13	36.60	13.32	60.77	0.00	100 138 Average	8 9975.00	50.96	93.13	-42.17	60.56	37.45	13.85	60.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																				
1 4874.00	40.86	74.00	-33.14	58.01	34.20	9.52	60.87	0.00	---																																																																																																																																																																																																																				
2 7311.00	45.10	74.00	-28.90	58.10	35.64	11.69	60.33	0.00	---																																																																																																																																																																																																																				
3 8122.52	52.73	74.00	-21.27	64.42	35.90	12.45	60.04	0.00	102 148 PEAK																																																																																																																																																																																																																				
4 8122.52	50.57	54.00	-3.43	62.26	35.90	12.45	60.04	0.00	102 148 AVERAGE																																																																																																																																																																																																																				
5 8670.00	48.56	91.93	-43.37	60.28	36.04	12.95	60.71	0.00	---																																																																																																																																																																																																																				
6 9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	300 233 Peak																																																																																																																																																																																																																				
7 9330.00	47.47	54.00	-6.53	58.32	36.60	13.32	60.77	0.00	300 233 Average																																																																																																																																																																																																																				
8 10005.00	50.95	91.93	-40.98	60.48	37.49	13.89	60.91	0.00	---																																																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																				
1 4874.00	41.49	74.00	-32.51	58.64	34.20	9.52	60.87	0.00	---																																																																																																																																																																																																																				
2 7311.00	44.68	74.00	-29.32	57.68	35.64	11.69	60.33	0.00	---																																																																																																																																																																																																																				
3 8122.52	53.51	74.00	-20.49	65.20	35.90	12.45	60.04	0.00	100 150 PEAK																																																																																																																																																																																																																				
4 8122.52	51.32	54.00	-2.68	63.01	35.90	12.45	60.04	0.00	100 150 AVERAGE																																																																																																																																																																																																																				
5 8670.00	47.74	93.13	-45.39	59.46	36.04	12.95	60.71	0.00	---																																																																																																																																																																																																																				
6 9330.00	53.64	74.00	-20.36	64.49	36.60	13.32	60.77	0.00	100 138 Peak																																																																																																																																																																																																																				
7 9330.00	51.28	54.00	-2.72	62.13	36.60	13.32	60.77	0.00	100 138 Average																																																																																																																																																																																																																				
8 9975.00	50.96	93.13	-42.17	60.56	37.45	13.85	60.90	0.00	---																																																																																																																																																																																																																				



		12																																																																																
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2346.92</td> <td>58.42</td> <td>74.00</td> <td>-15.58</td> <td>47.29</td> <td>31.52</td> <td>6.54</td> <td>32.93</td> <td>6.00</td> <td>103</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2346.92	58.42	74.00	-15.58	47.29	31.52	6.54	32.93	6.00	103	330	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>117.25</td> <td>-----</td> <td>-----</td> <td>104.77</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>103</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2452.00	117.25	-----	-----	104.77	32.50	6.69	32.71	6.00	103	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2346.92	58.42	74.00	-15.58	47.29	31.52	6.54	32.93	6.00	103	330	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2452.00	117.25	-----	-----	104.77	32.50	6.69	32.71	6.00	103	330	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.00</td> <td>46.40</td> <td>54.00</td> <td>-7.60</td> <td>34.60</td> <td>32.06</td> <td>6.60</td> <td>32.06</td> <td>6.00</td> <td>103</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.00	46.40	54.00	-7.60	34.60	32.06	6.60	32.06	6.00	103	330	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>106.99</td> <td>-----</td> <td>-----</td> <td>94.51</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>103</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2452.00	106.99	-----	-----	94.51	32.50	6.69	32.71	6.00	103	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2389.00	46.40	54.00	-7.60	34.60	32.06	6.60	32.06	6.00	103	330	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2452.00	106.99	-----	-----	94.51	32.50	6.69	32.71	6.00	103	330	AVERAGE																																																																						





Mode	12																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.44</td> <td>67.97</td> <td>74.00</td> <td>-6.03</td> <td>55.02</td> <td>32.82</td> <td>6.74</td> <td>32.61</td> <td>6.00</td> <td>103</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2489.44	67.97	74.00	-6.03	55.02	32.82	6.74	32.61	6.00	103	330	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2489.44	67.97	74.00	-6.03	55.02	32.82	6.74	32.61	6.00	103	330	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.21</td> <td>53.20</td> <td>54.00</td> <td>-0.80</td> <td>40.32</td> <td>32.77</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>103</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.21	53.20	54.00	-0.80	40.32	32.77	6.73	32.62	6.00	103	330	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2484.21	53.20	54.00	-0.80	40.32	32.77	6.73	32.62	6.00	103	330	AVERAGE																														



Mode	12																																																																																					
	Band Edge - L																																																																																					
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																					
ANT	CDD 1S4T																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.57</td> <td>58.50</td> <td>74.00</td> <td>-15.50</td> <td>46.84</td> <td>31.94</td> <td>6.59</td> <td>32.87</td> <td>6.00</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2381.57	58.50	74.00	-15.50	46.84	31.94	6.59	32.87	6.00	233	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>118.43</td> <td>-----</td> <td>-----</td> <td>105.95</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	118.43	-----	-----	105.95	32.50	6.69	32.71	6.00	233	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2381.57	58.50	74.00	-15.50	46.84	31.94	6.59	32.87	6.00	233	360	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2452.00	118.43	-----	-----	105.95	32.50	6.69	32.71	6.00	233	360	PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.53</td> <td>46.41</td> <td>54.00</td> <td>-7.59</td> <td>34.63</td> <td>32.04</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>233</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.53	46.41	54.00	-7.59	34.63	32.04	6.60	32.86	6.00	233	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>107.62</td> <td>-----</td> <td>-----</td> <td>95.18</td> <td>32.48</td> <td>6.68</td> <td>32.72</td> <td>6.00</td> <td>233</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	107.62	-----	-----	95.18	32.48	6.68	32.72	6.00	233	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2388.53	46.41	54.00	-7.59	34.63	32.04	6.60	32.86	6.00	233	360	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2452.00	107.62	-----	-----	95.18	32.48	6.68	32.72	6.00	233	360	AVERAGE																																																																										







	12																																																		
Mode	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical	Fundamental																																																	
Peak	 <table border="1" data-bbox="268 1115 794 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.49</td> <td>68.82</td> <td>74.00</td> <td>-5.18</td> <td>55.87</td> <td>32.82</td> <td>6.74</td> <td>32.61</td> <td>6.00</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2489.49	68.82	74.00	-5.18	55.87	32.82	6.74	32.61	6.00	233	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2489.49	68.82	74.00	-5.18	55.87	32.82	6.74	32.61	6.00	233	360	PEAK																																							
Avg	 <table border="1" data-bbox="268 1796 794 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>52.18</td> <td>54.00</td> <td>-1.82</td> <td>39.31</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>233</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2483.58	52.18	54.00	-1.82	39.31	32.77	6.73	32.63	6.00	233	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2483.58	52.18	54.00	-1.82	39.31	32.77	6.73	32.63	6.00	233	360	AVERAGE																																							



Mode	12																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.01</td> <td>74.00</td> <td>-31.99</td> <td>59.11</td> <td>34.20</td> <td>9.55</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>57.73</td> <td>35.79</td> <td>11.71</td> <td>60.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8172.52</td> <td>52.54</td> <td>74.00</td> <td>-21.46</td> <td>64.31</td> <td>35.90</td> <td>12.45</td> <td>60.12</td> <td>0.00</td> <td>115</td> <td>152</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>8172.52</td> <td>50.28</td> <td>54.00</td> <td>-3.72</td> <td>62.05</td> <td>35.90</td> <td>12.45</td> <td>60.12</td> <td>0.00</td> <td>115</td> <td>152</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>8670.00</td> <td>49.64</td> <td>88.52</td> <td>-38.88</td> <td>61.36</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>9330.00</td> <td>51.40</td> <td>74.00</td> <td>-22.60</td> <td>62.25</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>300</td> <td>232</td> <td>Peak</td> </tr> <tr> <td>7</td> <td>9330.00</td> <td>47.45</td> <td>54.00</td> <td>-6.55</td> <td>58.30</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>300</td> <td>232</td> <td>Average</td> </tr> <tr> <td>8</td> <td>10005.00</td> <td>50.74</td> <td>88.52</td> <td>-37.78</td> <td>60.27</td> <td>37.49</td> <td>13.89</td> <td>60.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4904.00	42.01	74.00	-31.99	59.11	34.20	9.55	60.85	0.00	---	---	Peak	2	7356.00	44.80	74.00	-29.20	57.73	35.79	11.71	60.43	0.00	---	---	Peak	3	8172.52	52.54	74.00	-21.46	64.31	35.90	12.45	60.12	0.00	115	152	PEAK	4	8172.52	50.28	54.00	-3.72	62.05	35.90	12.45	60.12	0.00	115	152	AVERAGE	5	8670.00	49.64	88.52	-38.88	61.36	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	51.40	74.00	-22.60	62.25	36.60	13.32	60.77	0.00	300	232	Peak	7	9330.00	47.45	54.00	-6.55	58.30	36.60	13.32	60.77	0.00	300	232	Average	8	10005.00	50.74	88.52	-37.78	60.27	37.49	13.89	60.91	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.97</td> <td>74.00</td> <td>-33.03</td> <td>58.07</td> <td>34.20</td> <td>9.55</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>44.26</td> <td>74.00</td> <td>-29.74</td> <td>57.19</td> <td>35.79</td> <td>11.71</td> <td>60.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8172.52</td> <td>54.29</td> <td>74.00</td> <td>-19.71</td> <td>66.06</td> <td>35.90</td> <td>12.45</td> <td>60.12</td> <td>0.00</td> <td>102</td> <td>152</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>8172.52</td> <td>52.28</td> <td>54.00</td> <td>-1.72</td> <td>64.05</td> <td>35.90</td> <td>12.45</td> <td>60.12</td> <td>0.00</td> <td>102</td> <td>152</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>8670.00</td> <td>49.78</td> <td>89.41</td> <td>-39.63</td> <td>61.50</td> <td>36.04</td> <td>12.95</td> <td>60.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>9330.00</td> <td>54.03</td> <td>74.00</td> <td>-19.97</td> <td>64.88</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>139</td> <td>Peak</td> </tr> <tr> <td>7</td> <td>9330.00</td> <td>51.24</td> <td>54.00</td> <td>-2.76</td> <td>62.09</td> <td>36.60</td> <td>13.32</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>139</td> <td>Average</td> </tr> <tr> <td>8</td> <td>9975.00</td> <td>50.35</td> <td>89.41</td> <td>-39.06</td> <td>59.95</td> <td>37.45</td> <td>13.85</td> <td>60.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4904.00	40.97	74.00	-33.03	58.07	34.20	9.55	60.85	0.00	---	---	Peak	2	7356.00	44.26	74.00	-29.74	57.19	35.79	11.71	60.43	0.00	---	---	Peak	3	8172.52	54.29	74.00	-19.71	66.06	35.90	12.45	60.12	0.00	102	152	PEAK	4	8172.52	52.28	54.00	-1.72	64.05	35.90	12.45	60.12	0.00	102	152	AVERAGE	5	8670.00	49.78	89.41	-39.63	61.50	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	54.03	74.00	-19.97	64.88	36.60	13.32	60.77	0.00	100	139	Peak	7	9330.00	51.24	54.00	-2.76	62.09	36.60	13.32	60.77	0.00	100	139	Average	8	9975.00	50.35	89.41	-39.06	59.95	37.45	13.85	60.90	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4904.00	42.01	74.00	-31.99	59.11	34.20	9.55	60.85	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7356.00	44.80	74.00	-29.20	57.73	35.79	11.71	60.43	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8172.52	52.54	74.00	-21.46	64.31	35.90	12.45	60.12	0.00	115	152	PEAK																																																																																																																																																																																																																																																																	
4	8172.52	50.28	54.00	-3.72	62.05	35.90	12.45	60.12	0.00	115	152	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	49.64	88.52	-38.88	61.36	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	51.40	74.00	-22.60	62.25	36.60	13.32	60.77	0.00	300	232	Peak																																																																																																																																																																																																																																																																	
7	9330.00	47.45	54.00	-6.55	58.30	36.60	13.32	60.77	0.00	300	232	Average																																																																																																																																																																																																																																																																	
8	10005.00	50.74	88.52	-37.78	60.27	37.49	13.89	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4904.00	40.97	74.00	-33.03	58.07	34.20	9.55	60.85	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
2	7356.00	44.26	74.00	-29.74	57.19	35.79	11.71	60.43	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
3	8172.52	54.29	74.00	-19.71	66.06	35.90	12.45	60.12	0.00	102	152	PEAK																																																																																																																																																																																																																																																																	
4	8172.52	52.28	54.00	-1.72	64.05	35.90	12.45	60.12	0.00	102	152	AVERAGE																																																																																																																																																																																																																																																																	
5	8670.00	49.78	89.41	-39.63	61.50	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	54.03	74.00	-19.97	64.88	36.60	13.32	60.77	0.00	100	139	Peak																																																																																																																																																																																																																																																																	
7	9330.00	51.24	54.00	-2.76	62.09	36.60	13.32	60.77	0.00	100	139	Average																																																																																																																																																																																																																																																																	
8	9975.00	50.35	89.41	-39.06	59.95	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																	







		28																																																																																		
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>16.3</p> <p>0</p> <p>2310</p> <p>2335.4</p> <p>2360.8</p> <p>2386.2</p> <p>2411.6</p> <p>2437</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2343.40</td> <td>59.67</td> <td>74.00</td> <td>-14.33</td> <td>48.53</td> <td>31.55</td> <td>6.53</td> <td>32.94</td> <td>6.00</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2343.40	59.67	74.00	-14.33	48.53	31.55	6.53	32.94	6.00	300	25	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>1400</p> <p>1800</p> <p>2200</p> <p>2600</p> <p>3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>118.10</td> <td>-----</td> <td>-----</td> <td>105.58</td> <td>32.53</td> <td>6.69</td> <td>32.70</td> <td>6.00</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	118.10	-----	-----	105.58	32.53	6.69	32.70	6.00	300	25	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2343.40	59.67	74.00	-14.33	48.53	31.55	6.53	32.94	6.00	300	25	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2447.00	118.10	-----	-----	105.58	32.53	6.69	32.70	6.00	300	25	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>16.3</p> <p>0</p> <p>2310</p> <p>2335.4</p> <p>2360.8</p> <p>2386.2</p> <p>2411.6</p> <p>2437</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.22</td> <td>47.73</td> <td>54.00</td> <td>-6.27</td> <td>35.97</td> <td>32.02</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	47.73	54.00	-6.27	35.97	32.02	6.60	32.86	6.00	300	25	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>1400</p> <p>1800</p> <p>2200</p> <p>2600</p> <p>3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>95.09</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	107.57	-----	-----	95.09	32.50	6.69	32.71	6.00	300	25	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2387.22	47.73	54.00	-6.27	35.97	32.02	6.60	32.86	6.00	300	25	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2447.00	107.57	-----	-----	95.09	32.50	6.69	32.71	6.00	300	25	AVERAGE																																																																								



	28																																										
Mode	Band Edge - R																																										
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																										
ANT	CDD 1S4T																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.69</td> <td>65.52</td> <td>74.00</td> <td>-8.48</td> <td>52.63</td> <td>32.78</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> <td>300</td> <td>25 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.69	65.52	74.00	-8.48	52.63	32.78	6.73	32.62	6.00	300	25 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	2484.69	65.52	74.00	-8.48	52.63	32.78	6.73	32.62	6.00	300	25 PEAK																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.13</td> <td>53.34</td> <td>54.00</td> <td>-0.66</td> <td>40.44</td> <td>32.78</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> <td>300</td> <td>25 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.13	53.34	54.00	-0.66	40.44	32.78	6.74	32.62	6.00	300	25 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	2485.13	53.34	54.00	-0.66	40.44	32.78	6.74	32.62	6.00	300	25 AVERAGE																																



	28																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2345.05</td> <td>60.85</td> <td>74.00</td> <td>-13.15</td> <td>49.71</td> <td>31.54</td> <td>6.53</td> <td>32.93</td> <td>6.00</td> <td>100</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2345.05	60.85	74.00	-13.15	49.71	31.54	6.53	32.93	6.00	100	8	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>117.87</td> <td>-----</td> <td>-----</td> <td>105.32</td> <td>32.55</td> <td>6.70</td> <td>32.70</td> <td>6.00</td> <td>100</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2447.00	117.87	-----	-----	105.32	32.55	6.70	32.70	6.00	100	8	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2345.05	60.85	74.00	-13.15	49.71	31.54	6.53	32.93	6.00	100	8	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2447.00	117.87	-----	-----	105.32	32.55	6.70	32.70	6.00	100	8	PEAK																																																																						
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.31</td> <td>47.65</td> <td>54.00</td> <td>-6.35</td> <td>35.93</td> <td>31.99</td> <td>6.60</td> <td>32.87</td> <td>6.00</td> <td>100</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2385.31	47.65	54.00	-6.35	35.93	31.99	6.60	32.87	6.00	100	8	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>95.13</td> <td>32.45</td> <td>6.68</td> <td>32.74</td> <td>6.00</td> <td>100</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2447.00	107.52	-----	-----	95.13	32.45	6.68	32.74	6.00	100	8	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2385.31	47.65	54.00	-6.35	35.93	31.99	6.60	32.87	6.00	100	8	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2447.00	107.52	-----	-----	95.13	32.45	6.68	32.74	6.00	100	8	AVERAGE																																																																						



	28																																									
Mode	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																									
ANT	CDD 1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.32</td> <td>65.21</td> <td>74.00</td> <td>-8.79</td> <td>52.31</td> <td>32.78</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> <td>100</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.32	65.21	74.00	-8.79	52.31	32.78	6.74	32.62	6.00	100	8	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2485.32	65.21	74.00	-8.79	52.31	32.78	6.74	32.62	6.00	100	8	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>51.77</td> <td>54.00</td> <td>-2.23</td> <td>38.90</td> <td>32.77</td> <td>6.73</td> <td>32.63</td> <td>6.00</td> <td>100</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.68	51.77	54.00	-2.23	38.90	32.77	6.73	32.63	6.00	100	8	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2483.68	51.77	54.00	-2.23	38.90	32.77	6.73	32.63	6.00	100	8	AVERAGE																														





Mode	28																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4894.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>59.97</td><td>34.20</td><td>9.54</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7341.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>57.38</td><td>35.76</td><td>11.70</td><td>60.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8160.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>65.20</td><td>35.90</td><td>12.45</td><td>60.10</td><td>0.00</td><td>100</td><td>143</td><td>Peak</td></tr> <tr><td>4</td><td>8160.00</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>62.18</td><td>35.90</td><td>12.45</td><td>60.10</td><td>0.00</td><td>100</td><td>144</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>48.05</td><td>91.05</td><td>-43.00</td><td>59.77</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>61.99</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>200</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>46.94</td><td>54.00</td><td>-7.06</td><td>57.79</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>200</td><td>Average</td></tr> <tr><td>8</td><td>9975.00</td><td>48.69</td><td>91.05</td><td>-42.36</td><td>58.29</td><td>37.45</td><td>13.85</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4894.00	42.86	74.00	-31.14	59.97	34.20	9.54	60.85	0.00	---	---	PEAK	2	7341.00	44.45	74.00	-29.55	57.38	35.76	11.70	60.39	0.00	---	---	PEAK	3	8160.00	53.45	74.00	-20.55	65.20	35.90	12.45	60.10	0.00	100	143	Peak	4	8160.00	50.43	54.00	-3.57	62.18	35.90	12.45	60.10	0.00	100	144	Average	5	8670.00	48.05	91.05	-43.00	59.77	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	100	200	Peak	7	9330.00	46.94	54.00	-7.06	57.79	36.60	13.32	60.77	0.00	100	200	Average	8	9975.00	48.69	91.05	-42.36	58.29	37.45	13.85	60.90	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr><td>1</td><td>4894.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>60.34</td><td>34.20</td><td>9.54</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>2</td><td>7341.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>57.87</td><td>35.76</td><td>11.70</td><td>60.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr> <tr><td>3</td><td>8160.00</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>65.40</td><td>35.90</td><td>12.45</td><td>60.10</td><td>0.00</td><td>100</td><td>144</td><td>Peak</td></tr> <tr><td>4</td><td>8160.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>62.34</td><td>35.90</td><td>12.45</td><td>60.10</td><td>0.00</td><td>100</td><td>144</td><td>Average</td></tr> <tr><td>5</td><td>8670.00</td><td>50.03</td><td>91.01</td><td>-40.98</td><td>61.75</td><td>36.04</td><td>12.95</td><td>60.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>9330.00</td><td>51.79</td><td>74.00</td><td>-22.21</td><td>62.64</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>128</td><td>Peak</td></tr> <tr><td>7</td><td>9330.00</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>58.49</td><td>36.60</td><td>13.32</td><td>60.77</td><td>0.00</td><td>100</td><td>128</td><td>Average</td></tr> <tr><td>8</td><td>9990.00</td><td>50.13</td><td>91.01</td><td>-40.88</td><td>59.68</td><td>37.48</td><td>13.88</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4894.00	43.23	74.00	-30.77	60.34	34.20	9.54	60.85	0.00	---	---	PEAK	2	7341.00	44.94	74.00	-29.06	57.87	35.76	11.70	60.39	0.00	---	---	PEAK	3	8160.00	53.65	74.00	-20.35	65.40	35.90	12.45	60.10	0.00	100	144	Peak	4	8160.00	50.59	54.00	-3.41	62.34	35.90	12.45	60.10	0.00	100	144	Average	5	8670.00	50.03	91.01	-40.98	61.75	36.04	12.95	60.71	0.00	---	---	Peak	6	9330.00	51.79	74.00	-22.21	62.64	36.60	13.32	60.77	0.00	100	128	Peak	7	9330.00	47.64	54.00	-6.36	58.49	36.60	13.32	60.77	0.00	100	128	Average	8	9990.00	50.13	91.01	-40.88	59.68	37.48	13.88	60.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4894.00	42.86	74.00	-31.14	59.97	34.20	9.54	60.85	0.00	---	---	PEAK																																																																																																																																																																																																																																																																	
2	7341.00	44.45	74.00	-29.55	57.38	35.76	11.70	60.39	0.00	---	---	PEAK																																																																																																																																																																																																																																																																	
3	8160.00	53.45	74.00	-20.55	65.20	35.90	12.45	60.10	0.00	100	143	Peak																																																																																																																																																																																																																																																																	
4	8160.00	50.43	54.00	-3.57	62.18	35.90	12.45	60.10	0.00	100	144	Average																																																																																																																																																																																																																																																																	
5	8670.00	48.05	91.05	-43.00	59.77	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	51.14	74.00	-22.86	61.99	36.60	13.32	60.77	0.00	100	200	Peak																																																																																																																																																																																																																																																																	
7	9330.00	46.94	54.00	-7.06	57.79	36.60	13.32	60.77	0.00	100	200	Average																																																																																																																																																																																																																																																																	
8	9975.00	48.69	91.05	-42.36	58.29	37.45	13.85	60.90	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																																				
1	4894.00	43.23	74.00	-30.77	60.34	34.20	9.54	60.85	0.00	---	---	PEAK																																																																																																																																																																																																																																																																	
2	7341.00	44.94	74.00	-29.06	57.87	35.76	11.70	60.39	0.00	---	---	PEAK																																																																																																																																																																																																																																																																	
3	8160.00	53.65	74.00	-20.35	65.40	35.90	12.45	60.10	0.00	100	144	Peak																																																																																																																																																																																																																																																																	
4	8160.00	50.59	54.00	-3.41	62.34	35.90	12.45	60.10	0.00	100	144	Average																																																																																																																																																																																																																																																																	
5	8670.00	50.03	91.01	-40.98	61.75	36.04	12.95	60.71	0.00	---	---	Peak																																																																																																																																																																																																																																																																	
6	9330.00	51.79	74.00	-22.21	62.64	36.60	13.32	60.77	0.00	100	128	Peak																																																																																																																																																																																																																																																																	
7	9330.00	47.64	54.00	-6.36	58.49	36.60	13.32	60.77	0.00	100	128	Average																																																																																																																																																																																																																																																																	
8	9990.00	50.13	91.01	-40.88	59.68	37.48	13.88	60.91	0.00	---	---	Peak																																																																																																																																																																																																																																																																	



		29																																																																																		
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_CH07_2442MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2329.94</td> <td>60.00</td> <td>74.00</td> <td>-14.00</td> <td>48.79</td> <td>31.66</td> <td>6.51</td> <td>32.96</td> <td>6.00</td> <td>300</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.94	60.00	74.00	-14.00	48.79	31.66	6.51	32.96	6.00	300	28	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>118.36</td> <td>-----</td> <td>-----</td> <td>105.88</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>300</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	118.36	-----	-----	105.88	32.50	6.69	32.71	6.00	300	28	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2329.94	60.00	74.00	-14.00	48.79	31.66	6.51	32.96	6.00	300	28	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2442.00	118.36	-----	-----	105.88	32.50	6.69	32.71	6.00	300	28	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.74</td> <td>47.82</td> <td>54.00</td> <td>-6.18</td> <td>36.04</td> <td>32.04</td> <td>6.60</td> <td>32.86</td> <td>6.00</td> <td>300</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.74	47.82	54.00	-6.18	36.04	32.04	6.60	32.86	6.00	300	28	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>108.87</td> <td>-----</td> <td>-----</td> <td>96.39</td> <td>32.50</td> <td>6.69</td> <td>32.71</td> <td>6.00</td> <td>300</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	108.87	-----	-----	96.39	32.50	6.69	32.71	6.00	300	28	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.74	47.82	54.00	-6.18	36.04	32.04	6.60	32.86	6.00	300	28	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2442.00	108.87	-----	-----	96.39	32.50	6.69	32.71	6.00	300	28	AVERAGE																																																																								



	29																																															
Mode	Band Edge - R																																															
ANT	CDD 1S4T																																															
Pol.	Horizontal	Fundamental																																														
Peak	 <table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2485.57</td> <td>66.82</td> <td>74.00</td> <td>-7.18</td> <td>53.92</td> <td>32.78</td> <td>6.74</td> <td>32.62</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 28 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2485.57	66.82	74.00	-7.18	53.92	32.78	6.74	32.62	6.00									300 28 PEAK	Blank	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																								
1 2485.57	66.82	74.00	-7.18	53.92	32.78	6.74	32.62	6.00																																								
								300 28 PEAK																																								
Avg	 <table border="1" data-bbox="263 1792 774 1915"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2485.01</td> <td>53.35</td> <td>54.00</td> <td>-0.65</td> <td>40.46</td> <td>32.78</td> <td>6.73</td> <td>32.62</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 28 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2485.01	53.35	54.00	-0.65	40.46	32.78	6.73	32.62	6.00									300 28 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																								
1 2485.01	53.35	54.00	-0.65	40.46	32.78	6.73	32.62	6.00																																								
								300 28 AVERAGE																																								