



| <b>57</b>  |  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
|--|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----|---------|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|---------|
| <b>Mode</b>  | <b>Band Edge - L</b>   |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <b>U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz</b>   |  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <b>ANT</b>   | <b>BF 1S4T</b>   |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <b>Pol.</b>  | <b>Horizontal</b>  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <b>Peak</b>  | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5100 to 5260 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue trace shows the signal level, which rises sharply after 5200 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.04</td> <td>49.84</td> <td>74.00</td> <td>-24.16</td> <td>41.66</td> <td>34.07</td> <td>10.58</td> <td>36.47</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>                          | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5123.04 | 49.84 | 74.00 | -24.16 | 41.66 | 34.07 | 10.58 | 36.47 | 0.00 | 100 | 100     | Peak    |
|  | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| Freq   | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| MHz  | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| 1  | 5123.04  | 49.84       | 74.00        | -24.16      | 41.66  | 34.07  | 10.58 | 36.47  | 0.00   | 100    | 100   | Peak        |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue trace shows a sharp peak at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5326.00</td> <td>106.31</td> <td>-----</td> <td>-----</td> <td>97.56</td> <td>34.50</td> <td>10.73</td> <td>36.48</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>                 | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5326.00 | 106.31  | ----- | ----- | 97.56  | 34.50 | 10.73 | 36.48 | 0.00  | 100  | 100 | Peak    |         |
| Limit  | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| Freq   | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| MHz  | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| 1  | 5326.00  | 106.31      | -----        | -----       | 97.56  | 34.50  | 10.73 | 36.48  | 0.00   | 100    | 100   | Peak        |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <b>Avg</b>   | <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, Average mode. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5100 to 5260 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue trace shows the average signal level, which rises sharply after 5200 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.44</td> <td>41.06</td> <td>54.00</td> <td>-12.94</td> <td>32.80</td> <td>34.14</td> <td>10.60</td> <td>36.48</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5145.44 | 41.06 | 54.00 | -12.94 | 32.80 | 34.14 | 10.60 | 36.48 | 0.00 | 100 | 100     | Average |
|  | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| Freq   | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| MHz  | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| 1  | 5145.44  | 41.06       | 54.00        | -12.94      | 32.80  | 34.14  | 10.60 | 36.48  | 0.00   | 100    | 100   | Average     |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, Average mode. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue trace shows a sharp peak at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>96.95</td> <td>-----</td> <td>-----</td> <td>88.30</td> <td>34.48</td> <td>10.71</td> <td>36.54</td> <td>0.00</td> <td>100</td> <td>100</td> <td>Average</td> </tr> </tbody> </table> | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5290.00 | 96.95   | ----- | ----- | 88.30  | 34.48 | 10.71 | 36.54 | 0.00  | 100  | 100 | Average |         |
| Limit  | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| Freq   | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| MHz  | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |
| 1  | 5290.00  | 96.95       | -----        | -----       | 88.30  | 34.48  | 10.71 | 36.54  | 0.00   | 100    | 100   | Average     |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |      |     |         |         |



|             | <b>57</b>  |                    |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------------|
| <b>Mode</b> | <b>Band Edge - R</b>   |                    |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
|             | <b>U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz</b>   |                    |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| <b>ANT</b>  | <b>BF 1S4T</b>   |                    |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5355.60</td> <td>66.96</td> <td>74.00</td> <td>-7.04</td> <td>58.12</td> <td>34.50</td> <td>10.75</td> <td>36.41</td> <td>0.00</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5355.60 | 66.96 | 74.00 | -7.04 | 58.12 | 34.50 | 10.75 | 36.41 | 0.00 | <b>Blank</b> |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| 1 5355.60   | 66.96  | 74.00              | -7.04  | 58.12  | 34.50  | 10.75  | 36.41  | 0.00   |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5353.70</td> <td>45.03</td> <td>54.00</td> <td>-8.97</td> <td>36.20</td> <td>34.50</td> <td>10.75</td> <td>36.42</td> <td>0.00</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5353.70 | 45.03 | 54.00 | -8.97 | 36.20 | 34.50 | 10.75 | 36.42 | 0.00 | <b>Blank</b> |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |
| 1 5353.70   | 45.03  | 54.00              | -8.97  | 36.20  | 34.50  | 10.75  | 36.42  | 0.00   |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |              |



|       |   | 57          |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|---|---|--------|-------|-------|-------|------|-----|-----|------|
| Mode  | Band Edge - L   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
|       | U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| ANT   | BF 1S4T   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Pol.  | Vertical  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Peak  | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5100 to 5260 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue signal line shows a sharp peak at 5244.80 MHz reaching approximately 109.94 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.80</td> <td>52.10</td> <td>74.00</td> <td>-21.90</td> <td>43.85</td> <td>34.13</td> <td>10.60</td> <td>36.48</td> <td>0.00</td> <td>170</td> <td>261</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5144.80 | 52.10 | 74.00 | -21.90 | 43.85 | 34.13 | 10.60 | 36.48 | 0.00 | 170 | 261 | Peak    | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 65 dBuV/m. A blue signal line shows a sharp peak at 5284.00 MHz reaching approximately 109.94 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5284.00</td> <td>109.94</td> <td>-</td> <td>-</td> <td>101.31</td> <td>34.47</td> <td>10.71</td> <td>36.55</td> <td>0.00</td> <td>170</td> <td>261</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5284.00 | 109.94 | - | - | 101.31 | 34.47 | 10.71 | 36.55 | 0.00 | 170 | 261 | Peak |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| 1     | 5144.80   | 52.10       | 74.00        | -21.90      | 43.85  | 34.13  | 10.60 | 36.48  | 0.00   | 170    | 261  | Peak    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| 1     | 5284.00   | 109.94      | -            | -           | 101.31 | 34.47  | 10.71 | 36.55  | 0.00   | 170    | 261  | Peak    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Avg   | <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5100 to 5260 MHz. A red limit line is shown at approximately 54 dBuV/m. A blue signal line shows a peak at 5147.84 MHz reaching approximately 42.11 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.84</td> <td>42.11</td> <td>54.00</td> <td>-11.89</td> <td>33.85</td> <td>34.14</td> <td>10.61</td> <td>36.49</td> <td>0.00</td> <td>170</td> <td>261</td> <td>Average</td> </tr> </tbody> </table>     | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5147.84 | 42.11 | 54.00 | -11.89 | 33.85 | 34.14 | 10.61 | 36.49 | 0.00 | 170 | 261 | Average | <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is shown at approximately 54 dBuV/m. A blue signal line shows a peak at 5272.00 MHz reaching approximately 99.27 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5272.00</td> <td>99.27</td> <td>-</td> <td>-</td> <td>90.70</td> <td>34.44</td> <td>10.70</td> <td>36.57</td> <td>0.00</td> <td>170</td> <td>261</td> <td>Peak</td> </tr> </tbody> </table>          | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5272.00 | 99.27  | - | - | 90.70  | 34.44 | 10.70 | 36.57 | 0.00 | 170 | 261 | Peak |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| 1     | 5147.84   | 42.11       | 54.00        | -11.89      | 33.85  | 34.14  | 10.61 | 36.49  | 0.00   | 170    | 261  | Average |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |
| 1     | 5272.00   | 99.27       | -            | -           | 90.70  | 34.44  | 10.70 | 36.57  | 0.00   | 170    | 261  | Peak    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |   |   |        |       |       |       |      |     |     |      |



|             | <b>57</b>  |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
|-------------|--|--------------------|--------|--------|--------|--------|--------|-----------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|-----------------|--------------|
| <b>Mode</b> | <b>Band Edge - R</b>   |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
|             | <b>U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz</b>   |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| <b>ANT</b>  | <b>BF 1S4T</b>   |                    |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |                 |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5357.20</td> <td>66.00</td> <td>74.00</td> <td>-8.00</td> <td>57.15</td> <td>34.50</td> <td>10.75</td> <td>36.40</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>170 261 Peak</td> </tr> </tbody> </table>    | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos            | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5357.20 | 66.00 | 74.00 | -8.00 | 57.15 | 34.50 | 10.75 | 36.40 | 0.00 |  |  |  |  |  |  |  |  | 170 261 Peak    | <b>Blank</b> |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| 1 5357.20   | 66.00  | 74.00              | -8.00  | 57.15  | 34.50  | 10.75  | 36.40  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
|             |  |                    |        |        |        |        |        | 170 261 Peak    |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.30</td> <td>52.86</td> <td>54.00</td> <td>-1.14</td> <td>44.05</td> <td>34.50</td> <td>10.75</td> <td>36.44</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>170 261 Average</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos            | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5350.30 | 52.86 | 54.00 | -1.14 | 44.05 | 34.50 | 10.75 | 36.44 | 0.00 |  |  |  |  |  |  |  |  | 170 261 Average | <b>Blank</b> |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor | Factor          |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
| 1 5350.30   | 52.86  | 54.00              | -1.14  | 44.05  | 34.50  | 10.75  | 36.44  | 0.00            |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |
|             |  |                    |        |        |        |        |        | 170 261 Average |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |                 |              |







| Mode        | 57  |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
|-------------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|-------------|--------|----|-----|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|----|-----|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|             | Harmonic  |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
|             | U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz   |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| ANT         | BF 1S4T   |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| Pol.        | Horizontal  | Vertical    |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7935.00</td> <td>54.57</td> <td>68.20</td> <td>-13.63</td> <td>71.98</td> <td>36.10</td> <td>13.30</td> <td>66.81</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10580.50</td> <td>44.69</td> <td>68.20</td> <td>-23.51</td> <td>58.08</td> <td>37.61</td> <td>15.65</td> <td>66.65</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7935.00 | 54.57 | 68.20 | -13.63 | 71.98 | 36.10 | 13.30 | 66.81 | 0.00 | -- | Peak | 2 | 10580.50 | 44.69 | 68.20 | -23.51 | 58.08 | 37.61 | 15.65 | 66.65 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7935.00</td> <td>53.17</td> <td>68.20</td> <td>-15.03</td> <td>70.58</td> <td>36.10</td> <td>13.30</td> <td>66.81</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10580.00</td> <td>43.60</td> <td>68.20</td> <td>-24.60</td> <td>56.99</td> <td>37.61</td> <td>15.65</td> <td>66.65</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 7935.00 | 53.17 | 68.20 | -15.03 | 70.58 | 36.10 | 13.30 | 66.81 | 0.00 | -- | Peak | 2 | 10580.00 | 43.60 | 68.20 | -24.60 | 56.99 | 37.61 | 15.65 | 66.65 | 0.00 | -- | Peak |
|             | Limit   | Read        | Ant          | Cable       | Preamp      | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm    | deg    |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | dB     |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| 1           | 7935.00   | 54.57       | 68.20        | -13.63      | 71.98       | 36.10  | 13.30 | 66.81  | 0.00   | --     | Peak |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| 2           | 10580.50  | 44.69       | 68.20        | -23.51      | 58.08       | 37.61  | 15.65 | 66.65  | 0.00   | --     | Peak |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm    | deg    |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | dB     |        |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| 1           | 7935.00   | 53.17       | 68.20        | -15.03      | 70.58       | 36.10  | 13.30 | 66.81  | 0.00   | --     | Peak |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |
| 2           | 10580.00  | 43.60       | 68.20        | -24.60      | 56.99       | 37.61  | 15.65 | 66.65  | 0.00   | --     | Peak |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |    |     |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |



|             |  | <b>58</b>          |        |        |        |        |        |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|-------|------|------|------------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|-------|--------|-------|-------|-------|------|-------|---------|---|-------|--------|------|--------|--------|--------|--------|------|------|-------|------|--------|-------|---------|--------|--------|-------|--------|--------|-------|-------|------|-----|------------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |        |        |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz</b>   |                    |        |        |        |        |        |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| <b>ANT</b>  | <b>BF 1S4T</b>   |                    |        |        |        |        |        |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>58.28</td> <td>74.00</td> <td>-15.72</td> <td>48.95</td> <td>34.56</td> <td>10.84</td> <td>36.07</td> <td>0.00</td> <td>300</td> <td>74 Peak</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>66.24</td> <td>68.20</td> <td>-1.96</td> <td>56.87</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>300</td> <td>74 Peak</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level      | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5458.00 | 58.28 | 74.00 | -15.72 | 48.95 | 34.56 | 10.84 | 36.07 | 0.00 | 300 | 74 Peak    | 2  | 5466.96 | 66.24 | 68.20 | -1.96 | 56.87  | 34.57 | 10.85 | 36.05 | 0.00 | 300   | 74 Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>120.25</td> <td>-----</td> <td>-----</td> <td>110.80</td> <td>34.59</td> <td>10.88</td> <td>36.02</td> <td>0.00</td> <td>300</td> <td>74 Peak</td> </tr> </tbody> </table> | Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level | Line | Margin | Level | Factor  | Loss   | Factor | MHz   | dBuV/m | dBuV/m | dB    | dBuV  | dB/m | dB  | dB         | 1 | 5494.00 | 120.25 | ----- | ----- | 110.80 | 34.59 | 10.88 | 36.02 | 0.00 | 300 | 74 Peak |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1           | 5458.00  | 58.28              | 74.00  | -15.72 | 48.95  | 34.56  | 10.84  | 36.07 | 0.00 | 300  | 74 Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 2           | 5466.96  | 66.24              | 68.20  | -1.96  | 56.87  | 34.57  | 10.85  | 36.05 | 0.00 | 300  | 74 Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1           | 5494.00  | 120.25             | -----  | -----  | 110.80 | 34.59  | 10.88  | 36.02 | 0.00 | 300  | 74 Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>49.14</td> <td>54.00</td> <td>-4.86</td> <td>39.80</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>300</td> <td>74 Average</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level      | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5459.76 | 49.14 | 54.00 | -4.86  | 39.80 | 34.56 | 10.84 | 36.06 | 0.00 | 300 | 74 Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>109.46</td> <td>-----</td> <td>-----</td> <td>100.01</td> <td>34.59</td> <td>10.88</td> <td>36.02</td> <td>0.00</td> <td>300</td> <td>74 Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos  | Freq | Level | Line    | Margin  | Level | Factor | Loss | Factor | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m  | dB   | dB     | 1     | 5494.00 | 109.46 | -----  | ----- | 100.01 | 34.59  | 10.88 | 36.02 | 0.00 | 300 | 74 Average |   |         |        |       |       |        |       |       |       |      |     |         |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1           | 5459.76  | 49.14              | 54.00  | -4.86  | 39.80  | 34.56  | 10.84  | 36.06 | 0.00 | 300  | 74 Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |            |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1           | 5494.00  | 109.46             | -----  | -----  | 100.01 | 34.59  | 10.88  | 36.02 | 0.00 | 300  | 74 Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |       |        |       |       |       |      |       |         |   |       |        |      |        |        |        |        |      |      |       |      |        |       |         |        |        |       |        |        |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |



| Mode  | 58   |             |              |             |        |        |        |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|--------|--------|--------|--------|------------|-------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|------------|--|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|---------|---|--------------|-------------|--------|--------|--------|-----|------|--------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|---------|--------|--------|--------|-------|-------|-------|-------|------|-----|------------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|---------|
|       | Band Edge - L  |             |              |             |        |        |        |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
|       | U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz  |             |              |             |        |        |        |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| ANT   | BF 1S4T  |             |              |             |        |        |        |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Pol.  | Vertical   | Fundamental |              |             |        |        |        |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Peak  |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>54.03</td> <td>74.00</td> <td>-19.97</td> <td>44.70</td> <td>34.56</td> <td>10.84</td> <td>36.07</td> <td>0.00</td> <td>258</td> <td>12 Peak</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>57.11</td> <td>68.20</td> <td>-11.09</td> <td>47.74</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>258</td> <td>12 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq       | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5458.16 | 54.03 | 74.00 | -19.97 | 44.70 | 34.56 | 10.84 | 36.07 | 0.00 | 258 | 12 Peak    | 2  | 5469.84 | 57.11 | 68.20 | -11.09 | 47.74  | 34.57 | 10.85 | 36.05 | 0.00   | 258  | 12 Peak |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5506.00</td> <td>116.60</td> <td>-----</td> <td>-----</td> <td>107.14</td> <td>34.60</td> <td>10.89</td> <td>36.03</td> <td>0.00</td> <td>258</td> <td>12 Peak</td> </tr> </tbody> </table> | Limit        | Read        | Ant    | Cable  | Preamp | Aux | APos | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |         | MHz    | dBuV/m | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB   | cm  | deg        | 1 | 5506.00 | 116.60 | ----- | ----- | 107.14 | 34.60 | 10.89 | 36.03 | 0.00 | 258 | 12 Peak |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos   | TPos   | Remark |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1     | 5458.16  | 54.03       | 74.00        | -19.97      | 44.70  | 34.56  | 10.84  | 36.07  | 0.00   | 258    | 12 Peak    |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 2     | 5469.84  | 57.11       | 68.20        | -11.09      | 47.74  | 34.57  | 10.85  | 36.05  | 0.00   | 258    | 12 Peak    |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1     | 5506.00  | 116.60      | -----        | -----       | 107.14 | 34.60  | 10.89  | 36.03  | 0.00   | 258    | 12 Peak    |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Avg   |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>44.73</td> <td>54.00</td> <td>-9.27</td> <td>35.39</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>258</td> <td>12 Average</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq       | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5458.48 | 44.73 | 54.00 | -9.27  | 35.39 | 34.56 | 10.84 | 36.06 | 0.00 | 258 | 12 Average |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5506.00</td> <td>107.07</td> <td>-----</td> <td>-----</td> <td>97.61</td> <td>34.60</td> <td>10.89</td> <td>36.03</td> <td>0.00</td> <td>258</td> <td>12 Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level   | Line Margin   | Level Factor | Loss Factor | Factor | Factor | Factor |     | MHz  | dBuV/m | dBuV/m | dB   | dBuV  | dB/m        | dB           | dB          | cm     | deg    | 1      | 5506.00 | 107.07 | -----  | -----  | 97.61 | 34.60 | 10.89 | 36.03 | 0.00 | 258 | 12 Average |   |         |        |       |       |        |       |       |       |      |     |         |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos   | TPos   | Remark |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1     | 5458.48  | 44.73       | 54.00        | -9.27       | 35.39  | 34.56  | 10.84  | 36.06  | 0.00   | 258    | 12 Average |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |            |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |
| 1     | 5506.00  | 107.07      | -----        | -----       | 97.61  | 34.60  | 10.89  | 36.03  | 0.00   | 258    | 12 Average |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |            |  |         |       |       |        |        |       |       |       |        |      |         |   |              |             |        |        |        |     |      |        |        |      |       |             |              |             |        |        |        |         |        |        |        |       |       |       |       |      |     |            |   |         |        |       |       |        |       |       |       |      |     |         |



| Mode     | 58  |             |       |        |             |        |        |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|----------|---|-------------|-------|--------|-------------|--------|--------|-------|------|------|-------|-------------|-------|--------|-------------|--------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|-------|--------|-------------|--------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|          | Harmonic  |             |       |        |             |        |        |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|          | U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz   |             |       |        |             |        |        |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| ANT      | BF 1S4T   |             |       |        |             |        |        |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Pol.     | Horizontal  | Vertical    |       |        |             |        |        |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8250.70</td> <td>52.71</td> <td>74.00</td> <td>-21.29</td> <td>69.50</td> <td>36.40</td> <td>13.63</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>42</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8250.70</td> <td>51.34</td> <td>54.00</td> <td>-2.66</td> <td>68.13</td> <td>36.40</td> <td>13.63</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>42</td> <td>Average</td> </tr> <tr> <td>3</td> <td>10999.60</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>57.91</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux    | APos  | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 8250.70 | 52.71 | 74.00 | -21.29 | 69.50 | 36.40 | 13.63 | 66.82 | 0.00 | 100 | 42 | Peak | 2 | 8250.70 | 51.34 | 54.00 | -2.66 | 68.13 | 36.40 | 13.63 | 66.82 | 0.00 | 100 | 42 | Average | 3 | 10999.60 | 45.38 | 74.00 | -28.62 | 57.91 | 37.90 | 16.04 | 66.47 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8032.90</td> <td>47.50</td> <td>74.00</td> <td>-26.50</td> <td>64.78</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8250.70</td> <td>54.31</td> <td>74.00</td> <td>-19.69</td> <td>71.10</td> <td>36.40</td> <td>13.63</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>68</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8250.70</td> <td>53.21</td> <td>54.00</td> <td>-0.79</td> <td>70.00</td> <td>36.40</td> <td>13.63</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>68</td> <td>Average</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>48.92</td> <td>68.20</td> <td>-19.28</td> <td>64.76</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>10999.60</td> <td>45.26</td> <td>74.00</td> <td>-28.74</td> <td>57.79</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>16523.80</td> <td>55.21</td> <td>68.20</td> <td>-12.99</td> <td>58.83</td> <td>40.92</td> <td>19.69</td> <td>64.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 8032.90 | 47.50 | 74.00 | -26.50 | 64.78 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 2 | 8250.70 | 54.31 | 74.00 | -19.69 | 71.10 | 36.40 | 13.63 | 66.82 | 0.00 | 100 | 68 | Peak | 3 | 8250.70 | 53.21 | 54.00 | -0.79 | 70.00 | 36.40 | 13.63 | 66.82 | 0.00 | 100 | 68 | Average | 4 | 9272.60 | 48.92 | 68.20 | -19.28 | 64.76 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 10999.60 | 45.26 | 74.00 | -28.74 | 57.79 | 37.90 | 16.04 | 66.47 | 0.00 | -- | -- | Peak | 6 | 16523.80 | 55.21 | 68.20 | -12.99 | 58.83 | 40.92 | 19.69 | 64.23 | 0.00 | -- | -- | Peak |
| Limit    | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos   |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line Margin | Level | Factor | Loss Factor | Factor | Remark |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB     |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 8250.70   | 52.71       | 74.00 | -21.29 | 69.50       | 36.40  | 13.63  | 66.82 | 0.00 | 100  | 42    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 8250.70   | 51.34       | 54.00 | -2.66  | 68.13       | 36.40  | 13.63  | 66.82 | 0.00 | 100  | 42    | Average     |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3        | 10999.60  | 45.38       | 74.00 | -28.62 | 57.91       | 37.90  | 16.04  | 66.47 | 0.00 | --   | --    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit    | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos   |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line Margin | Level | Factor | Loss Factor | Factor | Remark |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB     |       |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 8032.90   | 47.50       | 74.00 | -26.50 | 64.78       | 36.13  | 13.38  | 66.79 | 0.00 | --   | --    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 8250.70   | 54.31       | 74.00 | -19.69 | 71.10       | 36.40  | 13.63  | 66.82 | 0.00 | 100  | 68    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3        | 8250.70   | 53.21       | 54.00 | -0.79  | 70.00       | 36.40  | 13.63  | 66.82 | 0.00 | 100  | 68    | Average     |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4        | 9272.60   | 48.92       | 68.20 | -19.28 | 64.76       | 36.55  | 14.53  | 66.92 | 0.00 | --   | --    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5        | 10999.60  | 45.26       | 74.00 | -28.74 | 57.79       | 37.90  | 16.04  | 66.47 | 0.00 | --   | --    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6        | 16523.80  | 55.21       | 68.20 | -12.99 | 58.83       | 40.92  | 19.69  | 64.23 | 0.00 | --   | --    | Peak        |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |       |        |             |        |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |








| Mode        | 59   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|-------------|--|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|
|             | Harmonic   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| ANT         | BF 1S4T  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Pol.        | Horizontal   | Vertical    |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Peak<br>Avg |  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8370.60</td> <td>46.89</td> <td>74.00</td> <td>-27.11</td> <td>63.60</td> <td>36.33</td> <td>13.79</td> <td>66.83</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>48.74</td> <td>68.20</td> <td>-19.46</td> <td>64.58</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11160.00</td> <td>44.62</td> <td>74.00</td> <td>-29.38</td> <td>56.84</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>16741.60</td> <td>52.14</td> <td>68.20</td> <td>-16.06</td> <td>55.52</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8370.60 | 46.89 | 74.00 | -27.11 | 63.60 | 36.33 | 13.79 | 66.83 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 48.74 | 68.20 | -19.46 | 64.58 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11160.00 | 44.62 | 74.00 | -29.38 | 56.84 | 38.03 | 16.15 | 66.40 | 0.00 | -- | -- | Peak | 4 | 16741.60 | 52.14 | 68.20 | -16.06 | 55.52 | 41.09 | 19.83 | 64.30 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8032.90</td> <td>48.84</td> <td>74.00</td> <td>-25.16</td> <td>66.12</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8370.60</td> <td>52.59</td> <td>74.00</td> <td>-21.41</td> <td>69.30</td> <td>36.33</td> <td>13.79</td> <td>66.83</td> <td>0.00</td> <td>100</td> <td>72</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8370.60</td> <td>51.29</td> <td>54.00</td> <td>-2.71</td> <td>68.00</td> <td>36.33</td> <td>13.79</td> <td>66.83</td> <td>0.00</td> <td>100</td> <td>72</td> <td>Average</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>48.18</td> <td>68.20</td> <td>-20.02</td> <td>64.02</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11160.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>57.81</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>16731.70</td> <td>54.16</td> <td>68.20</td> <td>-14.04</td> <td>57.54</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8032.90 | 48.84 | 74.00 | -25.16 | 66.12 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 2 | 8370.60 | 52.59 | 74.00 | -21.41 | 69.30 | 36.33 | 13.79 | 66.83 | 0.00 | 100 | 72 | Peak | 3 | 8370.60 | 51.29 | 54.00 | -2.71 | 68.00 | 36.33 | 13.79 | 66.83 | 0.00 | 100 | 72 | Average | 4 | 9272.60 | 48.18 | 68.20 | -20.02 | 64.02 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11160.00 | 45.59 | 74.00 | -28.41 | 57.81 | 38.03 | 16.15 | 66.40 | 0.00 | -- | -- | Peak | 6 | 16731.70 | 54.16 | 68.20 | -14.04 | 57.54 | 41.09 | 19.83 | 64.30 | 0.00 | -- | -- |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8370.60  | 46.89       | 74.00 | -27.11 | 63.60       | 36.33  | 13.79 | 66.83  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 9272.60  | 48.74       | 68.20 | -19.46 | 64.58       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 11160.00   | 44.62       | 74.00 | -29.38 | 56.84       | 38.03  | 16.15 | 66.40  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 16741.60   | 52.14       | 68.20 | -16.06 | 55.52       | 41.09  | 19.83 | 64.30  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8032.90  | 48.84       | 74.00 | -25.16 | 66.12       | 36.13  | 13.38 | 66.79  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8370.60  | 52.59       | 74.00 | -21.41 | 69.30       | 36.33  | 13.79 | 66.83  | 0.00 | 100    | 72   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 8370.60  | 51.29       | 54.00 | -2.71  | 68.00       | 36.33  | 13.79 | 66.83  | 0.00 | 100    | 72   | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 9272.60  | 48.18       | 68.20 | -20.02 | 64.02       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 5           | 11160.00   | 45.59       | 74.00 | -28.41 | 57.81       | 38.03  | 16.15 | 66.40  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 6           | 16731.70   | 54.16       | 68.20 | -14.04 | 57.54       | 41.09  | 19.83 | 64.30  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |



|             | <b>60</b>  |   |              |             |        |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
|-------------|--|---|--------------|-------------|--------|--------|--------|--------|-----------------|--------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----------|-----------|--------|-------|-------|-------|-------|-------|-------|--------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|--------|-------|-------|-------|------|--------------|
| <b>Mode</b> | <b>Band Edge</b>   |   |              |             |        |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz</b>   |   |              |             |        |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| <b>ANT</b>  | <b>BF 1S4T</b>   |   |              |             |        |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>  |              |             |        |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| <b>Peak</b> | <table border="1" data-bbox="255 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.44</td> <td>67.10</td> <td>68.20</td> <td>-1.10</td> <td>57.25</td> <td>34.68</td> <td>11.18</td> <td>36.01</td> <td>0.00</td> <td>304 108 Peak</td> </tr> </tbody> </table> | Limit   | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos            | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1 5726.44 | 67.10     | 68.20  | -1.10 | 57.25 | 34.68 | 11.18 | 36.01 | 0.00  | 304 108 Peak | <table border="1" data-bbox="893 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5710.00</td> <td>116.85</td> <td>-----</td> <td>-----</td> <td>107.10</td> <td>34.63</td> <td>11.16</td> <td>36.04</td> <td>0.00</td> <td>304 108 Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5710.00 | 116.85 | ----- | ----- | 107.10 | 34.63 | 11.16 | 36.04 | 0.00 | 304 108 Peak |
| Limit       | Read   | Ant   | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg             |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| 1 5726.44   | 67.10  | 68.20   | -1.10        | 57.25       | 34.68  | 11.18  | 36.01  | 0.00   | 304 108 Peak    |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| Limit       | Read   | Ant   | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg             |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| 1 5710.00   | 116.85   | -----   | -----        | 107.10      | 34.63  | 11.16  | 36.04  | 0.00   | 304 108 Peak    |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| <b>Avg</b>  | <b>Blank</b>   | <table border="1" data-bbox="893 1780 1412 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5704.00</td> <td>106.11</td> <td>-----</td> <td>-----</td> <td>96.40</td> <td>34.61</td> <td>11.15</td> <td>36.05</td> <td>0.00</td> <td>304 108 Average</td> </tr> </tbody> </table> | Limit        | Read        | Ant    | Cable  | Preamp | Aux    | APos            | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg       | 1 5704.00 | 106.11 | ----- | ----- | 96.40 | 34.61 | 11.15 | 36.05 | 0.00         | 304 108 Average   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| Limit       | Read   | Ant   | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| Freq        | Level  | Line Margin   | Level Factor | Loss Factor | Factor |        |        |        |                 |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| MHz         | dBuV/m   | dBuV/m  | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg             |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |
| 1 5704.00   | 106.11   | -----   | -----        | 96.40       | 34.61  | 11.15  | 36.05  | 0.00   | 304 108 Average |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |        |       |       |       |       |       |       |              |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |              |



|             | <b>60</b>   |  |              |             |        |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
|-------------|---|--|--------------|-------------|--------|--------|--------|--------|------|-----------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----------|-----------|-------|--------|-------|-------|-------|-------|-------|------|--------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|--------|-------|-------|-------|------|-----|--------|
| <b>Mode</b> | <b>Band Edge</b>  |  |              |             |        |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz</b>  |  |              |             |        |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| <b>ANT</b>  | <b>BF 1S4T</b>  |  |              |             |        |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b>   |              |             |        |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal level starting around 65 dBuV/m, peaking at approximately 113.8 dBuV/m between 5685 and 5717 MHz, and then dropping to a noise floor around 48.8 dBuV/m. A red horizontal line indicates a limit at 65.0 dBuV/m. A blue vertical line marks a peak at 5726.20 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.20</td> <td>56.19</td> <td>68.20</td> <td>-12.01</td> <td>46.34</td> <td>34.68</td> <td>11.18</td> <td>36.01</td> <td>0.00</td> <td>181</td> <td>0 Peak</td> </tr> </tbody> </table> | Limit  | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos | Remark    | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1 5726.20 | 56.19     | 68.20 | -12.01 | 46.34 | 34.68 | 11.18 | 36.01 | 0.00  | 181  | 0 Peak |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level around 65 dBuV/m with a sharp peak at 5718.00 MHz reaching approximately 112.14 dBuV/m. A red horizontal line indicates a limit at 65.0 dBuV/m. A blue vertical line marks the peak at 5718.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5718.00</td> <td>112.14</td> <td>-----</td> <td>-----</td> <td>102.39</td> <td>34.63</td> <td>11.16</td> <td>36.04</td> <td>0.00</td> <td>181</td> <td>0 Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5718.00 | 112.14 | ----- | ----- | 102.39 | 34.63 | 11.16 | 36.04 | 0.00 | 181 | 0 Peak |
| Limit       | Read  | Ant  | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| 1 5726.20   | 56.19   | 68.20  | -12.01       | 46.34       | 34.68  | 11.18  | 36.01  | 0.00   | 181  | 0 Peak    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| Limit       | Read  | Ant  | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| 1 5718.00   | 112.14  | -----  | -----        | 102.39      | 34.63  | 11.16  | 36.04  | 0.00   | 181  | 0 Peak    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| <b>Avg</b>  | <b>Blank</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, averaged. The plot shows a signal level around 32.5 dBuV/m with a sharp peak at 5704.00 MHz reaching approximately 99.91 dBuV/m. A red horizontal line indicates a limit at 48.8 dBuV/m. A blue vertical line marks the peak at 5704.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5704.00</td> <td>99.91</td> <td>-----</td> <td>-----</td> <td>90.20</td> <td>34.61</td> <td>11.15</td> <td>36.05</td> <td>0.00</td> <td>181</td> <td>0 Average</td> </tr> </tbody> </table> | Limit        | Read        | Ant    | Cable  | Preamp | Aux    | APos | TPos      | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg       | 1 5704.00 | 99.91 | -----  | ----- | 90.20 | 34.61 | 11.15 | 36.05 | 0.00 | 181    | 0 Average   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| Limit       | Read  | Ant  | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |        |        |      |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |           |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |
| 1 5704.00   | 99.91   | -----  | -----        | 90.20       | 34.61  | 11.15  | 36.05  | 0.00   | 181  | 0 Average |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |           |           |       |        |       |       |       |       |       |      |        |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |       |       |      |     |        |



| Mode        | 60  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9272.60</td> <td>47.45</td> <td>68.20</td> <td>-20.75</td> <td>63.29</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>44.82</td> <td>74.00</td> <td>-29.18</td> <td>56.59</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 9272.60 | 47.45 | 68.20 | -20.75 | 63.29 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 2 | 11400.00 | 44.82 | 74.00 | -29.18 | 56.59 | 38.22 | 16.30 | 66.29 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8034.00</td> <td>47.42</td> <td>74.00</td> <td>-26.58</td> <td>64.70</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8549.90</td> <td>47.74</td> <td>68.20</td> <td>-20.46</td> <td>64.46</td> <td>36.25</td> <td>13.89</td> <td>66.86</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>49.28</td> <td>68.20</td> <td>-18.92</td> <td>65.12</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11400.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>56.51</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8034.00 | 47.42 | 74.00 | -26.58 | 64.70 | 36.13 | 13.38 | 66.79 | 0.00 | -- | Peak | 2 | 8549.90 | 47.74 | 68.20 | -20.46 | 64.46 | 36.25 | 13.89 | 66.86 | 0.00 | -- | Peak | 3 | 9272.60 | 49.28 | 68.20 | -18.92 | 65.12 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 4 | 11400.00 | 44.74 | 74.00 | -29.26 | 56.51 | 38.22 | 16.30 | 66.29 | 0.00 | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 9272.60   | 47.45       | 68.20 | -20.75 | 63.29       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 11400.00  | 44.82       | 74.00 | -29.18 | 56.59       | 38.22  | 16.30 | 66.29  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 8034.00   | 47.42       | 74.00 | -26.58 | 64.70       | 36.13  | 13.38 | 66.79  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 8549.90   | 47.74       | 68.20 | -20.46 | 64.46       | 36.25  | 13.89 | 66.86  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 3           | 9272.60   | 49.28       | 68.20 | -18.92 | 65.12       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 4           | 11400.00  | 44.74       | 74.00 | -29.26 | 56.51       | 38.22  | 16.30 | 66.29  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |



| Mode        | 61  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|----|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9272.60</td> <td>48.13</td> <td>68.20</td> <td>-20.07</td> <td>63.97</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>57.50</td> <td>38.25</td> <td>16.32</td> <td>66.28</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17180.50</td> <td>56.87</td> <td>68.20</td> <td>-11.33</td> <td>60.02</td> <td>41.26</td> <td>20.12</td> <td>64.53</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 9272.60 | 48.13 | 68.20 | -20.07 | 63.97 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 2 | 11440.00 | 45.79 | 74.00 | -28.21 | 57.50 | 38.25 | 16.32 | 66.28 | 0.00 | -- | -- | Peak | 3 | 17180.50 | 56.87 | 68.20 | -11.33 | 60.02 | 41.26 | 20.12 | 64.53 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7423.50</td> <td>47.96</td> <td>74.00</td> <td>-26.04</td> <td>66.24</td> <td>35.72</td> <td>12.76</td> <td>66.76</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8034.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>64.82</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8579.60</td> <td>47.06</td> <td>68.20</td> <td>-21.14</td> <td>63.81</td> <td>36.22</td> <td>13.90</td> <td>66.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>49.24</td> <td>68.20</td> <td>-18.96</td> <td>65.08</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11440.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>57.95</td> <td>38.25</td> <td>16.32</td> <td>66.28</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>17168.40</td> <td>61.51</td> <td>68.20</td> <td>-6.69</td> <td>64.65</td> <td>41.27</td> <td>20.11</td> <td>64.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7423.50 | 47.96 | 74.00 | -26.04 | 66.24 | 35.72 | 12.76 | 66.76 | 0.00 | -- | -- | Peak | 2 | 8034.00 | 47.54 | 74.00 | -26.46 | 64.82 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 3 | 8579.60 | 47.06 | 68.20 | -21.14 | 63.81 | 36.22 | 13.90 | 66.87 | 0.00 | -- | -- | Peak | 4 | 9272.60 | 49.24 | 68.20 | -18.96 | 65.08 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11440.00 | 46.24 | 74.00 | -27.76 | 57.95 | 38.25 | 16.32 | 66.28 | 0.00 | -- | -- | Peak | 6 | 17168.40 | 61.51 | 68.20 | -6.69 | 64.65 | 41.27 | 20.11 | 64.52 | 0.00 | -- | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 1           | 9272.60   | 48.13       | 68.20 | -20.07 | 63.97       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 2           | 11440.00  | 45.79       | 74.00 | -28.21 | 57.50       | 38.25  | 16.32 | 66.28  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 3           | 17180.50  | 56.87       | 68.20 | -11.33 | 60.02       | 41.26  | 20.12 | 64.53  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 1           | 7423.50   | 47.96       | 74.00 | -26.04 | 66.24       | 35.72  | 12.76 | 66.76  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 2           | 8034.00   | 47.54       | 74.00 | -26.46 | 64.82       | 36.13  | 13.38 | 66.79  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 3           | 8579.60   | 47.06       | 68.20 | -21.14 | 63.81       | 36.22  | 13.90 | 66.87  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 4           | 9272.60   | 49.24       | 68.20 | -18.96 | 65.08       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 5           | 11440.00  | 46.24       | 74.00 | -27.76 | 57.95       | 38.25  | 16.32 | 66.28  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |
| 6           | 17168.40  | 61.51       | 68.20 | -6.69  | 64.65       | 41.27  | 20.11 | 64.52  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |    |    |



|       | 62   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|-------|--------|-------|-------|-------|--------|------|-------|------|---|-------|--------|------|--------|--------|-----|--------|--------|--------|------|-------|------|--------|-------|--------|---------|--------|--------|-------|--------|--------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| Mode  | Band Edge - L  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
|       | U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| ANT   | BF 1S4T  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>59.85</td> <td>74.00</td> <td>-14.15</td> <td>50.51</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>67.62</td> <td>68.20</td> <td>-0.58</td> <td>58.25</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5459.76 | 59.85 | 74.00 | -14.15 | 50.51 | 34.56 | 10.84 | 36.06 | 0.00 | 194 | 278 | Peak    | 2   | 5468.88 | 67.62 | 68.20 | -0.58 | 58.25  | 34.57 | 10.85 | 36.05 | 0.00   | 194  | 278   | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.37</td> <td>-----</td> <td>-----</td> <td>102.90</td> <td>34.60</td> <td>10.89</td> <td>36.02</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read   | Ant  | Cable  | Preamp | Aux | APos   | TPos   | Remark | Freq | Level | Line | Margin | Level | Factor | Loss    | Factor | Factor | MHz   | dBuV/m | dBuV/m | dB    | dBuV  | dB/m | dB  | dB  | dB      | 1 | 5500.00 | 112.37 | ----- | ----- | 102.90 | 34.60 | 10.89 | 36.02 | 0.00 | 194 | 278 | Peak |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5459.76  | 59.85       | 74.00  | -14.15 | 50.51  | 34.56  | 10.84  | 36.06  | 0.00   | 194    | 278  | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2     | 5468.88  | 67.62       | 68.20  | -0.58  | 58.25  | 34.57  | 10.85  | 36.05  | 0.00   | 194    | 278  | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5500.00  | 112.37      | -----  | -----  | 102.90 | 34.60  | 10.89  | 36.02  | 0.00   | 194    | 278  | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>49.94</td> <td>54.00</td> <td>-4.06</td> <td>40.60</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Average</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5459.60 | 49.94 | 54.00 | -4.06  | 40.60 | 34.56 | 10.84 | 36.06 | 0.00 | 194 | 278 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.97</td> <td>-----</td> <td>-----</td> <td>93.50</td> <td>34.60</td> <td>10.89</td> <td>36.02</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line | Margin  | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m  | dB   | dB     | dB    | 1      | 5500.00 | 102.97 | -----  | ----- | 93.50  | 34.60  | 10.89 | 36.02 | 0.00 | 194 | 278 | Average |   |         |        |       |       |        |       |       |       |      |     |     |      |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5459.60  | 49.94       | 54.00  | -4.06  | 40.60  | 34.56  | 10.84  | 36.06  | 0.00   | 194    | 278  | Average |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5500.00  | 102.97      | -----  | -----  | 93.50  | 34.60  | 10.89  | 36.02  | 0.00   | 194    | 278  | Average |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |       |        |       |       |       |        |      |       |      |   |       |        |      |        |        |     |        |        |        |      |       |      |        |       |        |         |        |        |       |        |        |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode      | 62   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
|-----------|--|-------------|--------------|-------------|-------------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|           | Band Edge - R  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT       | BF 1S4T  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.      | Horizontal   | Fundamental |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak      | <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.64</td> <td>59.26</td> <td>68.20</td> <td>-8.94</td> <td>49.42</td> <td>34.68</td> <td>11.18</td> <td>36.02</td> <td>0.00</td> <td>194</td> <td>278</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5725.64 | 59.26 | 68.20 | -8.94 | 49.42 | 34.68 | 11.18 | 36.02 | 0.00 | 194 | 278 | Peak | Blank |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |
| 1 5725.64 | 59.26  | 68.20       | -8.94        | 49.42       | 34.68       | 11.18  | 36.02 | 0.00   | 194  | 278    | Peak |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |     |      |       |



|       | 62  |             |              |             |        |        |        |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
|-------|---|-------------|--------------|-------------|--------|--------|--------|-------|------|------|-------|-------------|--------------|-------------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|--------|-------|-------|-------|------|-------|-------------|--------------|---|--------|--------|--------|-------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|---------|--------|-------|--------|--------|-------|-------|-------|------|-----|-----|---------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| Mode  | Band Edge - L   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
|       | U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| ANT   | BF 1S4T   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Pol.  | Vertical  | Fundamental |              |             |        |        |        |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.92</td> <td>58.50</td> <td>74.00</td> <td>-15.50</td> <td>49.24</td> <td>34.54</td> <td>10.81</td> <td>36.09</td> <td>0.00</td> <td>305</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5461.52</td> <td>57.70</td> <td>68.20</td> <td>-10.50</td> <td>48.36</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>305</td> <td>172</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5435.92 | 58.50 | 74.00 | -15.50 | 49.24 | 34.54 | 10.81 | 36.09 | 0.00 | 305 | 172 | Peak    | 2   | 5461.52 | 57.70 | 68.20 | -10.50 | 48.36  | 34.56 | 10.84 | 36.06 | 0.00 | 305   | 172         | Peak         | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>111.12</td> <td>-----</td> <td>-----</td> <td>101.66</td> <td>34.60</td> <td>10.90</td> <td>36.04</td> <td>0.00</td> <td>305</td> <td>172</td> <td>Peak</td> </tr> </tbody> </table> | Limit  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor  | Remark | MHz   | dBuV/m | dBuV/m | dB    | dBuV  | dB/m  | dB   | dB  | cm  | deg     | 1 | 5512.00 | 111.12 | ----- | ----- | 101.66 | 34.60 | 10.90 | 36.04 | 0.00 | 305 | 172 | Peak |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos   | TPos  |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5435.92   | 58.50       | 74.00        | -15.50      | 49.24  | 34.54  | 10.81  | 36.09 | 0.00 | 305  | 172   | Peak        |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2     | 5461.52   | 57.70       | 68.20        | -10.50      | 48.36  | 34.56  | 10.84  | 36.06 | 0.00 | 305  | 172   | Peak        |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5512.00   | 111.12      | -----        | -----       | 101.66 | 34.60  | 10.90  | 36.04 | 0.00 | 305  | 172   | Peak        |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>48.20</td> <td>54.00</td> <td>-5.80</td> <td>38.86</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>305</td> <td>172</td> <td>Average</td> </tr> </tbody> </table>  | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5459.12 | 48.20 | 54.00 | -5.80  | 38.86 | 34.56 | 10.84 | 36.06 | 0.00 | 305 | 172 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>101.06</td> <td>-----</td> <td>-----</td> <td>91.60</td> <td>34.60</td> <td>10.90</td> <td>36.04</td> <td>0.00</td> <td>305</td> <td>172</td> <td>Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Freq | Level | Line Margin | Level Factor | Loss Factor   | Factor | Factor | Remark | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB    | dB          | cm           | deg         | 1      | 5512.00 | 101.06 | ----- | -----  | 91.60  | 34.60 | 10.90 | 36.04 | 0.00 | 305 | 172 | Average |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5459.12   | 48.20       | 54.00        | -5.80       | 38.86  | 34.56  | 10.84  | 36.06 | 0.00 | 305  | 172   | Average     |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark |       |      |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5512.00   | 101.06      | -----        | -----       | 91.60  | 34.60  | 10.90  | 36.04 | 0.00 | 305  | 172   | Average     |              |             |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |      |       |             |              |   |        |        |        |       |        |        |      |      |      |       |             |              |             |        |         |        |       |        |        |       |       |       |      |     |     |         |   |         |        |       |       |        |       |       |       |      |     |     |      |





| Mode      | 62  |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Pol.      | Vertical  | Fundamental |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Peak      | <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.08</td> <td>58.52</td> <td>68.20</td> <td>-9.68</td> <td>48.52</td> <td>34.77</td> <td>11.22</td> <td>35.99</td> <td>0.00</td> <td>305 172 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos         | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5755.08 | 58.52 | 68.20 | -9.68 | 48.52 | 34.77 | 11.22 | 35.99 | 0.00 | 305 172 Peak | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg          |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| 1 5755.08 | 58.52   | 68.20       | -9.68        | 48.52       | 34.77       | 11.22  | 35.99 | 0.00   | 305 172 Peak |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |



| Mode        | 62   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|-------------|--|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|
|             | Harmonic   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| ANT         | BF 1S4T  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Pol.        | Horizontal   | Vertical    |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Peak<br>Avg |  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8265.00</td> <td>48.27</td> <td>74.00</td> <td>-25.73</td> <td>65.04</td> <td>36.40</td> <td>13.65</td> <td>66.82</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>46.21</td> <td>68.20</td> <td>-21.99</td> <td>62.05</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11020.00</td> <td>44.18</td> <td>74.00</td> <td>-29.82</td> <td>56.66</td> <td>37.92</td> <td>16.06</td> <td>66.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8265.00 | 48.27 | 74.00 | -25.73 | 65.04 | 36.40 | 13.65 | 66.82 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 46.21 | 68.20 | -21.99 | 62.05 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11020.00 | 44.18 | 74.00 | -29.82 | 56.66 | 37.92 | 16.06 | 66.46 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8265.00</td> <td>55.13</td> <td>74.00</td> <td>-18.87</td> <td>71.90</td> <td>36.40</td> <td>13.65</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>74</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8265.00</td> <td>53.55</td> <td>54.00</td> <td>-0.45</td> <td>70.32</td> <td>36.40</td> <td>13.65</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>74</td> <td>Average</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>48.31</td> <td>68.20</td> <td>-19.89</td> <td>64.15</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11020.50</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>56.87</td> <td>37.92</td> <td>16.06</td> <td>66.46</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8265.00 | 55.13 | 74.00 | -18.87 | 71.90 | 36.40 | 13.65 | 66.82 | 0.00 | 100 | 74 | Peak | 2 | 8265.00 | 53.55 | 54.00 | -0.45 | 70.32 | 36.40 | 13.65 | 66.82 | 0.00 | 100 | 74 | Average | 3 | 9272.60 | 48.31 | 68.20 | -19.89 | 64.15 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 4 | 11020.50 | 44.39 | 74.00 | -29.61 | 56.87 | 37.92 | 16.06 | 66.46 | 0.00 | -- | -- |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8265.00  | 48.27       | 74.00 | -25.73 | 65.04       | 36.40  | 13.65 | 66.82  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 9272.60  | 46.21       | 68.20 | -21.99 | 62.05       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 11020.00   | 44.18       | 74.00 | -29.82 | 56.66       | 37.92  | 16.06 | 66.46  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8265.00  | 55.13       | 74.00 | -18.87 | 71.90       | 36.40  | 13.65 | 66.82  | 0.00 | 100    | 74   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8265.00  | 53.55       | 54.00 | -0.45  | 70.32       | 36.40  | 13.65 | 66.82  | 0.00 | 100    | 74   | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 9272.60  | 48.31       | 68.20 | -19.89 | 64.15       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 11020.50   | 44.39       | 74.00 | -29.61 | 56.87       | 37.92  | 16.06 | 66.46  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |



| Mode        | 63  |             |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|-------------|---|-------------|-------|--------|-------------|--------|--------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|
|             | Harmonic  |             |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz   |             |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| ANT         | BF 1S4T   |             |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Peak<br>Avg |   |             |       |        |             |        |        |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8325.50</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>63.66</td> <td>36.37</td> <td>13.73</td> <td>66.82</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>46.83</td> <td>68.20</td> <td>-21.37</td> <td>62.67</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11100.00</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>56.63</td> <td>37.98</td> <td>16.11</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 8325.50 | 46.94 | 74.00 | -27.06 | 63.66 | 36.37 | 13.73 | 66.82 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 46.83 | 68.20 | -21.37 | 62.67 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11100.00 | 44.30 | 74.00 | -29.70 | 56.63 | 37.98 | 16.11 | 66.42 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8032.90</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>65.76</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8325.50</td> <td>54.18</td> <td>74.00</td> <td>-19.82</td> <td>70.90</td> <td>36.37</td> <td>13.73</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>71</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>8325.50</td> <td>52.38</td> <td>54.00</td> <td>-1.62</td> <td>69.10</td> <td>36.37</td> <td>13.73</td> <td>66.82</td> <td>0.00</td> <td>100</td> <td>71</td> <td>Average</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>49.43</td> <td>68.20</td> <td>-18.77</td> <td>65.27</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11099.70</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>57.36</td> <td>37.98</td> <td>16.11</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>16639.30</td> <td>53.12</td> <td>68.20</td> <td>-15.08</td> <td>56.62</td> <td>41.01</td> <td>19.76</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 8032.90 | 48.48 | 74.00 | -25.52 | 65.76 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 2 | 8325.50 | 54.18 | 74.00 | -19.82 | 70.90 | 36.37 | 13.73 | 66.82 | 0.00 | 100 | 71 | Peak | 3 | 8325.50 | 52.38 | 54.00 | -1.62 | 69.10 | 36.37 | 13.73 | 66.82 | 0.00 | 100 | 71 | Average | 4 | 9272.60 | 49.43 | 68.20 | -18.77 | 65.27 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11099.70 | 45.03 | 74.00 | -28.97 | 57.36 | 37.98 | 16.11 | 66.42 | 0.00 | -- | -- | Peak | 6 | 16639.30 | 53.12 | 68.20 | -15.08 | 56.62 | 41.01 | 19.76 | 64.27 | 0.00 | -- | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos   | Remark |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor | Factor |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB     | cm     |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8325.50   | 46.94       | 74.00 | -27.06 | 63.66       | 36.37  | 13.73  | 66.82  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 9272.60   | 46.83       | 68.20 | -21.37 | 62.67       | 36.55  | 14.53  | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 11100.00  | 44.30       | 74.00 | -29.70 | 56.63       | 37.98  | 16.11  | 66.42  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos   | Remark |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor | Factor |        |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB     | cm     |      |        |      |         |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8032.90   | 48.48       | 74.00 | -25.52 | 65.76       | 36.13  | 13.38  | 66.79  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8325.50   | 54.18       | 74.00 | -19.82 | 70.90       | 36.37  | 13.73  | 66.82  | 0.00 | 100    | 71   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 8325.50   | 52.38       | 54.00 | -1.62  | 69.10       | 36.37  | 13.73  | 66.82  | 0.00 | 100    | 71   | Average |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 9272.60   | 49.43       | 68.20 | -18.77 | 65.27       | 36.55  | 14.53  | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 5           | 11099.70  | 45.03       | 74.00 | -28.97 | 57.36       | 37.98  | 16.11  | 66.42  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 6           | 16639.30  | 53.12       | 68.20 | -15.08 | 56.62       | 41.01  | 19.76  | 64.27  | 0.00 | --     | --   | Peak    |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |







|             | <b>64</b>   |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
|-------------|---|--------------------|--------|--------|--------|--------|--------|------|------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|---|---------|-------|-------|--------|--------|-------|-------|--|-------|-------|------|--------|--------|--------|------|--------|------|--------|--------|--------|-------|--------|------|--------|-----|---------|--------|-------|-------|-------|-------|-------|---|---------|--------|-------|-------|--------|-------|-------|
| <b>Mode</b> | <b>Band Edge - L</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>ANT</b>  | <b>BF 1S4T</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.28</td> <td>58.16</td> <td>74.00</td> <td>-15.84</td> <td>48.97</td> <td>34.52</td> <td>10.79</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>58.15</td> <td>68.20</td> <td>-10.05</td> <td>48.79</td> <td>34.57</td> <td>10.85</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5419.28 | 58.16 | 74.00 | -15.84 | 48.97 | 34.52 | 10.79 | 2   | 5466.48 | 58.15 | 68.20 | -10.05 | 48.79  | 34.57 | 10.85 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>115.86</td> <td>-----</td> <td>-----</td> <td>106.31</td> <td>34.60</td> <td>11.11</td> </tr> </tbody> </table> | Limit | Read  | Ant  | Cable  | Preamp | Aux    | APos | TPos   | Freq | Level  | Line   | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m  | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB    | 1 | 5680.00 | 115.86 | ----- | ----- | 106.31 | 34.60 | 11.11 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5419.28   | 58.16              | 74.00  | -15.84 | 48.97  | 34.52  | 10.79  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 2           | 5466.48   | 58.15              | 68.20  | -10.05 | 48.79  | 34.57  | 10.85  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5680.00   | 115.86             | -----  | -----  | 106.31 | 34.60  | 11.11  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>48.03</td> <td>54.00</td> <td>-5.97</td> <td>38.70</td> <td>34.56</td> <td>10.84</td> </tr> </tbody> </table>  | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5457.68 | 48.03 | 54.00 | -5.97  | 38.70 | 34.56 | 10.84 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5686.00</td> <td>106.09</td> <td>-----</td> <td>-----</td> <td>96.50</td> <td>34.60</td> <td>11.12</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos   | Freq  | Level | Line | Margin | Level  | Factor | Loss | Factor | MHz  | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   | dB   | dB     | 1   | 5686.00 | 106.09 | ----- | ----- | 96.50 | 34.60 | 11.12 |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5457.68   | 48.03              | 54.00  | -5.97  | 38.70  | 34.56  | 10.84  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5686.00   | 106.09             | -----  | -----  | 96.50  | 34.60  | 11.12  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |



| Mode      | 64  |             |        |        |        |        |        |              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--|--|--|--|--|--|--|--|--------------|-------|
|           | Band Edge - R   |             |        |        |        |        |        |              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz   |             |        |        |        |        |        |              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| ANT       | BF 1S4T   |             |        |        |        |        |        |              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| Pol.      | Horizontal  | Fundamental |        |        |        |        |        |              |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.08</td> <td>67.56</td> <td>68.20</td> <td>-0.64</td> <td>57.72</td> <td>34.68</td> <td>11.18</td> <td>36.02</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>205 273 Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos         | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 5725.08 | 67.56 | 68.20 | -0.64 | 57.72 | 34.68 | 11.18 | 36.02 | 0.00 |  |  |  |  |  |  |  |  | 205 273 Peak | Blank |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark       |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor       |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB           |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
| 1 5725.08 | 67.56   | 68.20       | -0.64  | 57.72  | 34.68  | 11.18  | 36.02  | 0.00         |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |
|           |   |             |        |        |        |        |        | 205 273 Peak |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |           |       |       |       |       |       |       |       |      |  |  |  |  |  |  |  |  |              |       |



|             | <b>64</b>   |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--------|----|-----|-----|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|-------|-------------|--|-------------|--------|--------|-------|--------|-----|--------|------|--------|------|-------|-------------|--------------|-------------|--------|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b> | <b>Band Edge - L</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a blue signal line with two peaks marked '1' and '2'. A red limit line is at 65.0 dBuV/m. The x-axis ranges from 5350 to 5510 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.96</td> <td>57.03</td> <td>74.00</td> <td>-16.97</td> <td>47.75</td> <td>34.54</td> <td>10.82</td> <td>36.08</td> <td>0.00</td> <td>353</td> <td>162</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.12</td> <td>57.22</td> <td>68.20</td> <td>-10.98</td> <td>47.85</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>353</td> <td>162</td> <td>Peak</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | cm | deg | MHz | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5442.96 | 57.03 | 74.00 | -16.97 | 47.75 | 34.54 | 10.82 | 36.08 | 0.00 | 353 | 162 | Peak    | 2   | 5467.12 | 57.22 | 68.20 | -10.98 | 47.85  | 34.57 | 10.85 | 36.05 | 0.00   | 353  | 162   | Peak        |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a blue signal line with a prominent peak at 5656.00 MHz. A red limit line is at 113.48 dBuV/m. The x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5656.00</td> <td>113.48</td> <td>-----</td> <td>-----</td> <td>104.09</td> <td>34.60</td> <td>11.08</td> <td>36.29</td> <td>0.00</td> <td>353</td> <td>162</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable | Preamp | Aux | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor  | cm     | deg   | MHz   | dBuV/m | dB    | dBuV  | dB/m  | dB   | dB  | cm  | deg  | 1 | 5656.00 | 113.48 | ----- | ----- | 104.09 | 34.60 | 11.08 | 36.29 | 0.00 | 353 | 162 | Peak |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dB                 | dBuV         | dB/m        | dB     | dB     | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5442.96   | 57.03              | 74.00        | -16.97      | 47.75  | 34.54  | 10.82 | 36.08  | 0.00 | 353    | 162  | Peak    |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2           | 5467.12   | 57.22              | 68.20        | -10.98      | 47.85  | 34.57  | 10.85 | 36.05  | 0.00 | 353    | 162  | Peak    |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dB                 | dBuV         | dB/m        | dB     | dB     | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5656.00   | 113.48             | -----        | -----       | 104.09 | 34.60  | 11.08 | 36.29  | 0.00 | 353    | 162  | Peak    |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Avg. The plot shows a blue signal line with a peak at 5455.28 MHz. A red limit line is at 46.38 dBuV/m. The x-axis ranges from 5350 to 5510 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.28</td> <td>46.38</td> <td>54.00</td> <td>-7.62</td> <td>37.06</td> <td>34.56</td> <td>10.83</td> <td>36.07</td> <td>0.00</td> <td>353</td> <td>162</td> <td>Average</td> </tr> </tbody> </table>  | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | cm | deg | MHz | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5455.28 | 46.38 | 54.00 | -7.62  | 37.06 | 34.56 | 10.83 | 36.07 | 0.00 | 353 | 162 | Average |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Avg. The plot shows a blue signal line with a peak at 5662.00 MHz. A red limit line is at 103.63 dBuV/m. The x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5662.00</td> <td>103.63</td> <td>-----</td> <td>-----</td> <td>94.19</td> <td>34.60</td> <td>11.09</td> <td>36.25</td> <td>0.00</td> <td>353</td> <td>162</td> <td>Peak</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line Margin | Level Factor   | Loss Factor | Factor | Factor | cm    | deg    | MHz | dBuV/m | dB   | dBuV   | dB/m | dB    | dB          | cm           | deg         | 1      | 5662.00 | 103.63 | ----- | ----- | 94.19  | 34.60 | 11.09 | 36.25 | 0.00 | 353 | 162 | Peak |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dB                 | dBuV         | dB/m        | dB     | dB     | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5455.28   | 46.38              | 54.00        | -7.62       | 37.06  | 34.56  | 10.83 | 36.07  | 0.00 | 353    | 162  | Average |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz         | dBuV/m  | dB                 | dBuV         | dB/m        | dB     | dB     | cm    | deg    |      |        |      |         |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5662.00   | 103.63             | -----        | -----       | 94.19  | 34.60  | 11.09 | 36.25  | 0.00 | 353    | 162  | Peak    |             |              |             |        |        |    |     |     |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |         |       |       |        |        |       |       |       |        |      |       |             |  |             |        |        |       |        |     |        |      |        |      |       |             |              |             |        |         |        |       |       |        |       |       |       |      |     |     |      |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode      | 64  |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Pol.      | Vertical  | Fundamental |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Peak      | <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.04</td> <td>59.28</td> <td>68.20</td> <td>-8.92</td> <td>49.31</td> <td>34.74</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>353 162 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos         | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5748.04 | 59.28 | 68.20 | -8.92 | 49.31 | 34.74 | 11.21 | 35.98 | 0.00 | 353 162 Peak | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg          |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| 1 5748.04 | 59.28   | 68.20       | -8.92        | 49.31       | 34.74       | 11.21  | 35.98 | 0.00   | 353 162 Peak |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |



| Mode        | 64   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|-------------|--|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|
|             | Harmonic   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| ANT         | BF 1S4T  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Pol.        | Horizontal   | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Peak<br>Avg |  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8032.90</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>63.69</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>47.21</td> <td>68.20</td> <td>-20.99</td> <td>63.05</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11339.50</td> <td>44.32</td> <td>74.00</td> <td>-29.68</td> <td>56.21</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8032.90 | 46.41 | 74.00 | -27.59 | 63.69 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 47.21 | 68.20 | -20.99 | 63.05 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11339.50 | 44.32 | 74.00 | -29.68 | 56.21 | 38.17 | 16.26 | 66.32 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8032.90</td> <td>48.68</td> <td>74.00</td> <td>-25.32</td> <td>65.96</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8504.00</td> <td>48.99</td> <td>68.20</td> <td>-19.21</td> <td>65.66</td> <td>36.30</td> <td>13.87</td> <td>66.84</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>49.30</td> <td>68.20</td> <td>-18.90</td> <td>65.14</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11340.00</td> <td>44.56</td> <td>74.00</td> <td>-29.44</td> <td>56.45</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8032.90 | 48.68 | 74.00 | -25.32 | 65.96 | 36.13 | 13.38 | 66.79 | 0.00 | -- | -- | Peak | 2 | 8504.00 | 48.99 | 68.20 | -19.21 | 65.66 | 36.30 | 13.87 | 66.84 | 0.00 | -- | -- | Peak | 3 | 9272.60 | 49.30 | 68.20 | -18.90 | 65.14 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 4 | 11340.00 | 44.56 | 74.00 | -29.44 | 56.45 | 38.17 | 16.26 | 66.32 | 0.00 | -- | -- |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8032.90  | 46.41       | 74.00 | -27.59 | 63.69       | 36.13  | 13.38 | 66.79  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 9272.60  | 47.21       | 68.20 | -20.99 | 63.05       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 11339.50   | 44.32       | 74.00 | -29.68 | 56.21       | 38.17  | 16.26 | 66.32  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8032.90  | 48.68       | 74.00 | -25.32 | 65.96       | 36.13  | 13.38 | 66.79  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8504.00  | 48.99       | 68.20 | -19.21 | 65.66       | 36.30  | 13.87 | 66.84  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 9272.60  | 49.30       | 68.20 | -18.90 | 65.14       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 11340.00   | 44.56       | 74.00 | -29.44 | 56.45       | 38.17  | 16.26 | 66.32  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |





| Mode        | 65  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9272.60</td> <td>46.72</td> <td>68.20</td> <td>-21.48</td> <td>62.56</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>56.41</td> <td>38.24</td> <td>16.31</td> <td>66.28</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 9272.60 | 46.72 | 68.20 | -21.48 | 62.56 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 2 | 11420.00 | 44.68 | 74.00 | -29.32 | 56.41 | 38.24 | 16.31 | 66.28 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8034.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>65.19</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8565.30</td> <td>46.96</td> <td>68.20</td> <td>-21.24</td> <td>63.69</td> <td>36.23</td> <td>13.90</td> <td>66.86</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>48.27</td> <td>68.20</td> <td>-19.93</td> <td>64.11</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11419.00</td> <td>45.60</td> <td>74.00</td> <td>-28.40</td> <td>57.33</td> <td>38.24</td> <td>16.31</td> <td>66.28</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>17131.00</td> <td>59.78</td> <td>68.20</td> <td>-8.42</td> <td>62.91</td> <td>41.27</td> <td>20.09</td> <td>64.49</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8034.00 | 47.91 | 74.00 | -26.09 | 65.19 | 36.13 | 13.38 | 66.79 | 0.00 | -- | Peak | 2 | 8565.30 | 46.96 | 68.20 | -21.24 | 63.69 | 36.23 | 13.90 | 66.86 | 0.00 | -- | Peak | 3 | 9272.60 | 48.27 | 68.20 | -19.93 | 64.11 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 4 | 11419.00 | 45.60 | 74.00 | -28.40 | 57.33 | 38.24 | 16.31 | 66.28 | 0.00 | -- | Peak | 5 | 17131.00 | 59.78 | 68.20 | -8.42 | 62.91 | 41.27 | 20.09 | 64.49 | 0.00 | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 1           | 9272.60   | 46.72       | 68.20 | -21.48 | 62.56       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 2           | 11420.00  | 44.68       | 74.00 | -29.32 | 56.41       | 38.24  | 16.31 | 66.28  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 1           | 8034.00   | 47.91       | 74.00 | -26.09 | 65.19       | 36.13  | 13.38 | 66.79  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 2           | 8565.30   | 46.96       | 68.20 | -21.24 | 63.69       | 36.23  | 13.90 | 66.86  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 3           | 9272.60   | 48.27       | 68.20 | -19.93 | 64.11       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 4           | 11419.00  | 45.60       | 74.00 | -28.40 | 57.33       | 38.24  | 16.31 | 66.28  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |
| 5           | 17131.00  | 59.78       | 68.20 | -8.42  | 62.91       | 41.27  | 20.09 | 64.49  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |    |



|       | 66  |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
|-------|---|-------------|--------|--------|--------|--------|--------|-------|------|------|-------|---------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|--|---------|-------|-------|-------|--------|-------|-------|-------|------|-------|------|--------|--|--------|------|--------|-------|--------|--------|------|------|------|-------|------|--------|---------|--------|-------|--------|-------|--------|--------|-------|------|------|----|---------|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|----|------|
| Mode  | Band Edge - L   |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
|       | U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz   |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| ANT   | BF 1S4T   |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.48</td> <td>64.83</td> <td>74.00</td> <td>-9.17</td> <td>55.52</td> <td>34.55</td> <td>10.83</td> <td>36.07</td> <td>0.00</td> <td>255</td> <td>96</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5461.20</td> <td>67.29</td> <td>68.20</td> <td>-0.91</td> <td>57.95</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>255</td> <td>96</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line    | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5454.48 | 64.83 | 74.00 | -9.17 | 55.52 | 34.55 | 10.83 | 36.07 | 0.00 | 255 | 96 | Peak    | 2  | 5461.20 | 67.29 | 68.20 | -0.91 | 57.95  | 34.56 | 10.84 | 36.06 | 0.00 | 255   | 96   | Peak   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>112.30</td> <td>-----</td> <td>-----</td> <td>102.85</td> <td>34.60</td> <td>10.92</td> <td>36.07</td> <td>0.00</td> <td>255</td> <td>96</td> <td>Peak</td> </tr> </tbody> </table> | Limit  | Read | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level   | Factor | Loss  | Factor | MHz   | dBuV/m | dBuV/m | dB    | dBuV | dB/m | dB | dB      | 1 | 5530.00 | 112.30 | ----- | ----- | 102.85 | 34.60 | 10.92 | 36.07 | 0.00 | 255 | 96 | Peak |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| 1     | 5454.48   | 64.83       | 74.00  | -9.17  | 55.52  | 34.55  | 10.83  | 36.07 | 0.00 | 255  | 96    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| 2     | 5461.20   | 67.29       | 68.20  | -0.91  | 57.95  | 34.56  | 10.84  | 36.06 | 0.00 | 255  | 96    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| 1     | 5530.00   | 112.30      | -----  | -----  | 102.85 | 34.60  | 10.92  | 36.07 | 0.00 | 255  | 96    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>53.34</td> <td>54.00</td> <td>-0.66</td> <td>44.00</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>255</td> <td>96</td> <td>Average</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line    | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5458.00 | 53.34 | 54.00 | -0.66 | 44.00 | 34.56 | 10.84 | 36.06 | 0.00 | 255 | 96 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5536.00</td> <td>101.01</td> <td>-----</td> <td>-----</td> <td>91.57</td> <td>34.60</td> <td>10.93</td> <td>36.09</td> <td>0.00</td> <td>255</td> <td>96</td> <td>Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos  | Freq | Level | Line | Margin | Level  | Factor | Loss | Factor | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB    | dB   | 1      | 5536.00 | 101.01 | ----- | -----  | 91.57 | 34.60  | 10.93  | 36.09 | 0.00 | 255  | 96 | Average |   |         |        |       |       |        |       |       |       |      |     |    |      |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| 1     | 5458.00   | 53.34       | 54.00  | -0.66  | 44.00  | 34.56  | 10.84  | 36.06 | 0.00 | 255  | 96    | Average |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |
| 1     | 5536.00   | 101.01      | -----  | -----  | 91.57  | 34.60  | 10.93  | 36.09 | 0.00 | 255  | 96    | Average |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |      |     |    |         |  |         |       |       |       |        |       |       |       |      |       |      |        |  |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |        |       |       |       |      |     |    |      |



| Mode      | 66  |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Pol.      | Horizontal  | Fundamental |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5741.00</td> <td>60.10</td> <td>68.20</td> <td>-8.10</td> <td>50.17</td> <td>34.72</td> <td>11.20</td> <td>35.99</td> <td>0.00</td> <td>255</td> <td>96 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5741.00 | 60.10 | 68.20 | -8.10 | 50.17 | 34.72 | 11.20 | 35.99 | 0.00 | 255 | 96 Peak | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| 1 5741.00 | 60.10   | 68.20       | -8.10        | 50.17       | 34.72       | 11.20  | 35.99 | 0.00   | 255  | 96 Peak |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |



|       | 66   |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
|-------|--|-------------|--------|--------|--------|--------|--------|-------|------|------|-------|---------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|-------|--------|-------|-------|-------|------|-------|------|--------|---|--------|------|--------|-------|--------|--------|------|------|------|-------|------|--------|---------|--------|-------|--------|-------|--------|--------|-------|------|------|----|---------|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|----|------|
| Mode  | Band Edge - L  |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
|       | U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz  |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| ANT   | BF 1S4T  |             |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.24</td> <td>58.09</td> <td>74.00</td> <td>-15.91</td> <td>48.85</td> <td>34.53</td> <td>10.81</td> <td>36.10</td> <td>0.00</td> <td>300</td> <td>27</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.92</td> <td>62.31</td> <td>68.20</td> <td>-5.89</td> <td>52.94</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> <td>0.00</td> <td>300</td> <td>27</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line    | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5432.24 | 58.09 | 74.00 | -15.91 | 48.85 | 34.53 | 10.81 | 36.10 | 0.00 | 300 | 27 | Peak    | 2   | 5467.92 | 62.31 | 68.20 | -5.89 | 52.94  | 34.57 | 10.85 | 36.05 | 0.00 | 300   | 27   | Peak   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5524.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>98.55</td> <td>34.60</td> <td>10.91</td> <td>36.06</td> <td>0.00</td> <td>300</td> <td>27</td> <td>Peak</td> </tr> </tbody> </table> | Limit  | Read | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level   | Factor | Loss  | Factor | MHz   | dBuV/m | dBuV/m | dB    | dBuV | dB/m | dB | dB      | 1 | 5524.00 | 108.00 | ----- | ----- | 98.55 | 34.60 | 10.91 | 36.06 | 0.00 | 300 | 27 | Peak |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| 1     | 5432.24  | 58.09       | 74.00  | -15.91 | 48.85  | 34.53  | 10.81  | 36.10 | 0.00 | 300  | 27    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| 2     | 5467.92  | 62.31       | 68.20  | -5.89  | 52.94  | 34.57  | 10.85  | 36.05 | 0.00 | 300  | 27    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| 1     | 5524.00  | 108.00      | -----  | -----  | 98.55  | 34.60  | 10.91  | 36.06 | 0.00 | 300  | 27    | Peak    |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>48.84</td> <td>54.00</td> <td>-5.16</td> <td>39.50</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>300</td> <td>27</td> <td>Average</td> </tr> </tbody> </table>  | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line    | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5459.60 | 48.84 | 54.00 | -5.16  | 39.50 | 34.56 | 10.84 | 36.06 | 0.00 | 300 | 27 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.55</td> <td>-----</td> <td>-----</td> <td>89.10</td> <td>34.60</td> <td>10.92</td> <td>36.07</td> <td>0.00</td> <td>300</td> <td>27</td> <td>Average</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos  | Freq | Level | Line | Margin | Level   | Factor | Loss | Factor | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB    | dB   | 1      | 5530.00 | 98.55  | ----- | -----  | 89.10 | 34.60  | 10.92  | 36.07 | 0.00 | 300  | 27 | Average |   |         |        |       |       |       |       |       |       |      |     |    |      |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos  |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| 1     | 5459.60  | 48.84       | 54.00  | -5.16  | 39.50  | 34.56  | 10.84  | 36.06 | 0.00 | 300  | 27    | Average |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |      |      |       |         |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |
| 1     | 5530.00  | 98.55       | -----  | -----  | 89.10  | 34.60  | 10.92  | 36.07 | 0.00 | 300  | 27    | Average |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |     |    |         |   |         |       |       |       |        |       |       |       |      |       |      |        |   |        |      |        |       |        |        |      |      |      |       |      |        |         |        |       |        |       |        |        |       |      |      |    |         |   |         |        |       |       |       |       |       |       |      |     |    |      |



| Mode      | 66  |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz   |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| Pol.      | Vertical  | Fundamental |              |             |             |        |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.76</td> <td>60.30</td> <td>68.20</td> <td>-7.90</td> <td>50.31</td> <td>34.77</td> <td>11.22</td> <td>36.00</td> <td>0.00</td> <td>300 27</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5756.76 | 60.30 | 68.20 | -7.90 | 50.31 | 34.77 | 11.22 | 36.00 | 0.00 | 300 27 | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |        |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg    |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |
| 1 5756.76 | 60.30   | 68.20       | -7.90        | 50.31       | 34.77       | 11.22  | 36.00 | 0.00   | 300 27 |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |        |       |



| Mode        | 66  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8294.70</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>63.84</td> <td>36.40</td> <td>13.69</td> <td>66.82</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11060.10</td> <td>44.65</td> <td>74.00</td> <td>-29.35</td> <td>57.06</td> <td>37.95</td> <td>16.08</td> <td>66.44</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8294.70 | 47.11 | 74.00 | -26.89 | 63.84 | 36.40 | 13.69 | 66.82 | 0.00 | -- | Peak | 2 | 11060.10 | 44.65 | 74.00 | -29.35 | 57.06 | 37.95 | 16.08 | 66.44 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8294.70</td> <td>47.26</td> <td>74.00</td> <td>-26.74</td> <td>63.99</td> <td>36.40</td> <td>13.69</td> <td>66.82</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>47.35</td> <td>68.20</td> <td>-20.85</td> <td>63.19</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11060.10</td> <td>43.18</td> <td>74.00</td> <td>-30.82</td> <td>55.59</td> <td>37.95</td> <td>16.08</td> <td>66.44</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8294.70 | 47.26 | 74.00 | -26.74 | 63.99 | 36.40 | 13.69 | 66.82 | 0.00 | -- | Peak | 2 | 9272.60 | 47.35 | 68.20 | -20.85 | 63.19 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 3 | 11060.10 | 43.18 | 74.00 | -30.82 | 55.59 | 37.95 | 16.08 | 66.44 | 0.00 | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 8294.70   | 47.11       | 74.00 | -26.89 | 63.84       | 36.40  | 13.69 | 66.82  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 11060.10  | 44.65       | 74.00 | -29.35 | 57.06       | 37.95  | 16.08 | 66.44  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 8294.70   | 47.26       | 74.00 | -26.74 | 63.99       | 36.40  | 13.69 | 66.82  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 9272.60   | 47.35       | 68.20 | -20.85 | 63.19       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 3           | 11060.10  | 43.18       | 74.00 | -30.82 | 55.59       | 37.95  | 16.08 | 66.44  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |



|             | <b>67</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
|-------------|--|--------------------|--------|--------|--------|--------|--------|------|------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|--------|-------|-------|-------|-------|---|-------|-------|-------|-------|--------|-------|-------|--|-------|-------|------|--------|--------|--------|------|--------|------|--------|--------|--------|-------|--------|------|--------|-----------|--------|--------|-------|-------|-------|-------|-------|-----------|--------|-------|-------|--------|-------|-------|-------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz</b>   |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| <b>ANT</b>  | <b>BF 1S4T</b>   |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5458.80</td> <td>60.96</td> <td>74.00</td> <td>-13.04</td> <td>51.62</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> </tr> <tr> <td>2 5469.04</td> <td>61.38</td> <td>68.20</td> <td>-6.82</td> <td>52.01</td> <td>34.57</td> <td>10.85</td> <td>36.05</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5458.80 | 60.96 | 74.00 | -13.04 | 51.62 | 34.56 | 10.84 | 36.06 | 2 5469.04   | 61.38 | 68.20 | -6.82 | 52.01 | 34.57  | 10.85 | 36.05 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5590.00</td> <td>116.59</td> <td>-----</td> <td>-----</td> <td>107.24</td> <td>34.60</td> <td>10.99</td> <td>36.24</td> </tr> </tbody> </table> | Limit | Read  | Ant  | Cable  | Preamp | Aux    | APos | TPos   | Freq | Level  | Line   | Margin | Level | Factor | Loss | Factor | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB    | 1 5590.00 | 116.59 | ----- | ----- | 107.24 | 34.60 | 10.99 | 36.24 |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| 1 5458.80   | 60.96  | 74.00              | -13.04 | 51.62  | 34.56  | 10.84  | 36.06  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| 2 5469.04   | 61.38  | 68.20              | -6.82  | 52.01  | 34.57  | 10.85  | 36.05  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| 1 5590.00   | 116.59   | -----              | -----  | 107.24 | 34.60  | 10.99  | 36.24  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5456.24</td> <td>51.25</td> <td>54.00</td> <td>-2.75</td> <td>41.92</td> <td>34.56</td> <td>10.84</td> <td>36.07</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5456.24 | 51.25 | 54.00 | -2.75  | 41.92 | 34.56 | 10.84 | 36.07 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5602.00</td> <td>106.93</td> <td>-----</td> <td>-----</td> <td>97.59</td> <td>34.60</td> <td>11.01</td> <td>36.27</td> </tr> </tbody> </table> | Limit | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos   | Freq  | Level | Line | Margin | Level  | Factor | Loss | Factor | MHz  | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   | dB   | dB     | 1 5602.00 | 106.93 | -----  | ----- | 97.59 | 34.60 | 11.01 | 36.27 |           |        |       |       |        |       |       |       |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| 1 5456.24   | 51.25  | 54.00              | -2.75  | 41.92  | 34.56  | 10.84  | 36.07  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Limit       | Read   | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |
| 1 5602.00   | 106.93   | -----              | -----  | 97.59  | 34.60  | 11.01  | 36.27  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |           |       |       |        |       |       |       |       |   |       |       |       |       |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |           |        |        |       |       |       |       |       |           |        |       |       |        |       |       |       |



| Mode      | 67  |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|--------------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Pol.      | Horizontal  | Fundamental |              |             |             |        |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.52</td> <td>67.32</td> <td>68.20</td> <td>-0.88</td> <td>57.47</td> <td>34.68</td> <td>11.18</td> <td>36.01</td> <td>0.00</td> <td>306 102 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos         | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5726.52 | 67.32 | 68.20 | -0.88 | 57.47 | 34.68 | 11.18 | 36.01 | 0.00 | 306 102 Peak | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |              |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg          |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| 1 5726.52 | 67.32   | 68.20       | -0.88        | 57.47       | 34.68       | 11.18  | 36.01 | 0.00   | 306 102 Peak |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |





|             | <b>67</b>   |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
|-------------|---|--------------------|--------|--------|--------|--------|--------|------|------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|---|---------|-------|-------|--------|--------|-------|-------|--|-------|-------|------|--------|--------|--------|------|--------|------|--------|--------|--------|-------|--------|------|--------|-----|---------|--------|-------|-------|-------|-------|-------|---|---------|--------|-------|-------|--------|-------|-------|
| <b>Mode</b> | <b>Band Edge - L</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>ANT</b>  | <b>BF 1S4T</b>  |                    |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.32</td> <td>57.89</td> <td>74.00</td> <td>-16.11</td> <td>48.58</td> <td>34.55</td> <td>10.83</td> </tr> <tr> <td>2</td> <td>5468.24</td> <td>57.51</td> <td>68.20</td> <td>-10.69</td> <td>48.14</td> <td>34.57</td> <td>10.85</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5454.32 | 57.89 | 74.00 | -16.11 | 48.58 | 34.55 | 10.83 | 2   | 5468.24 | 57.51 | 68.20 | -10.69 | 48.14  | 34.57 | 10.85 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>112.34</td> <td>-----</td> <td>-----</td> <td>103.00</td> <td>34.60</td> <td>11.02</td> </tr> </tbody> </table> | Limit | Read  | Ant  | Cable  | Preamp | Aux    | APos | TPos   | Freq | Level  | Line   | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m  | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB    | 1 | 5614.00 | 112.34 | ----- | ----- | 103.00 | 34.60 | 11.02 |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5454.32   | 57.89              | 74.00  | -16.11 | 48.58  | 34.55  | 10.83  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 2           | 5468.24   | 57.51              | 68.20  | -10.69 | 48.14  | 34.57  | 10.85  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5614.00   | 112.34             | -----  | -----  | 103.00 | 34.60  | 11.02  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>48.94</td> <td>54.00</td> <td>-5.06</td> <td>39.60</td> <td>34.56</td> <td>10.84</td> </tr> </tbody> </table>  | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5459.60 | 48.94 | 54.00 | -5.06  | 39.60 | 34.56 | 10.84 | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>102.49</td> <td>-----</td> <td>-----</td> <td>93.15</td> <td>34.60</td> <td>11.02</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos   | Freq  | Level | Line | Margin | Level  | Factor | Loss | Factor | MHz  | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   | dB   | dB     | 1   | 5614.00 | 102.49 | ----- | ----- | 93.15 | 34.60 | 11.02 |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5459.60   | 48.94              | 54.00  | -5.06  | 39.60  | 34.56  | 10.84  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |
| 1           | 5614.00   | 102.49             | -----  | -----  | 93.15  | 34.60  | 11.02  |      |      |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |   |         |       |       |        |        |       |       |  |       |       |      |        |        |        |      |        |      |        |        |        |       |        |      |        |     |         |        |       |       |       |       |       |   |         |        |       |       |        |       |       |



| Mode      | 67  |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
|-----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|-------|
|           | Band Edge - R   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| ANT       | BF 1S4T   |             |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Pol.      | Vertical  | Fundamental |              |             |             |        |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Peak      | <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.68</td> <td>60.08</td> <td>68.20</td> <td>-8.12</td> <td>50.22</td> <td>34.69</td> <td>11.18</td> <td>36.01</td> <td>0.00</td> <td>293</td> <td>65 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5728.68 | 60.08 | 68.20 | -8.12 | 50.22 | 34.69 | 11.18 | 36.01 | 0.00 | 293 | 65 Peak | Blank |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |         |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |
| 1 5728.68 | 60.08   | 68.20       | -8.12        | 50.22       | 34.69       | 11.18  | 36.01 | 0.00   | 293  | 65 Peak |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |         |       |



| Mode        | 67  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9272.60</td> <td>48.70</td> <td>68.20</td> <td>-19.50</td> <td>64.54</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11219.60</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>56.82</td> <td>38.08</td> <td>16.18</td> <td>66.37</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 9272.60 | 48.70 | 68.20 | -19.50 | 64.54 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 2 | 11219.60 | 44.71 | 74.00 | -29.29 | 56.82 | 38.08 | 16.18 | 66.37 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8034.00</td> <td>47.96</td> <td>74.00</td> <td>-26.04</td> <td>65.24</td> <td>36.13</td> <td>13.38</td> <td>66.79</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8415.70</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>66.46</td> <td>36.30</td> <td>13.83</td> <td>66.83</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>47.70</td> <td>68.20</td> <td>-20.50</td> <td>63.54</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11220.00</td> <td>44.20</td> <td>74.00</td> <td>-29.80</td> <td>56.31</td> <td>38.08</td> <td>16.18</td> <td>66.37</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>16826.30</td> <td>53.80</td> <td>68.20</td> <td>-14.40</td> <td>57.08</td> <td>41.16</td> <td>19.89</td> <td>64.33</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8034.00 | 47.96 | 74.00 | -26.04 | 65.24 | 36.13 | 13.38 | 66.79 | 0.00 | -- | Peak | 2 | 8415.70 | 49.76 | 74.00 | -24.24 | 66.46 | 36.30 | 13.83 | 66.83 | 0.00 | -- | Peak | 3 | 9272.60 | 47.70 | 68.20 | -20.50 | 63.54 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 4 | 11220.00 | 44.20 | 74.00 | -29.80 | 56.31 | 38.08 | 16.18 | 66.37 | 0.00 | -- | Peak | 5 | 16826.30 | 53.80 | 68.20 | -14.40 | 57.08 | 41.16 | 19.89 | 64.33 | 0.00 | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 9272.60   | 48.70       | 68.20 | -19.50 | 64.54       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 11219.60  | 44.71       | 74.00 | -29.29 | 56.82       | 38.08  | 16.18 | 66.37  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 1           | 8034.00   | 47.96       | 74.00 | -26.04 | 65.24       | 36.13  | 13.38 | 66.79  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 2           | 8415.70   | 49.76       | 74.00 | -24.24 | 66.46       | 36.30  | 13.83 | 66.83  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 3           | 9272.60   | 47.70       | 68.20 | -20.50 | 63.54       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 4           | 11220.00  | 44.20       | 74.00 | -29.80 | 56.31       | 38.08  | 16.18 | 66.37  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |
| 5           | 16826.30  | 53.80       | 68.20 | -14.40 | 57.08       | 41.16  | 19.89 | 64.33  | 0.00 | --     | Peak |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |    |



| Mode        | 68   |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|-------------|--|-------------|-------|--------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|             | Harmonic   |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|             | U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz  |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| ANT         | BF 1S4T  |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Pol.        | Horizontal   | Vertical    |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.70</td> <td>53.91</td> <td>74.00</td> <td>-20.09</td> <td>71.08</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>216</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8085.70</td> <td>50.73</td> <td>54.00</td> <td>-3.27</td> <td>67.90</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>216</td> <td>312</td> <td>Average</td> </tr> <tr> <td>3</td> <td>8534.50</td> <td>48.66</td> <td>68.20</td> <td>-19.54</td> <td>65.36</td> <td>36.27</td> <td>13.88</td> <td>66.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>9271.50</td> <td>48.27</td> <td>68.20</td> <td>-19.93</td> <td>64.12</td> <td>36.54</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11380.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>57.42</td> <td>38.20</td> <td>16.29</td> <td>66.30</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>17056.20</td> <td>56.62</td> <td>68.20</td> <td>-11.58</td> <td>59.72</td> <td>41.29</td> <td>20.04</td> <td>64.43</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.70 | 53.91 | 74.00 | -20.09 | 71.08 | 36.19 | 13.44 | 66.80 | 0.00 | 216 | 312 | Peak | 2 | 8085.70 | 50.73 | 54.00 | -3.27 | 67.90 | 36.19 | 13.44 | 66.80 | 0.00 | 216 | 312 | Average | 3 | 8534.50 | 48.66 | 68.20 | -19.54 | 65.36 | 36.27 | 13.88 | 66.85 | 0.00 | -- | -- | Peak | 4 | 9271.50 | 48.27 | 68.20 | -19.93 | 64.12 | 36.54 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11380.00 | 45.61 | 74.00 | -28.39 | 57.42 | 38.20 | 16.29 | 66.30 | 0.00 | -- | -- | PEAK | 6 | 17056.20 | 56.62 | 68.20 | -11.58 | 59.72 | 41.29 | 20.04 | 64.43 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.70</td> <td>44.38</td> <td>74.00</td> <td>-29.62</td> <td>61.55</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8535.60</td> <td>45.24</td> <td>68.20</td> <td>-22.96</td> <td>61.95</td> <td>36.26</td> <td>13.88</td> <td>66.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11380.00</td> <td>45.40</td> <td>74.00</td> <td>-28.60</td> <td>57.21</td> <td>38.20</td> <td>16.29</td> <td>66.30</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.70 | 44.38 | 74.00 | -29.62 | 61.55 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 8535.60 | 45.24 | 68.20 | -22.96 | 61.95 | 36.26 | 13.88 | 66.85 | 0.00 | -- | -- | Peak | 3 | 11380.00 | 45.40 | 74.00 | -28.60 | 57.21 | 38.20 | 16.29 | 66.30 | 0.00 | -- | -- | PEAK |
|             | Limit  | Read        | Ant   | Cable  | Preamp      | Aux    | APos  | TPos   | Remark |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1           | 8085.70  | 53.91       | 74.00 | -20.09 | 71.08       | 36.19  | 13.44 | 66.80  | 0.00   | 216    | 312  | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2           | 8085.70  | 50.73       | 54.00 | -3.27  | 67.90       | 36.19  | 13.44 | 66.80  | 0.00   | 216    | 312  | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3           | 8534.50  | 48.66       | 68.20 | -19.54 | 65.36       | 36.27  | 13.88 | 66.85  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4           | 9271.50  | 48.27       | 68.20 | -19.93 | 64.12       | 36.54  | 14.53 | 66.92  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5           | 11380.00   | 45.61       | 74.00 | -28.39 | 57.42       | 38.20  | 16.29 | 66.30  | 0.00   | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6           | 17056.20   | 56.62       | 68.20 | -11.58 | 59.72       | 41.29  | 20.04 | 64.43  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit       | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq        | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1           | 8085.70  | 44.38       | 74.00 | -29.62 | 61.55       | 36.19  | 13.44 | 66.80  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2           | 8535.60  | 45.24       | 68.20 | -22.96 | 61.95       | 36.26  | 13.88 | 66.85  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3           | 11380.00   | 45.40       | 74.00 | -28.60 | 57.21       | 38.20  | 16.29 | 66.30  | 0.00   | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |



|             | <b>69</b>   |                    |        |        |        |        |        |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|-------------|--|------|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-------------|--|-------|-------|-------|-------|--------|-------|-------|------|-----|----------|--|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|------|--------|-------|--------|------|--------|--------|--------|-----------|--------|--------|-------|-------|-------|-------|-------|------|-----|-------------|-----------|--------|-------|-------|--------|-------|-------|-------|------|-----|----------|
| <b>Mode</b> | <b>Band Edge - L</b>  |                    |        |        |        |        |        |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
|             | <b>U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz</b>   |                    |        |        |        |        |        |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| <b>ANT</b>  | <b>BF 1S4T</b>  |                    |        |        |        |        |        |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.76</td> <td>63.87</td> <td>74.00</td> <td>-10.13</td> <td>54.53</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>301</td> <td>105 Peak</td> </tr> <tr> <td>2 5460.56</td> <td>64.41</td> <td>68.20</td> <td>-3.79</td> <td>55.07</td> <td>34.56</td> <td>10.84</td> <td>36.06</td> <td>0.00</td> <td>301</td> <td>105 Peak</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |             |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 5459.76 | 63.87 | 74.00 | -10.13 | 54.53 | 34.56 | 10.84 | 36.06 | 0.00 | 301 | 105 Peak    | 2 5460.56  | 64.41 | 68.20 | -3.79 | 55.07 | 34.56  | 10.84 | 36.06 | 0.00 | 301 | 105 Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5596.00</td> <td>109.56</td> <td>-----</td> <td>-----</td> <td>100.21</td> <td>34.60</td> <td>10.99</td> <td>36.24</td> <td>0.00</td> <td>301</td> <td>105 Peak</td> </tr> </tbody> </table> | Limit | Read | Ant    | Cable | Preamp | Aux  | APos   | TPos   |        |     | Freq   | Level  | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB    | dB   | cm  | deg         | 1 5596.00 | 109.56 | ----- | ----- | 100.21 | 34.60 | 10.99 | 36.24 | 0.00 | 301 | 105 Peak |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg         |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| 1 5459.76   | 63.87   | 74.00              | -10.13 | 54.53  | 34.56  | 10.84  | 36.06  | 0.00   | 301    | 105 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| 2 5460.56   | 64.41   | 68.20              | -3.79  | 55.07  | 34.56  | 10.84  | 36.06  | 0.00   | 301    | 105 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg         |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| 1 5596.00   | 109.56  | -----              | -----  | 100.21 | 34.60  | 10.99  | 36.24  | 0.00   | 301    | 105 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.00</td> <td>53.31</td> <td>54.00</td> <td>-0.69</td> <td>43.98</td> <td>34.56</td> <td>10.84</td> <td>36.07</td> <td>0.00</td> <td>301</td> <td>105 Average</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |             |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 5458.00 | 53.31 | 54.00 | -0.69  | 43.98 | 34.56 | 10.84 | 36.07 | 0.00 | 301 | 105 Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5596.00</td> <td>100.19</td> <td>-----</td> <td>-----</td> <td>90.85</td> <td>34.60</td> <td>11.00</td> <td>36.26</td> <td>0.00</td> <td>301</td> <td>105 Average</td> </tr> </tbody> </table> | Limit | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos |     |          | Freq   | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB   | dBuV   | dB/m  | dB     | dB   | dB     | cm     | deg    | 1 5596.00 | 100.19 | -----  | ----- | 90.85 | 34.60 | 11.00 | 36.26 | 0.00 | 301 | 105 Average |           |        |       |       |        |       |       |       |      |     |          |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg         |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| 1 5458.00   | 53.31   | 54.00              | -0.69  | 43.98  | 34.56  | 10.84  | 36.07  | 0.00   | 301    | 105 Average |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Limit       | Read  | Ant                | Cable  | Preamp | Aux    | APos   | TPos   |        |        |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |             |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg         |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |
| 1 5596.00   | 100.19  | -----              | -----  | 90.85  | 34.60  | 11.00  | 36.26  | 0.00   | 301    | 105 Average |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |             |  |       |       |       |       |        |       |       |      |     |          |  |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |             |           |        |       |       |        |       |       |       |      |     |          |



| Mode      | 69   |             |              |             |        |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|-----------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|--------------|-------|
|           | Band Edge - R  |             |              |             |        |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz   |             |              |             |        |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| ANT       | BF 1S4T  |             |              |             |        |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Pol.      | Horizontal   | Fundamental |              |             |        |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.76</td> <td>64.99</td> <td>68.20</td> <td>-3.21</td> <td>55.09</td> <td>34.71</td> <td>11.19</td> <td>36.00</td> <td>0.00</td> <td>301 105 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos         | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5736.76 | 64.99 | 68.20 | -3.21 | 55.09 | 34.71 | 11.19 | 36.00 | 0.00 | 301 105 Peak | Blank |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |              |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg          |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |
| 1 5736.76 | 64.99  | 68.20       | -3.21        | 55.09       | 34.71  | 11.19  | 36.00 | 0.00   | 301 105 Peak |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |              |       |



|           |   | 69          |        |        |        |        |        |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|--------|-----------|--|------|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----------|---|-------|-------|-------|-------|--------|-------|-------|------|-----|--------|---|-------|------|--------|-------|--------|------|--------|--------|--------|-----|--------|--------|------|--------|-------|--------|------|--------|--------|--------|-----------|--------|--------|-------|-------|-------|-------|-------|------|-----|-----------|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----|--------|
| Mode      | Band Edge - L   |             |        |        |        |        |        |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
|           | U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz  |             |        |        |        |        |        |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| ANT       | BF 1S4T   |             |        |        |        |        |        |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Pol.      | Vertical  | Fundamental |        |        |        |        |        |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5457.68</td> <td>58.27</td> <td>74.00</td> <td>-15.73</td> <td>48.94</td> <td>34.56</td> <td>10.84</td> <td>36.07</td> <td>0.00</td> <td>225</td> <td>0 Peak</td> </tr> <tr> <td>2 5465.04</td> <td>59.29</td> <td>68.20</td> <td>-8.91</td> <td>49.93</td> <td>34.57</td> <td>10.85</td> <td>36.06</td> <td>0.00</td> <td>225</td> <td>0 Peak</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |           |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 5457.68 | 58.27 | 74.00 | -15.73 | 48.94 | 34.56 | 10.84 | 36.07 | 0.00 | 225 | 0 Peak    | 2 5465.04   | 59.29 | 68.20 | -8.91 | 49.93 | 34.57  | 10.85 | 36.06 | 0.00 | 225 | 0 Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5536.00</td> <td>105.43</td> <td>-----</td> <td>-----</td> <td>95.96</td> <td>34.60</td> <td>10.89</td> <td>36.02</td> <td>0.00</td> <td>225</td> <td>0 Peak</td> </tr> </tbody> </table> | Limit | Read | Ant    | Cable | Preamp | Aux  | APos   | TPos   |        |     | Freq   | Level  | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB/m  | dB    | dB    | dB   | cm  | deg       | 1 5536.00 | 105.43 | ----- | ----- | 95.96 | 34.60 | 10.89 | 36.02 | 0.00 | 225 | 0 Peak |
|           | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg       |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| 1 5457.68 | 58.27   | 74.00       | -15.73 | 48.94  | 34.56  | 10.84  | 36.07  | 0.00   | 225    | 0 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| 2 5465.04 | 59.29   | 68.20       | -8.91  | 49.93  | 34.57  | 10.85  | 36.06  | 0.00   | 225    | 0 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg       |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| 1 5536.00 | 105.43  | -----       | -----  | 95.96  | 34.60  | 10.89  | 36.02  | 0.00   | 225    | 0 Peak    |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Avg       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5454.96</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>39.88</td> <td>34.55</td> <td>10.83</td> <td>36.07</td> <td>0.00</td> <td>225</td> <td>0 Average</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |           |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 5454.96 | 49.19 | 54.00 | -4.81  | 39.88 | 34.55 | 10.83 | 36.07 | 0.00 | 225 | 0 Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5536.00</td> <td>96.44</td> <td>-----</td> <td>-----</td> <td>87.00</td> <td>34.60</td> <td>10.93</td> <td>36.09</td> <td>0.00</td> <td>225</td> <td>0 Average</td> </tr> </tbody> </table> | Limit | Read  | Ant   | Cable | Preamp | Aux   | APos  | TPos |     |        | Freq  | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB   | dBuV   | dB/m  | dB     | dB   | dB     | cm     | deg    | 1 5536.00 | 96.44  | -----  | ----- | 87.00 | 34.60 | 10.93 | 36.09 | 0.00 | 225 | 0 Average |           |        |       |       |       |       |       |       |      |     |        |
|           | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg       |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| 1 5454.96 | 49.19   | 54.00       | -4.81  | 39.88  | 34.55  | 10.83  | 36.07  | 0.00   | 225    | 0 Average |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   |        |        |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor | Remark |           |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg       |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |
| 1 5536.00 | 96.44   | -----       | -----  | 87.00  | 34.60  | 10.93  | 36.09  | 0.00   | 225    | 0 Average |  |      |       |      |        |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |           |       |       |        |       |       |       |       |      |     |           |   |       |       |       |       |        |       |       |      |     |        |   |       |      |        |       |        |      |        |        |        |     |        |        |      |        |       |        |      |        |        |        |           |        |        |       |       |       |       |       |      |     |           |           |        |       |       |       |       |       |       |      |     |        |



| Mode      | 69   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
|-----------|--|-------------|--------------|-------------|-------------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|--------|-------|
|           | Band Edge - R  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
|           | U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz   |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| ANT       | BF 1S4T  |             |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| Pol.      | Vertical   | Fundamental |              |             |             |        |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| Peak      | <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.64</td> <td>59.96</td> <td>68.20</td> <td>-8.24</td> <td>50.03</td> <td>34.72</td> <td>11.20</td> <td>35.99</td> <td>0.00</td> <td>225</td> <td>0 Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5739.64 | 59.96 | 68.20 | -8.24 | 50.03 | 34.72 | 11.20 | 35.99 | 0.00 | 225 | 0 Peak | Blank |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |
| 1 5739.64 | 59.96  | 68.20       | -8.24        | 50.03       | 34.72       | 11.20  | 35.99 | 0.00   | 225  | 0 Peak |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |        |       |





| Mode        | 69  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.70</td> <td>44.72</td> <td>74.00</td> <td>-29.28</td> <td>61.89</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8355.20</td> <td>45.66</td> <td>74.00</td> <td>-28.34</td> <td>62.38</td> <td>36.34</td> <td>13.77</td> <td>66.83</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9271.50</td> <td>47.91</td> <td>68.20</td> <td>-20.29</td> <td>63.76</td> <td>36.54</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11140.00</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>59.21</td> <td>38.01</td> <td>16.13</td> <td>66.41</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.70 | 44.72 | 74.00 | -29.28 | 61.89 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 8355.20 | 45.66 | 74.00 | -28.34 | 62.38 | 36.34 | 13.77 | 66.83 | 0.00 | -- | -- | Peak | 3 | 9271.50 | 47.91 | 68.20 | -20.29 | 63.76 | 36.54 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 4 | 11140.00 | 46.94 | 74.00 | -27.06 | 59.21 | 38.01 | 16.13 | 66.41 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.70</td> <td>51.33</td> <td>74.00</td> <td>-22.67</td> <td>68.50</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>100</td> <td>216</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8085.70</td> <td>46.83</td> <td>54.00</td> <td>-7.17</td> <td>64.00</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>100</td> <td>216</td> <td>Average</td> </tr> <tr> <td>3</td> <td>8355.20</td> <td>54.79</td> <td>74.00</td> <td>-19.21</td> <td>71.51</td> <td>36.34</td> <td>13.77</td> <td>66.83</td> <td>0.00</td> <td>100</td> <td>80</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>8355.20</td> <td>51.79</td> <td>54.00</td> <td>-2.21</td> <td>68.51</td> <td>36.34</td> <td>13.77</td> <td>66.83</td> <td>0.00</td> <td>100</td> <td>80</td> <td>Average</td> </tr> <tr> <td>5</td> <td>9272.60</td> <td>48.16</td> <td>68.20</td> <td>-20.04</td> <td>64.00</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>11140.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>58.20</td> <td>38.01</td> <td>16.13</td> <td>66.41</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.70 | 51.33 | 74.00 | -22.67 | 68.50 | 36.19 | 13.44 | 66.80 | 0.00 | 100 | 216 | Peak | 2 | 8085.70 | 46.83 | 54.00 | -7.17 | 64.00 | 36.19 | 13.44 | 66.80 | 0.00 | 100 | 216 | Average | 3 | 8355.20 | 54.79 | 74.00 | -19.21 | 71.51 | 36.34 | 13.77 | 66.83 | 0.00 | 100 | 80 | Peak | 4 | 8355.20 | 51.79 | 54.00 | -2.21 | 68.51 | 36.34 | 13.77 | 66.83 | 0.00 | 100 | 80 | Average | 5 | 9272.60 | 48.16 | 68.20 | -20.04 | 64.00 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 6 | 11140.00 | 45.93 | 74.00 | -28.07 | 58.20 | 38.01 | 16.13 | 66.41 | 0.00 | -- | -- |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8085.70   | 44.72       | 74.00 | -29.28 | 61.89       | 36.19  | 13.44 | 66.80  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8355.20   | 45.66       | 74.00 | -28.34 | 62.38       | 36.34  | 13.77 | 66.83  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 9271.50   | 47.91       | 68.20 | -20.29 | 63.76       | 36.54  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 11140.00  | 46.94       | 74.00 | -27.06 | 59.21       | 38.01  | 16.13 | 66.41  | 0.00 | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 1           | 8085.70   | 51.33       | 74.00 | -22.67 | 68.50       | 36.19  | 13.44 | 66.80  | 0.00 | 100    | 216  | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 2           | 8085.70   | 46.83       | 54.00 | -7.17  | 64.00       | 36.19  | 13.44 | 66.80  | 0.00 | 100    | 216  | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 3           | 8355.20   | 54.79       | 74.00 | -19.21 | 71.51       | 36.34  | 13.77 | 66.83  | 0.00 | 100    | 80   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 4           | 8355.20   | 51.79       | 54.00 | -2.21  | 68.51       | 36.34  | 13.77 | 66.83  | 0.00 | 100    | 80   | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 5           | 9272.60   | 48.16       | 68.20 | -20.04 | 64.00       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |
| 6           | 11140.00  | 45.93       | 74.00 | -28.07 | 58.20       | 38.01  | 16.13 | 66.41  | 0.00 | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |



| <b>70</b>   |  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|---|--|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>   | <b>Band Edge - L</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz</b> |  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Pol.</b>   | <b>Horizontal</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Peak</b>   | <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.80</td> <td>58.99</td> <td>68.20</td> <td>-9.21</td> <td>49.64</td> <td>34.60</td> <td>11.05</td> <td>36.30</td> <td>0.00</td> <td>344</td> <td>129</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.80</td> <td>58.67</td> <td>70.29</td> <td>-11.62</td> <td>49.29</td> <td>34.60</td> <td>11.08</td> <td>36.30</td> <td>0.00</td> <td>344</td> <td>129</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.80</td> <td>71.67</td> <td>110.56</td> <td>-38.89</td> <td>61.87</td> <td>34.66</td> <td>11.17</td> <td>36.03</td> <td>0.00</td> <td>344</td> <td>129</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.40</td> <td>77.65</td> <td>116.37</td> <td>-38.72</td> <td>67.83</td> <td>34.67</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>344</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.32</td> <td>-----</td> <td>-----</td> <td>105.33</td> <td>34.76</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>344</td> <td>129</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5636.80 | 58.99  | 68.20 | -9.21 | 49.64 | 34.60 | 11.05 | 36.30 | 0.00 | 344 | 129 | PEAK    | 2 | 5652.80 | 58.67 | 70.29 | -11.62 | 49.29 | 34.60 | 11.08 | 36.30 | 0.00 | 344 | 129 | PEAK | 3 | 5718.80 | 71.67 | 110.56 | -38.89 | 61.87 | 34.66 | 11.17 | 36.03 | 0.00 | 344 | 129 | PEAK | 4 | 5722.40 | 77.65 | 116.37 | -38.72 | 67.83 | 34.67 | 11.17 | 36.02 | 0.00 | 344 | 129 | PEAK | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5745.00 | 115.32 | ----- | ----- | 105.33 | 34.76 | 11.21 | 35.98 | 0.00 | 344 | 129 | PEAK |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5636.80  | 58.99       | 68.20  | -9.21  | 49.64       | 34.60  | 11.05 | 36.30  | 0.00 | 344    | 129  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2   | 5652.80  | 58.67       | 70.29  | -11.62 | 49.29       | 34.60  | 11.08 | 36.30  | 0.00 | 344    | 129  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 3   | 5718.80  | 71.67       | 110.56 | -38.89 | 61.87       | 34.66  | 11.17 | 36.03  | 0.00 | 344    | 129  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 4   | 5722.40  | 77.65       | 116.37 | -38.72 | 67.83       | 34.67  | 11.17 | 36.02  | 0.00 | 344    | 129  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5745.00  | 115.32      | -----  | -----  | 105.33      | 34.76  | 11.21 | 35.98  | 0.00 | 344    | 129  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Avg</b>  | <div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>93.01</td> <td>34.76</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>344</td> <td>129</td> <td>Average</td> </tr> </tbody> </table> </div> </div>   | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5752.00 | 103.00 | ----- | ----- | 93.01 | 34.76 | 11.21 | 35.98 | 0.00 | 344 | 129 | Average |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5752.00  | 103.00      | -----  | -----  | 93.01       | 34.76  | 11.21 | 35.98  | 0.00 | 344    | 129  | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode  | 70   |  |        |        |        |        |        |        |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
|-------|--|--|--------|--------|--------|--------|--------|--------|------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|----|---------|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
|       | Band Edge - L  |  |        |        |        |        |        |        |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
|       | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHZ   |  |        |        |        |        |        |        |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| ANT   | BF 1S4T  |  |        |        |        |        |        |        |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Pol.  | Vertical   | Fundamental  |        |        |        |        |        |        |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.00</td> <td>60.87</td> <td>68.20</td> <td>-7.33</td> <td>51.52</td> <td>34.60</td> <td>11.05</td> <td>36.30</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>58.79</td> <td>69.09</td> <td>-10.30</td> <td>49.43</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>84.70</td> <td>110.68</td> <td>-25.98</td> <td>74.90</td> <td>34.66</td> <td>11.17</td> <td>36.03</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.40</td> <td>86.50</td> <td>111.81</td> <td>-25.31</td> <td>76.69</td> <td>34.66</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table> | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq   | Level   | Line  | Margin | Level  | Factor | Loss   | Factor | Factor | MHz    | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | 1  | 5632.00 | 60.87   | 68.20  | -7.33 | 51.52 | 34.60  | 11.05 | 36.30 | 0.00  | 100  | 275 | PEAK | 2       | 5651.20 | 58.79 | 69.09 | -10.30 | 49.43 | 34.60 | 11.07 | 36.31 | 0.00 | 100 | 275 | PEAK | 3 | 5719.20 | 84.70 | 110.68 | -25.98 | 74.90 | 34.66 | 11.17 | 36.03 | 0.00 | 100 | 275 | PEAK | 4 | 5728.40 | 86.50 | 111.81 | -25.31 | 76.69 | 34.66 | 11.17 | 36.02 | 0.00 | 100 | 275 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>121.49</td> <td>-----</td> <td>-----</td> <td>111.50</td> <td>34.76</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>100</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 5745.00 | 121.49 | ----- | ----- | 111.50 | 34.76 | 11.21 | 35.98 | 0.00 | 100 | 275 | PEAK |
| Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5632.00  | 60.87  | 68.20  | -7.33  | 51.52  | 34.60  | 11.05  | 36.30  | 0.00 | 100    | 275    | PEAK    |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2     | 5651.20  | 58.79  | 69.09  | -10.30 | 49.43  | 34.60  | 11.07  | 36.31  | 0.00 | 100    | 275    | PEAK    |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 3     | 5719.20  | 84.70  | 110.68 | -25.98 | 74.90  | 34.66  | 11.17  | 36.03  | 0.00 | 100    | 275    | PEAK    |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 4     | 5728.40  | 86.50  | 111.81 | -25.31 | 76.69  | 34.66  | 11.17  | 36.02  | 0.00 | 100    | 275    | PEAK    |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5745.00  | 121.49   | -----  | -----  | 111.50 | 34.76  | 11.21  | 35.98  | 0.00 | 100    | 275    | PEAK    |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Avg   | Blank  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.99</td> <td>-----</td> <td>-----</td> <td>103.00</td> <td>34.76</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>100</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos   | Remark | Freq    | Level | Line   | Margin | Level  | Factor | Loss   | Factor | Factor | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm | 1       | 5745.00 | 112.99 | ----- | ----- | 103.00 | 34.76 | 11.21 | 35.98 | 0.00 | 100 | 275  | AVERAGE |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit | Read   | Ant  | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line   | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     |      |        |        |         |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1     | 5745.00  | 112.99   | -----  | -----  | 103.00 | 34.76  | 11.21  | 35.98  | 0.00 | 100    | 275    | AVERAGE |       |        |        |        |        |        |        |        |        |        |        |      |      |      |    |    |    |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode     | 70  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
|----------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|---|------|
|          | Harmonic  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
|          | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz  |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| ANT      | BF 1S4T   |             |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Pol.     | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.33</td> <td>49.39</td> <td>74.00</td> <td>-24.61</td> <td>66.56</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8617.73</td> <td>47.71</td> <td>68.20</td> <td>-20.49</td> <td>64.44</td> <td>36.22</td> <td>13.93</td> <td>66.88</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>48.16</td> <td>68.20</td> <td>-20.04</td> <td>64.00</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11490.20</td> <td>45.44</td> <td>74.00</td> <td>-28.56</td> <td>57.04</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>17239.53</td> <td>66.76</td> <td>68.20</td> <td>-1.44</td> <td>69.93</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>300</td> <td>80</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.33 | 49.39 | 74.00 | -24.61 | 66.56 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 8617.73 | 47.71 | 68.20 | -20.49 | 64.44 | 36.22 | 13.93 | 66.88 | 0.00 | -- | -- | Peak | 3 | 9272.60 | 48.16 | 68.20 | -20.04 | 64.00 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 4 | 11490.20 | 45.44 | 74.00 | -28.56 | 57.04 | 38.29 | 16.36 | 66.25 | 0.00 | -- | -- | Peak | 5 | 17239.53 | 66.76 | 68.20 | -1.44 | 69.93 | 41.25 | 20.16 | 64.58 | 0.00 | 300 | 80 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.20</td> <td>44.98</td> <td>74.00</td> <td>-29.02</td> <td>56.58</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17238.80</td> <td>59.09</td> <td>68.20</td> <td>-9.11</td> <td>62.26</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>257</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 11490.20 | 44.98 | 74.00 | -29.02 | 56.58 | 38.29 | 16.36 | 66.25 | 0.00 | -- | -- | Peak | 2 | 17238.80 | 59.09 | 68.20 | -9.11 | 62.26 | 41.25 | 20.16 | 64.58 | 0.00 | 257 | 0 | Peak |
| Limit    | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Freq     | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| MHz      | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 1        | 8085.33   | 49.39       | 74.00 | -24.61 | 66.56       | 36.19  | 13.44 | 66.80  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 2        | 8617.73   | 47.71       | 68.20 | -20.49 | 64.44       | 36.22  | 13.93 | 66.88  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 3        | 9272.60   | 48.16       | 68.20 | -20.04 | 64.00       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 4        | 11490.20  | 45.44       | 74.00 | -28.56 | 57.04       | 38.29  | 16.36 | 66.25  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 5        | 17239.53  | 66.76       | 68.20 | -1.44  | 69.93       | 41.25  | 20.16 | 64.58  | 0.00 | 300    | 80   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Limit    | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Freq     | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| MHz      | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 1        | 11490.20  | 44.98       | 74.00 | -29.02 | 56.58       | 38.29  | 16.36 | 66.25  | 0.00 | --     | --   | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 2        | 17238.80  | 59.09       | 68.20 | -9.11  | 62.26       | 41.25  | 20.16 | 64.58  | 0.00 | 257    | 0    | Peak  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |






| Mode        | 71   |             |              |             |             |        |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
|-------------|--|-------------|--------------|-------------|-------------|--------|--------|-------|--------|--------|--------|---------|-------|-------------|--------------|-------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|---|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
|             | Harmonic   |             |              |             |             |        |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
|             | U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz   |             |              |             |             |        |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| ANT         | BF 1S4T  |             |              |             |             |        |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| Pol.        | Horizontal   | Vertical    |              |             |             |        |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8677.50</td> <td>48.10</td> <td>68.20</td> <td>-20.10</td> <td>64.72</td> <td>36.28</td> <td>14.00</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>46.06</td> <td>68.20</td> <td>-22.14</td> <td>61.90</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11569.40</td> <td>46.85</td> <td>74.00</td> <td>-27.15</td> <td>58.31</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17368.60</td> <td>67.80</td> <td>68.20</td> <td>-0.40</td> <td>71.00</td> <td>41.23</td> <td>20.25</td> <td>64.68</td> <td>0.00</td> <td>300</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table> |             | Limit        | Read        | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq    | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 8677.50 | 48.10 | 68.20 | -20.10 | 64.72 | 36.28 | 14.00 | 66.90 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 46.06 | 68.20 | -22.14 | 61.90 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11569.40 | 46.85 | 74.00 | -27.15 | 58.31 | 38.36 | 16.41 | 66.23 | 0.00 | -- | -- | Peak | 4 | 17368.60 | 67.80 | 68.20 | -0.40 | 71.00 | 41.23 | 20.25 | 64.68 | 0.00 | 300 | 58 | Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.33</td> <td>45.73</td> <td>74.00</td> <td>-28.27</td> <td>62.90</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>58.57</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11570.00</td> <td>36.84</td> <td>54.00</td> <td>-17.16</td> <td>48.29</td> <td>38.36</td> <td>16.41</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>17377.40</td> <td>62.02</td> <td>68.20</td> <td>-6.18</td> <td>65.24</td> <td>41.22</td> <td>20.25</td> <td>64.69</td> <td>0.00</td> <td>109</td> <td>139</td> <td>Peak</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 8085.33 | 45.73 | 74.00 | -28.27 | 62.90 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 11570.00 | 47.11 | 74.00 | -26.89 | 58.57 | 38.36 | 16.41 | 66.23 | 0.00 | 100 | 0 | PEAK | 3 | 11570.00 | 36.84 | 54.00 | -17.16 | 48.29 | 38.36 | 16.41 | 66.22 | 0.00 | 100 | 0 | AVERAGE | 4 | 17377.40 | 62.02 | 68.20 | -6.18 | 65.24 | 41.22 | 20.25 | 64.69 | 0.00 | 109 | 139 | Peak |
|             |  | Limit       | Read         | Ant         | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB     | dB    | cm     | deg    |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 1           | 8677.50  | 48.10       | 68.20        | -20.10      | 64.72       | 36.28  | 14.00  | 66.90 | 0.00   | --     | --     | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 2           | 9272.60  | 46.06       | 68.20        | -22.14      | 61.90       | 36.55  | 14.53  | 66.92 | 0.00   | --     | --     | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 3           | 11569.40   | 46.85       | 74.00        | -27.15      | 58.31       | 38.36  | 16.41  | 66.23 | 0.00   | --     | --     | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 4           | 17368.60   | 67.80       | 68.20        | -0.40       | 71.00       | 41.23  | 20.25  | 64.68 | 0.00   | 300    | 58     | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
|             | Limit  | Read        | Ant          | Cable       | Preamp      | Aux    | APos   | TPos  | Remark |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |        |       |        |        |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB     | dB    | cm     | deg    |        |         |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 1           | 8085.33  | 45.73       | 74.00        | -28.27      | 62.90       | 36.19  | 13.44  | 66.80 | 0.00   | --     | --     | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 2           | 11570.00   | 47.11       | 74.00        | -26.89      | 58.57       | 38.36  | 16.41  | 66.23 | 0.00   | 100    | 0      | PEAK    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 3           | 11570.00   | 36.84       | 54.00        | -17.16      | 48.29       | 38.36  | 16.41  | 66.22 | 0.00   | 100    | 0      | AVERAGE |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |
| 4           | 17377.40   | 62.02       | 68.20        | -6.18       | 65.24       | 41.22  | 20.25  | 64.69 | 0.00   | 109    | 139    | Peak    |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |   |      |   |          |       |       |        |       |       |       |       |      |     |   |         |   |          |       |       |       |       |       |       |       |      |     |     |      |



| <b>72</b>  |                    |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|--|--------------------|-------------|--------------|-------------|-------------|--------|--------|-------|--------|------|-----|---------|-------|-------------|--------------|-------------|-------------|--------|--|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|--------|--------|--------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>  | <b>Band Edge</b>   |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz</b>  |                    |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <b>ANT</b>   | <b>BF 1S4T</b>     |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <b>Pol.</b>  | <b>Horizontal</b>  |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <b>Peak</b>  | <b>Fundamental</b> |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|  |                    |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>68.04</td> <td>111.36</td> <td>-43.32</td> <td>57.87</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>108</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.60</td> <td>66.44</td> <td>110.73</td> <td>-44.29</td> <td>56.28</td> <td>35.01</td> <td>11.34</td> <td>36.19</td> <td>0.00</td> <td>108</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>59.38</td> <td>68.94</td> <td>-9.56</td> <td>49.46</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>108</td> <td>211</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.80</td> <td>58.86</td> <td>68.20</td> <td>-9.34</td> <td>48.93</td> <td>35.13</td> <td>11.41</td> <td>36.61</td> <td>0.00</td> <td>108</td> <td>211</td> <td>PEAK</td> </tr> </tbody> </table> |                    |             | Limit        | Read        | Ant         | Cable  | Preamp | Aux   | APos   | TPos |     | Freq    | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.80 | 68.04  | 111.36 | -43.32 | 57.87  | 35.01 | 11.34 | 36.18 | 0.00 | 108 | 211 | PEAK    | 2 | 5855.60 | 66.44 | 110.73 | -44.29 | 56.28 | 35.01 | 11.34 | 36.19 | 0.00 | 108 | 211 | PEAK | 3 | 5924.00 | 59.38 | 68.94 | -9.56 | 49.46 | 35.12 | 11.40 | 36.60 | 0.00 | 108 | 211 | PEAK | 4 | 5938.80 | 58.86 | 68.20 | -9.34 | 48.93 | 35.13 | 11.41 | 36.61 | 0.00 | 108 | 211 | PEAK |
|  | Limit              | Read        | Ant          | Cable       | Preamp      | Aux    | APos   | TPos  |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| Freq   | Level              | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |        |       | Remark |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| MHz  | dBuV/m             | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB     | cm    | deg    |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 1  | 5854.80            | 68.04       | 111.36       | -43.32      | 57.87       | 35.01  | 11.34  | 36.18 | 0.00   | 108  | 211 | PEAK    |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 2  | 5855.60            | 66.44       | 110.73       | -44.29      | 56.28       | 35.01  | 11.34  | 36.19 | 0.00   | 108  | 211 | PEAK    |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 3  | 5924.00            | 59.38       | 68.94        | -9.56       | 49.46       | 35.12  | 11.40  | 36.60 | 0.00   | 108  | 211 | PEAK    |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 4  | 5938.80            | 58.86       | 68.20        | -9.34       | 48.93       | 35.13  | 11.41  | 36.61 | 0.00   | 108  | 211 | PEAK    |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|  |                    |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>115.26</td> <td>-----</td> <td>-----</td> <td>105.18</td> <td>34.94</td> <td>11.30</td> <td>36.16</td> <td>0.00</td> <td>108</td> <td>211</td> <td>PEAK</td> </tr> </tbody> </table>   |                    |             | Limit        | Read        | Ant         | Cable  | Preamp | Aux   | APos   | TPos |     | Freq    | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5825.00 | 115.26 | -----  | -----  | 105.18 | 34.94 | 11.30 | 36.16 | 0.00 | 108 | 211 | PEAK    |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|  | Limit              | Read        | Ant          | Cable       | Preamp      | Aux    | APos   | TPos  |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| Freq   | Level              | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |        |       | Remark |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| MHz  | dBuV/m             | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB     | cm    | deg    |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 1  | 5825.00            | 115.26      | -----        | -----       | 105.18      | 34.94  | 11.30  | 36.16 | 0.00   | 108  | 211 | PEAK    |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <b>Avg</b>   | <b>Blank</b>       |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|  |                    |             |              |             |             |        |        |       |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.14</td> <td>-----</td> <td>-----</td> <td>98.06</td> <td>34.94</td> <td>11.30</td> <td>36.16</td> <td>0.00</td> <td>108</td> <td>211</td> <td>AVERAGE</td> </tr> </tbody> </table>   |                    |             | Limit        | Read        | Ant         | Cable  | Preamp | Aux   | APos   | TPos |     | Freq    | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5825.00 | 108.14 | -----  | -----  | 98.06  | 34.94 | 11.30 | 36.16 | 0.00 | 108 | 211 | AVERAGE |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
|  | Limit              | Read        | Ant          | Cable       | Preamp      | Aux    | APos   | TPos  |        |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| Freq   | Level              | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |        |       | Remark |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| MHz  | dBuV/m             | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB     | cm    | deg    |      |     |         |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |
| 1  | 5825.00            | 108.14      | -----        | -----       | 98.06       | 34.94  | 11.30  | 36.16 | 0.00   | 108  | 211 | AVERAGE |       |             |              |             |             |        |  |  |        |     |        |        |    |      |      |    |    |    |     |   |         |        |        |        |        |       |       |       |      |     |     |         |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |



|      | 72   |   |        |        |             |        |        |        |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|------|--|---|--------|--------|-------------|--------|--------|--------|--------|------|------|---------|-------|-------------|-------------|--------|-------------|-------------|--------|--|--------|--------|-----|--------|--------|--------|------|------|------|----|----|-----|-----|---------|---------|--------|--------|-------|--------|-------|-------|-------|------|-----|------|---------|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|--|-------|------|-----|-------|--------|-----|------|------|--|------|-------|-------------|-------|--------|-------------|--------|--|--|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| Mode | Band Edge  |   |        |        |             |        |        |        |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz   |   |        |        |             |        |        |        |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| ANT  | BF 1S4T  |   |        |        |             |        |        |        |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Pol. | Vertical   | Fundamental   |        |        |             |        |        |        |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Peak |  <table border="1" data-bbox="263 1052 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.60</td> <td>82.45</td> <td>118.65</td> <td>-36.20</td> <td>72.27</td> <td>35.00</td> <td>11.33</td> <td>36.15</td> <td>0.00</td> <td>118</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>77.06</td> <td>110.62</td> <td>-33.56</td> <td>66.90</td> <td>35.01</td> <td>11.34</td> <td>36.19</td> <td>0.00</td> <td>118</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>57.91</td> <td>68.35</td> <td>-10.44</td> <td>47.99</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>118</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.60</td> <td>59.51</td> <td>68.20</td> <td>-8.69</td> <td>49.58</td> <td>35.13</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>118</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table> |   | Limit  | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos |      | Freq    | Level | Line Margin | Level       | Factor | Loss Factor | Factor      |        |  | Remark |        | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5851.60 | 82.45   | 118.65 | -36.20 | 72.27 | 35.00  | 11.33 | 36.15 | 0.00  | 118  | 280 | PEAK | 2       | 5856.00 | 77.06 | 110.62 | -33.56 | 66.90 | 35.01 | 11.34 | 36.19 | 0.00 | 118 | 280 | PEAK | 3 | 5924.80 | 57.91 | 68.35 | -10.44 | 47.99 | 35.12 | 11.40 | 36.60 | 0.00 | 118 | 280 | PEAK | 4 | 5925.60 | 59.51 | 68.20 | -8.69 | 49.58 | 35.13 | 11.40 | 36.60 | 0.00 | 118 | 280 | PEAK |  <table border="1" data-bbox="901 1108 1412 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>122.64</td> <td>-----</td> <td>-----</td> <td>112.53</td> <td>34.95</td> <td>11.31</td> <td>36.15</td> <td>0.00</td> <td>118</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos |  | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5825.00 | 122.64 | ----- | ----- | 112.53 | 34.95 | 11.31 | 36.15 | 0.00 | 118 | 280 | PEAK |
|      |  | Limit   | Read   | Ant    | Cable       | Preamp | Aux    | APos   | TPos   |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |        |        | Remark |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB     | dB     | cm     | deg  |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1    | 5851.60  | 82.45   | 118.65 | -36.20 | 72.27       | 35.00  | 11.33  | 36.15  | 0.00   | 118  | 280  | PEAK    |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2    | 5856.00  | 77.06   | 110.62 | -33.56 | 66.90       | 35.01  | 11.34  | 36.19  | 0.00   | 118  | 280  | PEAK    |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 3    | 5924.80  | 57.91   | 68.35  | -10.44 | 47.99       | 35.12  | 11.40  | 36.60  | 0.00   | 118  | 280  | PEAK    |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 4    | 5925.60  | 59.51   | 68.20  | -8.69  | 49.58       | 35.13  | 11.40  | 36.60  | 0.00   | 118  | 280  | PEAK    |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | Limit  | Read  | Ant    | Cable  | Preamp      | Aux    | APos   | TPos   |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |        |        | Remark |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB     | dB     | cm     | deg  |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1    | 5825.00  | 122.64  | -----  | -----  | 112.53      | 34.95  | 11.31  | 36.15  | 0.00   | 118  | 280  | PEAK    |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Avg  | Blank  |  <table border="1" data-bbox="901 1792 1412 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.49</td> <td>-----</td> <td>-----</td> <td>103.41</td> <td>34.94</td> <td>11.30</td> <td>36.16</td> <td>0.00</td> <td>118</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table> |        | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos | TPos |         | Freq  | Level       | Line Margin | Level  | Factor      | Loss Factor | Factor |  |        | Remark |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5825.00 | 113.49 | -----  | ----- | 103.41 | 34.94 | 11.30 | 36.16 | 0.00 | 118 | 280  | AVERAGE |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | Limit  | Read  | Ant    | Cable  | Preamp      | Aux    | APos   | TPos   |        |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |        |        | Remark |      |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|      | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB     | dB     | cm     | deg  |      |         |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1    | 5825.00  | 113.49  | -----  | -----  | 103.41      | 34.94  | 11.30  | 36.16  | 0.00   | 118  | 280  | AVERAGE |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |        |       |        |       |       |       |      |     |      |         |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode        | 72  |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|---|------|
|             | Harmonic  |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
|             | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz  |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.33</td> <td>48.11</td> <td>74.00</td> <td>-25.89</td> <td>65.28</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>9272.60</td> <td>48.83</td> <td>68.20</td> <td>-19.37</td> <td>64.67</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11638.33</td> <td>51.05</td> <td>74.00</td> <td>-22.95</td> <td>62.40</td> <td>38.41</td> <td>16.45</td> <td>66.21</td> <td>0.00</td> <td>100</td> <td>76</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11638.33</td> <td>42.11</td> <td>54.00</td> <td>-11.89</td> <td>53.46</td> <td>38.41</td> <td>16.45</td> <td>66.21</td> <td>0.00</td> <td>100</td> <td>76</td> <td>Average</td> </tr> <tr> <td>5</td> <td>17470.53</td> <td>67.09</td> <td>68.20</td> <td>-1.11</td> <td>70.34</td> <td>41.21</td> <td>20.31</td> <td>64.77</td> <td>0.00</td> <td>300</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.33 | 48.11 | 74.00 | -25.89 | 65.28 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 9272.60 | 48.83 | 68.20 | -19.37 | 64.67 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 3 | 11638.33 | 51.05 | 74.00 | -22.95 | 62.40 | 38.41 | 16.45 | 66.21 | 0.00 | 100 | 76 | Peak | 4 | 11638.33 | 42.11 | 54.00 | -11.89 | 53.46 | 38.41 | 16.45 | 66.21 | 0.00 | 100 | 76 | Average | 5 | 17470.53 | 67.09 | 68.20 | -1.11 | 70.34 | 41.21 | 20.31 | 64.77 | 0.00 | 300 | 49 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.33</td> <td>46.48</td> <td>74.00</td> <td>-27.52</td> <td>63.65</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11649.33</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>61.48</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17492.53</td> <td>63.74</td> <td>68.20</td> <td>-4.46</td> <td>66.99</td> <td>41.20</td> <td>20.33</td> <td>64.78</td> <td>0.00</td> <td>300</td> <td>6</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8085.33 | 46.48 | 74.00 | -27.52 | 63.65 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 11649.33 | 50.16 | 74.00 | -23.84 | 61.48 | 38.42 | 16.46 | 66.20 | 0.00 | -- | -- | Peak | 3 | 17492.53 | 63.74 | 68.20 | -4.46 | 66.99 | 41.20 | 20.33 | 64.78 | 0.00 | 300 | 6 | Peak |
|             | Limit   | Read        | Ant   | Cable  | Preamp      | Aux    | APos  | TPos   | Remark |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 1           | 8085.33   | 48.11       | 74.00 | -25.89 | 65.28       | 36.19  | 13.44 | 66.80  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 2           | 9272.60   | 48.83       | 68.20 | -19.37 | 64.67       | 36.55  | 14.53 | 66.92  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 3           | 11638.33  | 51.05       | 74.00 | -22.95 | 62.40       | 38.41  | 16.45 | 66.21  | 0.00   | 100    | 76   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 4           | 11638.33  | 42.11       | 54.00 | -11.89 | 53.46       | 38.41  | 16.45 | 66.21  | 0.00   | 100    | 76   | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 5           | 17470.53  | 67.09       | 68.20 | -1.11  | 70.34       | 41.21  | 20.31 | 64.77  | 0.00   | 300    | 49   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 1           | 8085.33   | 46.48       | 74.00 | -27.52 | 63.65       | 36.19  | 13.44 | 66.80  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 2           | 11649.33  | 50.16       | 74.00 | -23.84 | 61.48       | 38.42  | 16.46 | 66.20  | 0.00   | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |
| 3           | 17492.53  | 63.74       | 68.20 | -4.46  | 66.99       | 41.20  | 20.33 | 64.78  | 0.00   | 300    | 6    | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |    |      |   |          |       |       |        |       |       |       |       |      |     |    |         |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |   |      |





| <b>73</b>   |  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|---|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>   | <b>Band Edge - L</b>   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz</b> |  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Pol.</b>   | <b>Horizontal</b>  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Peak</b>   | <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.76</td> <td>59.79</td> <td>68.20</td> <td>-8.41</td> <td>50.44</td> <td>34.60</td> <td>11.07</td> <td>36.32</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.69</td> <td>58.04</td> <td>68.71</td> <td>-10.67</td> <td>48.68</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.97</td> <td>73.68</td> <td>110.89</td> <td>-37.21</td> <td>63.88</td> <td>34.66</td> <td>11.17</td> <td>36.03</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.44</td> <td>72.81</td> <td>111.89</td> <td>-39.08</td> <td>63.00</td> <td>34.66</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>114.09</td> <td>-----</td> <td>-----</td> <td>104.10</td> <td>34.77</td> <td>11.22</td> <td>36.00</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5649.76 | 59.79  | 68.20 | -8.41 | 50.44 | 34.60 | 11.07 | 36.32 | 0.00 | 219 | 208 | PEAK    | 2 | 5650.69 | 58.04 | 68.71 | -10.67 | 48.68 | 34.60 | 11.07 | 36.31 | 0.00 | 219 | 208 | PEAK | 3 | 5719.97 | 73.68 | 110.89 | -37.21 | 63.88 | 34.66 | 11.17 | 36.03 | 0.00 | 219 | 208 | PEAK | 4 | 5720.44 | 72.81 | 111.89 | -39.08 | 63.00 | 34.66 | 11.17 | 36.02 | 0.00 | 219 | 208 | PEAK | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5755.00 | 114.09 | ----- | ----- | 104.10 | 34.77 | 11.22 | 36.00 | 0.00 | 219 | 208 | PEAK |
| Limit   | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5649.76  | 59.79       | 68.20        | -8.41       | 50.44  | 34.60  | 11.07 | 36.32  | 0.00 | 219    | 208  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2   | 5650.69  | 58.04       | 68.71        | -10.67      | 48.68  | 34.60  | 11.07 | 36.31  | 0.00 | 219    | 208  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 3   | 5719.97  | 73.68       | 110.89       | -37.21      | 63.88  | 34.66  | 11.17 | 36.03  | 0.00 | 219    | 208  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 4   | 5720.44  | 72.81       | 111.89       | -39.08      | 63.00  | 34.66  | 11.17 | 36.02  | 0.00 | 219    | 208  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5755.00  | 114.09      | -----        | -----       | 104.10 | 34.77  | 11.22 | 36.00  | 0.00 | 219    | 208  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Avg</b>  | <div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>104.60</td> <td>-----</td> <td>-----</td> <td>94.61</td> <td>34.79</td> <td>11.23</td> <td>36.03</td> <td>0.00</td> <td>219</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>  | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5755.00 | 104.60 | ----- | ----- | 94.61 | 34.79 | 11.23 | 36.03 | 0.00 | 219 | 208 | AVERAGE |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1   | 5755.00  | 104.60      | -----        | -----       | 94.61  | 34.79  | 11.23 | 36.03  | 0.00 | 219    | 208  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode  | 73  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>57.76</td> <td>111.26</td> <td>-53.50</td> <td>47.59</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.81</td> <td>58.99</td> <td>106.19</td> <td>-47.20</td> <td>48.92</td> <td>35.04</td> <td>11.35</td> <td>36.32</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.09</td> <td>58.14</td> <td>69.61</td> <td>-11.47</td> <td>48.22</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.11</td> <td>58.87</td> <td>68.20</td> <td>-9.33</td> <td>48.94</td> <td>35.14</td> <td>11.41</td> <td>36.62</td> <td>0.00</td> <td>219</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.84 | 57.76 | 111.26 | -53.50 | 47.59 | 35.01 | 11.34 | 36.18 | 0.00 | 219 | 208 | PEAK | 2 | 5871.81 | 58.99 | 106.19 | -47.20 | 48.92 | 35.04 | 11.35 | 36.32 | 0.00 | 219 | 208 | PEAK | 3 | 5923.09 | 58.14 | 69.61 | -11.47 | 48.22 | 35.12 | 11.40 | 36.60 | 0.00 | 219 | 208 | PEAK | 4 | 5938.11 | 58.87 | 68.20 | -9.33 | 48.94 | 35.14 | 11.41 | 36.62 | 0.00 | 219 | 208 | PEAK | Blank |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.84   | 57.76       | 111.26 | -53.50 | 47.59  | 35.01  | 11.34  | 36.18  | 0.00 | 219    | 208  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5871.81   | 58.99       | 106.19 | -47.20 | 48.92  | 35.04  | 11.35  | 36.32  | 0.00 | 219    | 208  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5923.09   | 58.14       | 69.61  | -11.47 | 48.22  | 35.12  | 11.40  | 36.60  | 0.00 | 219    | 208  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5938.11   | 58.87       | 68.20  | -9.33  | 48.94  | 35.14  | 11.41  | 36.62  | 0.00 | 219    | 208  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



| <b>73</b>   |  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
|---|--|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>   | <b>Band Edge - L</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz</b> |  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Pol.</b>   | <b>Vertical</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Peak</b>   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.02</td> <td>63.81</td> <td>68.20</td> <td>-4.39</td> <td>54.46</td> <td>34.60</td> <td>11.05</td> <td>36.30</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.32</td> <td>64.70</td> <td>70.67</td> <td>-5.97</td> <td>55.32</td> <td>34.60</td> <td>11.08</td> <td>36.30</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.93</td> <td>90.05</td> <td>109.20</td> <td>-19.15</td> <td>80.29</td> <td>34.64</td> <td>11.16</td> <td>36.04</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.13</td> <td>90.12</td> <td>111.19</td> <td>-21.07</td> <td>80.32</td> <td>34.66</td> <td>11.17</td> <td>36.03</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor | cm | deg | 1 | 5633.02 | 63.81  | 68.20 | -4.39 | 54.46  | 34.60 | 11.05 | 36.30 | 0.00 | 184 | 270 | PEAK    | 2 | 5653.32 | 64.70 | 70.67 | -5.97 | 55.32 | 34.60 | 11.08 | 36.30 | 0.00 | 184 | 270 | PEAK | 3 | 5713.93 | 90.05 | 109.20 | -19.15 | 80.29 | 34.64 | 11.16 | 36.04 | 0.00 | 184 | 270 | PEAK | 4 | 5728.13 | 90.12 | 111.19 | -21.07 | 80.32 | 34.66 | 11.17 | 36.03 | 0.00 | 184 | 270 | PEAK |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor | cm    | deg    |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5633.02  | 63.81       | 68.20  | -4.39  | 54.46       | 34.60  | 11.05 | 36.30  | 0.00 | 184    | 270  | PEAK    |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 2   | 5653.32  | 64.70       | 70.67  | -5.97  | 55.32       | 34.60  | 11.08 | 36.30  | 0.00 | 184    | 270  | PEAK    |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 3   | 5713.93  | 90.05       | 109.20 | -19.15 | 80.29       | 34.64  | 11.16 | 36.04  | 0.00 | 184    | 270  | PEAK    |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 4   | 5728.13  | 90.12       | 111.19 | -21.07 | 80.32       | 34.66  | 11.17 | 36.03  | 0.00 | 184    | 270  | PEAK    |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Peak</b>   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>119.47</td> <td>-----</td> <td>-----</td> <td>109.48</td> <td>34.77</td> <td>11.22</td> <td>36.00</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor | cm | deg | 1 | 5755.00 | 119.47 | ----- | ----- | 109.48 | 34.77 | 11.22 | 36.00 | 0.00 | 184 | 270 | PEAK    |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor | cm    | deg    |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5755.00  | 119.47      | -----  | -----  | 109.48      | 34.77  | 11.22 | 36.00  | 0.00 | 184    | 270  | PEAK    |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Avg</b>  | <b>Blank</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>109.89</td> <td>-----</td> <td>-----</td> <td>99.89</td> <td>34.81</td> <td>11.24</td> <td>36.05</td> <td>0.00</td> <td>184</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor | cm | deg | 1 | 5755.00 | 109.89 | ----- | ----- | 99.89  | 34.81 | 11.24 | 36.05 | 0.00 | 184 | 270 | AVERAGE |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor | cm    | deg    |      |        |      |         |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5755.00  | 109.89      | -----  | -----  | 99.89       | 34.81  | 11.24 | 36.05  | 0.00 | 184    | 270  | AVERAGE |             |       |        |             |        |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |



| Mode  | 73  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.06</td> <td>61.27</td> <td>113.04</td> <td>-51.77</td> <td>51.11</td> <td>35.01</td> <td>11.33</td> <td>36.18</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.22</td> <td>61.76</td> <td>106.36</td> <td>-44.60</td> <td>51.69</td> <td>35.04</td> <td>11.35</td> <td>36.32</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.90</td> <td>59.02</td> <td>69.76</td> <td>-10.74</td> <td>49.10</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.60</td> <td>58.30</td> <td>68.20</td> <td>-9.90</td> <td>48.37</td> <td>35.13</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>184</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.06 | 61.27 | 113.04 | -51.77 | 51.11 | 35.01 | 11.33 | 36.18 | 0.00 | 184 | 270 | PEAK | 2 | 5871.22 | 61.76 | 106.36 | -44.60 | 51.69 | 35.04 | 11.35 | 36.32 | 0.00 | 184 | 270 | PEAK | 3 | 5922.90 | 59.02 | 69.76 | -10.74 | 49.10 | 35.12 | 11.40 | 36.60 | 0.00 | 184 | 270 | PEAK | 4 | 5926.60 | 58.30 | 68.20 | -9.90 | 48.37 | 35.13 | 11.40 | 36.60 | 0.00 | 184 | 270 | PEAK | Blank |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.06   | 61.27       | 113.04 | -51.77 | 51.11  | 35.01  | 11.33  | 36.18  | 0.00 | 184    | 270  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5871.22   | 61.76       | 106.36 | -44.60 | 51.69  | 35.04  | 11.35  | 36.32  | 0.00 | 184    | 270  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5922.90   | 59.02       | 69.76  | -10.74 | 49.10  | 35.12  | 11.40  | 36.60  | 0.00 | 184    | 270  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5926.60   | 58.30       | 68.20  | -9.90  | 48.37  | 35.13  | 11.40  | 36.60  | 0.00 | 184    | 270  | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



| Mode        | 73  |             |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
|-------------|---|-------------|-------|--------|-------------|--------|-------|--------|------|--------|-----------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|--------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|
|             | Harmonic  |             |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
|             | U-NII-3 5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz  |             |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| ANT         | BF 1S4T   |             |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| Peak<br>Avg |   |             |       |        |             |        |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>44.35</td> <td>74.00</td> <td>-29.65</td> <td>55.92</td> <td>38.31</td> <td>16.37</td> <td>66.25</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17246.50</td> <td>67.46</td> <td>68.20</td> <td>-0.74</td> <td>70.63</td> <td>41.25</td> <td>20.17</td> <td>64.59</td> <td>0.00</td> <td>100</td> <td>60 Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq      | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 11510.00 | 44.35 | 74.00 | -29.65 | 55.92 | 38.31 | 16.37 | 66.25 | 0.00 | -- | Peak | 2 | 17246.50 | 67.46 | 68.20 | -0.74 | 70.63 | 41.25 | 20.17 | 64.59 | 0.00 | 100 | 60 Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7860.20</td> <td>45.70</td> <td>68.20</td> <td>-22.50</td> <td>63.24</td> <td>36.06</td> <td>13.24</td> <td>66.84</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8085.33</td> <td>46.86</td> <td>74.00</td> <td>-27.14</td> <td>64.03</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>9272.60</td> <td>45.96</td> <td>68.20</td> <td>-22.24</td> <td>61.80</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>11510.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>58.71</td> <td>38.31</td> <td>16.37</td> <td>66.25</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>5</td> <td>11510.00</td> <td>37.26</td> <td>54.00</td> <td>-16.74</td> <td>48.00</td> <td>38.32</td> <td>16.38</td> <td>66.24</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> <tr> <td>6</td> <td>17265.00</td> <td>59.98</td> <td>68.20</td> <td>-8.22</td> <td>63.16</td> <td>41.24</td> <td>20.19</td> <td>64.61</td> <td>0.00</td> <td>145</td> <td>0 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7860.20 | 45.70 | 68.20 | -22.50 | 63.24 | 36.06 | 13.24 | 66.84 | 0.00 | -- | Peak | 2 | 8085.33 | 46.86 | 74.00 | -27.14 | 64.03 | 36.19 | 13.44 | 66.80 | 0.00 | -- | Peak | 3 | 9272.60 | 45.96 | 68.20 | -22.24 | 61.80 | 36.55 | 14.53 | 66.92 | 0.00 | -- | Peak | 4 | 11510.00 | 47.14 | 74.00 | -26.86 | 58.71 | 38.31 | 16.37 | 66.25 | 0.00 | 300 | 0 PEAK | 5 | 11510.00 | 37.26 | 54.00 | -16.74 | 48.00 | 38.32 | 16.38 | 66.24 | 0.00 | 300 | 0 AVERAGE | 6 | 17265.00 | 59.98 | 68.20 | -8.22 | 63.16 | 41.24 | 20.19 | 64.61 | 0.00 | 145 |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 1           | 11510.00  | 44.35       | 74.00 | -29.65 | 55.92       | 38.31  | 16.37 | 66.25  | 0.00 | --     | Peak      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 2           | 17246.50  | 67.46       | 68.20 | -0.74  | 70.63       | 41.25  | 20.17 | 64.59  | 0.00 | 100    | 60 Peak   |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| Limit       | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |           |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 1           | 7860.20   | 45.70       | 68.20 | -22.50 | 63.24       | 36.06  | 13.24 | 66.84  | 0.00 | --     | Peak      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 2           | 8085.33   | 46.86       | 74.00 | -27.14 | 64.03       | 36.19  | 13.44 | 66.80  | 0.00 | --     | Peak      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 3           | 9272.60   | 45.96       | 68.20 | -22.24 | 61.80       | 36.55  | 14.53 | 66.92  | 0.00 | --     | Peak      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 4           | 11510.00  | 47.14       | 74.00 | -26.86 | 58.71       | 38.31  | 16.37 | 66.25  | 0.00 | 300    | 0 PEAK    |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 5           | 11510.00  | 37.26       | 54.00 | -16.74 | 48.00       | 38.32  | 16.38 | 66.24  | 0.00 | 300    | 0 AVERAGE |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |
| 6           | 17265.00  | 59.98       | 68.20 | -8.22  | 63.16       | 41.24  | 20.19 | 64.61  | 0.00 | 145    | 0 PEAK    |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |      |   |          |       |       |       |       |       |       |       |      |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |         |       |       |        |       |       |       |       |      |    |      |   |          |       |       |        |       |       |       |       |      |     |        |   |          |       |       |        |       |       |       |       |      |     |           |   |          |       |       |       |       |       |       |       |      |     |






| <b>74</b>   |   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
|---|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----|---------|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>   | <b>Band Edge - L</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz</b> |   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Pol.</b>   | <b>Horizontal</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Peak</b>   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5622.40</td> <td>58.85</td> <td>68.20</td> <td>-9.35</td> <td>49.51</td> <td>34.60</td> <td>11.03</td> <td>36.29</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>57.06</td> <td>68.20</td> <td>-11.14</td> <td>47.71</td> <td>34.60</td> <td>11.07</td> <td>36.32</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.40</td> <td>57.88</td> <td>105.41</td> <td>-47.53</td> <td>48.20</td> <td>34.60</td> <td>11.14</td> <td>36.06</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>59.50</td> <td>111.81</td> <td>-52.31</td> <td>49.69</td> <td>34.66</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1   | 5622.40 | 58.85   | 68.20  | -9.35 | 49.51 | 34.60  | 11.03 | 36.29 | 0.00  | 370  | 215 | PEAK | 2       | 5650.00 | 57.06 | 68.20 | -11.14 | 47.71 | 34.60 | 11.07 | 36.32 | 0.00 | 370 | 215 | PEAK | 3 | 5700.40 | 57.88 | 105.41 | -47.53 | 48.20 | 34.60 | 11.14 | 36.06 | 0.00 | 370 | 215 | PEAK | 4 | 5720.40 | 59.50 | 111.81 | -52.31 | 49.69 | 34.66 | 11.17 | 36.02 | 0.00 | 370 | 215 | PEAK |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5622.40   | 58.85       | 68.20  | -9.35  | 49.51       | 34.60  | 11.03 | 36.29  | 0.00 | 370    | 215  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 2   | 5650.00   | 57.06       | 68.20  | -11.14 | 47.71       | 34.60  | 11.07 | 36.32  | 0.00 | 370    | 215  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 3   | 5700.40   | 57.88       | 105.41 | -47.53 | 48.20       | 34.60  | 11.14 | 36.06  | 0.00 | 370    | 215  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 4   | 5720.40   | 59.50       | 111.81 | -52.31 | 49.69       | 34.66  | 11.17 | 36.02  | 0.00 | 370    | 215  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Fundamental</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>113.10</td> <td>-----</td> <td>-----</td> <td>103.09</td> <td>34.83</td> <td>11.25</td> <td>36.07</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm  | deg | 1       | 5795.00 | 113.10 | ----- | ----- | 103.09 | 34.83 | 11.25 | 36.07 | 0.00 | 370 | 215  | PEAK    |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | dB     | cm   | deg    |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5795.00   | 113.10      | -----  | -----  | 103.09      | 34.83  | 11.25 | 36.07  | 0.00 | 370    | 215  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Avg</b>  | <b>Blank</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
|   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.10</td> <td>-----</td> <td>-----</td> <td>94.09</td> <td>34.83</td> <td>11.25</td> <td>36.07</td> <td>0.00</td> <td>370</td> <td>215</td> <td>AVERAGE</td> </tr> </tbody> </table>  | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm  | deg | 1       | 5795.00 | 104.10 | ----- | ----- | 94.09  | 34.83 | 11.25 | 36.07 | 0.00 | 370 | 215  | AVERAGE |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | dB     | cm   | deg    |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5795.00   | 104.10      | -----  | -----  | 94.09       | 34.83  | 11.25 | 36.07  | 0.00 | 370    | 215  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |        |       |       |        |       |       |       |      |     |      |         |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |



| Mode  | 74  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Horizontal  | Fundamental |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>58.06</td> <td>112.27</td> <td>-54.21</td> <td>47.90</td> <td>35.01</td> <td>11.33</td> <td>36.18</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.80</td> <td>58.07</td> <td>106.47</td> <td>-48.40</td> <td>48.00</td> <td>35.04</td> <td>11.35</td> <td>36.32</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.20</td> <td>59.16</td> <td>69.53</td> <td>-10.37</td> <td>49.24</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.40</td> <td>59.90</td> <td>68.20</td> <td>-8.30</td> <td>49.97</td> <td>35.14</td> <td>11.42</td> <td>36.63</td> <td>0.00</td> <td>370</td> <td>215</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.40 | 58.06 | 112.27 | -54.21 | 47.90 | 35.01 | 11.33 | 36.18 | 0.00 | 370 | 215 | PEAK | 2 | 5870.80 | 58.07 | 106.47 | -48.40 | 48.00 | 35.04 | 11.35 | 36.32 | 0.00 | 370 | 215 | PEAK | 3 | 5923.20 | 59.16 | 69.53 | -10.37 | 49.24 | 35.12 | 11.40 | 36.60 | 0.00 | 370 | 215 | PEAK | 4 | 5942.40 | 59.90 | 68.20 | -8.30 | 49.97 | 35.14 | 11.42 | 36.63 | 0.00 | 370 | 215 | PEAK | Blank |
| Limit | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.40   | 58.06       | 112.27 | -54.21 | 47.90       | 35.01  | 11.33 | 36.18  | 0.00 | 370    | 215  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5870.80   | 58.07       | 106.47 | -48.40 | 48.00       | 35.04  | 11.35 | 36.32  | 0.00 | 370    | 215  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5923.20   | 59.16       | 69.53  | -10.37 | 49.24       | 35.12  | 11.40 | 36.60  | 0.00 | 370    | 215  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5942.40   | 59.90       | 68.20  | -8.30  | 49.97       | 35.14  | 11.42 | 36.63  | 0.00 | 370    | 215  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



| <b>74</b>   |   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
|---|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b>   | <b>Band Edge - L</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz</b> |   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Pol.</b>   | <b>Vertical</b>   |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Peak</b>   |  <table border="1" data-bbox="263 1052 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.80</td> <td>61.55</td> <td>68.20</td> <td>-6.65</td> <td>52.22</td> <td>34.60</td> <td>11.00</td> <td>36.27</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>60.48</td> <td>68.80</td> <td>-8.32</td> <td>51.12</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.60</td> <td>65.40</td> <td>107.43</td> <td>-42.03</td> <td>55.68</td> <td>34.62</td> <td>11.15</td> <td>36.05</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>68.14</td> <td>110.90</td> <td>-42.76</td> <td>58.34</td> <td>34.66</td> <td>11.17</td> <td>36.03</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5600.80 | 61.55  | 68.20 | -6.65 | 52.22  | 34.60 | 11.00 | 36.27 | 0.00 | 196 | 269 | PEAK    | 2 | 5650.80 | 60.48 | 68.80 | -8.32 | 51.12 | 34.60 | 11.07 | 36.31 | 0.00 | 196 | 269 | PEAK | 3 | 5707.60 | 65.40 | 107.43 | -42.03 | 55.68 | 34.62 | 11.15 | 36.05 | 0.00 | 196 | 269 | PEAK | 4 | 5728.00 | 68.14 | 110.90 | -42.76 | 58.34 | 34.66 | 11.17 | 36.03 | 0.00 | 196 | 269 | PEAK |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5600.80   | 61.55       | 68.20  | -6.65  | 52.22       | 34.60  | 11.00 | 36.27  | 0.00 | 196    | 269  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 2   | 5650.80   | 60.48       | 68.80  | -8.32  | 51.12       | 34.60  | 11.07 | 36.31  | 0.00 | 196    | 269  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 3   | 5707.60   | 65.40       | 107.43 | -42.03 | 55.68       | 34.62  | 11.15 | 36.05  | 0.00 | 196    | 269  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 4   | 5728.00   | 68.14       | 110.90 | -42.76 | 58.34       | 34.66  | 11.17 | 36.03  | 0.00 | 196    | 269  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Fundamental</b>  |  <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>119.40</td> <td>-----</td> <td>-----</td> <td>109.39</td> <td>34.85</td> <td>11.26</td> <td>36.10</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5795.00 | 119.40 | ----- | ----- | 109.39 | 34.85 | 11.26 | 36.10 | 0.00 | 196 | 269 | PEAK    |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5795.00   | 119.40      | -----  | -----  | 109.39      | 34.85  | 11.26 | 36.10  | 0.00 | 196    | 269  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| <b>Avg</b>  | <b>Blank</b>  |             |        |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
|   |  <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>110.15</td> <td>-----</td> <td>-----</td> <td>100.14</td> <td>34.85</td> <td>11.26</td> <td>36.10</td> <td>0.00</td> <td>196</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5795.00 | 110.15 | ----- | ----- | 100.14 | 34.85 | 11.26 | 36.10 | 0.00 | 196 | 269 | AVERAGE |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Limit   | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |
| 1   | 5795.00   | 110.15      | -----  | -----  | 100.14      | 34.85  | 11.26 | 36.10  | 0.00 | 196    | 269  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |         |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |





| Mode  | 74   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|--|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Vertical   | Fundamental |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>72.48</td> <td>111.36</td> <td>-38.88</td> <td>62.31</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.60</td> <td>71.43</td> <td>109.61</td> <td>-38.18</td> <td>61.29</td> <td>35.02</td> <td>11.34</td> <td>36.22</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>58.82</td> <td>68.35</td> <td>-9.53</td> <td>48.90</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.20</td> <td>58.62</td> <td>68.20</td> <td>-9.58</td> <td>48.69</td> <td>35.13</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>196</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.80 | 72.48 | 111.36 | -38.88 | 62.31 | 35.01 | 11.34 | 36.18 | 0.00 | 196 | 269 | PEAK | 2 | 5859.60 | 71.43 | 109.61 | -38.18 | 61.29 | 35.02 | 11.34 | 36.22 | 0.00 | 196 | 269 | PEAK | 3 | 5924.80 | 58.82 | 68.35 | -9.53 | 48.90 | 35.12 | 11.40 | 36.60 | 0.00 | 196 | 269 | PEAK | 4 | 5925.20 | 58.62 | 68.20 | -9.58 | 48.69 | 35.13 | 11.40 | 36.60 | 0.00 | 196 | 269 | PEAK | Blank |
| Limit | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.80  | 72.48       | 111.36 | -38.88 | 62.31       | 35.01  | 11.34 | 36.18  | 0.00 | 196    | 269  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5859.60  | 71.43       | 109.61 | -38.18 | 61.29       | 35.02  | 11.34 | 36.22  | 0.00 | 196    | 269  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5924.80  | 58.82       | 68.35  | -9.53  | 48.90       | 35.12  | 11.40 | 36.60  | 0.00 | 196    | 269  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5925.20  | 58.62       | 68.20  | -9.58  | 48.69       | 35.13  | 11.40 | 36.60  | 0.00 | 196    | 269  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



| Mode        | 74   |            |             |             |             |            |             |             |             |            |        |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|-------------|--|------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|------------|--------|---------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|--|------------|-------|-------------|------------|------------|------------|-------------|------------|------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|             | Harmonic   |            |             |             |             |            |             |             |             |            |        |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|             | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz   |            |             |             |             |            |             |             |             |            |        |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| ANT         | BF 1S4T  |            |             |             |             |            |             |             |             |            |        |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Pol.        | Horizontal   | Vertical   |             |             |             |            |             |             |             |            |        |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.33</td> <td>52.63</td> <td>74.00</td> <td>-21.37</td> <td>69.80</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>222</td> <td>319</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8085.33</td> <td>48.96</td> <td>54.00</td> <td>-5.04</td> <td>66.13</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>222</td> <td>319</td> <td>Average</td> </tr> <tr> <td>3</td> <td>8692.53</td> <td>47.79</td> <td>68.20</td> <td>-20.41</td> <td>64.39</td> <td>36.29</td> <td>14.02</td> <td>66.91</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>48.20</td> <td>68.20</td> <td>-20.00</td> <td>64.04</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11592.13</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>58.50</td> <td>38.37</td> <td>16.42</td> <td>66.22</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>17399.40</td> <td>67.53</td> <td>68.20</td> <td>-0.67</td> <td>70.75</td> <td>41.22</td> <td>20.27</td> <td>64.71</td> <td>0.00</td> <td>300</td> <td>47</td> <td>Peak</td> </tr> </tbody> </table> |            | Limit Freq  | Level       | Line Margin | Read Level | Ant Factor  | Cable Loss  | Preamp Loss | Aux Factor | APos   | TPos    | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 8085.33 | 52.63 | 74.00 | -21.37 | 69.80 | 36.19 | 13.44 | 66.80 | 0.00 | 222 | 319 | Peak | 2 | 8085.33 | 48.96 | 54.00 | -5.04 | 66.13 | 36.19 | 13.44 | 66.80 | 0.00 | 222 | 319 | Average | 3 | 8692.53 | 47.79 | 68.20 | -20.41 | 64.39 | 36.29 | 14.02 | 66.91 | 0.00 | -- | -- | Peak | 4 | 9272.60 | 48.20 | 68.20 | -20.00 | 64.04 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11592.13 | 47.07 | 74.00 | -26.93 | 58.50 | 38.37 | 16.42 | 66.22 | 0.00 | -- | -- | Peak | 6 | 17399.40 | 67.53 | 68.20 | -0.67 | 70.75 | 41.22 | 20.27 | 64.71 | 0.00 | 300 | 47 | Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8085.70</td> <td>47.29</td> <td>74.00</td> <td>-26.71</td> <td>64.46</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11590.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>58.45</td> <td>38.37</td> <td>16.42</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11590.00</td> <td>36.78</td> <td>54.00</td> <td>-17.22</td> <td>48.21</td> <td>38.37</td> <td>16.42</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>17359.80</td> <td>57.71</td> <td>68.20</td> <td>-10.49</td> <td>60.92</td> <td>41.23</td> <td>20.24</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> |  | Limit Freq | Level | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Loss | Aux Factor | APos | TPos | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 8085.70 | 47.29 | 74.00 | -26.71 | 64.46 | 36.19 | 13.44 | 66.80 | 0.00 | -- | -- | Peak | 2 | 11590.00 | 47.02 | 74.00 | -26.98 | 58.45 | 38.37 | 16.42 | 66.22 | 0.00 | 100 | 360 | PEAK | 3 | 11590.00 | 36.78 | 54.00 | -17.22 | 48.21 | 38.37 | 16.42 | 66.22 | 0.00 | 100 | 360 | AVERAGE | 4 | 17359.80 | 57.71 | 68.20 | -10.49 | 60.92 | 41.23 | 20.24 | 64.68 | 0.00 | -- | -- | Peak |
|             |  | Limit Freq | Level       | Line Margin | Read Level  | Ant Factor | Cable Loss  | Preamp Loss | Aux Factor  | APos       | TPos   | Remark  |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|             | MHz  | dBuV/m     | dBuV/m      | dB          | dBuV        | dB/m       | dB          | dB          | dB          | cm         | deg    |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1           | 8085.33  | 52.63      | 74.00       | -21.37      | 69.80       | 36.19      | 13.44       | 66.80       | 0.00        | 222        | 319    | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2           | 8085.33  | 48.96      | 54.00       | -5.04       | 66.13       | 36.19      | 13.44       | 66.80       | 0.00        | 222        | 319    | Average |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3           | 8692.53  | 47.79      | 68.20       | -20.41      | 64.39       | 36.29      | 14.02       | 66.91       | 0.00        | --         | --     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4           | 9272.60  | 48.20      | 68.20       | -20.00      | 64.04       | 36.55      | 14.53       | 66.92       | 0.00        | --         | --     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5           | 11592.13   | 47.07      | 74.00       | -26.93      | 58.50       | 38.37      | 16.42       | 66.22       | 0.00        | --         | --     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6           | 17399.40   | 67.53      | 68.20       | -0.67       | 70.75       | 41.22      | 20.27       | 64.71       | 0.00        | 300        | 47     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|             | Limit Freq   | Level      | Line Margin | Read Level  | Ant Factor  | Cable Loss | Preamp Loss | Aux Factor  | APos        | TPos       | Remark |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|             | MHz  | dBuV/m     | dBuV/m      | dB          | dBuV        | dB/m       | dB          | dB          | dB          | cm         | deg    |         |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1           | 8085.70  | 47.29      | 74.00       | -26.71      | 64.46       | 36.19      | 13.44       | 66.80       | 0.00        | --         | --     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2           | 11590.00   | 47.02      | 74.00       | -26.98      | 58.45       | 38.37      | 16.42       | 66.22       | 0.00        | 100        | 360    | PEAK    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3           | 11590.00   | 36.78      | 54.00       | -17.22      | 48.21       | 38.37      | 16.42       | 66.22       | 0.00        | 100        | 360    | AVERAGE |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4           | 17359.80   | 57.71      | 68.20       | -10.49      | 60.92       | 41.23      | 20.24       | 64.68       | 0.00        | --         | --     | Peak    |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |  |            |       |             |            |            |            |             |            |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |      |   |          |       |       |        |       |       |       |       |      |     |     |         |   |          |       |       |        |       |       |       |       |      |    |    |      |






|             |  | <b>75</b>   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|-------------|--|---|--------|--------|-------------|--------|-------|--------|--------|------|-------------|------|------|-------|-------------|-------------|--------|-------------|-------------|--------|--|--------|--------|-----|--------|--------|--------|------|------|------|----|----|-----|-----|---------|---------|--------|-------|-------|-------|-------|-------|-------|------|----------|-------------|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|----------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|----------|---|--|-------|------|-----|-------|--------|-----|------|------|--|------|-------|-------------|-------|--------|-------------|--------|--|--|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|
| <b>Mode</b> | <b>Band Edge - L</b>   |   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | <b>U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz</b>  |   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| <b>ANT</b>  | <b>BF 1S4T</b>   |   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>  |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| <b>Peak</b> |  |   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.20</td> <td>60.33</td> <td>68.20</td> <td>-7.87</td> <td>50.98</td> <td>34.60</td> <td>11.05</td> <td>36.30</td> <td>0.00</td> <td>100</td> <td>210 PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>59.97</td> <td>69.39</td> <td>-9.42</td> <td>50.61</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>210 PEAK</td> </tr> <tr> <td>3</td> <td>5716.00</td> <td>77.41</td> <td>109.78</td> <td>-32.37</td> <td>67.63</td> <td>34.65</td> <td>11.16</td> <td>36.03</td> <td>0.00</td> <td>100</td> <td>210 PEAK</td> </tr> <tr> <td>4</td> <td>5728.80</td> <td>73.35</td> <td>112.72</td> <td>-39.37</td> <td>63.54</td> <td>34.66</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>210 PEAK</td> </tr> </tbody> </table> |   |        | Limit  | Read        | Ant    | Cable | Preamp | Aux    | APos | TPos        |      | Freq | Level | Line Margin | Level       | Factor | Loss Factor | Factor      |        |  | Remark |        | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5631.20 | 60.33   | 68.20  | -7.87 | 50.98 | 34.60 | 11.05 | 36.30 | 0.00  | 100  | 210 PEAK | 2           | 5651.60 | 59.97 | 69.39 | -9.42 | 50.61 | 34.60 | 11.07 | 36.31 | 0.00 | 100 | 210 PEAK | 3 | 5716.00 | 77.41 | 109.78 | -32.37 | 67.63 | 34.65 | 11.16 | 36.03 | 0.00 | 100 | 210 PEAK | 4 | 5728.80 | 73.35 | 112.72 | -39.37 | 63.54 | 34.66 | 11.17 | 36.02 | 0.00 | 100 | 210 PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>113.61</td> <td>-----</td> <td>-----</td> <td>103.62</td> <td>34.79</td> <td>11.23</td> <td>36.03</td> <td>0.00</td> <td>100</td> <td>210 PEAK</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos |  | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5775.00 | 113.61 | ----- | ----- | 103.62 | 34.79 | 11.23 | 36.03 | 0.00 | 100 |
|             | Limit  | Read  | Ant    | Cable  | Preamp      | Aux    | APos  | TPos   |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| Freq        | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |       |        | Remark |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB    | dB     | cm     | deg  |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 1           | 5631.20  | 60.33   | 68.20  | -7.87  | 50.98       | 34.60  | 11.05 | 36.30  | 0.00   | 100  | 210 PEAK    |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 2           | 5651.60  | 59.97   | 69.39  | -9.42  | 50.61       | 34.60  | 11.07 | 36.31  | 0.00   | 100  | 210 PEAK    |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 3           | 5716.00  | 77.41   | 109.78 | -32.37 | 67.63       | 34.65  | 11.16 | 36.03  | 0.00   | 100  | 210 PEAK    |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 4           | 5728.80  | 73.35   | 112.72 | -39.37 | 63.54       | 34.66  | 11.17 | 36.02  | 0.00   | 100  | 210 PEAK    |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | Limit  | Read  | Ant    | Cable  | Preamp      | Aux    | APos  | TPos   |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| Freq        | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |       |        | Remark |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB    | dB     | cm     | deg  |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 1           | 5775.00  | 113.61  | -----  | -----  | 103.62      | 34.79  | 11.23 | 36.03  | 0.00   | 100  | 210 PEAK    |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| <b>Avg</b>  | <b>Blank</b>   |   |        |        |             |        |       |        |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             |  | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.90</td> <td>-----</td> <td>-----</td> <td>91.97</td> <td>34.72</td> <td>11.20</td> <td>35.99</td> <td>0.00</td> <td>100</td> <td>210 AVERAGE</td> </tr> </tbody> </table> |        |        | Limit       | Read   | Ant   | Cable  | Preamp | Aux  | APos        | TPos |      | Freq  | Level       | Line Margin | Level  | Factor      | Loss Factor | Factor |  |        | Remark |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5775.00 | 101.90 | ----- | ----- | 91.97 | 34.72 | 11.20 | 35.99 | 0.00 | 100      | 210 AVERAGE |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | Limit  | Read  | Ant    | Cable  | Preamp      | Aux    | APos  | TPos   |        |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| Freq        | Level  | Line Margin   | Level  | Factor | Loss Factor | Factor |       |        | Remark |      |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
|             | MHz  | dBuV/m  | dBuV/m | dB     | dBuV        | dB/m   | dB    | dB     | cm     | deg  |             |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |
| 1           | 5775.00  | 101.90  | -----  | -----  | 91.97       | 34.72  | 11.20 | 35.99  | 0.00   | 100  | 210 AVERAGE |      |      |       |             |             |        |             |             |        |  |        |        |     |        |        |        |      |      |      |    |    |     |     |         |         |        |       |       |       |       |       |       |      |          |             |         |       |       |       |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |         |       |        |        |       |       |       |       |      |     |          |   |  |       |      |     |       |        |     |      |      |  |      |       |             |       |        |             |        |  |  |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |



| Mode  | 75  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Horizontal  | Fundamental |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>64.92</td> <td>112.27</td> <td>-47.35</td> <td>54.76</td> <td>35.01</td> <td>11.33</td> <td>36.18</td> <td>0.00</td> <td>100</td> <td>210</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.60</td> <td>63.66</td> <td>109.61</td> <td>-45.95</td> <td>53.52</td> <td>35.02</td> <td>11.34</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>210</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>57.57</td> <td>69.23</td> <td>-11.66</td> <td>47.65</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>100</td> <td>210</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.40</td> <td>59.34</td> <td>68.20</td> <td>-8.86</td> <td>49.41</td> <td>35.13</td> <td>11.41</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>210</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.40 | 64.92 | 112.27 | -47.35 | 54.76 | 35.01 | 11.33 | 36.18 | 0.00 | 100 | 210 | PEAK | 2 | 5859.60 | 63.66 | 109.61 | -45.95 | 53.52 | 35.02 | 11.34 | 36.22 | 0.00 | 100 | 210 | PEAK | 3 | 5923.60 | 57.57 | 69.23 | -11.66 | 47.65 | 35.12 | 11.40 | 36.60 | 0.00 | 100 | 210 | PEAK | 4 | 5932.40 | 59.34 | 68.20 | -8.86 | 49.41 | 35.13 | 11.41 | 36.61 | 0.00 | 100 | 210 | PEAK | Blank |
| Limit | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.40   | 64.92       | 112.27 | -47.35 | 54.76       | 35.01  | 11.33 | 36.18  | 0.00 | 100    | 210  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5859.60   | 63.66       | 109.61 | -45.95 | 53.52       | 35.02  | 11.34 | 36.22  | 0.00 | 100    | 210  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5923.60   | 57.57       | 69.23  | -11.66 | 47.65       | 35.12  | 11.40 | 36.60  | 0.00 | 100    | 210  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5932.40   | 59.34       | 68.20  | -8.86  | 49.41       | 35.13  | 11.41 | 36.61  | 0.00 | 100    | 210  | PEAK  |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



|             | <b>75</b>  |   |            |             |             |             |             |            |             |             |          |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|-------------|--|---|------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|----------|---------|--------|--------|-----|--------|--------|--------|------|------|------|----|----|----|-----|-----|---------|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|------|---------|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|--|--|------------|-------------|------------|-------------|-----------|------------|-------------|----------|------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|-------|-------|------|-----|-----|------|
| <b>Mode</b> | <b>Band Edge - L</b>   |   |            |             |             |             |             |            |             |             |          |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | <b>U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz</b>  |   |            |             |             |             |             |            |             |             |          |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>ANT</b>  | <b>BF 1S4T</b>   |   |            |             |             |             |             |            |             |             |          |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b>  |            |             |             |             |             |            |             |             |          |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Peak</b> |  <table border="1" data-bbox="247 1052 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.40</td> <td>67.45</td> <td>68.20</td> <td>-0.75</td> <td>58.09</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>67.77</td> <td>68.50</td> <td>-0.73</td> <td>58.41</td> <td>34.60</td> <td>11.07</td> <td>36.31</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.00</td> <td>87.77</td> <td>-----</td> <td>-----</td> <td>77.99</td> <td>34.65</td> <td>11.16</td> <td>36.03</td> <td>0.00</td> <td>144</td> <td>278</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5722.00</td> <td>91.61</td> <td>115.46</td> <td>-23.85</td> <td>81.79</td> <td>34.67</td> <td>11.17</td> <td>36.02</td> <td>0.00</td> <td>144</td> <td>278</td> <td>Peak</td> </tr> </tbody> </table> |   | Limit Freq | Limit Level | Read Level  | Line Margin | Ant Level   | Cable Loss | Preamp Loss | Aux Loss    | APos     | TPos    | Remark |        | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | dB | cm | deg | 1   | 5648.40 | 67.45   | 68.20  | -0.75 | 58.09 | 34.60 | 11.07 | 36.31 | 0.00  | 144  | 278 | PEAK | 2       | 5650.40 | 67.77 | 68.50 | -0.73 | 58.41 | 34.60 | 11.07 | 36.31 | 0.00 | 144 | 278 | PEAK | 3 | 5716.00 | 87.77 | ----- | ----- | 77.99 | 34.65 | 11.16 | 36.03 | 0.00 | 144 | 278 | Peak | 4 | 5722.00 | 91.61 | 115.46 | -23.85 | 81.79 | 34.67 | 11.17 | 36.02 | 0.00 | 144 | 278 | Peak |  <table border="1" data-bbox="885 1052 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.00</td> <td>117.70</td> <td>-----</td> <td>-----</td> <td>107.71</td> <td>34.76</td> <td>11.21</td> <td>35.98</td> <td>0.00</td> <td>144</td> <td>278</td> <td>Peak</td> </tr> </tbody> </table> |  | Limit Freq | Limit Level | Read Level | Line Margin | Ant Level | Cable Loss | Preamp Loss | Aux Loss | APos | TPos | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 5752.00 | 117.70 | ----- | ----- | 107.71 | 34.76 | 11.21 | 35.98 | 0.00 | 144 | 278 | Peak |
|             | Limit Freq   | Limit Level   | Read Level | Line Margin | Ant Level   | Cable Loss  | Preamp Loss | Aux Loss   | APos        | TPos        | Remark   |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | MHz  | dBuV/m  | dBuV/m     | dB          | dBuV        | dB/m        | dB          | dB         | dB          | cm          | deg      |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5648.40  | 67.45   | 68.20      | -0.75       | 58.09       | 34.60       | 11.07       | 36.31      | 0.00        | 144         | 278      | PEAK    |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 2           | 5650.40  | 67.77   | 68.50      | -0.73       | 58.41       | 34.60       | 11.07       | 36.31      | 0.00        | 144         | 278      | PEAK    |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 3           | 5716.00  | 87.77   | -----      | -----       | 77.99       | 34.65       | 11.16       | 36.03      | 0.00        | 144         | 278      | Peak    |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 4           | 5722.00  | 91.61   | 115.46     | -23.85      | 81.79       | 34.67       | 11.17       | 36.02      | 0.00        | 144         | 278      | Peak    |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | Limit Freq   | Limit Level   | Read Level | Line Margin | Ant Level   | Cable Loss  | Preamp Loss | Aux Loss   | APos        | TPos        | Remark   |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | MHz  | dBuV/m  | dBuV/m     | dB          | dBuV        | dB/m        | dB          | dB         | dB          | cm          | deg      |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5752.00  | 117.70  | -----      | -----       | 107.71      | 34.76       | 11.21       | 35.98      | 0.00        | 144         | 278      | Peak    |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| <b>Avg</b>  | <b>Blank</b>   |  <table border="1" data-bbox="885 1724 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>107.97</td> <td>-----</td> <td>-----</td> <td>97.98</td> <td>34.79</td> <td>11.23</td> <td>36.03</td> <td>0.00</td> <td>144</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table> |            | Limit Freq  | Limit Level | Read Level  | Line Margin | Ant Level  | Cable Loss  | Preamp Loss | Aux Loss | APos    | TPos   | Remark |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | dB | cm  | deg | 1       | 5775.00 | 107.97 | ----- | ----- | 97.98 | 34.79 | 11.23 | 36.03 | 0.00 | 144 | 278  | AVERAGE |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | Limit Freq   | Limit Level   | Read Level | Line Margin | Ant Level   | Cable Loss  | Preamp Loss | Aux Loss   | APos        | TPos        | Remark   |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
|             | MHz  | dBuV/m  | dBuV/m     | dB          | dBuV        | dB/m        | dB          | dB         | dB          | cm          | deg      |         |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |
| 1           | 5775.00  | 107.97  | -----      | -----       | 97.98       | 34.79       | 11.23       | 36.03      | 0.00        | 144         | 278      | AVERAGE |        |        |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |  |  |            |             |            |             |           |            |             |          |      |      |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |        |       |       |        |       |       |       |      |     |     |      |



| Mode  | 75   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|------|-------|
|       | Band Edge - R  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
|       | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz   |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| ANT   | BF 1S4T  |             |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>83.54</td> <td>111.36</td> <td>-27.82</td> <td>73.37</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.20</td> <td>82.22</td> <td>106.92</td> <td>-24.70</td> <td>72.13</td> <td>35.04</td> <td>11.35</td> <td>36.30</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>62.98</td> <td>69.23</td> <td>-6.25</td> <td>53.06</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.60</td> <td>63.87</td> <td>68.20</td> <td>-4.33</td> <td>53.94</td> <td>35.13</td> <td>11.41</td> <td>36.61</td> <td>0.00</td> <td>144</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.80 | 83.54 | 111.36 | -27.82 | 73.37 | 35.01 | 11.34 | 36.18 | 0.00 | 144 | 278 | PEAK | 2 | 5869.20 | 82.22 | 106.92 | -24.70 | 72.13 | 35.04 | 11.35 | 36.30 | 0.00 | 144 | 278 | PEAK | 3 | 5923.60 | 62.98 | 69.23 | -6.25 | 53.06 | 35.12 | 11.40 | 36.60 | 0.00 | 144 | 278 | PEAK | 4 | 5929.60 | 63.87 | 68.20 | -4.33 | 53.94 | 35.13 | 11.41 | 36.61 | 0.00 | 144 | 278 | PEAK | Blank |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor |        |      |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 1     | 5854.80  | 83.54       | 111.36 | -27.82 | 73.37  | 35.01  | 11.34  | 36.18  | 0.00 | 144    | 278  | PEAK  |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 2     | 5869.20  | 82.22       | 106.92 | -24.70 | 72.13  | 35.04  | 11.35  | 36.30  | 0.00 | 144    | 278  | PEAK  |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 3     | 5923.60  | 62.98       | 69.23  | -6.25  | 53.06  | 35.12  | 11.40  | 36.60  | 0.00 | 144    | 278  | PEAK  |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |
| 4     | 5929.60  | 63.87       | 68.20  | -4.33  | 53.94  | 35.13  | 11.41  | 36.61  | 0.00 | 144    | 278  | PEAK  |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |        |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |      |       |



| Mode     | 75   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|----------|--|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|          | Harmonic   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
|          | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| ANT      | BF 1S4T  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Pol.     | Horizontal   | Vertical    |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8086.80</td> <td>51.83</td> <td>74.00</td> <td>-22.17</td> <td>69.00</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>218</td> <td>309</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8086.80</td> <td>49.33</td> <td>54.00</td> <td>-4.67</td> <td>66.50</td> <td>36.19</td> <td>13.44</td> <td>66.80</td> <td>0.00</td> <td>218</td> <td>309</td> <td>Average</td> </tr> <tr> <td>3</td> <td>8661.73</td> <td>47.11</td> <td>68.20</td> <td>-21.09</td> <td>63.77</td> <td>36.26</td> <td>13.98</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>9272.60</td> <td>48.36</td> <td>68.20</td> <td>-19.84</td> <td>64.20</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11550.33</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>56.00</td> <td>38.34</td> <td>16.39</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>17336.33</td> <td>65.50</td> <td>68.20</td> <td>-2.70</td> <td>68.70</td> <td>41.23</td> <td>20.23</td> <td>64.66</td> <td>0.00</td> <td>254</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 8086.80 | 51.83 | 74.00 | -22.17 | 69.00 | 36.19 | 13.44 | 66.80 | 0.00 | 218 | 309 | Peak | 2 | 8086.80 | 49.33 | 54.00 | -4.67 | 66.50 | 36.19 | 13.44 | 66.80 | 0.00 | 218 | 309 | Average | 3 | 8661.73 | 47.11 | 68.20 | -21.09 | 63.77 | 36.26 | 13.98 | 66.90 | 0.00 | -- | -- | Peak | 4 | 9272.60 | 48.36 | 68.20 | -19.84 | 64.20 | 36.55 | 14.53 | 66.92 | 0.00 | -- | -- | Peak | 5 | 11550.33 | 44.50 | 74.00 | -29.50 | 56.00 | 38.34 | 16.39 | 66.23 | 0.00 | -- | -- | Peak | 6 | 17336.33 | 65.50 | 68.20 | -2.70 | 68.70 | 41.23 | 20.23 | 64.66 | 0.00 | 254 | 59 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.33</td> <td>45.00</td> <td>74.00</td> <td>-29.00</td> <td>56.50</td> <td>38.34</td> <td>16.39</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17338.53</td> <td>56.98</td> <td>68.20</td> <td>-11.22</td> <td>60.18</td> <td>41.23</td> <td>20.23</td> <td>64.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 11550.33 | 45.00 | 74.00 | -29.00 | 56.50 | 38.34 | 16.39 | 66.23 | 0.00 | -- | -- | Peak | 2 | 17338.53 | 56.98 | 68.20 | -11.22 | 60.18 | 41.23 | 20.23 | 64.66 | 0.00 | -- | -- | Peak |
| Limit    | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 8086.80  | 51.83       | 74.00 | -22.17 | 69.00       | 36.19  | 13.44 | 66.80  | 0.00 | 218    | 309  | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 8086.80  | 49.33       | 54.00 | -4.67  | 66.50       | 36.19  | 13.44 | 66.80  | 0.00 | 218    | 309  | Average |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3        | 8661.73  | 47.11       | 68.20 | -21.09 | 63.77       | 36.26  | 13.98 | 66.90  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4        | 9272.60  | 48.36       | 68.20 | -19.84 | 64.20       | 36.55  | 14.53 | 66.92  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5        | 11550.33   | 44.50       | 74.00 | -29.50 | 56.00       | 38.34  | 16.39 | 66.23  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6        | 17336.33   | 65.50       | 68.20 | -2.70  | 68.70       | 41.23  | 20.23 | 64.66  | 0.00 | 254    | 59   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit    | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 11550.33   | 45.00       | 74.00 | -29.00 | 56.50       | 38.34  | 16.39 | 66.23  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 17338.53   | 56.98       | 68.20 | -11.22 | 60.18       | 41.23  | 20.23 | 64.66  | 0.00 | --     | --   | Peak    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |       |       |       |       |       |      |     |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |          |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |    |    |      |



## Appendix D. Duty Cycle Plots


For CDD mode:

| Antenna | Band           | Duty Cycle(%) | T(ms) | 1/T(kHz) | VBW Setting |
|---------|----------------|---------------|-------|----------|-------------|
| 1+2+3+4 | 802.11a        | 94.93         | 2.060 | 0.485    | 0.51kHz     |
| 1+2+3+4 | 802.11ax HE20  | 98.36         | -     | -        | 10Hz        |
| 1+2+3+4 | 802.11ax HE40  | 96.91         | 0.785 | 1.274    | 1.3kHz      |
| 1+2+3+4 | 802.11ax HE80  | 93.52         | 0.404 | 2.475    | 2.7kHz      |
| 1+2+3+4 | 802.11ax HE160 | 88.89         | 0.240 | 4.167    | 4.3kHz      |

For TXBF mode:

| Antenna | Band           | Duty Cycle(%) | Duty Factor |
|---------|----------------|---------------|-------------|
| 1+2+3+4 | 802.11ax HE20  | 96.2          | 0.17        |
| 1+2+3+4 | 802.11ax HE40  | 96.5          | 0.15        |
| 1+2+3+4 | 802.11ax HE80  | 90.1          | 0.45        |
| 1+2+3+4 | 802.11ax HE160 | 89.0          | 0.51        |


### 802.11a CDD mode








802.11ax HE20 CDD mode




802.11ax HE40 CDD mode





802.11ax HE80 CDD mode



802.11ax HE160 CDD mode

