





Sporton International Inc. (Kunshan)
TEL : +86-512-57900158
FCC ID : G954981X2


Page Number : A357 of A367






















Maximum EIRP Power

Test Result

TestMode	Antenna	Freq(MHz)	Level (dBμV/m)	DT Factor	Pash Loss	Final Level (dBμV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX20MIMO	total	5955	102.6	0.13	9.93	112.66	17.46	≤30.00	PASS
	total	6175	102.5	0.13	10.31	112.94	17.74	≤30.00	PASS
	total	6415	102.5	0.13	10.47	113.1	17.9	≤30.00	PASS
	total	6435	101.6	0.13	10.51	112.24	17.04	≤30.00	PASS
	total	6475	102.5	0.13	10.6	113.23	18.03	≤30.00	PASS
	total	6515	101.8	0.13	10.59	112.52	17.32	≤30.00	PASS
	total	6535	100.7	0.13	10.55	111.38	16.18	≤30.00	PASS
	total	6695	101.2	0.13	10.67	112	16.8	≤30.00	PASS
	total	6855	101.6	0.13	11.01	112.74	17.54	≤30.00	PASS
	total	6875	100.8	0.13	11.01	111.94	16.74	≤30.00	PASS
	total	6895	100.8	0.13	11.03	111.96	16.76	≤30.00	PASS
	total	6995	101.7	0.13	10.94	112.77	17.57	≤30.00	PASS
	total	7095	101	0.13	11.22	112.35	17.15	≤30.00	PASS
	total	7115	101.3	0.13	11.31	112.74	17.54	≤30.00	PASS
11AX40MIMO	total	5965	105.5	0.14	9.93	115.57	20.37	≤30.00	PASS
	total	6165	104.4	0.14	10.3	114.84	19.64	≤30.00	PASS
	total	6405	104.1	0.14	10.43	114.67	19.47	≤30.00	PASS
	total	6445	105.3	0.14	10.59	116.03	20.83	≤30.00	PASS
	total	6485	105	0.14	10.62	115.76	20.56	≤30.00	PASS
	total	6525	105.2	0.14	10.56	115.9	20.7	≤30.00	PASS
	total	6565	105.1	0.14	10.53	115.77	20.57	≤30.00	PASS
	total	6685	104.6	0.14	10.66	115.4	20.2	≤30.00	PASS
	total	6845	103.4	0.14	10.97	114.51	19.31	≤30.00	PASS
	total	6885	104.4	0.14	11.02	115.56	20.36	≤30.00	PASS
	total	6925	104.5	0.14	10.99	115.63	20.43	≤30.00	PASS
	total	7005	104.6	0.14	10.97	115.71	20.51	≤30.00	PASS
	total	7085	104.5	0.14	11.22	115.86	20.66	≤30.00	PASS



TestMode	Antenna	Freq(MHz)	Level (dBµV/m)	DT Factor	Pash Loss	Final Level (dBµV/m)	EIRP [dBm]	Limit [dBm]	Verdict
11AX80MIMO	total	5985	108.8	0.12	9.87	118.79	23.59	≤30.00	PASS
	total	6145	107.6	0.12	10.26	117.98	22.78	≤30.00	PASS
	total	6385	107.9	0.12	10.39	118.41	23.21	≤30.00	PASS
	total	6465	108.4	0.12	10.57	119.09	23.89	≤30.00	PASS
	total	6545	108	0.12	10.56	118.68	23.48	≤30.00	PASS
	total	6625	108	0.12	10.57	118.69	23.49	≤30.00	PASS
	total	6705	107.9	0.12	10.69	118.71	23.51	≤30.00	PASS
	total	6785	107.3	0.12	10.56	117.98	22.78	≤30.00	PASS
	total	6865	107.7	0.12	10.99	118.81	23.61	≤30.00	PASS
	total	6945	107.7	0.12	11.01	118.83	23.63	≤30.00	PASS
	total	7025	107.7	0.12	10.99	118.81	23.61	≤30.00	PASS
11AX160MIMO	total	6025	111	0.04	9.62	120.66	25.46	≤30.00	PASS
	total	6185	110.5	0.04	10.24	120.78	25.58	≤30.00	PASS
	total	6345	110.4	0.04	10.05	120.49	25.29	≤30.00	PASS
	total	6505	109.9	0.04	10.61	120.55	25.35	≤30.00	PASS
	total	6665	109.9	0.04	10.66	120.6	25.4	≤30.00	PASS
	total	6825	110.4	0.04	10.78	121.22	26.02	≤30.00	PASS
	total	6985	108.7	0.04	10.97	119.71	24.51	≤30.00	PASS

Note:

EIRP(dBm) = Final Level(dBµV/m) - 95.2


Final Level(dBµV/m) = Read Level(dBµV/m) + Path Loss(dB) + DT Factor

Path Loss(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Preamp Factor(dB)



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.156	44.78	-20.91	65.69	34.30	0.05	10.43	QP
2	0.156	28.38	-37.31	65.69	17.90	0.05	10.43	Average
3	0.183	40.56	-23.77	64.33	30.10	0.04	10.42	QP
4	0.183	23.96	-40.37	64.33	13.50	0.04	10.42	Average
5	0.216	36.74	-26.22	62.96	26.30	0.03	10.41	QP
6	0.216	20.64	-42.32	62.96	10.20	0.03	10.41	Average
7	0.247	34.22	-27.64	61.86	23.80	0.04	10.38	QP
8	0.247	18.82	-43.04	61.86	8.40	0.04	10.38	Average
9	0.291	31.29	-29.21	60.50	20.90	0.04	10.35	QP
10	0.291	17.69	-42.81	60.50	7.30	0.04	10.35	Average
11 *	2.540	35.25	-20.75	56.00	25.29	-0.10	10.06	QP
12	2.540	32.85	-23.15	56.00	22.89	-0.10	10.06	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.162	44.07	-21.27	65.34	33.60	0.04	10.43	QP
2	0.162	29.37	-35.97	65.34	18.90	0.04	10.43	Average
3	0.172	42.67	-22.19	64.86	32.20	0.04	10.43	QP
4	0.172	29.57	-35.29	64.86	19.10	0.04	10.43	Average
5	0.185	41.97	-22.27	64.24	31.50	0.05	10.42	QP
6	0.185	29.37	-34.87	64.24	18.90	0.05	10.42	Average
7	0.227	36.32	-26.25	62.57	25.90	0.02	10.40	QP
8	0.227	23.38	-39.19	62.57	12.96	0.02	10.40	Average
9	0.264	34.06	-27.23	61.29	23.70	-0.01	10.37	QP
10	0.264	21.76	-39.53	61.29	11.40	-0.01	10.37	Average
11 *	2.736	35.23	-20.77	56.00	25.30	-0.13	10.06	QP
12	2.736	31.43	-24.57	56.00	21.50	-0.13	10.06	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carl Ni	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

<CDD 1S4T>:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 2	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE20	1	5955	MCS0	Full	Axis Z
Mode 3	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE20	45	6175	MCS0	Full	Axis Z
Mode 4	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE20	93	6415	MCS0	Full	Axis Z
Mode 5	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE20	97	6435	MCS0	Full	Axis Z
Mode 6	U-NII-5	6.425-6.525	CDD 1S4T	802.11ax HE20	105	6475	MCS0	Full	Axis Z
Mode 7	U-NII-8	6.425-6.525	CDD 1S4T	802.11ax HE20	113	6515	MCS0	Full	Axis Z
Mode 8	U-NII-8	6.525-6.875	CDD 1S4T	802.11ax HE20	117	6535	MCS0	Full	Axis Z
Mode 9	U-NII-8	6.525-6.875	CDD 1S4T	802.11ax HE20	149	6695	MCS0	Full	Axis Z
Mode 10	U-NII-8	6.525-6.875	CDD 1S4T	802.11ax HE20	181	6855	MCS0	Full	Axis Z
Mode 11	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE20	189	6895	MCS0	Full	Axis Z
Mode 12	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE20	209	6995	MCS0	Full	Axis Z
Mode 13	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE20	229	7095	MCS0	Full	Axis Y
Mode 15	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE40	3	5965	MCS0	Full	Axis Y
Mode 16	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE40	43	6165	MCS0	Full	Axis Y
Mode 17	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE40	91	6405	MCS0	Full	Axis Y
Mode 18	U-NII-5	6.425-6.525	CDD 1S4T	802.11ax HE40	99	6445	MCS0	Full	Axis Y
Mode 19	U-NII-5	6.425-6.525	CDD 1S4T	802.11ax HE40	107	6485	MCS0	Full	Axis Y
Mode 20	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE40	123	6565	MCS0	Full	Axis Y
Mode 21	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE40	147	6685	MCS0	Full	Axis Y
Mode 22	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE40	179	6845	MCS0	Full	Axis Y
Mode 23	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE40	195	6925	MCS0	Full	Axis Z
Mode 24	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE40	211	7005	MCS0	Full	Axis Z
Mode 25	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE40	227	7085	MCS0	Full	Axis Z
Mode 26	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE80	7	5985	MCS0	Full	Axis Z
Mode 27	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE80	39	6145	MCS0	Full	Axis Z
Mode 28	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE80	87	6385	MCS0	Full	Axis Z
Mode 29	U-NII-5	6.425-6.525	CDD 1S4T	802.11ax HE80	103	6465	MCS0	Full	Axis Z
Mode 30	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE80	135	6625	MCS0	Full	Axis Z
Mode 31	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE80	151	6705	MCS0	Full	Axis X
Mode 32	U-NII-5	6.525-6.875	CDD 1S4T	802.11ax HE80	167	6785	MCS0	Full	Axis X
Mode 33	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE80	199	6945	MCS0	Full	Axis X
Mode 34	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE80	215	7025	MCS0	Full	Axis X
Mode 35	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE160	15	6025	MCS0	Full	Axis Z
Mode 36	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE160	47	6185	MCS0	Full	Axis Y



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 37	U-NII-5	5.925-6.425	CDD 1S4T	802.11ax HE160	79	6345	MCS0	Full	Axis Z
Mode 38	U-NII-8	6.525-6.875	CDD 1S4T	802.11ax HE160	143	6665	MCS0	Full	Axis Y
Mode 39	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE160	207	6985	MCS0	Full	Axis X
Mode 40	U-NII-8	6.525-7.125	CDD 1S4T	802.11ax HE20	185	6875	MCS0	Full	Axis Z
Mode 41	U-NII-8	6.525-7.125	CDD 1S4T	802.11ax HE40	187	6885	MCS0	Full	Axis Y
Mode 42	U-NII-8	6.525-7.125	CDD 1S4T	802.11ax HE80	183	6865	MCS0	Full	Axis X
Mode 43	U-NII-8	6.525-7.125	CDD 1S4T	802.11ax HE160	175	6825	MCS0	Full	Axis Z
Mode 44	U-NII-5	6.425-6.875	CDD 1S4T	802.11ax HE40	115	6525	MCS0	Full	Axis Y
Mode 45	U-NII-5	6.425-6.875	CDD 1S4T	802.11ax HE80	119	6545	MCS0	Full	Axis Z
Mode 46	U-NII-5	6.425-6.875	CDD 1S4T	802.11ax HE160	111	6505	MCS0	Full	Axis X
Mode 25	U-NII-8	6.875-7.125	CDD 1S4T	802.11ax HE40	227	7085	MCS0	Full	LF

<TXBF 1S4T>:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 48	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE20	1	5955	MCS0	Full	Axis Z
Mode 49	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE20	45	6175	MCS0	Full	Axis Z
Mode 50	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE20	93	6415	MCS0	Full	Axis Z
Mode 51	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE20	97	6435	MCS0	Full	Axis Z
Mode 52	U-NII-6	6.425-6.525	BF 1S4T	802.11ax HE20	105	6475	MCS0	Full	Axis Z
Mode 53	U-NII-6	6.425-6.525	BF 1S4T	802.11ax HE20	113	6515	MCS0	Full	Axis Z
Mode 54	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE20	117	6535	MCS0	Full	Axis Z
Mode 55	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE20	149	6695	MCS0	Full	Axis Z
Mode 56	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE20	181	6855	MCS0	Full	Axis Z
Mode 57	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE20	189	6895	MCS0	Full	Axis Z
Mode 58	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE20	209	6995	MCS0	Full	Axis Z
Mode 59	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE20	229	7095	MCS0	Full	Axis Z
Mode 61	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE40	3	5965	MCS0	Full	Axis Z
Mode 62	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE40	43	6165	MCS0	Full	Axis Z
Mode 63	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE40	91	6405	MCS0	Full	Axis Z
Mode 64	U-NII-6	6.425-6.525	BF 1S4T	802.11ax HE40	99	6445	MCS0	Full	Axis Z
Mode 65	U-NII-6	6.425-6.525	BF 1S4T	802.11ax HE40	107	6485	MCS0	Full	Axis Z
Mode 66	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE40	123	6565	MCS0	Full	Axis Z
Mode 67	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE40	147	6685	MCS0	Full	Axis Z
Mode 68	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE40	179	6845	MCS0	Full	Axis Z
Mode 69	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE40	195	6925	MCS0	Full	Axis Z
Mode 70	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE40	211	7005	MCS0	Full	Axis Z
Mode 71	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE40	227	7085	MCS0	Full	Axis Z
Mode 72	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE80	7	5985	MCS0	Full	Axis Z
Mode 73	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE80	39	6145	MCS0	Full	Axis Z
Mode 74	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE80	87	6385	MCS0	Full	Axis Z
Mode 75	U-NII-6	6.425-6.525	BF 1S4T	802.11ax HE80	103	6465	MCS0	Full	Axis Z
Mode 76	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE80	135	6625	MCS0	Full	Axis Z
Mode 77	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE80	151	6705	MCS0	Full	Axis Z
Mode 78	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE80	167	6785	MCS0	Full	Axis Z



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 79	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE80	199	6945	MCS0	Full	Axis Z
Mode 80	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE80	215	7025	MCS0	Full	Axis Z
Mode 81	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE160	15	6025	MCS0	Full	Axis Z
Mode 82	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE160	47	6185	MCS0	Full	Axis Z
Mode 83	U-NII-5	5.925-6.425	BF 1S4T	802.11ax HE160	79	6345	MCS0	Full	Axis Z
Mode 84	U-NII-7	6.525-6.875	BF 1S4T	802.11ax HE160	143	6665	MCS0	Full	Axis Z
Mode 85	U-NII-8	6.875-7.125	BF 1S4T	802.11ax HE160	207	6985	MCS0	Full	Axis Z
Mode 86	U-NII-8	6.525-7.125	BF 1S4T	802.11ax HE20	185	6525	MCS0	Full	Axis Z
Mode 87	U-NII-8	6.525-7.125	BF 1S4T	802.11ax HE40	187	6885	MCS0	Full	Axis Z
Mode 88	U-NII-8	6.525-7.125	BF 1S4T	802.11ax HE80	183	6865	MCS0	Full	Axis Z
Mode 89	U-NII-8	6.525-7.125	BF 1S4T	802.11ax HE160	175	6825	MCS0	Full	Axis Z
Mode 90	U-NII-7	6.425-6.875	BF 1S4T	802.11ax HE40	115	6525	MCS0	Full	Axis Z
Mode 91	U-NII-7	6.425-6.875	BF 1S4T	802.11ax HE80	119	6545	MCS0	Full	Axis Z
Mode 92	U-NII-7	6.425-6.875	BF 1S4T	802.11ax HE160	111	6505	MCS0	Full	Axis Z

Co-Location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Plane
Mode 33	WIFI 2.4G	2400-2483.5	CDD 1S4T	802.11ax HE40	03	2422	MCS0	-	Wall
	BLE	2400-2483.5	SISO	GSFK	19	2440	1Mbps	-	Wall
	WIFI 5G	5.47-5.725	CDD 1S4T	802.11ax HE20	100	5500	MCS0	-	Wall
	WIFI 6G	6.875-7.125	CDD 1S4T	802.11ax HE40	227	7085	MCS0	-	Wall
	zigbee	2400-2483.5	SISO	O-QPSK	26	2480	250kbps	-	Wall



Summary of each worse mode

<CDD 1S4T>:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
2	802.11ax HE20	1	5921.33	67.36	68.20	-0.84	V	AVERAGE	Pass	Band Edge
2	802.11ax HE20	1	11910.00	38.27	54.00	-15.73	H	AVERAGE	Pass	Harmonic
3	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
3	802.11ax HE20	45	12350.00	46.74	74.00	-27.26	V	PEAK	Pass	Harmonic
4	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
4	802.11ax HE20	93	12830.00	47.35	88.20	-40.85	H	PEAK	Pass	Harmonic
5	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	97	9999.50	50.94	88.20	-37.26	V	Peak	Pass	Harmonic
6	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	105	9999.50	51.32	88.20	-36.88	V	Peak	Pass	Harmonic
7	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
7	802.11ax HE20	113	9999.50	51.43	88.20	-36.77	V	Peak	Pass	Harmonic
8	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	117	9999.50	52.16	88.20	-36.04	V	Peak	Pass	Harmonic
9	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE20	149	13390.00	47.19	74.00	-26.81	V	PEAK	Pass	Harmonic
10	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE20	181	9999.50	51.82	88.20	-36.38	V	Peak	Pass	Harmonic
11	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	189	9999.50	51.49	88.20	-36.71	V	Peak	Pass	Harmonic
12	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	209	9999.50	51.26	88.20	-36.94	H	Peak	Pass	Harmonic
13	802.11ax HE20	229	7127.24	67.30	68.20	-0.90	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	229	9999.50	51.45	88.20	-36.75	V	Peak	Pass	Harmonic
15	802.11ax HE40	3	5921.32	67.03	68.20	-1.17	H	AVERAGE	Pass	Band Edge
15	802.11ax HE40	3	11930.00	46.85	74.00	-27.15	H	PEAK	Pass	Harmonic
16	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE40	43	12330.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
17	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE40	91	9999.50	51.27	88.20	-36.93	H	Peak	Pass	Harmonic
18	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE40	99	9999.50	52.27	88.20	-35.93	H	Peak	Pass	Harmonic
19	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE40	107	9999.50	52.17	88.20	-36.03	H	Peak	Pass	Harmonic
20	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	123	9999.50	52.30	88.20	-35.90	H	Peak	Pass	Harmonic
21	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	147	13370.00	38.06	54.00	-15.94	H	AVERAGE	Pass	Harmonic
22	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	179	9999.50	52.60	88.20	-35.60	H	Peak	Pass	Harmonic
23	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE40	195	9999.50	52.67	88.20	-35.53	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
24	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE40	211	9999.50	52.47	88.20	-35.73	H	Peak	Pass	Harmonic
25	802.11ax HE40	227	7125.00	67.62	68.20	-0.58	V	AVERAGE	Pass	Band Edge
25	802.11ax HE40	227	9999.50	51.79	88.20	-36.41	V	Peak	Pass	Harmonic
26	802.11ax HE80	7	5921.48	66.73	68.20	-1.47	V	AVERAGE	Pass	Band Edge
26	802.11ax HE80	7	11970.00	46.12	74.00	-27.88	V	PEAK	Pass	Harmonic
27	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE80	39	12290.00	45.75	74.00	-28.25	V	PEAK	Pass	Harmonic
28	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	87	9999.50	52.03	88.20	-36.17	H	Peak	Pass	Harmonic
29	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	103	9999.50	52.66	88.20	-35.54	H	Peak	Pass	Harmonic
30	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE80	135	13250.00	46.99	74.00	-27.01	H	PEAK	Pass	Harmonic
31	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE80	151	9999.50	51.94	88.20	-36.26	H	Peak	Pass	Harmonic
32	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE80	167	9999.50	52.11	88.20	-36.09	H	Peak	Pass	Harmonic
33	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	199	9999.50	52.04	88.20	-36.16	H	Peak	Pass	Harmonic
34	802.11ax HE80	215	7127.08	67.14	68.20	-1.06	V	AVERAGE	Pass	Band Edge
34	802.11ax HE80	215	9999.50	51.87	88.20	-36.33	H	Peak	Pass	Harmonic
35	802.11ax HE160	15	5923.60	66.15	68.20	-2.05	H	AVERAGE	Pass	Band Edge
35	802.11ax HE160	15	12050.00	46.67	74.00	-27.33	H	PEAK	Pass	Harmonic
36	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE160	47	12370.00	47.89	74.00	-26.11	H	PEAK	Pass	Harmonic
37	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE160	79	12690.00	46.40	74.00	-27.60	V	PEAK	Pass	Harmonic
38	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE160	143	13330.00	47.09	74.00	-26.91	V	PEAK	Pass	Harmonic
39	802.11ax HE160	207	7133.80	65.58	68.20	-2.62	H	AVERAGE	Pass	Band Edge
39	802.11ax HE160	207	9999.50	52.94	88.20	-35.26	H	Peak	Pass	Harmonic
40	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	185	9999.50	52.53	88.20	-35.67	H	Peak	Pass	Harmonic
41	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	187	13770.00	47.49	88.20	-40.71	V	PEAK	Pass	Harmonic
42	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	183	9999.50	52.72	88.20	-35.48	H	Peak	Pass	Harmonic
43	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE160	175	9999.50	52.23	88.20	-35.97	H	Peak	Pass	Harmonic
44	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE40	115	9999.50	53.04	88.20	-35.16	H	Peak	Pass	Harmonic
45	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	119	9999.50	53.32	88.20	-34.88	H	Peak	Pass	Harmonic
46	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	802.11ax HE160	111	9999.50	52.75	88.20	-35.45	H	Peak	Pass	Harmonic
25	802.11ax HE40	227	72.68	31.01	40.00	-8.99	V	Peak	Pass	LF

<TXBF 1S4T>:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
48	802.11ax HE20	1	5920.29	56.14	68.20	-12.06	V	AVERAGE	Pass	Band Edge
48	802.11ax HE20	1	11870.00	37.85	54.00	-16.15	H	AVERAGE	Pass	Harmonic
49	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	45	12350.00	47.93	74.00	-26.07	H	PEAK	Pass	Harmonic
50	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	93	12830.00	48.55	88.20	-39.65	H	PEAK	Pass	Harmonic
51	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	97	12870.00	49.61	88.20	-38.59	H	PEAK	Pass	Harmonic
52	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	105	12950.00	48.93	88.20	-39.27	H	PEAK	Pass	Harmonic
53	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	113	13030.00	48.60	88.20	-39.60	H	PEAK	Pass	Harmonic
54	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE20	117	13070.00	48.41	88.20	-39.79	V	PEAK	Pass	Harmonic
55	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE20	149	13390.00	47.98	74.00	-26.02	V	PEAK	Pass	Harmonic
56	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE20	181	13710.00	50.75	88.20	-37.45	V	PEAK	Pass	Harmonic
57	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE20	189	13790.00	50.49	88.20	-37.71	H	PEAK	Pass	Harmonic
58	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	209	13990.00	49.52	88.20	-38.68	H	PEAK	Pass	Harmonic
59	802.11ax HE20	229	7125.00	66.24	68.20	-1.96	H	AVERAGE	Pass	Band Edge
59	802.11ax HE20	229	14190.00	49.93	88.20	-38.27	H	PEAK	Pass	Harmonic
61	802.11ax HE40	3	5924.54	61.69	68.20	-6.51	H	Average	Pass	Band Edge
61	802.11ax HE40	3	11930.00	38.11	54.00	-15.89	H	AVERAGE	Pass	Harmonic
62	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE40	43	12330.00	47.78	74.00	-26.22	H	PEAK	Pass	Harmonic
63	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE40	91	12810.00	48.57	88.20	-39.63	H	PEAK	Pass	Harmonic
64	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
64	802.11ax HE40	99	12890.00	49.20	88.20	-39.00	V	PEAK	Pass	Harmonic
65	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
65	802.11ax HE40	107	12970.00	48.69	88.20	-39.51	V	PEAK	Pass	Harmonic
66	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
66	802.11ax HE40	123	13130.00	48.26	88.20	-39.94	H	PEAK	Pass	Harmonic
67	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
67	802.11ax HE40	147	13370.00	47.76	74.00	-26.24	V	PEAK	Pass	Harmonic
68	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
68	802.11ax HE40	179	13690.00	48.29	88.20	-39.91	H	PEAK	Pass	Harmonic
69	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
69	802.11ax HE40	195	13850.00	48.52	88.20	-39.68	V	PEAK	Pass	Harmonic
70	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
70	802.11ax HE40	211	14010.00	47.70	88.20	-40.50	V	PEAK	Pass	Harmonic
71	802.11ax HE40	227	7125.80	56.53	68.20	-11.67	H	Peak	Pass	Band Edge
71	802.11ax HE40	227	14170.00	47.73	88.20	-40.47	H	PEAK	Pass	Harmonic
72	802.11ax HE80	7	5922.92	60.73	68.20	-7.47	H	Average	Pass	Band Edge
72	802.11ax HE80	7	11970.00	47.20	74.00	-26.80	V	PEAK	Pass	Harmonic
73	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
73	802.11ax HE80	39	12290.00	38.43	54.00	-15.57	V	AVERAGE	Pass	Harmonic
74	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
74	802.11ax HE80	87	12770.00	47.76	88.20	-40.44	V	PEAK	Pass	Harmonic
75	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
75	802.11ax HE80	103	12930.00	48.62	88.20	-39.58	H	PEAK	Pass	Harmonic
76	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
76	802.11ax HE80	135	13250.00	38.63	54.00	-15.37	V	AVERAGE	Pass	Harmonic
77	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
77	802.11ax HE80	151	13410.00	47.65	88.20	-40.55	V	PEAK	Pass	Harmonic
78	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
78	802.11ax HE80	167	13570.00	47.81	88.20	-40.39	V	PEAK	Pass	Harmonic
79	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
79	802.11ax HE80	199	13890.00	47.98	88.20	-40.22	H	PEAK	Pass	Harmonic
80	802.11ax HE80	215	7127.52	48.92	68.20	-19.28	V	Peak	Pass	Band Edge
80	802.11ax HE80	215	14050.00	47.96	88.20	-40.24	V	PEAK	Pass	Harmonic
81	802.11ax HE160	15	5902.60	64.12	68.20	-4.08	H	Average	Pass	Band Edge
81	802.11ax HE160	15	12050.00	38.16	54.00	-15.84	V	AVERAGE	Pass	Harmonic
82	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
82	802.11ax HE160	47	12370.00	47.83	74.00	-26.17	H	PEAK	Pass	Harmonic
83	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
83	802.11ax HE160	79	12690.00	47.71	74.00	-26.29	H	PEAK	Pass	Harmonic
84	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
84	802.11ax HE160	143	13330.00	47.66	74.00	-26.34	V	PEAK	Pass	Harmonic
85	802.11ax HE160	207	7140.76	58.74	68.20	-9.46	V	Average	Pass	Band Edge
85	802.11ax HE160	207	13970.00	48.49	88.20	-39.71	H	PEAK	Pass	Harmonic
86	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
86	802.11ax HE20	185	13750.00	47.38	88.20	-40.82	V	Peak	Pass	Harmonic
87	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
87	802.11ax HE40	187	13770.00	48.88	88.20	-39.32	V	PEAK	Pass	Harmonic
88	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
88	802.11ax HE80	183	13730.00	48.22	88.20	-39.98	V	PEAK	Pass	Harmonic
89	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
89	802.11ax HE160	175	13650.00	47.77	88.20	-40.43	H	PEAK	Pass	Harmonic
90	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
90	802.11ax HE40	115	13050.00	48.70	88.20	-39.50	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
91	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
91	802.11ax HE80	119	13090.00	48.64	88.20	-39.56	H	PEAK	Pass	Harmonic
92	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
92	802.11ax HE160	111	13010.00	48.47	88.20	-39.73	V	PEAK	Pass	Harmonic

Co-Location





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
33	802.11ax HE40	03	2483.54	51.51	54.00	-2.49	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	8250.00	50.16	54.00	-3.84	H	Average	Pass	Harmonic
	Bluetooth-LE_GSKF	19	2483.50	52.42	54.00	-1.58	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	19	8250.00	50.27	54.00	-3.73	H	Average	Pass	Harmonic
	802.11ax HE20	100	5468.80	61.89	68.20	-6.31	H	PEAK	Pass	Band Edge
	802.11ax HE20	100	8254.00	53.02	54.00	-0.98	H	Average	Pass	Harmonic
	802.11ax HE40	227	7125.48	61.61	68.20	-6.59	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	227	14170.00	48.52	88.20	-39.68	H	Peak	Pass	Harmonic
	Zigbee_O-QPSK	26	2483.50	52.12	54.00	-1.88	H	AVERAGE	Pass	Band Edge
	Zigbee_O-QPSK	26	8250.00	50.47	54.00	-3.53	H	Average	Pass	Harmonic



<CDD 1S4T>:

Mode	2																																																																													
	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.19</td> <td>75.50</td> <td>88.20</td> <td>-12.70</td> <td>68.58</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>389 341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.19	75.50	88.20	-12.70	68.58	35.12	11.40	39.60	0.00	389 341 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>114.38</td> <td>-----</td> <td>-----</td> <td>107.33</td> <td>35.16</td> <td>11.43</td> <td>39.54</td> <td>0.00</td> <td>389 341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	114.38	-----	-----	107.33	35.16	11.43	39.54	0.00	389 341 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5924.19	75.50	88.20	-12.70	68.58	35.12	11.40	39.60	0.00	389 341 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5955.00	114.38	-----	-----	107.33	35.16	11.43	39.54	0.00	389 341 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5921.72</td> <td>59.08</td> <td>68.20</td> <td>-9.12</td> <td>52.16</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>389 341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.72	59.08	68.20	-9.12	52.16	35.12	11.40	39.60	0.00	389 341 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>106.46</td> <td>-----</td> <td>-----</td> <td>99.41</td> <td>35.16</td> <td>11.43</td> <td>39.54</td> <td>0.00</td> <td>389 341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	106.46	-----	-----	99.41	35.16	11.43	39.54	0.00	389 341 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5921.72	59.08	68.20	-9.12	52.16	35.12	11.40	39.60	0.00	389 341 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5955.00	106.46	-----	-----	99.41	35.16	11.43	39.54	0.00	389 341 AVERAGE																																																																					



	2																																																																													
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a rising signal level from approximately 48.8 dBuV/m at 5825 MHz to 113.8 dBuV/m at 5955 MHz. A red horizontal line indicates the limit at 81.3 dBuV/m. A peak is labeled 'WIFI-6E(Peak)' at approximately 5921 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5921.72</td> <td>78.60</td> <td>88.20</td> <td>-9.60</td> <td>71.68</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>125 273 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.72	78.60	88.20	-9.60	71.68	35.12	11.40	39.60	0.00	125 273 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level rising from approximately 32.5 dBuV/m at 1000 MHz to 113.8 dBuV/m at 6400 MHz. A red horizontal line indicates the limit at 81.3 dBuV/m. A peak is labeled 'WIFI-6E(Peak)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>121.55</td> <td>-----</td> <td>-----</td> <td>114.53</td> <td>35.15</td> <td>11.43</td> <td>39.56</td> <td>0.00</td> <td>125 273 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	121.55	-----	-----	114.53	35.15	11.43	39.56	0.00	125 273 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5921.72	78.60	88.20	-9.60	71.68	35.12	11.40	39.60	0.00	125 273 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5955.00	121.55	-----	-----	114.53	35.15	11.43	39.56	0.00	125 273 PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows an average signal level rising from approximately 48.8 dBuV/m at 5825 MHz to 113.8 dBuV/m at 5955 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The average level is labeled 'WIFI-6E(AVG)' at approximately 5921 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5921.33</td> <td>67.36</td> <td>68.20</td> <td>-0.84</td> <td>60.44</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>125 273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.33	67.36	68.20	-0.84	60.44	35.12	11.40	39.60	0.00	125 273 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows an average signal level rising from approximately 32.5 dBuV/m at 1000 MHz to 113.8 dBuV/m at 6400 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The average level is labeled 'WIFI-6E(AVG)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>112.87</td> <td>-----</td> <td>-----</td> <td>105.85</td> <td>35.15</td> <td>11.43</td> <td>39.56</td> <td>0.00</td> <td>125 273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	112.87	-----	-----	105.85	35.15	11.43	39.56	0.00	125 273 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5921.33	67.36	68.20	-0.84	60.44	35.12	11.40	39.60	0.00	125 273 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5955.00	112.87	-----	-----	105.85	35.15	11.43	39.56	0.00	125 273 AVERAGE																																																																					



Mode	2																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																													
ANT	CDD 1S4T																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>48.66</td> <td>74.00</td> <td>-25.34</td> <td>59.53</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>38.27</td> <td>54.00</td> <td>-15.73</td> <td>49.14</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.66	74.00	-25.34	59.53	38.63	16.62	66.12	0.00	300	0	PEAK	2	11910.00	38.27	54.00	-15.73	49.14	38.63	16.62	66.12	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>58.59</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11910.00</td> <td>37.21</td> <td>54.00</td> <td>-16.79</td> <td>48.08</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.72	74.00	-26.28	58.59	38.63	16.62	66.12	0.00	100	0	PEAK	2	11910.00	37.21	54.00	-16.79	48.08	38.63	16.62	66.12	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11910.00	48.66	74.00	-25.34	59.53	38.63	16.62	66.12	0.00	300	0	PEAK																																																																																																		
2	11910.00	38.27	54.00	-15.73	49.14	38.63	16.62	66.12	0.00	300	0	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11910.00	47.72	74.00	-26.28	58.59	38.63	16.62	66.12	0.00	100	0	PEAK																																																																																																		
2	11910.00	37.21	54.00	-16.79	48.08	38.63	16.62	66.12	0.00	100	0	AVERAGE																																																																																																		



Mode	3																																																																																		
	Harmonic																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full_6175MHz																																																																																		
ANT	CDD 1S4T																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>56.31</td> <td>38.84</td> <td>16.91</td> <td>65.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	46.30	74.00	-27.70	56.31	38.84	16.91	65.76	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.74</td> <td>74.00</td> <td>-27.26</td> <td>56.75</td> <td>38.84</td> <td>16.91</td> <td>65.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12350.00	46.74	74.00	-27.26	56.75	38.84	16.91	65.76	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 12350.00	46.30	74.00	-27.70	56.31	38.84	16.91	65.76	0.00	---	---	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 12350.00	46.74	74.00	-27.26	56.75	38.84	16.91	65.76	0.00	---	---	PEAK																																																																								



Mode	4																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak																																																																																				
Avg																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12838.00</td> <td>47.35</td> <td>88.20</td> <td>-40.85</td> <td>56.42</td> <td>39.03</td> <td>17.22</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12838.00	47.35	88.20	-40.85	56.42	39.03	17.22	65.32	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 12838.00</td> <td>46.70</td> <td>88.20</td> <td>-41.50</td> <td>55.77</td> <td>39.03</td> <td>17.22</td> <td>65.32</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 12838.00	46.70	88.20	-41.50	55.77	39.03	17.22	65.32	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12838.00	47.35	88.20	-40.85	56.42	39.03	17.22	65.32	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																									
1 12838.00	46.70	88.20	-41.50	55.77	39.03	17.22	65.32	0.00	---	---	PEAK																																																																									



Mode	5																																																																																
	Harmonic																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_Full_6435MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.88</td> <td>88.20</td> <td>-37.32</td> <td>65.46</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>12870.00</td> <td>47.68</td> <td>88.20</td> <td>-40.52</td> <td>56.66</td> <td>39.05</td> <td>17.25</td> <td>65.28</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	50.88	88.20	-37.32	65.46	37.20	15.12	66.90	0.00	--	-- Peak	2	12870.00	47.68	88.20	-40.52	56.66	39.05	17.25	65.28	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.94</td> <td>88.20</td> <td>-37.26</td> <td>65.52</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>12870.00</td> <td>47.45</td> <td>88.20</td> <td>-40.75</td> <td>56.43</td> <td>39.05</td> <td>17.25</td> <td>65.28</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	50.94	88.20	-37.26	65.52	37.20	15.12	66.90	0.00	--	-- Peak	2	12870.00	47.45	88.20	-40.75	56.43	39.05	17.25	65.28	0.00	--
Freq	Level			Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
		MHz	dBuV/m	dBuV/m	dB																																																																												
1	9999.50	50.88	88.20	-37.32	65.46	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	12870.00	47.68	88.20	-40.52	56.66	39.05	17.25	65.28	0.00	--	-- PEAK																																																																						
Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
		MHz	dBuV/m									dBuV/m	dB																																																																				
1	9999.50	50.94	88.20	-37.26	65.52	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	12870.00	47.45	88.20	-40.75	56.43	39.05	17.25	65.28	0.00	--	-- PEAK																																																																						



Mode	6																																																																																							
	Harmonic																																																																																							
	U-NII-5_6.425-6.525_802.11ax HE20_CH105_Full_6475MHz																																																																																							
ANT	CDD 1S4T																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Peak</th> <th rowspan="2">Avg</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.92</td> <td>88.20</td> <td>-37.28</td> <td>65.50</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>12950.00</td> <td>46.46</td> <td>88.20</td> <td>-41.74</td> <td>55.28</td> <td>39.08</td> <td>17.30</td> <td>65.20</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Peak	Avg	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	1	9999.50	50.92	88.20	-37.28	65.50	37.20	15.12	66.90	0.00	--	-- Peak	2	12950.00	46.46	88.20	-41.74	55.28	39.08	17.30	65.20	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Peak</th> <th rowspan="2">Avg</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.32</td> <td>88.20</td> <td>-36.88</td> <td>65.90</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>12950.00</td> <td>46.90</td> <td>88.20</td> <td>-41.30</td> <td>55.72</td> <td>39.08</td> <td>17.30</td> <td>65.20</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Peak	Avg	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	1	9999.50	51.32	88.20	-36.88	65.90	37.20	15.12	66.90	0.00	--	-- Peak	2	12950.00	46.90	88.20	-41.30	55.72	39.08	17.30	65.20	0.00	--	-- PEAK
	Peak			Avg	Limit									Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq		Level	Line Margin		Level	Factor	Loss Factor	Factor																																																																																
1	9999.50	50.92	88.20	-37.28	65.50	37.20	15.12	66.90	0.00	--	-- Peak																																																																													
2	12950.00	46.46	88.20	-41.74	55.28	39.08	17.30	65.20	0.00	--	-- PEAK																																																																													
Peak	Avg	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
		Freq	Level									Line Margin	Level	Factor	Loss Factor	Factor																																																																								
1	9999.50	51.32	88.20	-36.88	65.90	37.20	15.12	66.90	0.00	--	-- Peak																																																																													
2	12950.00	46.90	88.20	-41.30	55.72	39.08	17.30	65.20	0.00	--	-- PEAK																																																																													



Mode	7																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.425-6.525_802.11ax HE20_CH113_Full_6515MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.79</td> <td>88.20</td> <td>-37.41</td> <td>65.37</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13030.00</td> <td>47.49</td> <td>88.20</td> <td>-40.71</td> <td>56.17</td> <td>39.09</td> <td>17.36</td> <td>65.13</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.79	88.20	-37.41	65.37	37.20	15.12	66.90	0.00	--	Peak	2	13030.00	47.49	88.20	-40.71	56.17	39.09	17.36	65.13	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.43</td> <td>88.20</td> <td>-36.77</td> <td>66.01</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13030.00</td> <td>46.90</td> <td>88.20</td> <td>-41.30</td> <td>55.58</td> <td>39.09</td> <td>17.36</td> <td>65.13</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.43	88.20	-36.77	66.01	37.20	15.12	66.90	0.00	--	Peak	2	13030.00	46.90	88.20	-41.30	55.58	39.09	17.36	65.13	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	50.79	88.20	-37.41	65.37	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13030.00	47.49	88.20	-40.71	56.17	39.09	17.36	65.13	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.43	88.20	-36.77	66.01	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13030.00	46.90	88.20	-41.30	55.58	39.09	17.36	65.13	0.00	--	PEAK																																																																																													



Mode	8																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-8_6.525-6.875_802.11ax HE20_CH117_Full_6535MHz																																																																																																																					
ANT	CDD 1S4T																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.27</td> <td>88.20</td> <td>-37.93</td> <td>64.85</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13070.00</td> <td>47.94</td> <td>88.20</td> <td>-40.26</td> <td>56.58</td> <td>39.07</td> <td>17.38</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	50.27	88.20	-37.93	64.85	37.20	15.12	66.90	0.00	--	--	Peak	2	13070.00	47.94	88.20	-40.26	56.58	39.07	17.38	65.09	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.16</td> <td>88.20</td> <td>-36.04</td> <td>66.74</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13070.00</td> <td>46.39</td> <td>88.20</td> <td>-41.81</td> <td>55.03</td> <td>39.07</td> <td>17.38</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	52.16	88.20	-36.04	66.74	37.20	15.12	66.90	0.00	--	--	Peak	2	13070.00	46.39	88.20	-41.81	55.03	39.07	17.38	65.09	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	50.27	88.20	-37.93	64.85	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13070.00	47.94	88.20	-40.26	56.58	39.07	17.38	65.09	0.00	--	--	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	52.16	88.20	-36.04	66.74	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13070.00	46.39	88.20	-41.81	55.03	39.07	17.38	65.09	0.00	--	--	PEAK																																																																																																										



Mode	9																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.525-6.875_802.11ax HE20_CH149_Full_6695MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.11</td> <td>88.20</td> <td>-37.09</td> <td>65.69</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13390.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>55.32</td> <td>38.94</td> <td>17.61</td> <td>64.79</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.11	88.20	-37.09	65.69	37.20	15.12	66.90	0.00	-- Peak	2	13390.00	47.08	74.00	-26.92	55.32	38.94	17.61	64.79	0.00	-- PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.81</td> <td>88.20</td> <td>-36.39</td> <td>66.39</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13390.00</td> <td>47.19</td> <td>74.00</td> <td>-26.81</td> <td>55.43</td> <td>38.94</td> <td>17.61</td> <td>64.79</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.81	88.20	-36.39	66.39	37.20	15.12	66.90	0.00	-- Peak	2	13390.00	47.19	74.00	-26.81	55.43	38.94	17.61	64.79	0.00	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	9999.50	51.11	88.20	-37.09	65.69	37.20	15.12	66.90	0.00	-- Peak																																																																																																		
2	13390.00	47.08	74.00	-26.92	55.32	38.94	17.61	64.79	0.00	-- PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	9999.50	51.81	88.20	-36.39	66.39	37.20	15.12	66.90	0.00	-- Peak																																																																																																		
2	13390.00	47.19	74.00	-26.81	55.43	38.94	17.61	64.79	0.00	-- PEAK																																																																																																		



Mode	10																																																																																
	Harmonic																																																																																
	U-NII-8_6.525-6.875_802.11ax HE20_CH181_Full_6855MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.95</td> <td>88.20</td> <td>-37.25</td> <td>65.53</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13710.00</td> <td>46.60</td> <td>88.20</td> <td>-41.60</td> <td>54.61</td> <td>38.82</td> <td>17.84</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	50.95	88.20	-37.25	65.53	37.20	15.12	66.90	0.00	--	-- Peak	2	13710.00	46.60	88.20	-41.60	54.61	38.82	17.84	64.67	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.82</td> <td>88.20</td> <td>-36.38</td> <td>66.40</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13710.00</td> <td>47.52</td> <td>88.20</td> <td>-40.68</td> <td>55.53</td> <td>38.82</td> <td>17.84</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	51.82	88.20	-36.38	66.40	37.20	15.12	66.90	0.00	--	-- Peak	2	13710.00	47.52	88.20	-40.68	55.53	38.82	17.84	64.67	0.00	--
Freq	Level			Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
		MHz	dBuV/m	dBuV/m	dB																																																																												
1	9999.50	50.95	88.20	-37.25	65.53	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	13710.00	46.60	88.20	-41.60	54.61	38.82	17.84	64.67	0.00	--	-- PEAK																																																																						
Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
		MHz	dBuV/m									dBuV/m	dB																																																																				
1	9999.50	51.82	88.20	-36.38	66.40	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	13710.00	47.52	88.20	-40.68	55.53	38.82	17.84	64.67	0.00	--	-- PEAK																																																																						



Mode	11																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full_6895MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.84</td> <td>88.20</td> <td>-37.36</td> <td>65.42</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13790.00</td> <td>46.83</td> <td>88.20</td> <td>-41.37</td> <td>54.83</td> <td>38.78</td> <td>17.89</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.84	88.20	-37.36	65.42	37.20	15.12	66.90	0.00	--	--	Peak	2	13790.00	46.83	88.20	-41.37	54.83	38.78	17.89	64.67	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.49</td> <td>88.20</td> <td>-36.71</td> <td>66.07</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13790.00</td> <td>46.10</td> <td>88.20</td> <td>-42.10</td> <td>54.10</td> <td>38.78</td> <td>17.89</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.49	88.20	-36.71	66.07	37.20	15.12	66.90	0.00	--	--	Peak	2	13790.00	46.10	88.20	-42.10	54.10	38.78	17.89	64.67	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	50.84	88.20	-37.36	65.42	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	13790.00	46.83	88.20	-41.37	54.83	38.78	17.89	64.67	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	51.49	88.20	-36.71	66.07	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	13790.00	46.10	88.20	-42.10	54.10	38.78	17.89	64.67	0.00	--	--	PEAK																																																																																																







Mode	12																																																																																																													
	Harmonic																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full_6995MHz																																																																																																													
ANT	CDD 1S4T																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.26</td> <td>88.20</td> <td>-36.94</td> <td>65.84</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13990.00</td> <td>45.77</td> <td>88.20</td> <td>-42.43</td> <td>53.68</td> <td>38.70</td> <td>18.04</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.26	88.20	-36.94	65.84	37.20	15.12	66.90	0.00	--	Peak	2	13990.00	45.77	88.20	-42.43	53.68	38.70	18.04	64.65	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.92</td> <td>88.20</td> <td>-37.28</td> <td>65.50</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13990.00</td> <td>46.25</td> <td>88.20</td> <td>-41.95</td> <td>54.16</td> <td>38.70</td> <td>18.04</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.92	88.20	-37.28	65.50	37.20	15.12	66.90	0.00	--	Peak	2	13990.00	46.25	88.20	-41.95	54.16	38.70	18.04	64.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	51.26	88.20	-36.94	65.84	37.20	15.12	66.90	0.00	--	Peak																																																																																																			
2	13990.00	45.77	88.20	-42.43	53.68	38.70	18.04	64.65	0.00	--	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	50.92	88.20	-37.28	65.50	37.20	15.12	66.90	0.00	--	Peak																																																																																																			
2	13990.00	46.25	88.20	-41.95	54.16	38.70	18.04	64.65	0.00	--	PEAK																																																																																																			



		13																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.16</td> <td>81.50</td> <td>88.20</td> <td>-6.70</td> <td>71.35</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>307</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7129.16	81.50	88.20	-6.70	71.35	35.70	12.62	38.17	0.00	307	14	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>118.87</td> <td>-----</td> <td>-----</td> <td>108.81</td> <td>35.69</td> <td>12.58</td> <td>38.21</td> <td>0.00</td> <td>307</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	118.87	-----	-----	108.81	35.69	12.58	38.21	0.00	307	14	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7129.16	81.50	88.20	-6.70	71.35	35.70	12.62	38.17	0.00	307	14	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	118.87	-----	-----	108.81	35.69	12.58	38.21	0.00	307	14	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.60</td> <td>61.57</td> <td>68.20</td> <td>-6.63</td> <td>51.42</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>307</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.60	61.57	68.20	-6.63	51.42	35.70	12.62	38.17	0.00	307	14	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>108.11</td> <td>-----</td> <td>-----</td> <td>98.05</td> <td>35.69</td> <td>12.58</td> <td>38.21</td> <td>0.00</td> <td>307</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	108.11	-----	-----	98.05	35.69	12.58	38.21	0.00	307	14	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7126.60	61.57	68.20	-6.63	51.42	35.70	12.62	38.17	0.00	307	14	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7095.00	108.11	-----	-----	98.05	35.69	12.58	38.21	0.00	307	14	AVERAGE																																																																								



		13																																																																																
Mode	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Shows a blue signal line and a red horizontal limit line labeled 'Wifi 6E(Peak)' at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.40</td> <td>85.55</td> <td>88.20</td> <td>-2.65</td> <td>75.40</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>162</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7127.40	85.55	88.20	-2.65	75.40	35.70	12.62	38.17	0.00	162	83	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows a blue signal line with a sharp peak at 7095 MHz and a red horizontal limit line labeled 'Wifi 6E(Peak)' at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>122.63</td> <td>-----</td> <td>-----</td> <td>112.60</td> <td>35.68</td> <td>12.57</td> <td>38.22</td> <td>0.00</td> <td>162</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7095.00	122.63	-----	-----	112.60	35.68	12.57	38.22	0.00	162	83	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	7127.40	85.55	88.20	-2.65	75.40	35.70	12.62	38.17	0.00	162	83	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	7095.00	122.63	-----	-----	112.60	35.68	12.57	38.22	0.00	162	83	PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Shows a blue signal line and a red horizontal limit line labeled 'Wifi 6E(AVG)' at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.24</td> <td>67.30</td> <td>68.20</td> <td>-0.90</td> <td>57.15</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>162</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7127.24	67.30	68.20	-0.90	57.15	35.70	12.62	38.17	0.00	162	83	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows a blue signal line with a sharp peak at 7095 MHz and a red horizontal limit line labeled 'Wifi 6E(AVG)' at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>112.67</td> <td>-----</td> <td>-----</td> <td>102.61</td> <td>35.69</td> <td>12.58</td> <td>38.21</td> <td>0.00</td> <td>162</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7095.00	112.67	-----	-----	102.61	35.69	12.58	38.21	0.00	162	83	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	7127.24	67.30	68.20	-0.90	57.15	35.70	12.62	38.17	0.00	162	83	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	7095.00	112.67	-----	-----	102.61	35.69	12.58	38.21	0.00	162	83	AVERAGE																																																																						







Mode	13																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.82</td> <td>88.20</td> <td>-37.38</td> <td>65.40</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14190.00</td> <td>47.38</td> <td>88.20</td> <td>-40.82</td> <td>54.93</td> <td>38.87</td> <td>18.17</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.82	88.20	-37.38	65.40	37.20	15.12	66.90	0.00	--	--	Peak	2	14190.00	47.38	88.20	-40.82	54.93	38.87	18.17	64.59	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.45</td> <td>88.20</td> <td>-36.75</td> <td>66.03</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14190.00</td> <td>47.95</td> <td>88.20</td> <td>-40.25</td> <td>55.50</td> <td>38.87</td> <td>18.17</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.45	88.20	-36.75	66.03	37.20	15.12	66.90	0.00	--	--	Peak	2	14190.00	47.95	88.20	-40.25	55.50	38.87	18.17	64.59	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	50.82	88.20	-37.38	65.40	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	14190.00	47.38	88.20	-40.82	54.93	38.87	18.17	64.59	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	51.45	88.20	-36.75	66.03	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	14190.00	47.95	88.20	-40.25	55.50	38.87	18.17	64.59	0.00	--	--	PEAK																																																																																																



Mode	15																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.60</td> <td>81.05</td> <td>88.20</td> <td>-7.15</td> <td>74.13</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>300</td> <td>169</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.60	81.05	88.20	-7.15	74.13	35.12	11.40	39.60	0.00	300	169	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>115.34</td> <td>-----</td> <td>-----</td> <td>108.29</td> <td>35.16</td> <td>11.43</td> <td>39.54</td> <td>0.00</td> <td>300</td> <td>169</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	115.34	-----	-----	108.29	35.16	11.43	39.54	0.00	300	169	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.60	81.05	88.20	-7.15	74.13	35.12	11.40	39.60	0.00	300	169	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	115.34	-----	-----	108.29	35.16	11.43	39.54	0.00	300	169	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.32</td> <td>67.03</td> <td>68.20</td> <td>-1.17</td> <td>60.11</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>300</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	67.03	68.20	-1.17	60.11	35.12	11.40	39.60	0.00	300	169	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>106.31</td> <td>-----</td> <td>-----</td> <td>99.26</td> <td>35.16</td> <td>11.43</td> <td>39.54</td> <td>0.00</td> <td>300</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	106.31	-----	-----	99.26	35.16	11.43	39.54	0.00	300	169	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.32	67.03	68.20	-1.17	60.11	35.12	11.40	39.60	0.00	300	169	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	106.31	-----	-----	99.26	35.16	11.43	39.54	0.00	300	169	AVERAGE																																																																								



		15																																																																																		
Mode	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a rising signal level from approximately 48.8 dBuV/m at 5825 MHz to 113.8 dBuV/m at 5965 MHz. A red horizontal line indicates the limit at 81.3 dBuV/m. A peak is labeled 'Wifi 6E(Peak)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.52</td> <td>78.65</td> <td>88.20</td> <td>-9.55</td> <td>71.74</td> <td>35.12</td> <td>11.40</td> <td>39.61</td> <td>0.00</td> <td>363</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.52	78.65	88.20	-9.55	71.74	35.12	11.40	39.61	0.00	363	107	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level around 65.0 dBuV/m with a sharp peak at 5965 MHz reaching 113.8 dBuV/m. A red horizontal line indicates the limit at 81.3 dBuV/m. A peak is labeled 'Wifi 6E(Peak)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>112.14</td> <td>-----</td> <td>-----</td> <td>105.06</td> <td>35.17</td> <td>11.44</td> <td>39.53</td> <td>0.00</td> <td>363</td> <td>107</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.14	-----	-----	105.06	35.17	11.44	39.53	0.00	363	107	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5918.52	78.65	88.20	-9.55	71.74	35.12	11.40	39.61	0.00	363	107	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	112.14	-----	-----	105.06	35.17	11.44	39.53	0.00	363	107	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a rising signal level from approximately 48.8 dBuV/m at 5825 MHz to 113.8 dBuV/m at 5965 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. A peak is labeled 'Wifi 6E(AVG)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.42</td> <td>65.20</td> <td>68.20</td> <td>-3.00</td> <td>58.28</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>363</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.42	65.20	68.20	-3.00	58.28	35.12	11.40	39.60	0.00	363	107	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level around 65.0 dBuV/m with a sharp peak at 5965 MHz reaching 113.8 dBuV/m. A red horizontal line indicates the limit at 65.0 dBuV/m. A peak is labeled 'Wifi 6E(AVG)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>103.54</td> <td>-----</td> <td>-----</td> <td>96.46</td> <td>35.17</td> <td>11.44</td> <td>39.53</td> <td>0.00</td> <td>363</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.54	-----	-----	96.46	35.17	11.44	39.53	0.00	363	107	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.42	65.20	68.20	-3.00	58.28	35.12	11.40	39.60	0.00	363	107	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	103.54	-----	-----	96.46	35.17	11.44	39.53	0.00	363	107	AVERAGE																																																																								



Mode	15																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.61</td> <td>88.20</td> <td>-36.59</td> <td>66.19</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11930.00</td> <td>46.85</td> <td>74.00</td> <td>-27.15</td> <td>57.69</td> <td>38.64</td> <td>16.63</td> <td>66.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.61	88.20	-36.59	66.19	37.20	15.12	66.90	0.00	--	Peak	2	11930.00	46.85	74.00	-27.15	57.69	38.64	16.63	66.11	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.22</td> <td>88.20</td> <td>-36.98</td> <td>65.00</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11930.00</td> <td>46.71</td> <td>74.00</td> <td>-27.29</td> <td>57.55</td> <td>38.64</td> <td>16.63</td> <td>66.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.22	88.20	-36.98	65.00	37.20	15.12	66.90	0.00	--	Peak	2	11930.00	46.71	74.00	-27.29	57.55	38.64	16.63	66.11	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	9999.50	51.61	88.20	-36.59	66.19	37.20	15.12	66.90	0.00	--	Peak																																																																																																					
2	11930.00	46.85	74.00	-27.15	57.69	38.64	16.63	66.11	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	9999.50	51.22	88.20	-36.98	65.00	37.20	15.12	66.90	0.00	--	Peak																																																																																																					
2	11930.00	46.71	74.00	-27.29	57.55	38.64	16.63	66.11	0.00	--	PEAK																																																																																																					



Mode	16																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full_6165MHz																																																																																																									
ANT	CDD 1S4T																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.00</td> <td>88.20</td> <td>-37.20</td> <td>65.58</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12330.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>55.84</td> <td>38.83</td> <td>16.90</td> <td>65.78</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.00	88.20	-37.20	65.58	37.20	15.12	66.90	0.00	--	Peak	2	12330.00	45.79	74.00	-28.21	55.84	38.83	16.90	65.78	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.09</td> <td>88.20</td> <td>-36.11</td> <td>66.67</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12330.00</td> <td>46.01</td> <td>74.00</td> <td>-27.99</td> <td>56.06</td> <td>38.83</td> <td>16.90</td> <td>65.78</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.09	88.20	-36.11	66.67	37.20	15.12	66.90	0.00	--	Peak	2	12330.00	46.01	74.00	-27.99	56.06	38.83	16.90	65.78	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	51.00	88.20	-37.20	65.58	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12330.00	45.79	74.00	-28.21	55.84	38.83	16.90	65.78	0.00	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	52.09	88.20	-36.11	66.67	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12330.00	46.01	74.00	-27.99	56.06	38.83	16.90	65.78	0.00	--	PEAK																																																																																															



Mode	17																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.27</td> <td>88.20</td> <td>-36.93</td> <td>65.85</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12810.00</td> <td>46.08</td> <td>88.20</td> <td>-42.12</td> <td>55.18</td> <td>39.02</td> <td>17.21</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg		1	9999.50	51.27	88.20	-36.93	65.85	37.20	15.12	66.90	0.00	--	--	Peak	2	12810.00	46.08	88.20	-42.12	55.18	39.02	17.21	65.33	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.22</td> <td>88.20</td> <td>-36.98</td> <td>65.80</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12810.00</td> <td>46.38</td> <td>88.20</td> <td>-41.82</td> <td>55.48</td> <td>39.02</td> <td>17.21</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg		1	9999.50	51.22	88.20	-36.98	65.80	37.20	15.12	66.90	0.00	--	--	Peak	2	12810.00	46.38	88.20	-41.82	55.48	39.02	17.21	65.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																						
1	9999.50	51.27	88.20	-36.93	65.85	37.20	15.12	66.90	0.00	--	--	Peak																																																																																		
2	12810.00	46.08	88.20	-42.12	55.18	39.02	17.21	65.33	0.00	--	--	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																						
1	9999.50	51.22	88.20	-36.98	65.80	37.20	15.12	66.90	0.00	--	--	Peak																																																																																		
2	12810.00	46.38	88.20	-41.82	55.48	39.02	17.21	65.33	0.00	--	--	PEAK																																																																																		



Mode	18																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_6.425-6.525_802.11ax HE40_CH99_Full_6445MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.27</td> <td>88.20</td> <td>-35.93</td> <td>66.85</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12890.00</td> <td>46.58</td> <td>88.20</td> <td>-41.62</td> <td>55.52</td> <td>39.06</td> <td>17.26</td> <td>65.26</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.27	88.20	-35.93	66.85	37.20	15.12	66.90	0.00	--	Peak	2	12890.00	46.58	88.20	-41.62	55.52	39.06	17.26	65.26	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.35</td> <td>88.20</td> <td>-36.85</td> <td>65.93</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12890.00</td> <td>47.04</td> <td>88.20</td> <td>-41.16</td> <td>55.98</td> <td>39.06</td> <td>17.26</td> <td>65.26</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.35	88.20	-36.85	65.93	37.20	15.12	66.90	0.00	--	Peak	2	12890.00	47.04	88.20	-41.16	55.98	39.06	17.26	65.26	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	52.27	88.20	-35.93	66.85	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	12890.00	46.58	88.20	-41.62	55.52	39.06	17.26	65.26	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.35	88.20	-36.85	65.93	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	12890.00	47.04	88.20	-41.16	55.98	39.06	17.26	65.26	0.00	--	PEAK																																																																																													



Mode	19																																																																																																											
	Harmonic																																																																																																											
	U-NII-5_6.425-6.525_802.11ax HE40_CH107_Full_6485MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.17</td> <td>88.20</td> <td>-36.03</td> <td>66.75</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12970.00</td> <td>45.86</td> <td>88.20</td> <td>-42.34</td> <td>54.63</td> <td>39.09</td> <td>17.32</td> <td>65.18</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.17	88.20	-36.03	66.75	37.20	15.12	66.90	0.00	--	--	Peak	2	12970.00	45.86	88.20	-42.34	54.63	39.09	17.32	65.18	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.37</td> <td>88.20</td> <td>-36.83</td> <td>65.95</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12970.00</td> <td>46.04</td> <td>88.20</td> <td>-42.16</td> <td>54.81</td> <td>39.09</td> <td>17.32</td> <td>65.18</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.37	88.20	-36.83	65.95	37.20	15.12	66.90	0.00	--	--	Peak	2	12970.00	46.04	88.20	-42.16	54.81	39.09	17.32	65.18	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	52.17	88.20	-36.03	66.75	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	12970.00	45.86	88.20	-42.34	54.63	39.09	17.32	65.18	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	51.37	88.20	-36.83	65.95	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																
2	12970.00	46.04	88.20	-42.16	54.81	39.09	17.32	65.18	0.00	--	--	PEAK																																																																																																



Mode	20																																																																														
	Harmonic																																																																														
	U-NII-5_6.525-6.875_802.11ax HE40_CH123_Full_6565MHz																																																																														
ANT	CDD 1S4T																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.30</td> <td>88.20</td> <td>-35.90</td> <td>66.88</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13130.00</td> <td>46.65</td> <td>88.20</td> <td>-41.55</td> <td>55.21</td> <td>39.05</td> <td>17.43</td> <td>65.04</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	dBuV/m	dBuV/m	dB	1	9999.50	52.30	88.20	-35.90	66.88	37.20	15.12	66.90	0.00	--	-- Peak	2	13130.00	46.65	88.20	-41.55	55.21	39.05	17.43	65.04	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.48</td> <td>88.20</td> <td>-36.72</td> <td>66.06</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13130.00</td> <td>46.72</td> <td>88.20</td> <td>-41.48</td> <td>55.28</td> <td>39.05</td> <td>17.43</td> <td>65.04</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	dBuV/m	dBuV/m	dB	1	9999.50	51.48	88.20	-36.72	66.06	37.20	15.12	66.90	0.00	--	-- Peak	2	13130.00	46.72	88.20	-41.48	55.28	39.05	17.43	65.04	0.00	--
Freq	Level			Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
		dBuV/m	dBuV/m	dB																																																																											
1	9999.50	52.30	88.20	-35.90	66.88	37.20	15.12	66.90	0.00	--	-- Peak																																																																				
2	13130.00	46.65	88.20	-41.55	55.21	39.05	17.43	65.04	0.00	--	-- PEAK																																																																				
Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
		dBuV/m	dBuV/m									dB																																																																			
1	9999.50	51.48	88.20	-36.72	66.06	37.20	15.12	66.90	0.00	--	-- Peak																																																																				
2	13130.00	46.72	88.20	-41.48	55.28	39.05	17.43	65.04	0.00	--	-- PEAK																																																																				



Mode	21																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_6.525-6.875_802.11ax HE40_CH147_Full_6685MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.30</td> <td>88.20</td> <td>-35.90</td> <td>66.88</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13370.00</td> <td>48.47</td> <td>74.00</td> <td>-25.53</td> <td>56.73</td> <td>38.95</td> <td>17.60</td> <td>64.81</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>13370.00</td> <td>38.06</td> <td>54.00</td> <td>-15.94</td> <td>46.32</td> <td>38.95</td> <td>17.60</td> <td>64.81</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	9999.50	52.30	88.20	-35.90	66.88	37.20	15.12	66.90	0.00	--	--	Peak	2	13370.00	48.47	74.00	-25.53	56.73	38.95	17.60	64.81	0.00	300	0	PEAK	3	13370.00	38.06	54.00	-15.94	46.32	38.95	17.60	64.81	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.74</td> <td>88.20</td> <td>-36.46</td> <td>66.32</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13370.00</td> <td>47.37</td> <td>74.00</td> <td>-26.63</td> <td>55.63</td> <td>38.95</td> <td>17.60</td> <td>64.81</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>13370.00</td> <td>37.36</td> <td>54.00</td> <td>-16.64</td> <td>45.64</td> <td>38.96</td> <td>17.59</td> <td>64.83</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	9999.50	51.74	88.20	-36.46	66.32	37.20	15.12	66.90	0.00	--	--	Peak	2	13370.00	47.37	74.00	-26.63	55.63	38.95	17.60	64.81	0.00	100	0	PEAK	3	13370.00	37.36	54.00	-16.64	45.64	38.96	17.59	64.83	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																															
1	9999.50	52.30	88.20	-35.90	66.88	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																												
2	13370.00	48.47	74.00	-25.53	56.73	38.95	17.60	64.81	0.00	300	0	PEAK																																																																																																												
3	13370.00	38.06	54.00	-15.94	46.32	38.95	17.60	64.81	0.00	300	0	AVERAGE																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																															
1	9999.50	51.74	88.20	-36.46	66.32	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																												
2	13370.00	47.37	74.00	-26.63	55.63	38.95	17.60	64.81	0.00	100	0	PEAK																																																																																																												
3	13370.00	37.36	54.00	-16.64	45.64	38.96	17.59	64.83	0.00	100	0	AVERAGE																																																																																																												



Mode	22																																																																																					
	Harmonic																																																																																					
	U-NII-5_6.525-6.875_802.11ax HE40_CH179_Full_6845MHz																																																																																					
ANT	CDD 1S4T																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.60</td> <td>88.20</td> <td>-35.60</td> <td>67.18</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13690.00</td> <td>45.94</td> <td>88.20</td> <td>-42.26</td> <td>53.97</td> <td>38.82</td> <td>17.82</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	9999.50	52.60	88.20	-35.60	67.18	37.20	15.12	66.90	0.00	--	Peak	2	13690.00	45.94	88.20	-42.26	53.97	38.82	17.82	64.67	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.14</td> <td>88.20</td> <td>-37.06</td> <td>65.72</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13690.00</td> <td>45.65</td> <td>88.20</td> <td>-42.55</td> <td>53.68</td> <td>38.82</td> <td>17.82</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	1	9999.50	51.14	88.20	-37.06	65.72	37.20	15.12	66.90	0.00	--	Peak	2	13690.00	45.65	88.20	-42.55	53.68	38.82	17.82	64.67	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																														
1	9999.50	52.60	88.20	-35.60	67.18	37.20	15.12	66.90	0.00	--	Peak																																																																											
2	13690.00	45.94	88.20	-42.26	53.97	38.82	17.82	64.67	0.00	--	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																														
1	9999.50	51.14	88.20	-37.06	65.72	37.20	15.12	66.90	0.00	--	Peak																																																																											
2	13690.00	45.65	88.20	-42.55	53.68	38.82	17.82	64.67	0.00	--	PEAK																																																																											



Mode	23																																																																																
	Harmonic																																																																																
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full_6925MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.67</td> <td>88.20</td> <td>-35.53</td> <td>67.25</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13850.00</td> <td>46.41</td> <td>88.20</td> <td>-41.79</td> <td>54.37</td> <td>38.76</td> <td>17.94</td> <td>64.66</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	52.67	88.20	-35.53	67.25	37.20	15.12	66.90	0.00	--	-- Peak	2	13850.00	46.41	88.20	-41.79	54.37	38.76	17.94	64.66	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th colspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.34</td> <td>88.20</td> <td>-37.86</td> <td>64.92</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>13850.00</td> <td>45.62</td> <td>88.20</td> <td>-42.58</td> <td>53.58</td> <td>38.76</td> <td>17.94</td> <td>64.66</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	9999.50	50.34	88.20	-37.86	64.92	37.20	15.12	66.90	0.00	--	-- Peak	2	13850.00	45.62	88.20	-42.58	53.58	38.76	17.94	64.66	0.00	--
Freq	Level			Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
		MHz	dBuV/m	dBuV/m	dB																																																																												
1	9999.50	52.67	88.20	-35.53	67.25	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	13850.00	46.41	88.20	-41.79	54.37	38.76	17.94	64.66	0.00	--	-- PEAK																																																																						
Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
		MHz	dBuV/m									dBuV/m	dB																																																																				
1	9999.50	50.34	88.20	-37.86	64.92	37.20	15.12	66.90	0.00	--	-- Peak																																																																						
2	13850.00	45.62	88.20	-42.58	53.58	38.76	17.94	64.66	0.00	--	-- PEAK																																																																						



Mode	24																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full_7005MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.47</td> <td>88.20</td> <td>-35.73</td> <td>67.05</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14010.00</td> <td>46.22</td> <td>88.20</td> <td>-41.98</td> <td>54.11</td> <td>38.71</td> <td>18.05</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.47	88.20	-35.73	67.05	37.20	15.12	66.90	0.00	--	Peak	2	14010.00	46.22	88.20	-41.98	54.11	38.71	18.05	64.65	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.99</td> <td>88.20</td> <td>-37.21</td> <td>65.57</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14010.00</td> <td>46.78</td> <td>88.20</td> <td>-41.42</td> <td>54.67</td> <td>38.71</td> <td>18.05</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.99	88.20	-37.21	65.57	37.20	15.12	66.90	0.00	--	Peak	2	14010.00	46.78	88.20	-41.42	54.67	38.71	18.05	64.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	9999.50	52.47	88.20	-35.73	67.05	37.20	15.12	66.90	0.00	--	Peak																																																																																																					
2	14010.00	46.22	88.20	-41.98	54.11	38.71	18.05	64.65	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	9999.50	50.99	88.20	-37.21	65.57	37.20	15.12	66.90	0.00	--	Peak																																																																																																					
2	14010.00	46.78	88.20	-41.42	54.67	38.71	18.05	64.65	0.00	--	PEAK																																																																																																					



		25																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.68</td> <td>77.36</td> <td>88.20</td> <td>-10.84</td> <td>67.20</td> <td>35.70</td> <td>12.63</td> <td>38.17</td> <td>0.00</td> <td>123</td> <td>210</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.68	77.36	88.20	-10.84	67.20	35.70	12.63	38.17	0.00	123	210	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>116.29</td> <td>-----</td> <td>-----</td> <td>106.23</td> <td>35.69</td> <td>12.58</td> <td>38.21</td> <td>0.00</td> <td>123</td> <td>210</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	116.29	-----	-----	106.23	35.69	12.58	38.21	0.00	123	210	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7132.68	77.36	88.20	-10.84	67.20	35.70	12.63	38.17	0.00	123	210	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7085.00	116.29	-----	-----	106.23	35.69	12.58	38.21	0.00	123	210	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.40</td> <td>67.58</td> <td>68.20</td> <td>-0.62</td> <td>57.43</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>123</td> <td>210</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.40	67.58	68.20	-0.62	57.43	35.70	12.62	38.17	0.00	123	210	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>106.02</td> <td>-----</td> <td>-----</td> <td>96.03</td> <td>35.67</td> <td>12.55</td> <td>38.23</td> <td>0.00</td> <td>123</td> <td>210</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	106.02	-----	-----	96.03	35.67	12.55	38.23	0.00	123	210	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7127.40	67.58	68.20	-0.62	57.43	35.70	12.62	38.17	0.00	123	210	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7085.00	106.02	-----	-----	96.03	35.67	12.55	38.23	0.00	123	210	AVERAGE																																																																								



		25																																																																																			
Mode	Band Edge																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>80.90</td> <td>88.20</td> <td>-7.30</td> <td>70.75</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>290</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	80.90	88.20	-7.30	70.75	35.70	12.62	38.17	0.00	290	238	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>115.39</td> <td>-----</td> <td>-----</td> <td>105.40</td> <td>35.67</td> <td>12.55</td> <td>38.23</td> <td>0.00</td> <td>290</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7085.00	115.39	-----	-----	105.40	35.67	12.55	38.23	0.00	290	238
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	7125.00	80.90	88.20	-7.30	70.75	35.70	12.62	38.17	0.00	290	238	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	7085.00	115.39	-----	-----	105.40	35.67	12.55	38.23	0.00	290	238	PEAK																																																																									
Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>67.62</td> <td>68.20</td> <td>-0.58</td> <td>57.47</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>290</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	67.62	68.20	-0.58	57.47	35.70	12.62	38.17	0.00	290	238	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>105.28</td> <td>-----</td> <td>-----</td> <td>95.29</td> <td>35.67</td> <td>12.55</td> <td>38.23</td> <td>0.00</td> <td>290</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7085.00	105.28	-----	-----	95.29	35.67	12.55	38.23	0.00	290	238
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	7125.00	67.62	68.20	-0.58	57.47	35.70	12.62	38.17	0.00	290	238	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1	7085.00	105.28	-----	-----	95.29	35.67	12.55	38.23	0.00	290	238	AVERAGE																																																																									







Mode	25																																																																																																												
	Harmonic																																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																																																												
ANT	CDD 1S4T																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.34</td> <td>88.20</td> <td>-36.86</td> <td>65.92</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14170.00</td> <td>47.74</td> <td>88.20</td> <td>-40.46</td> <td>55.33</td> <td>38.85</td> <td>18.15</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.34	88.20	-36.86	65.92	37.20	15.12	66.90	0.00	--	Peak	2	14170.00	47.74	88.20	-40.46	55.33	38.85	18.15	64.59	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.79</td> <td>88.20</td> <td>-36.41</td> <td>66.37</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14170.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>54.87</td> <td>38.85</td> <td>18.15</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.79	88.20	-36.41	66.37	37.20	15.12	66.90	0.00	--	Peak	2	14170.00	47.28	88.20	-40.92	54.87	38.85	18.15	64.59	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	51.34	88.20	-36.86	65.92	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	14170.00	47.74	88.20	-40.46	55.33	38.85	18.15	64.59	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	51.79	88.20	-36.41	66.37	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	14170.00	47.28	88.20	-40.92	54.87	38.85	18.15	64.59	0.00	--	PEAK																																																																																																		



		26																																																																																		
Mode	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.60</td> <td>70.05</td> <td>88.20</td> <td>-18.15</td> <td>63.17</td> <td>35.11</td> <td>11.39</td> <td>39.62</td> <td>0.00</td> <td>138</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.60	70.05	88.20	-18.15	63.17	35.11	11.39	39.62	0.00	138	218	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>106.06</td> <td>-----</td> <td>-----</td> <td>98.91</td> <td>35.19</td> <td>11.46</td> <td>39.50</td> <td>0.00</td> <td>138</td> <td>218</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	106.06	-----	-----	98.91	35.19	11.46	39.50	0.00	138	218	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5918.60	70.05	88.20	-18.15	63.17	35.11	11.39	39.62	0.00	138	218	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	106.06	-----	-----	98.91	35.19	11.46	39.50	0.00	138	218	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.40</td> <td>56.83</td> <td>68.20</td> <td>-11.37</td> <td>49.91</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>138</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	56.83	68.20	-11.37	49.91	35.12	11.40	39.60	0.00	138	218	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.22</td> <td>-----</td> <td>-----</td> <td>89.05</td> <td>35.19</td> <td>11.47</td> <td>39.49</td> <td>0.00</td> <td>138</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.22	-----	-----	89.05	35.19	11.47	39.49	0.00	138	218	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.40	56.83	68.20	-11.37	49.91	35.12	11.40	39.60	0.00	138	218	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	96.22	-----	-----	89.05	35.19	11.47	39.49	0.00	138	218	AVERAGE																																																																								



		26																																																																																		
Mode	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.20</td> <td>78.64</td> <td>88.20</td> <td>-9.56</td> <td>71.74</td> <td>35.12</td> <td>11.39</td> <td>39.61</td> <td>0.00</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.20	78.64	88.20	-9.56	71.74	35.12	11.39	39.61	0.00	100	130	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>112.77</td> <td>-----</td> <td>-----</td> <td>105.75</td> <td>35.15</td> <td>11.43</td> <td>39.56</td> <td>0.00</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.77	-----	-----	105.75	35.15	11.43	39.56	0.00	100	130	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5916.20	78.64	88.20	-9.56	71.74	35.12	11.39	39.61	0.00	100	130	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	112.77	-----	-----	105.75	35.15	11.43	39.56	0.00	100	130	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.48</td> <td>66.73</td> <td>68.20</td> <td>-1.47</td> <td>59.81</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>100</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.48	66.73	68.20	-1.47	59.81	35.12	11.40	39.60	0.00	100	130	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>103.59</td> <td>-----</td> <td>-----</td> <td>96.42</td> <td>35.19</td> <td>11.47</td> <td>39.49</td> <td>0.00</td> <td>100</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.59	-----	-----	96.42	35.19	11.47	39.49	0.00	100	130	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.48	66.73	68.20	-1.47	59.81	35.12	11.40	39.60	0.00	100	130	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	103.59	-----	-----	96.42	35.19	11.47	39.49	0.00	100	130	AVERAGE																																																																								



Mode	26																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																									
ANT	CDD 1S4T																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.57</td> <td>88.20</td> <td>-35.63</td> <td>67.15</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11970.00</td> <td>46.08</td> <td>74.00</td> <td>-27.92</td> <td>56.84</td> <td>38.68</td> <td>16.66</td> <td>66.10</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.57	88.20	-35.63	67.15	37.20	15.12	66.90	0.00	--	Peak	2	11970.00	46.08	74.00	-27.92	56.84	38.68	16.66	66.10	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.33</td> <td>88.20</td> <td>-37.87</td> <td>64.91</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11970.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>56.88</td> <td>38.68</td> <td>16.66</td> <td>66.10</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.33	88.20	-37.87	64.91	37.20	15.12	66.90	0.00	--	Peak	2	11970.00	46.12	74.00	-27.88	56.88	38.68	16.66	66.10	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	52.57	88.20	-35.63	67.15	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	11970.00	46.08	74.00	-27.92	56.84	38.68	16.66	66.10	0.00	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	50.33	88.20	-37.87	64.91	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	11970.00	46.12	74.00	-27.88	56.88	38.68	16.66	66.10	0.00	--	PEAK																																																																																															



Mode	27																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full_6145MHz																																																																																																																				
ANT	CDD 1S4T																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																			
Peak Avg																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.94</td> <td>88.20</td> <td>-36.26</td> <td>66.52</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12290.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>55.69</td> <td>38.82</td> <td>16.87</td> <td>65.82</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	51.94	88.20	-36.26	66.52	37.20	15.12	66.90	0.00	--	--	Peak	2	12290.00	45.56	74.00	-28.44	55.69	38.82	16.87	65.82	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.84</td> <td>88.20</td> <td>-37.36</td> <td>65.42</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12290.00</td> <td>45.75</td> <td>74.00</td> <td>-28.25</td> <td>55.88</td> <td>38.82</td> <td>16.87</td> <td>65.82</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	50.84	88.20	-37.36	65.42	37.20	15.12	66.90	0.00	--	--	Peak	2	12290.00	45.75	74.00	-28.25	55.88	38.82	16.87	65.82	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	9999.50	51.94	88.20	-36.26	66.52	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																									
2	12290.00	45.56	74.00	-28.44	55.69	38.82	16.87	65.82	0.00	--	--	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	9999.50	50.84	88.20	-37.36	65.42	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																									
2	12290.00	45.75	74.00	-28.25	55.88	38.82	16.87	65.82	0.00	--	--	PEAK																																																																																																									



Mode	28																																																																																																											
	Harmonic																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full_6385MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.03</td> <td>88.20</td> <td>-36.17</td> <td>66.61</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>300</td> <td>33</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12770.00</td> <td>47.04</td> <td>88.20</td> <td>-41.16</td> <td>56.22</td> <td>39.01</td> <td>17.18</td> <td>65.37</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.03	88.20	-36.17	66.61	37.20	15.12	66.90	0.00	300	33	Peak	2	12770.00	47.04	88.20	-41.16	56.22	39.01	17.18	65.37	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.64</td> <td>88.20</td> <td>-37.56</td> <td>65.22</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>300</td> <td>37</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12770.00</td> <td>46.04</td> <td>88.20</td> <td>-42.16</td> <td>55.22</td> <td>39.01</td> <td>17.18</td> <td>65.37</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.64	88.20	-37.56	65.22	37.20	15.12	66.90	0.00	300	37	Peak	2	12770.00	46.04	88.20	-42.16	55.22	39.01	17.18	65.37	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	52.03	88.20	-36.17	66.61	37.20	15.12	66.90	0.00	300	33	Peak																																																																																																
2	12770.00	47.04	88.20	-41.16	56.22	39.01	17.18	65.37	0.00	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9999.50	50.64	88.20	-37.56	65.22	37.20	15.12	66.90	0.00	300	37	Peak																																																																																																
2	12770.00	46.04	88.20	-42.16	55.22	39.01	17.18	65.37	0.00	--	--	PEAK																																																																																																



Mode	29																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_6.425-6.525_802.11ax HE80_CH103_Full_6465MHz																																																																																																									
ANT	CDD 1S4T																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.66</td> <td>88.20</td> <td>-35.54</td> <td>67.24</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12930.00</td> <td>46.83</td> <td>88.20</td> <td>-41.37</td> <td>55.69</td> <td>39.07</td> <td>17.29</td> <td>65.22</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.66	88.20	-35.54	67.24	37.20	15.12	66.90	0.00	--	Peak	2	12930.00	46.83	88.20	-41.37	55.69	39.07	17.29	65.22	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.25</td> <td>88.20</td> <td>-37.95</td> <td>64.83</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12930.00</td> <td>47.24</td> <td>88.20</td> <td>-40.96</td> <td>56.10</td> <td>39.07</td> <td>17.29</td> <td>65.22</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.25	88.20	-37.95	64.83	37.20	15.12	66.90	0.00	--	Peak	2	12930.00	47.24	88.20	-40.96	56.10	39.07	17.29	65.22	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	52.66	88.20	-35.54	67.24	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12930.00	46.83	88.20	-41.37	55.69	39.07	17.29	65.22	0.00	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	50.25	88.20	-37.95	64.83	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12930.00	47.24	88.20	-40.96	56.10	39.07	17.29	65.22	0.00	--	PEAK																																																																																															



Mode	30																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-5_6.525-6.875_802.11ax HE80_CH135_Full_6625MHz																																																																																																																					
ANT	CDD 1S4T																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.27</td> <td>88.20</td> <td>-35.93</td> <td>66.85</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13250.00</td> <td>46.99</td> <td>74.00</td> <td>-27.01</td> <td>55.40</td> <td>39.00</td> <td>17.51</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	52.27	88.20	-35.93	66.85	37.20	15.12	66.90	0.00	--	--	Peak	2	13250.00	46.99	74.00	-27.01	55.40	39.00	17.51	64.92	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.67</td> <td>88.20</td> <td>-37.53</td> <td>65.25</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13250.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>55.05</td> <td>39.00</td> <td>17.51</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	50.67	88.20	-37.53	65.25	37.20	15.12	66.90	0.00	--	--	Peak	2	13250.00	46.64	74.00	-27.36	55.05	39.00	17.51	64.92	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	52.27	88.20	-35.93	66.85	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13250.00	46.99	74.00	-27.01	55.40	39.00	17.51	64.92	0.00	--	--	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	50.67	88.20	-37.53	65.25	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13250.00	46.64	74.00	-27.36	55.05	39.00	17.51	64.92	0.00	--	--	PEAK																																																																																																										



Mode	31																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.94</td> <td>88.20</td> <td>-36.26</td> <td>66.52</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13410.00</td> <td>46.79</td> <td>88.20</td> <td>-41.41</td> <td>55.00</td> <td>38.94</td> <td>17.62</td> <td>64.77</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.94	88.20	-36.26	66.52	37.20	15.12	66.90	0.00	--	Peak	2	13410.00	46.79	88.20	-41.41	55.00	38.94	17.62	64.77	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.07</td> <td>88.20</td> <td>-38.13</td> <td>64.65</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13410.00</td> <td>46.01</td> <td>88.20</td> <td>-42.19</td> <td>54.22</td> <td>38.94</td> <td>17.62</td> <td>64.77</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.07	88.20	-38.13	64.65	37.20	15.12	66.90	0.00	--	Peak	2	13410.00	46.01	88.20	-42.19	54.22	38.94	17.62	64.77	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.94	88.20	-36.26	66.52	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13410.00	46.79	88.20	-41.41	55.00	38.94	17.62	64.77	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	50.07	88.20	-38.13	64.65	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13410.00	46.01	88.20	-42.19	54.22	38.94	17.62	64.77	0.00	--	PEAK																																																																																													



Mode	32																																																																																																														
	Harmonic																																																																																																														
	U-NII-5_6.525-6.875_802.11ax HE80_CH167_Full_6785MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.11</td> <td>88.20</td> <td>-36.09</td> <td>66.69</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13570.00</td> <td>46.67</td> <td>88.20</td> <td>-41.53</td> <td>54.74</td> <td>38.87</td> <td>17.74</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.11	88.20	-36.09	66.69	37.20	15.12	66.90	0.00	--	Peak	2	13570.00	46.67	88.20	-41.53	54.74	38.87	17.74	64.68	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.69</td> <td>88.20</td> <td>-37.51</td> <td>65.27</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13570.00</td> <td>45.77</td> <td>88.20</td> <td>-42.43</td> <td>53.84</td> <td>38.87</td> <td>17.74</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.69	88.20	-37.51	65.27	37.20	15.12	66.90	0.00	--	Peak	2	13570.00	45.77	88.20	-42.43	53.84	38.87	17.74	64.68	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	52.11	88.20	-36.09	66.69	37.20	15.12	66.90	0.00	--	Peak																																																																																																				
2	13570.00	46.67	88.20	-41.53	54.74	38.87	17.74	64.68	0.00	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	50.69	88.20	-37.51	65.27	37.20	15.12	66.90	0.00	--	Peak																																																																																																				
2	13570.00	45.77	88.20	-42.43	53.84	38.87	17.74	64.68	0.00	--	PEAK																																																																																																				







Mode	33																																																																																																														
	Harmonic																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full_6945MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.04</td> <td>88.20</td> <td>-36.16</td> <td>66.62</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13890.00</td> <td>46.44</td> <td>88.20</td> <td>-41.76</td> <td>54.40</td> <td>38.74</td> <td>17.96</td> <td>64.66</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.04	88.20	-36.16	66.62	37.20	15.12	66.90	0.00	--	Peak	2	13890.00	46.44	88.20	-41.76	54.40	38.74	17.96	64.66	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.81</td> <td>88.20</td> <td>-36.39</td> <td>66.39</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13890.00</td> <td>47.40</td> <td>88.20</td> <td>-40.80</td> <td>55.36</td> <td>38.74</td> <td>17.96</td> <td>64.66</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.81	88.20	-36.39	66.39	37.20	15.12	66.90	0.00	--	Peak	2	13890.00	47.40	88.20	-40.80	55.36	38.74	17.96	64.66	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	52.04	88.20	-36.16	66.62	37.20	15.12	66.90	0.00	--	Peak																																																																																																				
2	13890.00	46.44	88.20	-41.76	54.40	38.74	17.96	64.66	0.00	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	9999.50	51.81	88.20	-36.39	66.39	37.20	15.12	66.90	0.00	--	Peak																																																																																																				
2	13890.00	47.40	88.20	-40.80	55.36	38.74	17.96	64.66	0.00	--	PEAK																																																																																																				



		34																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.64</td> <td>72.61</td> <td>88.20</td> <td>-15.59</td> <td>62.46</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>301</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.64	72.61	88.20	-15.59	62.46	35.70	12.62	38.17	0.00	301	144	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>111.10</td> <td>-----</td> <td>-----</td> <td>101.33</td> <td>35.61</td> <td>12.47</td> <td>38.31</td> <td>0.00</td> <td>301</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	111.10	-----	-----	101.33	35.61	12.47	38.31	0.00	301	144	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7126.64	72.61	88.20	-15.59	62.46	35.70	12.62	38.17	0.00	301	144	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7025.00	111.10	-----	-----	101.33	35.61	12.47	38.31	0.00	301	144	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.10</td> <td>60.48</td> <td>68.20</td> <td>-7.72</td> <td>50.33</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>301</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	60.48	68.20	-7.72	50.33	35.70	12.62	38.17	0.00	301	144	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>101.41</td> <td>-----</td> <td>-----</td> <td>91.61</td> <td>35.62</td> <td>12.48</td> <td>38.30</td> <td>0.00</td> <td>301</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.41	-----	-----	91.61	35.62	12.48	38.30	0.00	301	144	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.10	60.48	68.20	-7.72	50.33	35.70	12.62	38.17	0.00	301	144	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7025.00	101.41	-----	-----	91.61	35.62	12.48	38.30	0.00	301	144	AVERAGE																																																																								



		34																																																																																			
Mode	Band Edge																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>7025 7069. 7113. 7157. 7201. 7245</p> <p style="text-align: right;">WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.14</td> <td>79.47</td> <td>88.20</td> <td>-8.73</td> <td>69.31</td> <td>35.70</td> <td>12.63</td> <td>38.17</td> <td>0.00</td> <td>169</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.14	79.47	88.20	-8.73	69.31	35.70	12.63	38.17	0.00	169	70	PEAK	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: right;">WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>116.69</td> <td>-----</td> <td>-----</td> <td>106.95</td> <td>35.60</td> <td>12.46</td> <td>38.32</td> <td>0.00</td> <td>169</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	116.69	-----	-----	106.95	35.60	12.46	38.32	0.00	169	70	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	7132.14	79.47	88.20	-8.73	69.31	35.70	12.63	38.17	0.00	169	70	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	7025.00	116.69	-----	-----	106.95	35.60	12.46	38.32	0.00	169	70	PEAK																																																																									
Avg	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>7025 7069. 7113. 7157. 7201. 7245</p> <p style="text-align: right;">WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.08</td> <td>67.14</td> <td>68.20</td> <td>-1.06</td> <td>56.99</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>169</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.08	67.14	68.20	-1.06	56.99	35.70	12.62	38.17	0.00	169	70	AVERAGE	 <p>Level (dBuV/m)</p> <p>113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>1000 2800. 4600. 6400. 8200. 10000</p> <p style="text-align: right;">WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>106.30</td> <td>-----</td> <td>-----</td> <td>96.42</td> <td>35.64</td> <td>12.51</td> <td>38.27</td> <td>0.00</td> <td>169</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	106.30	-----	-----	96.42	35.64	12.51	38.27	0.00	169	70	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	7127.08	67.14	68.20	-1.06	56.99	35.70	12.62	38.17	0.00	169	70	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	7025.00	106.30	-----	-----	96.42	35.64	12.51	38.27	0.00	169	70	AVERAGE																																																																									







Mode	34																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.87</td> <td>88.20</td> <td>-36.33</td> <td>66.45</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14950.00</td> <td>47.01</td> <td>88.20</td> <td>-41.19</td> <td>54.83</td> <td>38.74</td> <td>18.07</td> <td>64.63</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.87	88.20	-36.33	66.45	37.20	15.12	66.90	0.00	--	Peak	2	14950.00	47.01	88.20	-41.19	54.83	38.74	18.07	64.63	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.66</td> <td>88.20</td> <td>-36.54</td> <td>66.24</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>14950.00</td> <td>45.85</td> <td>88.20</td> <td>-42.35</td> <td>53.67</td> <td>38.74</td> <td>18.07</td> <td>64.63</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.66	88.20	-36.54	66.24	37.20	15.12	66.90	0.00	--	Peak	2	14950.00	45.85	88.20	-42.35	53.67	38.74	18.07	64.63	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.87	88.20	-36.33	66.45	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	14950.00	47.01	88.20	-41.19	54.83	38.74	18.07	64.63	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.66	88.20	-36.54	66.24	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	14950.00	45.85	88.20	-42.35	53.67	38.74	18.07	64.63	0.00	--	PEAK																																																																																													



		35																																																																																		
Mode	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5905.00</td> <td>79.31</td> <td>88.20</td> <td>-8.89</td> <td>72.46</td> <td>35.10</td> <td>11.38</td> <td>39.63</td> <td>0.00</td> <td>319</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.00	79.31	88.20	-8.89	72.46	35.10	11.38	39.63	0.00	319	43	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>110.70</td> <td>-----</td> <td>-----</td> <td>103.30</td> <td>35.30</td> <td>11.50</td> <td>39.40</td> <td>0.00</td> <td>319</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	110.70	-----	-----	103.30	35.30	11.50	39.40	0.00	319	43	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5905.00	79.31	88.20	-8.89	72.46	35.10	11.38	39.63	0.00	319	43	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	110.70	-----	-----	103.30	35.30	11.50	39.40	0.00	319	43	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.60</td> <td>66.15</td> <td>68.20</td> <td>-2.05</td> <td>59.23</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>319</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.60	66.15	68.20	-2.05	59.23	35.12	11.40	39.60	0.00	319	43	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>101.45</td> <td>-----</td> <td>-----</td> <td>94.05</td> <td>35.30</td> <td>11.50</td> <td>39.40</td> <td>0.00</td> <td>319</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.45	-----	-----	94.05	35.30	11.50	39.40	0.00	319	43	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.60	66.15	68.20	-2.05	59.23	35.12	11.40	39.60	0.00	319	43	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	101.45	-----	-----	94.05	35.30	11.50	39.40	0.00	319	43	AVERAGE																																																																								



		35																																																																																		
Mode	Band Edge																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.60</td> <td>74.75</td> <td>88.20</td> <td>-13.45</td> <td>67.87</td> <td>35.11</td> <td>11.39</td> <td>39.62</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.60	74.75	88.20	-13.45	67.87	35.11	11.39	39.62	0.00	329	360	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>103.87</td> <td>-----</td> <td>-----</td> <td>96.47</td> <td>35.30</td> <td>11.50</td> <td>39.40</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.87	-----	-----	96.47	35.30	11.50	39.40	0.00	329	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5918.60	74.75	88.20	-13.45	67.87	35.11	11.39	39.62	0.00	329	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	103.87	-----	-----	96.47	35.30	11.50	39.40	0.00	329	360	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.40</td> <td>60.61</td> <td>68.20</td> <td>-7.59</td> <td>53.73</td> <td>35.11</td> <td>11.39</td> <td>39.62</td> <td>0.00</td> <td>329</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.40	60.61	68.20	-7.59	53.73	35.11	11.39	39.62	0.00	329	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>95.17</td> <td>-----</td> <td>-----</td> <td>87.77</td> <td>35.30</td> <td>11.50</td> <td>39.40</td> <td>0.00</td> <td>329</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.17	-----	-----	87.77	35.30	11.50	39.40	0.00	329	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5908.40	60.61	68.20	-7.59	53.73	35.11	11.39	39.62	0.00	329	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	95.17	-----	-----	87.77	35.30	11.50	39.40	0.00	329	360	AVERAGE																																																																								



Mode	35																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																																									
ANT	CDD 1S4T																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.32</td> <td>88.20</td> <td>-35.88</td> <td>66.90</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12050.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>57.28</td> <td>38.72</td> <td>16.71</td> <td>66.04</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.32	88.20	-35.88	66.90	37.20	15.12	66.90	0.00	--	Peak	2	12050.00	46.67	74.00	-27.33	57.28	38.72	16.71	66.04	0.00	--	PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.10</td> <td>88.20</td> <td>-37.10</td> <td>65.68</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12050.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>56.40</td> <td>38.72</td> <td>16.71</td> <td>66.04</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.10	88.20	-37.10	65.68	37.20	15.12	66.90	0.00	--	Peak	2	12050.00	45.79	74.00	-28.21	56.40	38.72	16.71	66.04	0.00	--	PEAK
	Limit		Read									Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	9999.50	52.32	88.20	-35.88	66.90	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12050.00	46.67	74.00	-27.33	57.28	38.72	16.71	66.04	0.00	--	PEAK																																																																																															
Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
	Freq	Level								Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	9999.50	51.10	88.20	-37.10	65.68	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12050.00	45.79	74.00	-28.21	56.40	38.72	16.71	66.04	0.00	--	PEAK																																																																																															



Mode	36																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full_6185MHz																																																																																																									
ANT	CDD 1S4T																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.41</td> <td>88.20</td> <td>-35.79</td> <td>66.99</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12370.00</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>57.86</td> <td>38.85</td> <td>16.92</td> <td>65.74</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.41	88.20	-35.79	66.99	37.20	15.12	66.90	0.00	--	Peak	2	12370.00	47.89	74.00	-26.11	57.86	38.85	16.92	65.74	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.01</td> <td>88.20</td> <td>-37.19</td> <td>65.59</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12370.00</td> <td>47.66</td> <td>74.00</td> <td>-26.34</td> <td>57.63</td> <td>38.85</td> <td>16.92</td> <td>65.74</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.01	88.20	-37.19	65.59	37.20	15.12	66.90	0.00	--	Peak	2	12370.00	47.66	74.00	-26.34	57.63	38.85	16.92	65.74	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	52.41	88.20	-35.79	66.99	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12370.00	47.89	74.00	-26.11	57.86	38.85	16.92	65.74	0.00	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	9999.50	51.01	88.20	-37.19	65.59	37.20	15.12	66.90	0.00	--	Peak																																																																																															
2	12370.00	47.66	74.00	-26.34	57.63	38.85	16.92	65.74	0.00	--	PEAK																																																																																															



Mode	37																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full_6345MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.88</td> <td>88.20</td> <td>-35.32</td> <td>67.46</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12690.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>55.21</td> <td>38.98</td> <td>17.13</td> <td>65.45</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.88	88.20	-35.32	67.46	37.20	15.12	66.90	0.00	--	Peak	2	12690.00	45.87	74.00	-28.13	55.21	38.98	17.13	65.45	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.99</td> <td>88.20</td> <td>-37.21</td> <td>65.57</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12690.00</td> <td>46.40</td> <td>74.00</td> <td>-27.60</td> <td>55.74</td> <td>38.98</td> <td>17.13</td> <td>65.45</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	50.99	88.20	-37.21	65.57	37.20	15.12	66.90	0.00	--	Peak	2	12690.00	46.40	74.00	-27.60	55.74	38.98	17.13	65.45	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	52.88	88.20	-35.32	67.46	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	12690.00	45.87	74.00	-28.13	55.21	38.98	17.13	65.45	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	50.99	88.20	-37.21	65.57	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	12690.00	46.40	74.00	-27.60	55.74	38.98	17.13	65.45	0.00	--	PEAK																																																																																													







Mode	38																																																																																																												
	Harmonic																																																																																																												
	U-NII-8_6.525-6.875_802.11ax HE160_CH143_Full_6665MHz																																																																																																												
ANT	CDD 1S4T																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.99</td> <td>88.20</td> <td>-36.21</td> <td>66.57</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13330.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>54.70</td> <td>38.97</td> <td>17.57</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	51.99	88.20	-36.21	66.57	37.20	15.12	66.90	0.00	--	Peak	2	13330.00	46.39	74.00	-27.61	54.70	38.97	17.57	64.85	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.42</td> <td>88.20</td> <td>-37.78</td> <td>65.00</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13330.00</td> <td>47.09</td> <td>74.00</td> <td>-26.91</td> <td>55.40</td> <td>38.97</td> <td>17.57</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	50.42	88.20	-37.78	65.00	37.20	15.12	66.90	0.00	--	Peak	2	13330.00	47.09	74.00	-26.91	55.40	38.97	17.57	64.85	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	51.99	88.20	-36.21	66.57	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	13330.00	46.39	74.00	-27.61	54.70	38.97	17.57	64.85	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	50.42	88.20	-37.78	65.00	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	13330.00	47.09	74.00	-26.91	55.40	38.97	17.57	64.85	0.00	--	PEAK																																																																																																		



		39																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.68</td> <td>76.46</td> <td>88.20</td> <td>-11.74</td> <td>66.30</td> <td>35.70</td> <td>12.63</td> <td>38.17</td> <td>0.00</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7130.68	76.46	88.20	-11.74	66.30	35.70	12.63	38.17	0.00	200	79	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>112.00</td> <td>-----</td> <td>-----</td> <td>102.23</td> <td>35.61</td> <td>12.47</td> <td>38.31</td> <td>0.00</td> <td>200</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	112.00	-----	-----	102.23	35.61	12.47	38.31	0.00	200	79	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7130.68	76.46	88.20	-11.74	66.30	35.70	12.63	38.17	0.00	200	79	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6985.00	112.00	-----	-----	102.23	35.61	12.47	38.31	0.00	200	79	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.00</td> <td>65.58</td> <td>68.20</td> <td>-2.62</td> <td>55.41</td> <td>35.70</td> <td>12.63</td> <td>38.16</td> <td>0.00</td> <td>200</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.00	65.58	68.20	-2.62	55.41	35.70	12.63	38.16	0.00	200	79	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>102.34</td> <td>-----</td> <td>-----</td> <td>92.57</td> <td>35.61</td> <td>12.47</td> <td>38.31</td> <td>0.00</td> <td>200</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	102.34	-----	-----	92.57	35.61	12.47	38.31	0.00	200	79	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7133.00	65.58	68.20	-2.62	55.41	35.70	12.63	38.16	0.00	200	79	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6985.00	102.34	-----	-----	92.57	35.61	12.47	38.31	0.00	200	79	AVERAGE																																																																								



		39																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>6985 7033 7081 7129 7177 7225</p> <p>Frequency (MHz)</p> <p style="text-align: right;">WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.04</td> <td>74.90</td> <td>88.20</td> <td>-13.30</td> <td>64.75</td> <td>35.70</td> <td>12.62</td> <td>38.17</td> <td>0.00</td> <td>189</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.04	74.90	88.20	-13.30	64.75	35.70	12.62	38.17	0.00	189	360	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p>Frequency (MHz)</p> <p style="text-align: right;">WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>106.96</td> <td>-----</td> <td>-----</td> <td>97.33</td> <td>35.60</td> <td>12.37</td> <td>38.34</td> <td>0.00</td> <td>189</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	106.96	-----	-----	97.33	35.60	12.37	38.34	0.00	189	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7128.04	74.90	88.20	-13.30	64.75	35.70	12.62	38.17	0.00	189	360	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6985.00	106.96	-----	-----	97.33	35.60	12.37	38.34	0.00	189	360	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>6985 7033 7081 7129 7177 7225</p> <p>Frequency (MHz)</p> <p style="text-align: right;">WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.44</td> <td>58.62</td> <td>68.20</td> <td>-9.58</td> <td>48.45</td> <td>35.70</td> <td>12.63</td> <td>38.16</td> <td>0.00</td> <td>189</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.44	58.62	68.20	-9.58	48.45	35.70	12.63	38.16	0.00	189	360	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2800 4600 6400 8200 10000</p> <p>Frequency (MHz)</p> <p style="text-align: right;">WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>96.91</td> <td>-----</td> <td>-----</td> <td>87.14</td> <td>35.61</td> <td>12.47</td> <td>38.31</td> <td>0.00</td> <td>189</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.91	-----	-----	87.14	35.61	12.47	38.31	0.00	189	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7136.44	58.62	68.20	-9.58	48.45	35.70	12.63	38.16	0.00	189	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6985.00	96.91	-----	-----	87.14	35.61	12.47	38.31	0.00	189	360	AVERAGE																																																																								



Mode	39																																																																																																												
	Harmonic																																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																																																																																												
ANT	CDD 1S4T																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.94</td> <td>88.20</td> <td>-35.26</td> <td>67.52</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13970.00</td> <td>45.85</td> <td>88.20</td> <td>-42.35</td> <td>53.77</td> <td>38.71</td> <td>18.02</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	52.94	88.20	-35.26	67.52	37.20	15.12	66.90	0.00	--	Peak	2	13970.00	45.85	88.20	-42.35	53.77	38.71	18.02	64.65	0.00	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>49.98</td> <td>88.20</td> <td>-38.22</td> <td>64.56</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13970.00</td> <td>45.91</td> <td>88.20</td> <td>-42.29</td> <td>53.83</td> <td>38.71</td> <td>18.02</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.50	49.98	88.20	-38.22	64.56	37.20	15.12	66.90	0.00	--	Peak	2	13970.00	45.91	88.20	-42.29	53.83	38.71	18.02	64.65	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	52.94	88.20	-35.26	67.52	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	13970.00	45.85	88.20	-42.35	53.77	38.71	18.02	64.65	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	9999.50	49.98	88.20	-38.22	64.56	37.20	15.12	66.90	0.00	--	Peak																																																																																																		
2	13970.00	45.91	88.20	-42.29	53.83	38.71	18.02	64.65	0.00	--	PEAK																																																																																																		



Mode	40																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.525-7.125_802.11ax HE20_CH185_Full_6875MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.53</td> <td>88.20</td> <td>-35.67</td> <td>67.11</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13750.00</td> <td>48.23</td> <td>88.20</td> <td>-39.97</td> <td>56.23</td> <td>38.00</td> <td>17.87</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.53	88.20	-35.67	67.11	37.20	15.12	66.90	0.00	--	Peak	2	13750.00	48.23	88.20	-39.97	56.23	38.00	17.87	64.67	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.18</td> <td>88.20</td> <td>-37.02</td> <td>65.76</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13750.00</td> <td>48.30</td> <td>88.20</td> <td>-39.90</td> <td>56.30</td> <td>38.80</td> <td>17.87</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.18	88.20	-37.02	65.76	37.20	15.12	66.90	0.00	--	Peak	2	13750.00	48.30	88.20	-39.90	56.30	38.80	17.87	64.67	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	52.53	88.20	-35.67	67.11	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13750.00	48.23	88.20	-39.97	56.23	38.00	17.87	64.67	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.18	88.20	-37.02	65.76	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13750.00	48.30	88.20	-39.90	56.30	38.80	17.87	64.67	0.00	--	PEAK																																																																																													



Mode	41																																																																											
	Harmonic																																																																											
	U-NII-8_6.525-7.125_802.11ax HE40_CH187_Full_6885MHz																																																																											
ANT	CDD 1S4T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>55.25</td> <td>38.79</td> <td>17.88</td> <td>64.67</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13770.00	47.25	88.20	-40.95	55.25	38.79	17.88	64.67	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.49</td> <td>88.20</td> <td>-40.71</td> <td>55.49</td> <td>38.79</td> <td>17.88</td> <td>64.67</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13770.00	47.49	88.20	-40.71	55.49	38.79	17.88	64.67	0.00	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 13770.00	47.25	88.20	-40.95	55.25	38.79	17.88	64.67	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 13770.00	47.49	88.20	-40.71	55.49	38.79	17.88	64.67	0.00	-- -- PEAK																																																																			



Mode	42																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.525-7.125_802.11ax HE80_CH183_Full_6865MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.72</td> <td>88.20</td> <td>-35.48</td> <td>67.30</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13730.00</td> <td>46.75</td> <td>88.20</td> <td>-41.45</td> <td>54.76</td> <td>38.81</td> <td>17.85</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	52.72	88.20	-35.48	67.30	37.20	15.12	66.90	0.00	--	Peak	2	13730.00	46.75	88.20	-41.45	54.76	38.81	17.85	64.67	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>51.09</td> <td>88.20</td> <td>-37.11</td> <td>65.67</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13730.00</td> <td>47.32</td> <td>88.20</td> <td>-40.88</td> <td>55.33</td> <td>38.81</td> <td>17.85</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9999.50	51.09	88.20	-37.11	65.67	37.20	15.12	66.90	0.00	--	Peak	2	13730.00	47.32	88.20	-40.88	55.33	38.81	17.85	64.67	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	52.72	88.20	-35.48	67.30	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13730.00	46.75	88.20	-41.45	54.76	38.81	17.85	64.67	0.00	--	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1	9999.50	51.09	88.20	-37.11	65.67	37.20	15.12	66.90	0.00	--	Peak																																																																																													
2	13730.00	47.32	88.20	-40.88	55.33	38.81	17.85	64.67	0.00	--	PEAK																																																																																													



Mode	43																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-8_6.525-7.125_802.11ax HE160_CH175_Full_6825MHz																																																																																																																					
ANT	CDD 1S4T																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>52.23</td> <td>88.20</td> <td>-35.97</td> <td>66.81</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13650.00</td> <td>46.39</td> <td>88.20</td> <td>-41.81</td> <td>54.44</td> <td>38.84</td> <td>17.79</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	52.23	88.20	-35.97	66.81	37.20	15.12	66.90	0.00	--	--	Peak	2	13650.00	46.39	88.20	-41.81	54.44	38.84	17.79	64.68	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9999.50</td> <td>50.31</td> <td>88.20</td> <td>-37.89</td> <td>64.89</td> <td>37.20</td> <td>15.12</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13650.00</td> <td>45.74</td> <td>88.20</td> <td>-42.46</td> <td>53.79</td> <td>38.84</td> <td>17.79</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.50	50.31	88.20	-37.89	64.89	37.20	15.12	66.90	0.00	--	--	Peak	2	13650.00	45.74	88.20	-42.46	53.79	38.84	17.79	64.68	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	52.23	88.20	-35.97	66.81	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13650.00	46.39	88.20	-41.81	54.44	38.84	17.79	64.68	0.00	--	--	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	9999.50	50.31	88.20	-37.89	64.89	37.20	15.12	66.90	0.00	--	--	Peak																																																																																																										
2	13650.00	45.74	88.20	-42.46	53.79	38.84	17.79	64.68	0.00	--	--	PEAK																																																																																																										