



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

03/06/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83691G	-4.84	7.0252G	-55.47	-44.84	-10.63	1
6.90259G	-6.05	6.7426G	-57.26	-46.04	-11.22	2
6.83401G	-5.25	6.6935G	-56.65	-45.25	-11.40	3
6.83341G	-4.55	6.9878G	-56.49	-44.55	-11.94	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

03/06/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80121G	-0.09	6.582G	-53.13	-39.82	-13.31	1
6.76182G	-0.12	6.5822G	-52.39	-39.91	-12.48	2
6.8066G	-0.75	6.582G	-52.65	-40.38	-12.27	3
6.84659G	-1.85	6.5806G	-54.32	-41.78	-12.54	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

03/06/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78859G	1.49	6.2522G	-48.62	-38.51	-10.11	1
6.64143G	1.46	6.3206G	-45.56	-33.82	-11.74	2
6.70901G	3.09	6.5714G	-26.61	-17.39	-9.22	3
6.84298G	1.46	6.2582G	-48.92	-38.33	-10.59	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

03/06/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.116825G	-16.88	7.0745G	-68.72	-56.88	-11.84	1
7.122598G	-16.95	7.072425G	-68.77	-56.95	-11.82	2
7.109976G	-16.72	7.068375G	-68.54	-56.72	-11.82	3
7.122323G	-17.62	7.068975G	-68.51	-57.62	-10.89	4







Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	17.86597G	39.00	54.00	-15.00	3	Horizontal	197	2.24
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	17.89546G	38.58	54.00	-15.42	3	Vertical	66	1.07
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	5.925G	56.38	68.20	-11.82	3	Vertical	21	1.50
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	5.924G	61.73	68.20	-6.47	3	Vertical	165	1.41
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	5.923G	64.68	68.20	-3.52	3	Vertical	343	2.47
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	19.42575G	29.53	54.00	-24.47	3	Horizontal	95	1.37
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	19.45562G	28.82	54.00	-25.18	3	Vertical	208	2.45
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	19.39427G	29.97	54.00	-24.03	3	Vertical	324	2.65
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	19.51448G	28.92	54.00	-25.08	3	Horizontal	103	2.30
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	19.75488G	28.77	54.00	-25.23	3	Vertical	258	1.66
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	13.3846G	38.61	54.00	-15.39	3	Horizontal	31	1.13
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	13.3602G	37.65	54.00	-16.35	3	Horizontal	156	2.42
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	13.25057G	37.74	54.00	-16.26	3	Vertical	344	2.82
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	13.321G	38.19	54.00	-15.81	3	Horizontal	313	2.01
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	20.23484G	28.30	54.00	-25.70	3	Horizontal	76	2.93
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Vertical	264	2.30
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1252G	51.99	68.20	-16.21	3	Vertical	15	1.50
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1255G	48.51	68.20	-19.69	3	Vertical	14	1.50
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	7.125G	57.03	68.20	-11.17	3	Vertical	9	1.05
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1255G	66.79	68.20	-1.41	3	Vertical	19	1.62



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	45.90	68.20	-22.30	3	Vertical	0	1.86
5955MHz	Pass	AV	5.9466G	98.21	Inf	-Inf	3	Vertical	0	1.86
5955MHz	Pass	PK	5.9136G	58.67	88.20	-29.53	3	Vertical	0	1.86
5955MHz	Pass	PK	5.9472G	111.36	Inf	-Inf	3	Vertical	0	1.86
5955MHz	Pass	AV	5.9244G	45.68	68.20	-22.52	3	Horizontal	148	1.50
5955MHz	Pass	AV	5.9634G	98.47	Inf	-Inf	3	Horizontal	148	1.50
5955MHz	Pass	PK	5.9088G	57.79	88.20	-30.41	3	Horizontal	148	1.50
5955MHz	Pass	PK	5.9637G	110.78	Inf	-Inf	3	Horizontal	148	1.50
5955MHz	Pass	AV	11.9094G	36.80	54.00	-17.20	3	Vertical	334	2.10
5955MHz	Pass	AV	17.8651G	38.74	54.00	-15.26	3	Vertical	184	2.25
5955MHz	Pass	PK	11.91024G	49.09	74.00	-24.91	3	Vertical	334	2.10
5955MHz	Pass	PK	17.86422G	51.22	74.00	-22.78	3	Vertical	184	2.25
5955MHz	Pass	AV	11.9018G	36.88	54.00	-17.12	3	Horizontal	76	1.59
5955MHz	Pass	AV	17.86597G	39.00	54.00	-15.00	3	Horizontal	197	2.24
5955MHz	Pass	PK	11.90268G	49.52	74.00	-24.48	3	Horizontal	76	1.59
5955MHz	Pass	PK	17.86593G	50.46	74.00	-23.54	3	Horizontal	197	2.24
6195MHz	Pass	AV	12.38996G	37.16	54.00	-16.84	3	Vertical	152	1.27
6195MHz	Pass	AV	18.58486G	28.72	54.00	-25.28	3	Vertical	320	1.33
6195MHz	Pass	PK	12.38984G	50.62	74.00	-23.38	3	Vertical	152	1.27
6195MHz	Pass	PK	18.58591G	40.94	74.00	-33.06	3	Vertical	320	1.33
6195MHz	Pass	AV	12.38992G	37.41	54.00	-16.59	3	Horizontal	46	1.76
6195MHz	Pass	AV	18.58538G	28.69	54.00	-25.31	3	Horizontal	357	1.51
6195MHz	Pass	PK	12.38252G	48.97	74.00	-25.03	3	Horizontal	46	1.76
6195MHz	Pass	PK	18.58599G	40.63	74.00	-33.37	3	Horizontal	357	1.51
6415MHz	Pass	AV	12.82914G	38.48	68.20	-29.72	3	Vertical	339	1.30
6415MHz	Pass	AV	19.24539G	29.58	54.00	-24.42	3	Vertical	257	2.93
6415MHz	Pass	PK	12.83001G	51.55	88.20	-36.65	3	Vertical	339	1.30
6415MHz	Pass	PK	19.24446G	42.68	74.00	-31.32	3	Vertical	257	2.93
6415MHz	Pass	AV	12.83904G	38.61	68.20	-29.59	3	Horizontal	85	1.92
6415MHz	Pass	AV	19.24518G	29.62	54.00	-24.38	3	Horizontal	132	2.14
6415MHz	Pass	PK	12.82208G	51.32	88.20	-36.88	3	Horizontal	85	1.92
6415MHz	Pass	PK	19.24424G	42.83	74.00	-31.17	3	Horizontal	132	2.14
6435MHz	Pass	AV	12.86998G	38.63	68.20	-29.57	3	Vertical	298	2.64
6435MHz	Pass	AV	19.30574G	29.50	54.00	-24.50	3	Vertical	279	1.32
6435MHz	Pass	PK	12.8707G	50.73	88.20	-37.47	3	Vertical	298	2.64
6435MHz	Pass	PK	19.30492G	41.52	74.00	-32.48	3	Vertical	279	1.32
6435MHz	Pass	AV	12.86824G	38.53	68.20	-29.67	3	Horizontal	4	2.60
6435MHz	Pass	AV	19.30515G	29.48	54.00	-24.52	3	Horizontal	305	2.46
6435MHz	Pass	PK	12.86104G	50.27	88.20	-37.93	3	Horizontal	4	2.60
6435MHz	Pass	PK	19.30414G	43.08	74.00	-30.92	3	Horizontal	305	2.46
6475MHz	Pass	AV	12.95054G	38.80	68.20	-29.40	3	Vertical	146	1.59
6475MHz	Pass	AV	19.42592G	29.48	54.00	-24.52	3	Vertical	318	1.28
6475MHz	Pass	PK	12.95057G	51.58	88.20	-36.62	3	Vertical	146	1.59
6475MHz	Pass	PK	19.42521G	41.39	74.00	-32.61	3	Vertical	318	1.28
6475MHz	Pass	AV	12.95088G	39.03	68.20	-29.17	3	Horizontal	155	1.09
6475MHz	Pass	AV	19.42575G	29.53	54.00	-24.47	3	Horizontal	95	1.37
6475MHz	Pass	PK	12.95584G	51.35	88.20	-36.85	3	Horizontal	155	1.09
6475MHz	Pass	PK	19.42426G	41.98	74.00	-32.02	3	Horizontal	95	1.37
6515MHz	Pass	AV	13.03009G	38.33	68.20	-29.87	3	Vertical	156	1.41
6515MHz	Pass	AV	19.54512G	29.50	54.00	-24.50	3	Vertical	234	2.24
6515MHz	Pass	PK	13.02933G	50.56	88.20	-37.64	3	Vertical	156	1.41
6515MHz	Pass	PK	19.54566G	41.54	74.00	-32.46	3	Vertical	234	2.24
6515MHz	Pass	AV	13.03212G	38.60	68.20	-29.60	3	Horizontal	303	1.24
6515MHz	Pass	AV	19.54578G	29.50	54.00	-24.50	3	Horizontal	311	2.63
6515MHz	Pass	PK	13.0328G	49.84	88.20	-38.36	3	Horizontal	303	1.24
6515MHz	Pass	PK	19.54514G	42.02	74.00	-31.98	3	Horizontal	311	2.63
6535MHz	Pass	AV	13.06934G	37.49	68.20	-30.71	3	Vertical	65	1.31
6535MHz	Pass	AV	19.6045G	28.75	54.00	-25.25	3	Vertical	101	2.62
6535MHz	Pass	PK	13.06996G	49.99	88.20	-38.21	3	Vertical	65	1.31
6535MHz	Pass	PK	19.6049G	41.60	74.00	-32.40	3	Vertical	101	2.62



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6535MHz	Pass	AV	13.06336G	37.66	68.20	-30.54	3	Horizontal	192	1.55
6535MHz	Pass	AV	19.60519G	28.75	54.00	-25.25	3	Horizontal	337	2.83
6535MHz	Pass	PK	13.0764G	50.13	88.20	-38.07	3	Horizontal	192	1.55
6535MHz	Pass	PK	19.60448G	40.95	74.00	-33.05	3	Horizontal	337	2.83
6695MHz	Pass	AV	13.3903G	38.53	54.00	-15.47	3	Vertical	286	1.61
6695MHz	Pass	AV	20.08585G	28.97	54.00	-25.03	3	Vertical	99	1.25
6695MHz	Pass	PK	13.38919G	50.74	74.00	-23.26	3	Vertical	286	1.61
6695MHz	Pass	PK	20.08458G	40.97	74.00	-33.03	3	Vertical	99	1.25
6695MHz	Pass	AV	13.3846G	38.61	54.00	-15.39	3	Horizontal	31	1.13
6695MHz	Pass	AV	20.08461G	29.10	54.00	-24.90	3	Horizontal	294	2.72
6695MHz	Pass	PK	13.3908G	50.79	74.00	-23.21	3	Horizontal	31	1.13
6695MHz	Pass	PK	20.08514G	40.62	74.00	-33.38	3	Horizontal	294	2.72
6875MHz	Pass	AV	13.74912G	38.65	68.20	-29.55	3	Vertical	153	1.10
6875MHz	Pass	AV	20.6251G	29.61	54.00	-24.39	3	Vertical	112	1.70
6875MHz	Pass	PK	13.74967G	51.14	88.20	-37.06	3	Vertical	153	1.10
6875MHz	Pass	PK	20.62528G	41.87	74.00	-32.13	3	Vertical	112	1.70
6875MHz	Pass	AV	13.74524G	39.05	68.20	-29.15	3	Horizontal	323	2.58
6875MHz	Pass	AV	20.62592G	29.50	54.00	-24.50	3	Horizontal	81	1.78
6875MHz	Pass	PK	13.75148G	51.30	88.20	-36.90	3	Horizontal	323	2.58
6875MHz	Pass	PK	20.62442G	42.01	74.00	-31.99	3	Horizontal	81	1.78
6895MHz	Pass	AV	13.79077G	38.65	68.20	-29.55	3	Vertical	258	2.77
6895MHz	Pass	AV	20.685G	29.56	54.00	-24.44	3	Vertical	206	1.72
6895MHz	Pass	PK	13.79041G	52.11	88.20	-36.09	3	Vertical	258	2.77
6895MHz	Pass	PK	20.68494G	42.06	74.00	-31.94	3	Vertical	206	1.72
6895MHz	Pass	AV	13.79524G	38.91	68.20	-29.29	3	Horizontal	94	2.01
6895MHz	Pass	AV	20.68555G	29.40	54.00	-24.60	3	Horizontal	56	1.61
6895MHz	Pass	PK	13.78584G	51.08	88.20	-37.12	3	Horizontal	94	2.01
6895MHz	Pass	PK	20.68502G	41.82	74.00	-32.18	3	Horizontal	56	1.61
6995MHz	Pass	AV	13.98958G	38.70	68.20	-29.50	3	Vertical	286	2.47
6995MHz	Pass	AV	20.9853G	29.38	54.00	-24.62	3	Vertical	118	2.58
6995MHz	Pass	PK	13.99034G	51.49	88.20	-36.71	3	Vertical	286	2.47
6995MHz	Pass	PK	20.98522G	42.69	74.00	-31.31	3	Vertical	118	2.58
6995MHz	Pass	AV	13.98664G	39.06	68.20	-29.14	3	Horizontal	261	2.94
6995MHz	Pass	AV	20.98597G	29.30	54.00	-24.70	3	Horizontal	28	1.93
6995MHz	Pass	PK	13.99792G	51.97	88.20	-36.23	3	Horizontal	261	2.94
6995MHz	Pass	PK	20.98486G	42.64	74.00	-31.36	3	Horizontal	28	1.93
7095MHz	Pass	AV	7.1037G	98.07	Inf	-Inf	3	Vertical	12	1.50
7095MHz	Pass	AV	7.1259G	45.45	68.20	-22.75	3	Vertical	12	1.50
7095MHz	Pass	PK	7.0998G	110.58	Inf	-Inf	3	Vertical	12	1.50
7095MHz	Pass	PK	7.2327G	58.38	88.20	-29.82	3	Vertical	12	1.50
7095MHz	Pass	AV	7.1043G	95.88	Inf	-Inf	3	Horizontal	278	1.50
7095MHz	Pass	AV	7.2429G	45.45	68.20	-22.75	3	Horizontal	278	1.50
7095MHz	Pass	PK	7.104G	107.99	Inf	-Inf	3	Horizontal	278	1.50
7095MHz	Pass	PK	7.137G	58.97	88.20	-29.23	3	Horizontal	278	1.50
7095MHz	Pass	AV	14.19028G	38.85	68.20	-29.35	3	Vertical	188	1.70
7095MHz	Pass	AV	21.28496G	29.42	54.00	-24.58	3	Vertical	6	2.21
7095MHz	Pass	PK	14.18908G	50.57	88.20	-37.63	3	Vertical	188	1.70
7095MHz	Pass	PK	21.28526G	41.64	74.00	-32.36	3	Vertical	6	2.21
7095MHz	Pass	AV	14.1834G	39.31	68.20	-28.89	3	Horizontal	52	1.36
7095MHz	Pass	AV	21.28512G	29.59	54.00	-24.41	3	Horizontal	107	2.41
7095MHz	Pass	PK	14.18068G	50.67	88.20	-37.53	3	Horizontal	52	1.36
7095MHz	Pass	PK	21.28491G	41.12	74.00	-32.88	3	Horizontal	107	2.41
7115MHz	Pass	AV	7.1065G	94.14	Inf	-Inf	3	Vertical	264	2.30
7115MHz	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Vertical	264	2.30
7115MHz	Pass	PK	7.1115G	100.79	Inf	-Inf	3	Vertical	264	2.30
7115MHz	Pass	PK	7.1255G	78.28	88.20	-9.92	3	Vertical	264	2.30
7115MHz	Pass	AV	7.1085G	95.55	Inf	-Inf	3	Horizontal	331	1.50
7115MHz	Pass	AV	7.1255G	64.01	68.20	-4.19	3	Horizontal	331	1.50
7115MHz	Pass	PK	7.1065G	102.03	Inf	-Inf	3	Horizontal	331	1.50
7115MHz	Pass	PK	7.1255G	74.15	88.20	-14.05	3	Horizontal	331	1.50
7115MHz	Pass	AV	14.22933G	39.06	68.20	-29.14	3	Vertical	190	1.79
7115MHz	Pass	AV	21.34552G	29.76	54.00	-24.24	3	Vertical	265	1.46



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	PK	14.22908G	52.11	88.20	-36.09	3	Vertical	190	1.79
7115MHz	Pass	PK	21.3448G	41.40	74.00	-32.60	3	Vertical	265	1.46
7115MHz	Pass	AV	14.22332G	39.53	68.20	-28.67	3	Horizontal	210	2.12
7115MHz	Pass	AV	21.34482G	29.48	54.00	-24.52	3	Horizontal	41	1.72
7115MHz	Pass	PK	14.23964G	52.08	88.20	-36.12	3	Horizontal	210	2.12
7115MHz	Pass	PK	21.34579G	42.62	74.00	-31.38	3	Horizontal	41	1.72
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	47.93	68.20	-20.27	3	Vertical	6	1.50
5965MHz	Pass	AV	5.9824G	96.07	Inf	-Inf	3	Vertical	6	1.50
5965MHz	Pass	PK	5.9236G	62.60	88.20	-25.60	3	Vertical	6	1.50
5965MHz	Pass	PK	5.98G	109.37	Inf	-Inf	3	Vertical	6	1.50
5965MHz	Pass	AV	5.9239G	43.62	68.20	-24.58	3	Horizontal	337	2.06
5965MHz	Pass	AV	5.9713G	96.61	Inf	-Inf	3	Horizontal	337	2.06
5965MHz	Pass	PK	5.9218G	58.63	88.20	-29.57	3	Horizontal	337	2.06
5965MHz	Pass	PK	5.9752G	109.97	Inf	-Inf	3	Horizontal	337	2.06
5965MHz	Pass	AV	11.93084G	36.42	54.00	-17.58	3	Vertical	236	2.54
5965MHz	Pass	AV	17.89546G	38.58	54.00	-15.42	3	Vertical	66	1.07
5965MHz	Pass	PK	11.93042G	49.94	74.00	-24.06	3	Vertical	236	2.54
5965MHz	Pass	PK	17.89506G	51.49	74.00	-22.51	3	Vertical	66	1.07
5965MHz	Pass	AV	11.94G	36.49	54.00	-17.51	3	Horizontal	15	1.30
5965MHz	Pass	AV	17.89484G	38.50	54.00	-15.50	3	Horizontal	319	1.64
5965MHz	Pass	PK	11.93316G	48.89	74.00	-25.11	3	Horizontal	15	1.30
5965MHz	Pass	PK	17.89549G	51.68	74.00	-22.32	3	Horizontal	319	1.64
6205MHz	Pass	AV	12.41041G	36.18	54.00	-17.82	3	Vertical	337	1.81
6205MHz	Pass	AV	18.61574G	27.97	54.00	-26.03	3	Vertical	258	1.83
6205MHz	Pass	PK	12.40995G	50.21	74.00	-23.79	3	Vertical	337	1.81
6205MHz	Pass	PK	18.61445G	40.84	74.00	-33.16	3	Vertical	258	1.83
6205MHz	Pass	AV	12.40108G	36.38	54.00	-17.62	3	Horizontal	88	2.98
6205MHz	Pass	AV	18.61564G	28.00	54.00	-26.00	3	Horizontal	70	1.02
6205MHz	Pass	PK	12.41864G	49.43	74.00	-24.57	3	Horizontal	88	2.98
6205MHz	Pass	PK	18.61438G	40.70	74.00	-33.30	3	Horizontal	70	1.02
6405MHz	Pass	AV	12.80925G	37.50	68.20	-30.70	3	Vertical	140	2.06
6405MHz	Pass	AV	19.21536G	28.62	54.00	-25.38	3	Vertical	30	1.07
6405MHz	Pass	PK	12.80916G	49.97	88.20	-38.23	3	Vertical	140	2.06
6405MHz	Pass	PK	19.21404G	41.95	74.00	-32.05	3	Vertical	30	1.07
6405MHz	Pass	AV	12.8098G	37.57	68.20	-30.63	3	Horizontal	300	1.41
6405MHz	Pass	AV	19.21584G	28.62	54.00	-25.38	3	Horizontal	51	2.82
6405MHz	Pass	PK	12.81972G	50.34	88.20	-37.86	3	Horizontal	300	1.41
6405MHz	Pass	PK	19.21465G	41.63	74.00	-32.37	3	Horizontal	51	2.82
6445MHz	Pass	AV	12.89005G	37.70	68.20	-30.50	3	Vertical	226	1.55
6445MHz	Pass	AV	19.33594G	28.75	54.00	-25.25	3	Vertical	150	2.89
6445MHz	Pass	PK	12.8909G	50.57	88.20	-37.63	3	Vertical	226	1.55
6445MHz	Pass	PK	19.33575G	41.96	74.00	-32.04	3	Vertical	150	2.89
6445MHz	Pass	AV	12.8996G	37.87	68.20	-30.33	3	Horizontal	175	2.34
6445MHz	Pass	AV	19.33512G	28.73	54.00	-25.27	3	Horizontal	5	1.03
6445MHz	Pass	PK	12.89644G	50.38	88.20	-37.82	3	Horizontal	175	2.34
6445MHz	Pass	PK	19.33518G	41.73	74.00	-32.27	3	Horizontal	5	1.03
6485MHz	Pass	AV	12.9704G	37.91	68.20	-30.29	3	Vertical	153	1.58
6485MHz	Pass	AV	19.45562G	28.82	54.00	-25.18	3	Vertical	208	2.45
6485MHz	Pass	PK	12.97069G	51.23	88.20	-36.97	3	Vertical	153	1.58
6485MHz	Pass	PK	19.45585G	41.69	74.00	-32.31	3	Vertical	208	2.45
6485MHz	Pass	AV	12.96652G	37.97	68.20	-30.23	3	Horizontal	158	1.93
6485MHz	Pass	AV	19.45588G	28.81	54.00	-25.19	3	Horizontal	267	2.36
6485MHz	Pass	PK	12.96556G	51.79	88.20	-36.41	3	Horizontal	158	1.93
6485MHz	Pass	PK	19.45491G	40.82	74.00	-33.18	3	Horizontal	267	2.36
6525MHz	Pass	AV	13.04949G	37.51	68.20	-30.69	3	Vertical	0	1.96
6525MHz	Pass	AV	19.57504G	28.51	54.00	-25.49	3	Vertical	6	2.85
6525MHz	Pass	PK	13.04924G	50.47	88.20	-37.73	3	Vertical	0	1.96
6525MHz	Pass	PK	19.5753G	40.84	74.00	-33.16	3	Vertical	6	2.85
6525MHz	Pass	AV	13.04784G	37.56	68.20	-30.64	3	Horizontal	233	2.17
6525MHz	Pass	AV	19.57406G	28.52	54.00	-25.48	3	Horizontal	105	2.12
6525MHz	Pass	PK	13.04704G	50.53	88.20	-37.67	3	Horizontal	233	2.17



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz	Pass	PK	19.57493G	41.32	74.00	-32.68	3	Horizontal	105	2.12
6565MHz	Pass	AV	13.12948G	37.38	68.20	-30.82	3	Vertical	38	2.31
6565MHz	Pass	AV	19.69419G	28.49	54.00	-25.51	3	Vertical	277	1.15
6565MHz	Pass	PK	13.13038G	50.32	88.20	-37.88	3	Vertical	38	2.31
6565MHz	Pass	PK	19.6948G	40.82	74.00	-33.18	3	Vertical	277	1.15
6565MHz	Pass	AV	13.12992G	37.41	68.20	-30.79	3	Horizontal	198	1.03
6565MHz	Pass	AV	19.69451G	28.49	54.00	-25.51	3	Horizontal	70	1.11
6565MHz	Pass	PK	13.13508G	50.39	88.20	-37.81	3	Horizontal	198	1.03
6565MHz	Pass	PK	19.69582G	40.96	74.00	-33.04	3	Horizontal	70	1.11
6685MHz	Pass	AV	13.3692G	37.39	54.00	-16.61	3	Vertical	168	1.84
6685MHz	Pass	AV	20.0562G	28.32	54.00	-25.68	3	Vertical	143	2.98
6685MHz	Pass	PK	13.37036G	50.28	74.00	-23.72	3	Vertical	168	1.84
6685MHz	Pass	PK	20.05481G	40.62	74.00	-33.38	3	Vertical	143	2.98
6685MHz	Pass	AV	13.3602G	37.65	54.00	-16.35	3	Horizontal	156	2.42
6685MHz	Pass	AV	20.05416G	28.31	54.00	-25.69	3	Horizontal	116	1.64
6685MHz	Pass	PK	13.36028G	49.81	74.00	-24.19	3	Horizontal	156	2.42
6685MHz	Pass	PK	20.05404G	41.30	74.00	-32.70	3	Horizontal	116	1.64
6885MHz	Pass	AV	13.77042G	38.33	68.20	-29.87	3	Vertical	141	1.60
6885MHz	Pass	AV	20.65537G	29.19	54.00	-24.81	3	Vertical	42	1.47
6885MHz	Pass	PK	13.76939G	51.25	88.20	-36.95	3	Vertical	141	1.60
6885MHz	Pass	PK	20.65577G	41.51	74.00	-32.49	3	Vertical	42	1.47
6885MHz	Pass	AV	13.77624G	38.48	68.20	-29.72	3	Horizontal	38	1.56
6885MHz	Pass	AV	20.65488G	29.19	54.00	-24.81	3	Horizontal	177	1.43
6885MHz	Pass	PK	13.76784G	51.01	88.20	-37.19	3	Horizontal	38	1.56
6885MHz	Pass	PK	20.65528G	40.95	74.00	-33.05	3	Horizontal	177	1.43
6925MHz	Pass	AV	13.84953G	38.35	68.20	-29.85	3	Vertical	353	2.14
6925MHz	Pass	AV	20.77514G	29.30	54.00	-24.70	3	Vertical	178	1.10
6925MHz	Pass	PK	13.85082G	51.62	88.20	-36.58	3	Vertical	353	2.14
6925MHz	Pass	PK	20.77495G	42.64	74.00	-31.36	3	Vertical	178	1.10
6925MHz	Pass	AV	13.85732G	38.52	68.20	-29.68	3	Horizontal	341	1.23
6925MHz	Pass	AV	20.77547G	29.35	54.00	-24.65	3	Horizontal	276	2.48
6925MHz	Pass	PK	13.84948G	50.77	88.20	-37.43	3	Horizontal	341	1.23
6925MHz	Pass	PK	20.77591G	42.14	74.00	-31.86	3	Horizontal	276	2.48
7005MHz	Pass	AV	14.01099G	38.06	68.20	-30.14	3	Vertical	126	1.43
7005MHz	Pass	AV	21.01584G	29.29	54.00	-24.71	3	Vertical	22	1.37
7005MHz	Pass	PK	14.00993G	50.28	88.20	-37.92	3	Vertical	126	1.43
7005MHz	Pass	PK	21.01589G	41.61	74.00	-32.39	3	Vertical	22	1.37
7005MHz	Pass	AV	14.01672G	38.51	68.20	-29.69	3	Horizontal	203	2.76
7005MHz	Pass	AV	21.01534G	29.36	54.00	-24.64	3	Horizontal	272	1.24
7005MHz	Pass	PK	14.01508G	49.90	88.20	-38.30	3	Horizontal	203	2.76
7005MHz	Pass	PK	21.0142G	42.40	74.00	-31.60	3	Horizontal	272	1.24
7085MHz	Pass	AV	7.0985G	97.77	Inf	-Inf	3	Vertical	15	1.50
7085MHz	Pass	AV	7.1252G	51.99	68.20	-16.21	3	Vertical	15	1.50
7085MHz	Pass	PK	7.0931G	111.17	Inf	-Inf	3	Vertical	15	1.50
7085MHz	Pass	PK	7.1273G	66.35	88.20	-21.85	3	Vertical	15	1.50
7085MHz	Pass	AV	7.0898G	96.94	Inf	-Inf	3	Horizontal	325	1.50
7085MHz	Pass	AV	7.2314G	48.80	68.20	-19.40	3	Horizontal	325	1.50
7085MHz	Pass	PK	7.0859G	110.40	Inf	-Inf	3	Horizontal	325	1.50
7085MHz	Pass	PK	7.199G	62.27	88.20	-25.93	3	Horizontal	325	1.50
7085MHz	Pass	AV	14.17048G	38.68	68.20	-29.52	3	Vertical	357	1.76
7085MHz	Pass	AV	21.25596G	29.29	54.00	-24.71	3	Vertical	1	1.70
7085MHz	Pass	PK	14.17026G	52.37	88.20	-35.83	3	Vertical	357	1.76
7085MHz	Pass	PK	21.25565G	42.90	74.00	-31.10	3	Vertical	1	1.70
7085MHz	Pass	AV	14.17904G	38.89	68.20	-29.31	3	Horizontal	181	2.07
7085MHz	Pass	AV	21.2551G	29.26	54.00	-24.74	3	Horizontal	27	1.78
7085MHz	Pass	PK	14.17032G	52.59	88.20	-35.61	3	Horizontal	181	2.07
7085MHz	Pass	PK	21.25438G	43.39	74.00	-30.61	3	Horizontal	27	1.78
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	56.38	68.20	-11.82	3	Vertical	21	1.50
5985MHz	Pass	AV	5.9945G	96.30	Inf	-Inf	3	Vertical	21	1.50
5985MHz	Pass	PK	5.921G	73.84	88.20	-14.36	3	Vertical	21	1.50
5985MHz	Pass	PK	5.998G	109.43	Inf	-Inf	3	Vertical	21	1.50



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.92G	47.10	68.20	-21.10	3	Horizontal	156	1.16
5985MHz	Pass	AV	6.017G	99.92	Inf	-Inf	3	Horizontal	156	1.16
5985MHz	Pass	PK	5.914G	64.82	88.20	-23.38	3	Horizontal	156	1.16
5985MHz	Pass	PK	6.014G	111.74	Inf	-Inf	3	Horizontal	156	1.16
5985MHz	Pass	AV	11.97017G	36.40	54.00	-17.60	3	Vertical	205	1.88
5985MHz	Pass	AV	17.95486G	38.11	54.00	-15.89	3	Vertical	300	1.70
5985MHz	Pass	PK	11.97014G	49.08	74.00	-24.92	3	Vertical	205	1.88
5985MHz	Pass	PK	17.95509G	50.60	74.00	-23.40	3	Vertical	300	1.70
5985MHz	Pass	AV	11.9792G	36.85	54.00	-17.15	3	Horizontal	82	2.20
5985MHz	Pass	AV	17.95543G	38.07	54.00	-15.93	3	Horizontal	305	2.43
5985MHz	Pass	PK	11.97244G	48.88	74.00	-25.12	3	Horizontal	82	2.20
5985MHz	Pass	PK	17.95581G	50.31	74.00	-23.69	3	Horizontal	305	2.43
6225MHz	Pass	AV	12.44986G	36.68	54.00	-17.32	3	Vertical	229	1.97
6225MHz	Pass	AV	18.67473G	28.63	54.00	-25.37	3	Vertical	66	1.67
6225MHz	Pass	PK	12.44965G	48.58	74.00	-25.42	3	Vertical	229	1.97
6225MHz	Pass	PK	18.67563G	40.81	74.00	-33.19	3	Vertical	66	1.67
6225MHz	Pass	AV	12.45208G	36.65	54.00	-17.35	3	Horizontal	277	1.74
6225MHz	Pass	AV	18.67523G	28.75	54.00	-25.25	3	Horizontal	99	1.04
6225MHz	Pass	PK	12.44632G	49.14	74.00	-24.86	3	Horizontal	277	1.74
6225MHz	Pass	PK	18.67484G	41.14	74.00	-32.86	3	Horizontal	99	1.04
6385MHz	Pass	AV	12.77001G	37.49	68.20	-30.71	3	Vertical	203	2.52
6385MHz	Pass	AV	19.15497G	28.61	54.00	-25.39	3	Vertical	181	2.36
6385MHz	Pass	PK	12.77089G	50.80	88.20	-37.40	3	Vertical	203	2.52
6385MHz	Pass	PK	19.1549G	41.12	74.00	-32.88	3	Vertical	181	2.36
6385MHz	Pass	AV	12.77712G	37.70	68.20	-30.50	3	Horizontal	166	1.91
6385MHz	Pass	AV	19.15522G	28.49	54.00	-25.51	3	Horizontal	260	2.45
6385MHz	Pass	PK	12.7762G	49.86	88.20	-38.34	3	Horizontal	166	1.91
6385MHz	Pass	PK	19.15579G	41.36	74.00	-32.64	3	Horizontal	260	2.45
6465MHz	Pass	AV	12.93044G	39.25	68.20	-28.95	3	Vertical	284	2.39
6465MHz	Pass	AV	19.39427G	29.97	54.00	-24.03	3	Vertical	324	2.65
6465MHz	Pass	PK	12.93063G	50.78	88.20	-37.42	3	Vertical	284	2.39
6465MHz	Pass	PK	19.39553G	41.33	74.00	-32.67	3	Vertical	324	2.65
6465MHz	Pass	AV	12.93552G	39.68	68.20	-28.52	3	Horizontal	302	1.78
6465MHz	Pass	AV	19.39497G	29.75	54.00	-24.25	3	Horizontal	295	1.47
6465MHz	Pass	PK	12.93348G	50.26	88.20	-37.94	3	Horizontal	302	1.78
6465MHz	Pass	PK	19.39506G	41.73	74.00	-32.27	3	Horizontal	295	1.47
6545MHz	Pass	AV	13.09016G	37.71	68.20	-30.49	3	Vertical	332	1.83
6545MHz	Pass	AV	19.63548G	29.17	54.00	-24.83	3	Vertical	344	2.23
6545MHz	Pass	PK	13.08926G	50.84	88.20	-37.36	3	Vertical	332	1.83
6545MHz	Pass	PK	19.63421G	41.12	74.00	-32.88	3	Vertical	344	2.23
6545MHz	Pass	AV	13.09852G	37.95	68.20	-30.25	3	Horizontal	323	1.98
6545MHz	Pass	AV	19.63572G	29.08	54.00	-24.92	3	Horizontal	74	1.59
6545MHz	Pass	PK	13.09692G	50.64	88.20	-37.56	3	Horizontal	323	1.98
6545MHz	Pass	PK	19.63594G	41.83	74.00	-32.17	3	Horizontal	74	1.59
6625MHz	Pass	AV	13.25057G	37.74	54.00	-16.26	3	Vertical	344	2.82
6625MHz	Pass	AV	19.87549G	28.90	54.00	-25.10	3	Vertical	245	2.34
6625MHz	Pass	PK	13.24928G	50.28	88.20	-37.92	3	Vertical	344	2.82
6625MHz	Pass	PK	19.87582G	42.72	74.00	-31.28	3	Vertical	245	2.34
6625MHz	Pass	AV	13.24408G	38.08	68.20	-30.12	3	Horizontal	183	1.02
6625MHz	Pass	AV	19.87582G	28.93	54.00	-25.07	3	Horizontal	333	1.12
6625MHz	Pass	PK	13.2486G	50.03	88.20	-38.17	3	Horizontal	183	1.02
6625MHz	Pass	PK	19.87422G	41.26	74.00	-32.74	3	Horizontal	333	1.12
6705MHz	Pass	AV	13.40906G	37.56	68.20	-30.64	3	Vertical	8	1.06
6705MHz	Pass	AV	20.11515G	28.95	54.00	-25.05	3	Vertical	221	2.17
6705MHz	Pass	PK	13.40995G	50.05	88.20	-38.15	3	Vertical	8	1.06
6705MHz	Pass	PK	20.1146G	41.92	74.00	-32.08	3	Vertical	221	2.17
6705MHz	Pass	AV	13.41888G	38.10	68.20	-30.10	3	Horizontal	198	1.12
6705MHz	Pass	AV	20.1154G	29.02	54.00	-24.98	3	Horizontal	21	1.70
6705MHz	Pass	PK	13.4196G	51.47	88.20	-36.73	3	Horizontal	198	1.12
6705MHz	Pass	PK	20.11453G	41.46	74.00	-32.54	3	Horizontal	21	1.70
6785MHz	Pass	AV	13.56958G	38.61	68.20	-29.59	3	Vertical	335	2.83
6785MHz	Pass	AV	20.35454G	28.57	54.00	-25.43	3	Vertical	71	1.47



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	13.56964G	51.26	88.20	-36.94	3	Vertical	335	2.83
6785MHz	Pass	PK	20.356G	41.30	74.00	-32.70	3	Vertical	71	1.47
6785MHz	Pass	AV	13.5658G	38.78	68.20	-29.42	3	Horizontal	344	1.36
6785MHz	Pass	AV	20.35521G	28.62	54.00	-25.38	3	Horizontal	136	1.11
6785MHz	Pass	PK	13.56624G	50.59	88.20	-37.61	3	Horizontal	344	1.36
6785MHz	Pass	PK	20.35529G	40.73	74.00	-33.27	3	Horizontal	136	1.11
6865MHz	Pass	AV	13.7298G	38.45	68.20	-29.75	3	Vertical	222	2.13
6865MHz	Pass	AV	20.5952G	29.31	54.00	-24.69	3	Vertical	181	2.22
6865MHz	Pass	PK	13.72996G	51.22	88.20	-36.98	3	Vertical	222	2.13
6865MHz	Pass	PK	20.59526G	42.97	74.00	-31.03	3	Vertical	181	2.22
6865MHz	Pass	AV	13.72916G	38.52	68.20	-29.68	3	Horizontal	135	1.10
6865MHz	Pass	AV	20.59576G	29.35	54.00	-24.65	3	Horizontal	218	1.32
6865MHz	Pass	PK	13.7212G	50.13	88.20	-38.07	3	Horizontal	135	1.10
6865MHz	Pass	PK	20.59416G	42.34	74.00	-31.66	3	Horizontal	218	1.32
6945MHz	Pass	AV	13.89033G	38.44	68.20	-29.76	3	Vertical	182	1.15
6945MHz	Pass	AV	20.83456G	28.89	54.00	-25.11	3	Vertical	147	1.14
6945MHz	Pass	PK	13.8897G	50.96	88.20	-37.24	3	Vertical	182	1.15
6945MHz	Pass	PK	20.8356G	41.27	74.00	-32.73	3	Vertical	147	1.14
6945MHz	Pass	AV	13.88952G	38.44	68.20	-29.76	3	Horizontal	257	2.36
6945MHz	Pass	AV	20.83594G	28.95	54.00	-25.05	3	Horizontal	16	1.35
6945MHz	Pass	PK	13.88352G	50.47	88.20	-37.73	3	Horizontal	257	2.36
6945MHz	Pass	PK	20.8351G	41.96	74.00	-32.04	3	Horizontal	16	1.35
7025MHz	Pass	AV	7.0109G	97.25	Inf	-Inf	3	Vertical	14	1.50
7025MHz	Pass	AV	7.1255G	48.51	68.20	-19.69	3	Vertical	14	1.50
7025MHz	Pass	PK	6.9917G	110.84	Inf	-Inf	3	Vertical	14	1.50
7025MHz	Pass	PK	7.1681G	61.80	88.20	-26.40	3	Vertical	14	1.50
7025MHz	Pass	AV	7.013G	96.13	Inf	-Inf	3	Horizontal	317	1.50
7025MHz	Pass	AV	7.1708G	48.27	68.20	-19.93	3	Horizontal	317	1.50
7025MHz	Pass	PK	7.0139G	110.19	Inf	-Inf	3	Horizontal	317	1.50
7025MHz	Pass	PK	7.1438G	61.83	88.20	-26.37	3	Horizontal	317	1.50
7025MHz	Pass	AV	14.04916G	38.40	68.20	-29.80	3	Vertical	224	2.66
7025MHz	Pass	AV	21.07548G	29.41	54.00	-24.59	3	Vertical	16	2.00
7025MHz	Pass	PK	14.04969G	51.19	88.20	-37.01	3	Vertical	224	2.66
7025MHz	Pass	PK	21.075G	41.98	74.00	-32.02	3	Vertical	16	2.00
7025MHz	Pass	AV	14.04764G	38.40	68.20	-29.80	3	Horizontal	30	2.67
7025MHz	Pass	AV	21.07532G	29.41	54.00	-24.59	3	Horizontal	52	1.94
7025MHz	Pass	PK	14.04032G	50.45	88.20	-37.75	3	Horizontal	30	2.67
7025MHz	Pass	PK	21.07506G	41.67	74.00	-32.33	3	Horizontal	52	1.94
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	61.73	68.20	-6.47	3	Vertical	165	1.41
6025MHz	Pass	AV	6.0065G	97.19	Inf	-Inf	3	Vertical	165	1.41
6025MHz	Pass	PK	5.9205G	75.37	88.20	-12.83	3	Vertical	165	1.41
6025MHz	Pass	PK	6.009G	110.51	Inf	-Inf	3	Vertical	165	1.41
6025MHz	Pass	AV	5.9245G	49.25	68.20	-18.95	3	Horizontal	152	1.50
6025MHz	Pass	AV	6.0875G	96.94	Inf	-Inf	3	Horizontal	152	1.50
6025MHz	Pass	PK	5.925G	61.46	88.20	-26.74	3	Horizontal	152	1.50
6025MHz	Pass	PK	6.0455G	110.06	Inf	-Inf	3	Horizontal	152	1.50
6025MHz	Pass	AV	12.05086G	36.91	54.00	-17.09	3	Vertical	50	1.36
6025MHz	Pass	AV	18.07562G	28.81	54.00	-25.19	3	Vertical	71	1.97
6025MHz	Pass	PK	12.05043G	49.87	74.00	-24.13	3	Vertical	50	1.36
6025MHz	Pass	PK	18.07471G	42.29	74.00	-31.71	3	Vertical	71	1.97
6025MHz	Pass	AV	12.05936G	37.12	54.00	-16.88	3	Horizontal	276	2.34
6025MHz	Pass	AV	18.07416G	28.77	54.00	-25.23	3	Horizontal	336	2.80
6025MHz	Pass	PK	12.04716G	51.05	74.00	-22.95	3	Horizontal	276	2.34
6025MHz	Pass	PK	18.07493G	41.45	74.00	-32.55	3	Horizontal	336	2.80
6185MHz	Pass	AV	12.36928G	36.69	54.00	-17.31	3	Vertical	46	1.24
6185MHz	Pass	AV	18.55564G	28.22	54.00	-25.78	3	Vertical	250	2.77
6185MHz	Pass	PK	12.36908G	49.21	74.00	-24.79	3	Vertical	46	1.24
6185MHz	Pass	PK	18.55431G	40.75	74.00	-33.25	3	Vertical	250	2.77
6185MHz	Pass	AV	12.3618G	36.83	54.00	-17.17	3	Horizontal	287	2.09
6185MHz	Pass	AV	18.55557G	28.35	54.00	-25.65	3	Horizontal	3	2.30
6185MHz	Pass	PK	12.37888G	48.38	74.00	-25.62	3	Horizontal	287	2.09



RSE TX above 1GHz_Beamforming

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	18.55502G	41.49	74.00	-32.51	3	Horizontal	3	2.30
6345MHz	Pass	AV	12.68956G	37.17	54.00	-16.83	3	Vertical	276	1.17
6345MHz	Pass	AV	19.03497G	28.52	54.00	-25.48	3	Vertical	154	1.35
6345MHz	Pass	PK	12.68923G	50.41	74.00	-23.59	3	Vertical	276	1.17
6345MHz	Pass	PK	19.03438G	40.75	74.00	-33.25	3	Vertical	154	1.35
6345MHz	Pass	AV	12.682G	37.38	54.00	-16.62	3	Horizontal	83	2.51
6345MHz	Pass	AV	19.03582G	28.53	54.00	-25.47	3	Horizontal	248	1.17
6345MHz	Pass	PK	12.68584G	49.59	74.00	-24.41	3	Horizontal	83	2.51
6345MHz	Pass	PK	19.0344G	42.28	74.00	-31.72	3	Horizontal	248	1.17
6505MHz	Pass	AV	13.00995G	38.00	68.20	-30.20	3	Vertical	223	2.54
6505MHz	Pass	AV	19.5153G	28.86	54.00	-25.14	3	Vertical	13	2.81
6505MHz	Pass	PK	13.00912G	50.19	88.20	-38.01	3	Vertical	223	2.54
6505MHz	Pass	PK	19.51546G	40.83	74.00	-33.17	3	Vertical	13	2.81
6505MHz	Pass	AV	13.008G	38.13	68.20	-30.07	3	Horizontal	15	2.40
6505MHz	Pass	AV	19.51448G	28.92	54.00	-25.08	3	Horizontal	103	2.30
6505MHz	Pass	PK	13.00924G	50.59	88.20	-37.61	3	Horizontal	15	2.40
6505MHz	Pass	PK	19.51454G	40.87	74.00	-33.13	3	Horizontal	103	2.30
6665MHz	Pass	AV	13.3298G	37.85	54.00	-16.15	3	Vertical	34	1.30
6665MHz	Pass	AV	19.99518G	28.90	54.00	-25.10	3	Vertical	335	2.87
6665MHz	Pass	PK	13.33083G	50.19	74.00	-23.81	3	Vertical	34	1.30
6665MHz	Pass	PK	19.99566G	40.98	74.00	-33.02	3	Vertical	335	2.87
6665MHz	Pass	AV	13.321G	38.19	54.00	-15.81	3	Horizontal	313	2.01
6665MHz	Pass	AV	19.99427G	28.86	54.00	-25.14	3	Horizontal	289	2.48
6665MHz	Pass	PK	13.32184G	49.32	74.00	-24.68	3	Horizontal	313	2.01
6665MHz	Pass	PK	19.99595G	40.86	74.00	-33.14	3	Horizontal	289	2.48
6825MHz	Pass	AV	13.64982G	38.46	68.20	-29.74	3	Vertical	98	2.25
6825MHz	Pass	AV	20.47519G	29.28	54.00	-24.72	3	Vertical	168	2.01
6825MHz	Pass	PK	13.65024G	50.27	88.20	-37.93	3	Vertical	98	2.25
6825MHz	Pass	PK	20.47486G	42.32	74.00	-31.68	3	Vertical	168	2.01
6825MHz	Pass	AV	13.65488G	38.66	68.20	-29.54	3	Horizontal	66	1.00
6825MHz	Pass	AV	20.47542G	29.44	54.00	-24.56	3	Horizontal	322	2.41
6825MHz	Pass	PK	13.65068G	50.25	88.20	-37.95	3	Horizontal	66	1.00
6825MHz	Pass	PK	20.47442G	42.03	74.00	-31.97	3	Horizontal	322	2.41
6985MHz	Pass	AV	7.061G	97.61	Inf	-Inf	3	Vertical	9	1.05
6985MHz	Pass	AV	7.125G	57.03	68.20	-11.17	3	Vertical	9	1.05
6985MHz	Pass	PK	7.061G	110.85	Inf	-Inf	3	Vertical	9	1.05
6985MHz	Pass	PK	7.125G	71.11	88.20	-17.09	3	Vertical	9	1.05
6985MHz	Pass	AV	6.964G	97.25	Inf	-Inf	3	Horizontal	312	1.50
6985MHz	Pass	AV	7.2285G	49.40	68.20	-18.80	3	Horizontal	312	1.50
6985MHz	Pass	PK	6.922G	111.04	Inf	-Inf	3	Horizontal	312	1.50
6985MHz	Pass	PK	7.1665G	62.05	88.20	-26.15	3	Horizontal	312	1.50
6985MHz	Pass	AV	13.96993G	38.07	68.20	-30.13	3	Vertical	320	1.93
6985MHz	Pass	AV	20.95498G	29.17	54.00	-24.83	3	Vertical	118	2.32
6985MHz	Pass	PK	13.96949G	52.29	88.20	-35.91	3	Vertical	320	1.93
6985MHz	Pass	PK	20.95563G	41.88	74.00	-32.12	3	Vertical	118	2.32
6985MHz	Pass	AV	13.96508G	38.33	68.20	-29.87	3	Horizontal	296	1.95
6985MHz	Pass	AV	20.95591G	29.24	54.00	-24.76	3	Horizontal	48	1.84
6985MHz	Pass	PK	13.96668G	51.29	88.20	-36.91	3	Horizontal	296	1.95
6985MHz	Pass	PK	20.95546G	42.43	74.00	-31.57	3	Horizontal	48	1.84
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	64.68	68.20	-3.52	3	Vertical	343	2.47
6105MHz	Pass	AV	6.262G	96.43	Inf	-Inf	3	Vertical	343	2.47
6105MHz	Pass	PK	5.904G	77.46	88.20	-10.74	3	Vertical	343	2.47
6105MHz	Pass	PK	5.956G	111.82	Inf	-Inf	3	Vertical	343	2.47
6105MHz	Pass	AV	5.925G	58.49	68.20	-9.71	3	Horizontal	159	1.50
6105MHz	Pass	AV	6.21G	97.45	Inf	-Inf	3	Horizontal	159	1.50
6105MHz	Pass	PK	5.921G	72.95	88.20	-15.25	3	Horizontal	159	1.50
6105MHz	Pass	PK	5.949G	110.37	Inf	-Inf	3	Horizontal	159	1.50
6105MHz	Pass	AV	12.20961G	37.25	54.00	-16.75	3	Vertical	120	1.60
6105MHz	Pass	AV	18.31569G	28.59	54.00	-25.41	3	Vertical	307	2.65
6105MHz	Pass	PK	12.21092G	49.73	74.00	-24.27	3	Vertical	120	1.60
6105MHz	Pass	PK	18.31512G	40.60	74.00	-33.40	3	Vertical	307	2.65




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.20368G	37.36	54.00	-16.64	3	Horizontal	32	1.60
6105MHz	Pass	AV	18.31551G	28.66	54.00	-25.34	3	Horizontal	294	1.76
6105MHz	Pass	PK	12.20992G	49.56	74.00	-24.44	3	Horizontal	32	1.60
6105MHz	Pass	PK	18.31554G	41.05	74.00	-32.95	3	Horizontal	294	1.76
6265MHz	Pass	AV	12.531G	36.53	54.00	-17.47	3	Vertical	5	2.50
6265MHz	Pass	AV	18.79499G	28.48	54.00	-25.52	3	Vertical	161	1.87
6265MHz	Pass	PK	12.52902G	49.87	74.00	-24.13	3	Vertical	5	2.50
6265MHz	Pass	PK	18.7945G	40.68	74.00	-33.32	3	Vertical	161	1.87
6265MHz	Pass	AV	12.53724G	36.61	54.00	-17.39	3	Horizontal	309	2.46
6265MHz	Pass	AV	18.79494G	28.45	54.00	-25.55	3	Horizontal	80	1.01
6265MHz	Pass	PK	12.53904G	48.39	74.00	-25.61	3	Horizontal	309	2.46
6265MHz	Pass	PK	18.79588G	40.57	74.00	-33.43	3	Horizontal	80	1.01
6425MHz	Pass	AV	12.84928G	37.59	68.20	-30.61	3	Vertical	223	1.88
6425MHz	Pass	AV	19.27477G	28.98	54.00	-25.02	3	Vertical	127	1.40
6425MHz	Pass	PK	12.84972G	51.16	88.20	-37.04	3	Vertical	223	1.88
6425MHz	Pass	PK	19.27578G	41.87	74.00	-32.13	3	Vertical	127	1.40
6425MHz	Pass	AV	12.8596G	37.82	68.20	-30.38	3	Horizontal	296	1.21
6425MHz	Pass	AV	19.27478G	28.97	54.00	-25.03	3	Horizontal	318	1.82
6425MHz	Pass	PK	12.84788G	49.93	88.20	-38.27	3	Horizontal	296	1.21
6425MHz	Pass	PK	19.27421G	41.45	74.00	-32.55	3	Horizontal	318	1.82
6585MHz	Pass	AV	13.16928G	37.33	68.20	-30.87	3	Vertical	217	1.57
6585MHz	Pass	AV	19.75488G	28.77	54.00	-25.23	3	Vertical	258	1.66
6585MHz	Pass	PK	13.16978G	50.66	88.20	-37.54	3	Vertical	217	1.57
6585MHz	Pass	PK	19.75513G	42.15	74.00	-31.85	3	Vertical	258	1.66
6585MHz	Pass	AV	13.1622G	37.64	68.20	-30.56	3	Horizontal	52	1.31
6585MHz	Pass	AV	19.75432G	28.76	54.00	-25.24	3	Horizontal	116	1.90
6585MHz	Pass	PK	13.16012G	49.50	88.20	-38.70	3	Horizontal	52	1.31
6585MHz	Pass	PK	19.7543G	41.23	74.00	-32.77	3	Horizontal	116	1.90
6745MHz	Pass	AV	13.48922G	37.93	68.20	-30.27	3	Vertical	234	1.40
6745MHz	Pass	AV	20.23513G	28.26	54.00	-25.74	3	Vertical	223	1.42
6745MHz	Pass	PK	13.49092G	51.70	88.20	-36.50	3	Vertical	234	1.40
6745MHz	Pass	PK	20.23596G	40.14	74.00	-33.86	3	Vertical	223	1.42
6745MHz	Pass	AV	13.49956G	38.07	68.20	-30.13	3	Horizontal	234	2.77
6745MHz	Pass	AV	20.23484G	28.30	54.00	-25.70	3	Horizontal	76	2.93
6745MHz	Pass	PK	13.48948G	50.22	88.20	-37.98	3	Horizontal	234	2.77
6745MHz	Pass	PK	20.23582G	41.24	74.00	-32.76	3	Horizontal	76	2.93
6905MHz	Pass	AV	6.9405G	100.96	Inf	-Inf	3	Vertical	19	1.62
6905MHz	Pass	AV	7.1255G	66.79	68.20	-1.41	3	Vertical	19	1.62
6905MHz	Pass	PK	6.9465G	108.75	Inf	-Inf	3	Vertical	19	1.62
6905MHz	Pass	PK	7.1265G	75.75	88.20	-12.45	3	Vertical	19	1.62
6905MHz	Pass	AV	6.8605G	98.93	Inf	-Inf	3	Horizontal	130	1.50
6905MHz	Pass	AV	7.1275G	53.98	68.20	-14.22	3	Horizontal	130	1.50
6905MHz	Pass	PK	6.8725G	106.44	Inf	-Inf	3	Horizontal	130	1.50
6905MHz	Pass	PK	7.2385G	64.53	88.20	-23.67	3	Horizontal	130	1.50
6905MHz	Pass	AV	13.80921G	38.40	68.20	-29.80	3	Vertical	126	1.19
6905MHz	Pass	AV	20.71571G	29.14	54.00	-24.86	3	Vertical	164	1.75
6905MHz	Pass	PK	13.81044G	51.86	88.20	-36.34	3	Vertical	126	1.19
6905MHz	Pass	PK	20.71478G	42.46	74.00	-31.54	3	Vertical	164	1.75
6905MHz	Pass	AV	13.80964G	38.46	68.20	-29.74	3	Horizontal	192	2.94
6905MHz	Pass	AV	20.71441G	29.19	54.00	-24.81	3	Horizontal	74	2.72
6905MHz	Pass	PK	13.80868G	51.91	88.20	-36.29	3	Horizontal	192	2.94
6905MHz	Pass	PK	20.7151G	43.14	74.00	-30.86	3	Horizontal	74	2.72



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	45.90	68.20	-22.30	-4.57	3	Vertical	0	1.86	50.47	34.60	5.11	44.28
AV	5.9466G	98.21	Inf	-Inf	-4.59	3	Vertical	0	1.86	102.80	34.60	5.10	44.29
PK	5.9136G	58.67	88.20	-29.53	-4.56	3	Vertical	0	1.86	63.23	34.60	5.12	44.28
PK	5.9472G	111.36	Inf	-Inf	-4.59	3	Vertical	0	1.86	115.95	34.60	5.10	44.29

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	45.68	68.20	-22.52	-4.57	3	Horizontal	148	1.50	50.25	34.60	5.11	44.28
AV	5.9634G	98.47	Inf	-Inf	-4.60	3	Horizontal	148	1.50	103.07	34.60	5.09	44.29
PK	5.9088G	57.79	88.20	-30.41	-4.56	3	Horizontal	148	1.50	62.35	34.60	5.12	44.28
PK	5.9637G	110.78	Inf	-Inf	-4.60	3	Horizontal	148	1.50	115.38	34.60	5.09	44.29

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9094G	36.80	54.00	-17.20	4.82	3	Vertical	334	2.10	31.98	39.02	7.95	42.15
AV	17.8651G	38.74	54.00	-15.26	-15.27	3	Vertical	184	2.25	54.01	38.64	10.56	64.47
PK	11.91024G	49.09	74.00	-24.91	4.82	3	Vertical	334	2.10	44.27	39.02	7.95	42.15
PK	17.86422G	51.22	74.00	-22.78	-15.26	3	Vertical	184	2.25	66.48	38.64	10.56	64.46

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9018G	36.88	54.00	-17.12	4.81	3	Horizontal	76	1.59	32.07	39.00	7.95	42.14
AV	17.86597G	39.00	54.00	-15.00	-15.27	3	Horizontal	197	2.24	54.27	38.64	10.56	64.47
PK	11.90268G	49.52	74.00	-24.48	4.82	3	Horizontal	76	1.59	44.70	39.01	7.95	42.14
PK	17.86593G	50.46	74.00	-23.54	-15.27	3	Horizontal	197	2.24	65.73	38.64	10.56	64.47



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	47.93	68.20	-20.27	-4.57	3	Vertical	6	1.50	52.50	34.60	5.11	44.28
AV	5.9824G	96.07	Inf	-Inf	-4.62	3	Vertical	6	1.50	100.69	34.60	5.08	44.30
PK	5.9236G	62.60	88.20	-25.60	-4.57	3	Vertical	6	1.50	67.17	34.60	5.11	44.28
PK	5.98G	109.37	Inf	-Inf	-4.62	3	Vertical	6	1.50	113.99	34.60	5.08	44.30

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	43.62	68.20	-24.58	-4.57	3	Horizontal	337	2.06	48.19	34.60	5.11	44.28
AV	5.9713G	96.61	Inf	-Inf	-4.60	3	Horizontal	337	2.06	101.21	34.60	5.09	44.29
PK	5.9218G	58.63	88.20	-29.57	-4.57	3	Horizontal	337	2.06	63.20	34.60	5.11	44.28
PK	5.9752G	109.97	Inf	-Inf	-4.61	3	Horizontal	337	2.06	114.58	34.60	5.08	44.29



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93084G	36.42	54.00	-17.58	4.85	3	Vertical	236	2.54	31.57	39.06	7.96	42.17
AV	17.89546G	38.58	54.00	-15.42	-15.42	3	Vertical	66	1.07	54.00	38.52	10.56	64.50
PK	11.93042G	49.94	74.00	-24.06	4.85	3	Vertical	236	2.54	45.09	39.06	7.96	42.17
PK	17.89506G	51.49	74.00	-22.51	-15.42	3	Vertical	66	1.07	66.91	38.52	10.56	64.50

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94G	36.49	54.00	-17.51	4.86	3	Horizontal	15	1.30	31.63	39.08	7.96	42.18
AV	17.89484G	38.50	54.00	-15.50	-15.41	3	Horizontal	319	1.64	53.91	38.52	10.56	64.49
PK	11.93316G	48.89	74.00	-25.11	4.86	3	Horizontal	15	1.30	44.03	39.07	7.96	42.17
PK	17.89549G	51.68	74.00	-22.32	-15.42	3	Horizontal	319	1.64	67.10	38.52	10.56	64.50



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.38	68.20	-11.82	-4.57	3	Vertical	21	1.50	60.95	34.60	5.11	44.28
AV	5.9945G	96.30	Inf	-Inf	-4.63	3	Vertical	21	1.50	100.93	34.60	5.07	44.30
PK	5.921G	73.84	88.20	-14.36	-4.57	3	Vertical	21	1.50	78.41	34.60	5.11	44.28
PK	5.998G	109.43	Inf	-Inf	-4.63	3	Vertical	21	1.50	114.06	34.60	5.07	44.30

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	47.10	68.20	-21.10	-4.57	3	Horizontal	156	1.16	51.67	34.60	5.11	44.28
AV	6.017G	99.92	Inf	-Inf	-4.69	3	Horizontal	156	1.16	104.61	34.53	5.08	44.30
PK	5.914G	64.82	88.20	-23.38	-4.56	3	Horizontal	156	1.16	69.38	34.60	5.12	44.28
PK	6.014G	111.74	Inf	-Inf	-4.68	3	Horizontal	156	1.16	116.42	34.54	5.08	44.30



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97017G	36.40	54.00	-17.60	4.96	3	Vertical	205	1.88	31.44	39.18	7.98	42.20
AV	17.95486G	38.11	54.00	-15.89	-15.69	3	Vertical	300	1.70	53.80	38.28	10.58	64.55
PK	11.97014G	49.08	74.00	-24.92	4.96	3	Vertical	205	1.88	44.12	39.18	7.98	42.20
PK	17.95509G	50.60	74.00	-23.40	-15.70	3	Vertical	300	1.70	66.30	38.28	10.58	64.56

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9792G	36.85	54.00	-17.15	4.99	3	Horizontal	82	2.20	31.86	39.22	7.98	42.21
AV	17.95543G	38.07	54.00	-15.93	-15.70	3	Horizontal	305	2.43	53.77	38.28	10.58	64.56
PK	11.97244G	48.88	74.00	-25.12	4.96	3	Horizontal	82	2.20	43.92	39.19	7.98	42.21
PK	17.95581G	50.31	74.00	-23.69	-15.70	3	Horizontal	305	2.43	66.01	38.28	10.58	64.56

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	61.73	68.20	-6.47	-4.57	3	Vertical	165	1.41	66.30	34.60	5.11	44.28
AV	6.0065G	97.19	Inf	-Inf	-4.65	3	Vertical	165	1.41	101.84	34.57	5.08	44.30
PK	5.9205G	75.37	88.20	-12.83	-4.57	3	Vertical	165	1.41	79.94	34.60	5.11	44.28
PK	6.009G	110.51	Inf	-Inf	-4.66	3	Vertical	165	1.41	115.17	34.56	5.08	44.30

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	49.25	68.20	-18.95	-4.57	3	Horizontal	152	1.50	53.82	34.60	5.11	44.28
AV	6.0875G	96.94	Inf	-Inf	-4.77	3	Horizontal	152	1.50	101.71	34.40	5.14	44.31
PK	5.925G	61.46	88.20	-26.74	-4.57	3	Horizontal	152	1.50	66.03	34.60	5.11	44.28
PK	6.0455G	110.06	Inf	-Inf	-4.78	3	Horizontal	152	1.50	114.84	34.42	5.11	44.31



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05086G	36.91	54.00	-17.09	5.08	3	Vertical	50	1.36	31.83	39.30	8.02	42.24
AV	18.07562G	28.81	54.00	-25.19	-25.61	3	Vertical	71	1.97	54.42	38.00	10.61	64.68
PK	12.05043G	49.87	74.00	-24.13	5.08	3	Vertical	50	1.36	44.79	39.30	8.02	42.24
PK	18.07471G	42.29	74.00	-31.71	-25.60	3	Vertical	71	1.97	67.89	38.00	10.61	64.67

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05936G	37.12	54.00	-16.88	5.12	3	Horizontal	276	2.34	32.00	39.34	8.02	42.24
AV	18.07416G	28.77	54.00	-25.23	-25.60	3	Horizontal	336	2.80	54.37	38.00	10.61	64.67
PK	12.04716G	51.05	74.00	-22.95	5.08	3	Horizontal	276	2.34	45.97	39.30	8.02	42.24
PK	18.07493G	41.45	74.00	-32.55	-25.60	3	Horizontal	336	2.80	67.05	38.00	10.61	64.67



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	64.68	68.20	-3.52	-4.57	3	Vertical	343	2.47	69.25	34.60	5.11	44.28
AV	6.262G	96.43	Inf	-Inf	-4.23	3	Vertical	343	2.47	100.66	34.80	5.30	44.33
PK	5.904G	77.46	88.20	-10.74	-4.56	3	Vertical	343	2.47	82.02	34.60	5.12	44.28
PK	5.956G	111.82	Inf	-Inf	-4.60	3	Vertical	343	2.47	116.42	34.60	5.09	44.29

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	58.49	68.20	-9.71	-4.57	3	Horizontal	159	1.50	63.06	34.60	5.11	44.28
AV	6.21G	97.45	Inf	-Inf	-4.53	3	Horizontal	159	1.50	101.98	34.56	5.24	44.33
PK	5.921G	72.95	88.20	-15.25	-4.57	3	Horizontal	159	1.50	77.52	34.60	5.11	44.28
PK	5.949G	110.37	Inf	-Inf	-4.59	3	Horizontal	159	1.50	114.96	34.60	5.10	44.29



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20961G	37.25	54.00	-16.75	5.22	3	Vertical	120	1.60	32.03	39.38	8.10	42.26
AV	18.31569G	28.59	54.00	-25.41	-25.76	3	Vertical	307	2.65	54.35	38.04	10.66	64.92
PK	12.21092G	49.73	74.00	-24.27	5.22	3	Vertical	120	1.60	44.51	39.38	8.10	42.26
PK	18.31512G	40.60	74.00	-33.40	-25.76	3	Vertical	307	2.65	66.36	38.04	10.66	64.92

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20368G	37.36	54.00	-16.64	5.23	3	Horizontal	32	1.60	32.13	39.39	8.10	42.26
AV	18.31551G	28.66	54.00	-25.34	-25.76	3	Horizontal	294	1.76	54.42	38.04	10.66	64.92
PK	12.20992G	49.56	74.00	-24.44	5.22	3	Horizontal	32	1.60	44.34	39.38	8.10	42.26
PK	18.31554G	41.05	74.00	-32.95	-25.76	3	Horizontal	294	1.76	66.81	38.04	10.66	64.92



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95054G	38.80	68.20	-29.40	6.06	3	Vertical	146	1.59	32.74	39.90	8.50	42.34
AV	19.42592G	29.48	54.00	-24.52	-25.17	3	Vertical	318	1.28	54.65	38.40	10.90	64.93
PK	12.95057G	51.58	88.20	-36.62	6.06	3	Vertical	146	1.59	45.52	39.90	8.50	42.34
PK	19.42521G	41.39	74.00	-32.61	-25.17	3	Vertical	318	1.28	66.56	38.40	10.90	64.93

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95088G	39.03	68.20	-29.17	6.06	3	Horizontal	155	1.09	32.97	39.90	8.50	42.34
AV	19.42575G	29.53	54.00	-24.47	-25.17	3	Horizontal	95	1.37	54.70	38.40	10.90	64.93
PK	12.95584G	51.35	88.20	-36.85	6.06	3	Horizontal	155	1.09	45.29	39.89	8.51	42.34
PK	19.42426G	41.98	74.00	-32.02	-25.17	3	Horizontal	95	1.37	67.15	38.40	10.90	64.93



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9704G	37.91	68.20	-30.29	6.03	3	Vertical	153	1.58	31.88	39.86	8.51	42.34
AV	19.45562G	28.82	54.00	-25.18	-25.18	3	Vertical	208	2.45	54.00	38.38	10.90	64.92
PK	12.97069G	51.23	88.20	-36.97	6.03	3	Vertical	153	1.58	45.20	39.86	8.51	42.34
PK	19.45585G	41.69	74.00	-32.31	-25.18	3	Vertical	208	2.45	66.87	38.38	10.90	64.92

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96652G	37.97	68.20	-30.23	6.04	3	Horizontal	158	1.93	31.93	39.87	8.51	42.34
AV	19.45588G	28.81	54.00	-25.19	-25.18	3	Horizontal	267	2.36	53.99	38.38	10.90	64.92
PK	12.96556G	51.79	88.20	-36.41	6.04	3	Horizontal	158	1.93	45.75	39.87	8.51	42.34
PK	19.45491G	40.82	74.00	-33.18	-25.18	3	Horizontal	267	2.36	66.00	38.38	10.90	64.92



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93044G	39.25	68.20	-28.95	6.06	3	Vertical	284	2.39	33.19	39.90	8.49	42.33
AV	19.39427G	29.97	54.00	-24.03	-25.20	3	Vertical	324	2.65	55.17	38.39	10.89	64.94
PK	12.93063G	50.78	88.20	-37.42	6.06	3	Vertical	284	2.39	44.72	39.90	8.49	42.33
PK	19.39553G	41.33	74.00	-32.67	-25.20	3	Vertical	324	2.65	66.53	38.39	10.89	64.94

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93552G	39.68	68.20	-28.52	6.07	3	Horizontal	302	1.78	33.61	39.90	8.50	42.33
AV	19.39497G	29.75	54.00	-24.25	-25.20	3	Horizontal	295	1.47	54.95	38.39	10.89	64.94
PK	12.93348G	50.26	88.20	-37.94	6.06	3	Horizontal	302	1.78	44.20	39.90	8.49	42.33
PK	19.39506G	41.73	74.00	-32.27	-25.20	3	Horizontal	295	1.47	66.93	38.39	10.89	64.94



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00995G	38.00	68.20	-30.20	5.96	3	Vertical	223	2.54	32.04	39.76	8.54	42.34
AV	19.5153G	28.86	54.00	-25.14	-25.22	3	Vertical	13	2.81	54.08	38.29	10.92	64.89
PK	13.00912G	50.19	88.20	-38.01	5.95	3	Vertical	223	2.54	44.24	39.76	8.53	42.34
PK	19.51546G	40.83	74.00	-33.17	-25.22	3	Vertical	13	2.81	66.05	38.29	10.92	64.89

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.008G	38.13	68.20	-30.07	5.96	3	Horizontal	15	2.40	32.17	39.77	8.53	42.34
AV	19.51448G	28.92	54.00	-25.08	-25.22	3	Horizontal	103	2.30	54.14	38.29	10.92	64.89
PK	13.00924G	50.59	88.20	-37.61	5.95	3	Horizontal	15	2.40	44.64	39.76	8.53	42.34
PK	19.51454G	40.87	74.00	-33.13	-25.22	3	Horizontal	103	2.30	66.09	38.29	10.92	64.89



6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16928G	37.33	68.20	-30.87	5.97	3	Vertical	217	1.57	31.36	39.70	8.62	42.35
AV	19.75488G	28.77	54.00	-25.23	-25.02	3	Vertical	258	1.66	53.79	38.30	10.97	64.75
PK	13.16978G	50.66	88.20	-37.54	5.97	3	Vertical	217	1.57	44.69	39.70	8.62	42.35
PK	19.75513G	42.15	74.00	-31.85	-25.02	3	Vertical	258	1.66	67.17	38.30	10.97	64.75

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1622G	37.64	68.20	-30.56	5.97	3	Horizontal	52	1.31	31.67	39.70	8.62	42.35
AV	19.75432G	28.76	54.00	-25.24	-25.02	3	Horizontal	116	1.90	53.78	38.30	10.97	64.75
PK	13.16012G	49.50	88.20	-38.70	5.97	3	Horizontal	52	1.31	43.53	39.70	8.62	42.35
PK	19.7543G	41.23	74.00	-32.77	-25.02	3	Horizontal	116	1.90	66.25	38.30	10.97	64.75



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3903G	38.53	54.00	-15.47	6.43	3	Vertical	286	1.61	32.10	40.06	8.74	42.37
AV	20.08585G	28.97	54.00	-25.03	-24.80	3	Vertical	99	1.25	53.77	38.17	11.05	64.48
PK	13.38919G	50.74	74.00	-23.26	6.43	3	Vertical	286	1.61	44.31	40.06	8.74	42.37
PK	20.08458G	40.97	74.00	-33.03	-24.80	3	Vertical	99	1.25	65.77	38.17	11.05	64.48

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3846G	38.61	54.00	-15.39	6.41	3	Horizontal	31	1.13	32.20	40.04	8.74	42.37
AV	20.08461G	29.10	54.00	-24.90	-24.80	3	Horizontal	294	2.72	53.90	38.17	11.05	64.48
PK	13.3908G	50.79	74.00	-23.21	6.43	3	Horizontal	31	1.13	44.36	40.06	8.74	42.37
PK	20.08514G	40.62	74.00	-33.38	-24.80	3	Horizontal	294	2.72	65.42	38.17	11.05	64.48



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3692G	37.39	54.00	-16.61	6.34	3	Vertical	168	1.84	31.05	39.98	8.73	42.37
AV	20.05562G	28.32	54.00	-25.68	-24.91	3	Vertical	143	2.98	53.23	38.11	11.04	64.52
PK	13.37036G	50.28	74.00	-23.72	6.34	3	Vertical	168	1.84	43.94	39.98	8.73	42.37
PK	20.05481G	40.62	74.00	-33.38	-24.91	3	Vertical	143	2.98	65.53	38.11	11.04	64.52

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3602G	37.65	54.00	-16.35	6.29	3	Horizontal	156	2.42	31.36	39.94	8.72	42.37
AV	20.05416G	28.31	54.00	-25.69	-24.91	3	Horizontal	116	1.64	53.22	38.11	11.04	64.52
PK	13.36028G	49.81	74.00	-24.19	6.29	3	Horizontal	156	2.42	43.52	39.94	8.72	42.37
PK	20.05404G	41.30	74.00	-32.70	-24.91	3	Horizontal	116	1.64	66.21	38.11	11.04	64.52



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25057G	37.74	54.00	-16.26	6.11	3	Vertical	344	2.82	31.63	39.80	8.67	42.36
AV	19.87549G	28.90	54.00	-25.10	-24.87	3	Vertical	245	2.34	53.77	38.35	10.99	64.67
PK	13.24928G	50.28	88.20	-37.92	6.10	3	Vertical	344	2.82	44.18	39.80	8.66	42.36
PK	19.87582G	42.72	74.00	-31.28	-24.87	3	Vertical	245	2.34	67.59	38.35	10.99	64.67

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24408G	38.08	68.20	-30.12	6.09	3	Horizontal	183	1.02	31.99	39.79	8.66	42.36
AV	19.87582G	28.93	54.00	-25.07	-24.87	3	Horizontal	333	1.12	53.80	38.35	10.99	64.67
PK	13.2486G	50.03	88.20	-38.17	6.10	3	Horizontal	183	1.02	43.93	39.80	8.66	42.36
PK	19.87422G	41.26	74.00	-32.74	-24.88	3	Horizontal	333	1.12	66.14	38.35	10.99	64.68



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3298G	37.85	54.00	-16.15	6.24	3	Vertical	34	1.30	31.61	39.90	8.71	42.37
AV	19.99518G	28.90	54.00	-25.10	-24.82	3	Vertical	335	2.87	53.72	38.30	11.02	64.60
PK	13.33083G	50.19	74.00	-23.81	6.24	3	Vertical	34	1.30	43.95	39.90	8.71	42.37
PK	19.99566G	40.98	74.00	-33.02	-24.82	3	Vertical	335	2.87	65.80	38.30	11.02	64.60

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.321G	38.19	54.00	-15.81	6.23	3	Horizontal	313	2.01	31.96	39.90	8.70	42.37
AV	19.99427G	28.86	54.00	-25.14	-24.82	3	Horizontal	289	2.48	53.68	38.30	11.02	64.60
PK	13.32184G	49.32	74.00	-24.68	6.23	3	Horizontal	313	2.01	43.09	39.90	8.70	42.37
PK	19.99595G	40.86	74.00	-33.14	-24.82	3	Horizontal	289	2.48	65.68	38.30	11.02	64.60



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.48922G	37.93	68.20	-30.27	6.59	3	Vertical	234	1.40	31.34	40.18	8.79	42.38
AV	20.23513G	28.26	54.00	-25.74	-24.61	3	Vertical	223	1.42	52.87	38.10	11.10	64.27
PK	13.49092G	51.70	88.20	-36.50	6.60	3	Vertical	234	1.40	45.10	40.18	8.80	42.38
PK	20.23596G	40.14	74.00	-33.86	-24.61	3	Vertical	223	1.42	64.75	38.10	11.10	64.27

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.49956G	38.07	68.20	-30.13	6.62	3	Horizontal	234	2.77	31.45	40.20	8.80	42.38
AV	20.23484G	28.30	54.00	-25.70	-24.61	3	Horizontal	76	2.93	52.91	38.10	11.10	64.27
PK	13.48948G	50.22	88.20	-37.98	6.59	3	Horizontal	234	2.77	43.63	40.18	8.79	42.38
PK	20.23582G	41.24	74.00	-32.76	-24.61	3	Horizontal	76	2.93	65.85	38.10	11.10	64.27



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	94.14	Inf	-Inf	-1.58	3	Vertical	264	2.30	BP 1MHz	95.72	36.63	5.81	44.02
AV	7.1255G	67.94	68.20	-0.26	-1.48	3	Vertical	264	2.30	BP 1MHz	69.42	36.70	5.81	43.99
PK	7.1115G	100.79	Inf	-Inf	-1.55	3	Vertical	264	2.30	BP 1MHz	102.34	36.65	5.81	44.01
PK	7.1255G	78.28	88.20	-9.92	-1.48	3	Vertical	264	2.30	BP 1MHz	79.76	36.70	5.81	43.99

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1085G	95.55	Inf	-Inf	-1.57	3	Horizontal	331	1.50	BP 1MHz	97.12	36.63	5.81	44.01
AV	7.1255G	64.01	68.20	-4.19	-1.48	3	Horizontal	331	1.50	BP 1MHz	65.49	36.70	5.81	43.99
PK	7.1065G	102.03	Inf	-Inf	-1.58	3	Horizontal	331	1.50	BP 1MHz	103.61	36.63	5.81	44.02
PK	7.1255G	74.15	88.20	-14.05	-1.48	3	Horizontal	331	1.50	BP 1MHz	75.63	36.70	5.81	43.99

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22933G	39.06	68.20	-29.14	6.49	3	Vertical	190	1.79	32.57	40.24	9.19	42.94
AV	21.34552G	29.76	54.00	-24.24	-22.67	3	Vertical	265	1.46	52.43	38.12	11.50	62.75
PK	14.22908G	52.11	88.20	-36.09	6.49	3	Vertical	190	1.79	45.62	40.24	9.19	42.94
PK	21.3448G	41.40	74.00	-32.60	-22.67	3	Vertical	265	1.46	64.07	38.12	11.50	62.75

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22332G	39.53	68.20	-28.67	6.49	3	Horizontal	210	2.12	33.04	40.25	9.18	42.94
AV	21.34482G	29.48	54.00	-24.52	-22.67	3	Horizontal	41	1.72	52.15	38.12	11.50	62.75
PK	14.23964G	52.08	88.20	-36.12	6.47	3	Horizontal	210	2.12	45.61	40.22	9.19	42.94
PK	21.34579G	42.62	74.00	-31.38	-22.67	3	Horizontal	41	1.72	65.29	38.12	11.50	62.75



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0985G	97.77	Inf	-Inf	-1.64	3	Vertical	15	1.50	99.41	36.59	5.80	44.03
AV	7.1252G	51.99	68.20	-16.21	-1.48	3	Vertical	15	1.50	53.47	36.70	5.81	43.99
PK	7.0931G	111.17	Inf	-Inf	-1.67	3	Vertical	15	1.50	112.84	36.57	5.80	44.04
PK	7.1273G	66.35	88.20	-21.85	-1.47	3	Vertical	15	1.50	67.82	36.71	5.81	43.99

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0898G	96.94	Inf	-Inf	-1.68	3	Horizontal	325	1.50	98.62	36.56	5.80	44.04
AV	7.2314G	48.80	68.20	-19.40	-0.74	3	Horizontal	325	1.50	49.54	37.23	5.88	43.85
PK	7.0859G	110.40	Inf	-Inf	-1.70	3	Horizontal	325	1.50	112.10	36.54	5.80	44.04
PK	7.199G	62.27	88.20	-25.93	-0.96	3	Horizontal	325	1.50	63.23	37.09	5.84	43.89



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17048G	38.68	68.20	-29.52	6.43	3	Vertical	357	1.76	32.25	40.24	9.16	42.97
AV	21.25596G	29.29	54.00	-24.71	-22.84	3	Vertical	1	1.70	52.13	38.12	11.47	62.89
PK	14.17026G	52.37	88.20	-35.83	6.43	3	Vertical	357	1.76	45.94	40.24	9.16	42.97
PK	21.25565G	42.90	74.00	-31.10	-22.84	3	Vertical	1	1.70	65.74	38.12	11.47	62.89

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




28/05/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17904G	38.89	68.20	-29.31	6.45	3	Horizontal	181	2.07	32.44	40.26	9.16	42.97
AV	21.2551G	29.26	54.00	-24.74	-22.84	3	Horizontal	27	1.78	52.10	38.12	11.47	62.89
PK	14.17032G	52.59	88.20	-35.61	6.43	3	Horizontal	181	2.07	46.16	40.24	9.16	42.97
PK	21.25438G	43.39	74.00	-30.61	-22.84	3	Horizontal	27	1.78	66.23	38.12	11.47	62.89



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0109G	97.25	Inf	-Inf	-2.21	3	Vertical	14	1.50	99.46	36.17	5.77	44.15
AV	7.1255G	48.51	68.20	-19.69	-1.48	3	Vertical	14	1.50	49.99	36.70	5.81	43.99
PK	6.9917G	110.84	Inf	-Inf	-2.30	3	Vertical	14	1.50	113.14	36.10	5.76	44.16
PK	7.1681G	61.80	88.20	-26.40	-1.19	3	Vertical	14	1.50	62.99	36.91	5.83	43.93

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.013G	96.13	Inf	-Inf	-2.19	3	Horizontal	317	1.50	98.32	36.18	5.77	44.14
AV	7.1708G	48.27	68.20	-19.93	-1.18	3	Horizontal	317	1.50	49.45	36.92	5.83	43.93
PK	7.0139G	110.19	Inf	-Inf	-2.19	3	Horizontal	317	1.50	112.38	36.18	5.77	44.14
PK	7.1438G	61.83	88.20	-26.37	-1.37	3	Horizontal	317	1.50	63.20	36.78	5.82	43.97



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04916G	38.40	68.20	-29.80	6.25	3	Vertical	224	2.66	32.15	40.20	9.09	43.04
AV	21.07548G	29.41	54.00	-24.59	-23.22	3	Vertical	16	2.00	52.63	38.10	11.40	63.18
PK	14.04969G	51.19	88.20	-37.01	6.26	3	Vertical	224	2.66	44.93	40.20	9.10	43.04
PK	21.075G	41.98	74.00	-32.02	-23.22	3	Vertical	16	2.00	65.20	38.10	11.40	63.18

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04764G	38.40	68.20	-29.80	6.25	3	Horizontal	30	2.67	32.15	40.20	9.09	43.04
AV	21.07532G	29.41	54.00	-24.59	-23.22	3	Horizontal	52	1.94	52.63	38.10	11.40	63.18
PK	14.04032G	50.45	88.20	-37.75	6.24	3	Horizontal	30	2.67	44.21	40.20	9.09	43.05
PK	21.07506G	41.67	74.00	-32.33	-23.22	3	Horizontal	52	1.94	64.89	38.10	11.40	63.18



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.061G	97.61	Inf	-Inf	-1.85	3	Vertical	9	1.05	99.46	36.44	5.79	44.08
AV	7.125G	57.03	68.20	-11.17	-1.48	3	Vertical	9	1.05	58.51	36.70	5.81	43.99
PK	7.061G	110.85	Inf	-Inf	-1.85	3	Vertical	9	1.05	112.70	36.44	5.79	44.08
PK	7.125G	71.11	88.20	-17.09	-1.48	3	Vertical	9	1.05	72.59	36.70	5.81	43.99

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.964G	97.25	Inf	-Inf	-2.33	3	Horizontal	312	1.50	99.58	36.10	5.74	44.17
AV	7.2285G	49.40	68.20	-18.80	-0.76	3	Horizontal	312	1.50	50.16	37.21	5.88	43.85
PK	6.922G	111.04	Inf	-Inf	-2.31	3	Horizontal	312	1.50	113.35	36.16	5.72	44.19
PK	7.1665G	62.05	88.20	-26.15	-1.21	3	Horizontal	312	1.50	63.26	36.90	5.83	43.94



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96993G	38.07	68.20	-30.13	6.16	3	Vertical	320	1.93	31.91	40.14	9.05	43.03
AV	20.95498G	29.17	54.00	-24.83	-23.52	3	Vertical	118	2.32	52.69	38.01	11.36	63.35
PK	13.96949G	52.29	88.20	-35.91	6.16	3	Vertical	320	1.93	46.13	40.14	9.05	43.03
PK	20.95563G	41.88	74.00	-32.12	-23.52	3	Vertical	118	2.32	65.40	38.01	11.36	63.35

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96508G	38.33	68.20	-29.87	6.16	3	Horizontal	296	1.95	32.17	40.13	9.05	43.02
AV	20.95591G	29.24	54.00	-24.76	-23.52	3	Horizontal	48	1.84	52.76	38.01	11.36	63.35
PK	13.96668G	51.29	88.20	-36.91	6.16	3	Horizontal	296	1.95	45.13	40.13	9.05	43.02
PK	20.95546G	42.43	74.00	-31.57	-23.52	3	Horizontal	48	1.84	65.95	38.01	11.36	63.35



6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9405G	100.96	Inf	-Inf	-2.33	3	Vertical	19	1.62	103.29	36.12	5.73	44.18
AV	7.1255G	66.79	68.20	-1.41	-1.48	3	Vertical	19	1.62	68.27	36.70	5.81	43.99
PK	6.9465G	108.75	Inf	-Inf	-2.34	3	Vertical	19	1.62	111.09	36.11	5.73	44.18
PK	7.1265G	75.75	88.20	-12.45	-1.47	3	Vertical	19	1.62	77.22	36.71	5.81	43.99

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUTY
SET 61
61
8.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8605G	98.93	Inf	-Inf	-2.35	3	Horizontal	130	1.50	101.28	36.20	5.67	44.22
AV	7.1275G	53.98	68.20	-14.22	-1.47	3	Horizontal	130	1.50	55.45	36.71	5.81	43.99
PK	6.8725G	106.44	Inf	-Inf	-2.33	3	Horizontal	130	1.50	108.77	36.20	5.68	44.21
PK	7.2385G	64.53	88.20	-23.67	-0.70	3	Horizontal	130	1.50	65.23	37.25	5.89	43.84

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80921G	38.40	68.20	-29.80	5.88	3	Vertical	126	1.19	32.52	39.72	8.97	42.81
AV	20.71571G	29.14	54.00	-24.86	-23.78	3	Vertical	164	1.75	52.92	38.13	11.27	63.64
PK	13.81044G	51.86	88.20	-36.34	5.88	3	Vertical	126	1.19	45.98	39.72	8.97	42.81
PK	20.71478G	42.46	74.00	-31.54	-23.78	3	Vertical	164	1.75	66.24	38.13	11.27	63.64

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80964G	38.46	68.20	-29.74	5.88	3	Horizontal	192	2.94	32.58	39.72	8.97	42.81
AV	20.71441G	29.19	54.00	-24.81	-23.78	3	Horizontal	74	2.72	52.97	38.13	11.27	63.64
PK	13.80868G	51.91	88.20	-36.29	5.88	3	Horizontal	192	2.94	46.03	39.72	8.97	42.81
PK	20.7151G	43.14	74.00	-30.86	-23.78	3	Horizontal	74	2.72	66.92	38.13	11.27	63.64



Channel Puncturing Function				Antenna Gain (dBi)			
<input type="checkbox"/>	Support	<input checked="" type="checkbox"/>	Not support	3.26			

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-67.26	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-68.26	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-69.26	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-67.26	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-64.26	OFF	10	100	90	Pass
				Center	6105	-64.26	OFF	10	100	90	Pass
				High edge	6260	-66.26	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-62.26	OFF	10	100	90	Pass
				Center	6425	-63.26	OFF	10	100	90	Pass
				High edge	6580	-62.26	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-67.26	OFF	10	100	90	Pass
				Center	6585	-63.26	OFF	10	100	90	Pass
				High edge	6740	-71.26	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-69.26	OFF	10	100	90	Pass
				Center	6905	-64.26	OFF	10	100	90	Pass
				High edge	7060	-65.26	OFF	10	100	90	Pass




Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intefterence frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.00	3.26	-67.26	≤ -62
						Minimal	-65.00	3.26	-68.26	≤ -62
						ON	-66.00	3.26	-69.26	≤ -62
6	101	20	6455	Center	6455	OFF	-65.00	3.26	-68.26	≤ -62
						Minimal	-66.00	3.26	-69.26	≤ -62
						ON	-67.00	3.26	-70.26	≤ -62
7	149	20	6695	Center	6695	OFF	-66.00	3.26	-69.26	≤ -62
						Minimal	-67.00	3.26	-70.26	≤ -62
						ON	-68.00	3.26	-71.26	≤ -62
8	213	20	7015	Center	7015	OFF	-64.00	3.26	-67.26	≤ -62
						Minimal	-65.00	3.26	-68.26	≤ -62
						ON	-66.00	3.26	-69.26	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-61.00	3.26	-64.26	≤ -62
						Minimal	-63.00	3.26	-66.26	
						ON	-64.00	3.26	-67.26	
				Center	6105	OFF	-61.00	3.26	-64.26	≤ -62
						Minimal	-63.00	3.26	-66.26	
						ON	-64.00	3.26	-67.26	
				High edge	6260	OFF	-63.00	3.26	-66.26	≤ -62
						Minimal	-65.00	3.26	-68.26	
						ON	-66.00	3.26	-69.26	
5,6,7	95	320	6425	Low edge	6270	OFF	-59.00	3.26	-62.26	≤ -62
						Minimal	-61.00	3.26	-64.26	
						ON	-62.00	3.26	-65.26	
				Center	6425	OFF	-60.00	3.26	-63.26	≤ -62
						Minimal	-63.00	3.26	-66.26	
						ON	-64.00	3.26	-67.26	
				High edge	6580	OFF	-59.00	3.26	-62.26	≤ -62
						Minimal	-61.00	3.26	-64.26	
						ON	-62.00	3.26	-65.26	
6,7	127	320	6585	Low edge	6430	OFF	-64.00	3.26	-67.26	≤ -62
						Minimal	-66.00	3.26	-69.26	
						ON	-67.00	3.26	-70.26	
				Center	6585	OFF	-60.00	3.26	-63.26	≤ -62
						Minimal	-64.00	3.26	-67.26	
						ON	-65.00	3.26	-68.26	
				High edge	6740	OFF	-68.00	3.26	-71.26	≤ -62
						Minimal	-69.00	3.26	-72.26	
						ON	-70.00	3.26	-73.26	
7,8	191	320	6905	Low edge	6750	OFF	-66.00	3.26	-69.26	≤ -62
						Minimal	-68.00	3.26	-71.26	
						ON	-69.00	3.26	-72.26	
				Center	6905	OFF	-61.00	3.26	-64.26	≤ -62
						Minimal	-64.00	3.26	-67.26	
						ON	-65.00	3.26	-68.26	
				High edge	7060	OFF	-62.00	3.26	-65.26	≤ -62
						Minimal	-64.00	3.26	-67.26	
						ON	-65.00	3.26	-68.26	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.0125ms	
All TX Sample	
7521	
Duty Cycle	
0.940007	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.1625ms	
All TX Sample	
7533	
Duty Cycle	
0.941507	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.2ms	
All TX Sample	
7456	
Duty Cycle	
0.931884	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.675ms	
All TX Sample	
7494	
Duty Cycle	
0.936633	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.9625ms	
All TX Sample	
7597	
Duty Cycle	
0.949506	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.8625ms	
All TX Sample	
7509	
Duty Cycle	
0.938508	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.6125ms	
All TX Sample	
7489	
Duty Cycle	
0.936008	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.975ms	
All TX Sample	
7598	
Duty Cycle	
0.949631	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.675ms	
All TX Sample	
7574	
Duty Cycle	
0.946632	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.5125ms	
All TX Sample	
7561	
Duty Cycle	
0.945007	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.7ms	
All TX Sample	
7576	
Duty Cycle	
0.946882	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
95.8125ms	
All TX Sample	
7665	
Duty Cycle	
0.958005	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
94.7625ms	
All TX Sample	
7581	
Duty Cycle	
0.947507	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.9ms	
All TX Sample	
7512	
Duty Cycle	
0.938883	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
95.65ms	
All TX Sample	
7652	
Duty Cycle	
0.95638	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main




04/07/2024	
Sample Time	
12.5us	
All TX Time	
93.9ms	
All TX Sample	
7512	
Duty Cycle	
0.938883	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



802.11be EHT320


Frequency (MHz): 5950 MHz



Date: 4.JUL.2024 10:39:31



AWGN Bandwidth: 10MHz


Frequency (MHz): 6105 MHz






Date: 4.JUL.2024 10:40:16


AWGN Bandwidth: 10MHz













2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
929.125ms	
All TX Sample	
929125	
Duty Cycle	
0.929124	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
930.786ms	
All TX Sample	
930786	
Duty Cycle	
0.930785	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
953.311ms	
All TX Sample	
953311	
Duty Cycle	
0.95331	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
941.812ms	
All TX Sample	
941812	
Duty Cycle	
0.941811	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
924.213ms	
All TX Sample	
924213	
Duty Cycle	
0.924212	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
947.986ms	
All TX Sample	
947986	
Duty Cycle	
0.947985	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
941.881ms	
All TX Sample	
941881	
Duty Cycle	
0.94188	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
930.952ms	
All TX Sample	
930952	
Duty Cycle	
0.930951	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
939.239ms	
All TX Sample	
939239	
Duty Cycle	
0.939238	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
945.353ms	
All TX Sample	
945353	
Duty Cycle	
0.945352	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz

Time Analysis




04/07/2024	
Sample Time	1us
All TX Time	926.925ms
All TX Sample	926925
Duty Cycle	0.926924
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis



04/07/2024	
Sample Time	1us
All TX Time	943.105ms
All TX Sample	943105
Duty Cycle	0.943104
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -66 dBm)

Time Analysis




04/07/2024	
Sample Time	
1us	
All TX Time	
911.709ms	
All TX Sample	
911709	
Duty Cycle	
0.911708	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -61dBm)


Time Analysis



04/07/2024	
Sample Time	
1us	
All TX Time	
935.611ms	
All TX Sample	
935611	
Duty Cycle	
0.93561	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 5950 MHz (Threshold Level: -63dBm)


Time Analysis



04/07/2024	
Sample Time	
1us	
All TX Time	
946.996ms	
All TX Sample	
946996	
Duty Cycle	
0.946995	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 5950 MHz (Threshold Level: -64dBm)


Time Analysis



04/07/2024	
Sample Time	
1us	
All TX Time	
933.19ms	
All TX Sample	
933190	
Duty Cycle	
0.933189	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	Horizontal
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87993G	29.92	54.00	-24.08	3	Vertical	176	1.44
Mode 1	Pass	AV	4.9197G	31.01	54.00	-22.99	3	Vertical	85	1.53
Mode 1	Pass	AV	7.37644G	38.19	54.00	-15.81	3	Vertical	2	1.50
Mode 1	Pass	AV	11.49226G	42.11	54.00	-11.89	3	Vertical	290	1.74
Mode 1	Pass	AV	13.6918G	38.87	68.20	-29.33	3	Vertical	104	1.31
Mode 1	Pass	AV	17.23794G	42.55	68.20	-25.65	3	Vertical	290	1.50
Mode 1	Pass	AV	20.53165G	46.06	54.00	-7.94	3	Vertical	23	1.16
Mode 1	Pass	PK	4.87854G	42.75	74.00	-31.25	3	Vertical	176	1.44
Mode 1	Pass	PK	4.9221G	43.30	74.00	-30.70	3	Vertical	85	1.53
Mode 1	Pass	PK	7.3639G	50.65	74.00	-23.35	3	Vertical	2	1.50
Mode 1	Pass	PK	11.49268G	54.01	74.00	-19.99	3	Vertical	290	1.74
Mode 1	Pass	PK	13.694G	50.10	88.20	-38.10	3	Vertical	104	1.31
Mode 1	Pass	PK	17.22838G	54.45	88.20	-33.75	3	Vertical	290	1.50
Mode 1	Pass	PK	20.53169G	57.65	74.00	-16.35	3	Vertical	314	2.16
Mode 1	Pass	AV	4.8801G	29.90	54.00	-24.10	3	Horizontal	247	1.35
Mode 1	Pass	AV	4.92348G	30.84	54.00	-23.16	3	Horizontal	335	2.71
Mode 1	Pass	AV	7.36614G	45.95	54.00	-8.05	3	Horizontal	295	1.93
Mode 1	Pass	AV	11.4927G	43.70	54.00	-10.30	3	Horizontal	267	2.52
Mode 1	Pass	AV	13.69792G	38.76	68.20	-29.44	3	Horizontal	352	1.00
Mode 1	Pass	AV	17.23356G	48.78	68.20	-19.42	3	Horizontal	318	1.50
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	3	Horizontal	312	1.18
Mode 1	Pass	PK	4.87988G	43.68	74.00	-30.32	3	Horizontal	247	1.35
Mode 1	Pass	PK	4.92174G	42.90	74.00	-31.10	3	Horizontal	335	2.71
Mode 1	Pass	PK	7.36442G	60.63	74.00	-13.37	3	Horizontal	295	1.93
Mode 1	Pass	PK	11.4875G	54.63	74.00	-19.37	3	Horizontal	267	2.52
Mode 1	Pass	PK	13.68982G	49.89	88.20	-38.31	3	Horizontal	352	1.00
Mode 1	Pass	PK	17.23836G	60.41	88.20	-27.79	3	Horizontal	318	1.50
Mode 1	Pass	PK	20.54464G	62.28	74.00	-11.72	3	Horizontal	36	1.53
Mode 2	Pass	AV	4.88G	29.77	54.00	-24.23	3	Vertical	331	2.88
Mode 2	Pass	AV	4.92074G	30.99	54.00	-23.01	3	Vertical	19	1.69
Mode 2	Pass	AV	7.3755G	37.98	54.00	-16.02	3	Vertical	2	1.50
Mode 2	Pass	AV	11.49198G	42.07	54.00	-11.93	3	Vertical	290	1.74
Mode 2	Pass	AV	13.69666G	38.89	68.20	-29.31	3	Vertical	264	1.68
Mode 2	Pass	AV	17.2329G	42.48	68.20	-25.72	3	Vertical	290	1.50
Mode 2	Pass	AV	20.53167G	45.96	54.00	-8.04	3	Vertical	209	1.38
Mode 2	Pass	PK	4.87982G	42.12	74.00	-31.88	3	Vertical	331	2.88
Mode 2	Pass	PK	4.92002G	43.27	74.00	-30.73	3	Vertical	19	1.69
Mode 2	Pass	PK	7.37552G	50.85	74.00	-23.15	3	Vertical	2	1.50
Mode 2	Pass	PK	11.48354G	54.54	74.00	-19.46	3	Vertical	290	1.74
Mode 2	Pass	PK	13.699G	50.72	88.20	-37.48	3	Vertical	264	1.68
Mode 2	Pass	PK	17.2324G	54.28	88.20	-33.92	3	Vertical	290	1.50
Mode 2	Pass	PK	20.53175G	57.59	74.00	-16.41	3	Vertical	174	1.18
Mode 2	Pass	AV	4.88007G	29.82	54.00	-24.18	3	Horizontal	302	1.86
Mode 2	Pass	AV	4.92372G	30.85	54.00	-23.15	3	Horizontal	208	1.38
Mode 2	Pass	AV	7.36496G	46.08	54.00	-7.92	3	Horizontal	295	1.93
Mode 2	Pass	AV	11.49318G	43.90	54.00	-10.10	3	Horizontal	267	2.52
Mode 2	Pass	AV	13.69478G	38.68	68.20	-29.52	3	Horizontal	209	1.24
Mode 2	Pass	AV	17.23354G	49.01	68.20	-19.19	3	Horizontal	318	1.50
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	3	Horizontal	180	1.40
Mode 2	Pass	PK	4.87933G	42.52	74.00	-31.48	3	Horizontal	302	1.86



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	4.92266G	42.87	74.00	-31.13	3	Horizontal	208	1.38
Mode 2	Pass	PK	7.36518G	59.58	74.00	-14.42	3	Horizontal	295	1.93
Mode 2	Pass	PK	11.48754G	54.89	74.00	-19.11	3	Horizontal	267	2.52
Mode 2	Pass	PK	13.69756G	51.14	88.20	-37.06	3	Horizontal	209	1.24
Mode 2	Pass	PK	17.22888G	59.90	88.20	-28.30	3	Horizontal	318	1.50
Mode 2	Pass	PK	20.54471G	62.33	74.00	-11.67	3	Horizontal	306	2.06


Radiated Emissions above 1GHz_Mode 1



01/06/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87993G	29.92	54.00	-24.08	-6.50	3	Vertical	176	1.44	36.42	32.92	4.63	44.05
AV	4.9197G	31.01	54.00	-22.99	-6.30	3	Vertical	85	1.53	37.31	33.08	4.66	44.04
AV	7.37644G	38.19	54.00	-15.81	-0.75	3	Vertical	2	1.50	38.94	36.84	6.07	43.66
AV	11.49226G	42.11	54.00	-11.89	5.08	3	Vertical	290	1.74	37.03	39.10	7.78	41.80
AV	13.6918G	38.87	68.20	-29.33	6.18	3	Vertical	104	1.31	32.69	39.92	8.90	42.64
AV	17.23794G	42.55	68.20	-25.65	4.72	3	Vertical	290	1.50	37.83	37.58	10.40	43.26
AV	20.53165G	46.06	54.00	-7.94	-24.09	3	Vertical	23	1.16	70.15	38.10	11.21	63.86
PK	4.87854G	42.75	74.00	-31.25	-6.51	3	Vertical	176	1.44	49.26	32.91	4.63	44.05
PK	4.9221G	43.30	74.00	-30.70	-6.29	3	Vertical	85	1.53	49.59	33.09	4.66	44.04
PK	7.3639G	50.65	74.00	-23.35	-0.70	3	Vertical	2	1.50	51.35	36.92	6.05	43.67
PK	11.49268G	54.01	74.00	-19.99	5.08	3	Vertical	290	1.74	48.93	39.10	7.78	41.80
PK	13.694G	50.10	88.20	-38.10	6.16	3	Vertical	104	1.31	43.94	39.91	8.90	42.65
PK	17.22838G	54.45	88.20	-33.75	4.69	3	Vertical	290	1.50	49.76	37.56	10.39	43.26
PK	20.53169G	57.65	74.00	-16.35	-24.09	3	Vertical	314	2.16	81.74	38.10	11.21	63.86


Radiated Emissions above 1GHz_Mode 1



01/06/2024


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8801G	29.90	54.00	-24.10	-6.50	3	Horizontal	247	1.35	36.40	32.92	4.63	44.05
AV	4.92348G	30.84	54.00	-23.16	-6.29	3	Horizontal	335	2.71	37.13	33.09	4.66	44.04
AV	7.36614G	45.95	54.00	-8.05	-0.71	3	Horizontal	295	1.93	46.66	36.90	6.06	43.67
AV	11.4927G	43.70	54.00	-10.30	5.08	3	Horizontal	267	2.52	38.62	39.10	7.78	41.80
AV	13.69792G	38.76	68.20	-29.44	6.16	3	Horizontal	352	1.00	32.60	39.90	8.91	42.65
AV	17.23356G	48.78	68.20	-19.42	4.70	3	Horizontal	318	1.50	44.08	37.57	10.39	43.26
AV	20.54466G	50.58	54.00	-3.42	-24.08	3	Horizontal	312	1.18	74.66	38.10	11.21	63.85
PK	4.87988G	43.68	74.00	-30.32	-6.50	3	Horizontal	247	1.35	50.18	32.92	4.63	44.05
PK	4.92174G	42.90	74.00	-31.10	-6.29	3	Horizontal	335	2.71	49.19	33.09	4.66	44.04
PK	7.36442G	60.63	74.00	-13.37	-0.71	3	Horizontal	295	1.93	61.34	36.91	6.05	43.67
PK	11.4875G	54.63	74.00	-19.37	5.07	3	Horizontal	267	2.52	49.56	39.10	7.77	41.80
PK	13.68982G	49.89	88.20	-38.31	6.18	3	Horizontal	352	1.00	43.71	39.92	8.90	42.64
PK	17.23836G	60.41	88.20	-27.79	4.72	3	Horizontal	318	1.50	55.69	37.58	10.40	43.26
PK	20.54464G	62.28	74.00	-11.72	-24.08	3	Horizontal	36	1.53	86.36	38.10	11.21	63.85

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88G	29.77	54.00	-24.23	-6.50	3	Vertical	331	2.88	36.27	32.92	4.63	44.05
AV	4.92074G	30.99	54.00	-23.01	-6.30	3	Vertical	19	1.69	37.29	33.08	4.66	44.04
AV	7.3755G	37.98	54.00	-16.02	-0.74	3	Vertical	2	1.50	38.72	36.85	6.07	43.66
AV	11.49198G	42.07	54.00	-11.93	5.08	3	Vertical	290	1.74	36.99	39.10	7.78	41.80
AV	13.69666G	38.89	68.20	-29.31	6.17	3	Vertical	264	1.68	32.72	39.91	8.91	42.65
AV	17.2329G	42.48	68.20	-25.72	4.70	3	Vertical	290	1.50	37.78	37.57	10.39	43.26
AV	20.53167G	45.96	54.00	-8.04	-24.09	3	Vertical	209	1.38	70.05	38.10	11.21	63.86
PK	4.87982G	42.12	74.00	-31.88	-6.50	3	Vertical	331	2.88	48.62	32.92	4.63	44.05
PK	4.92002G	43.27	74.00	-30.73	-6.30	3	Vertical	19	1.69	49.57	33.08	4.66	44.04
PK	7.37552G	50.85	74.00	-23.15	-0.74	3	Vertical	2	1.50	51.59	36.85	6.07	43.66
PK	11.48354G	54.54	74.00	-19.46	5.06	3	Vertical	290	1.74	49.48	39.10	7.77	41.81
PK	13.699G	50.72	88.20	-37.48	6.16	3	Vertical	264	1.68	44.56	39.90	8.91	42.65
PK	17.2324G	54.28	88.20	-33.92	4.69	3	Vertical	290	1.50	49.59	37.56	10.39	43.26
PK	20.53175G	57.59	74.00	-16.41	-24.09	3	Vertical	174	1.18	81.68	38.10	11.21	63.86

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88007G	29.82	54.00	-24.18	-6.50	3	Horizontal	302	1.86	36.32	32.92	4.63	44.05
AV	4.92372G	30.85	54.00	-23.15	-6.28	3	Horizontal	208	1.38	37.13	33.09	4.67	44.04
AV	7.36496G	46.08	54.00	-7.92	-0.71	3	Horizontal	295	1.93	46.79	36.91	6.05	43.67
AV	11.49318G	43.90	54.00	-10.10	5.08	3	Horizontal	267	2.52	38.82	39.10	7.78	41.80
AV	13.69478G	38.68	68.20	-29.52	6.17	3	Horizontal	209	1.24	32.51	39.91	8.91	42.65
AV	17.23354G	49.01	68.20	-19.19	4.70	3	Horizontal	318	1.50	44.31	37.57	10.39	43.26
AV	20.53628G	50.48	54.00	-3.52	-24.09	3	Horizontal	180	1.40	74.57	38.10	11.21	63.86
PK	4.87933G	42.52	74.00	-31.48	-6.50	3	Horizontal	302	1.86	49.02	32.92	4.63	44.05
PK	4.92266G	42.87	74.00	-31.13	-6.29	3	Horizontal	208	1.38	49.16	33.09	4.66	44.04
PK	7.36518G	59.58	74.00	-14.42	-0.71	3	Horizontal	295	1.93	60.29	36.91	6.05	43.67
PK	11.48754G	54.89	74.00	-19.11	5.07	3	Horizontal	267	2.52	49.82	39.10	7.77	41.80
PK	13.69756G	51.14	88.20	-37.06	6.16	3	Horizontal	209	1.24	44.98	39.90	8.91	42.65
PK	17.22888G	59.90	88.20	-28.30	4.69	3	Horizontal	318	1.50	55.21	37.56	10.39	43.26
PK	20.54471G	62.33	74.00	-11.67	-24.08	3	Horizontal	306	2.06	86.41	38.10	11.21	63.85