




5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	-5.77	3	Vertical	165	1.50	59.43	33.50	4.81	44.08
AV	5.1784G	99.00	Inf	-Inf	-5.76	3	Vertical	165	1.50	104.76	33.50	4.83	44.09
PK	5.1488G	68.05	74.00	-5.95	-5.77	3	Vertical	165	1.50	73.82	33.50	4.81	44.08
PK	5.1792G	112.82	Inf	-Inf	-5.76	3	Vertical	165	1.50	118.58	33.50	4.83	44.09

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.48	54.00	-4.52	-5.77	3	Horizontal	270	1.50	55.25	33.50	4.81	44.08
AV	5.188G	98.95	Inf	-Inf	-5.76	3	Horizontal	270	1.50	104.71	33.50	4.83	44.09
PK	5.1492G	64.27	74.00	-9.73	-5.77	3	Horizontal	270	1.50	70.04	33.50	4.81	44.08
PK	5.1884G	112.25	Inf	-Inf	-5.76	3	Horizontal	270	1.50	118.01	33.50	4.83	44.09



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58308G	37.89	54.00	-16.11	5.24	3	Vertical	15	2.09	32.65	38.37	9.87	43.00
PK	10.37166G	50.19	68.20	-18.01	4.10	3	Vertical	79	2.14	46.09	38.70	7.31	41.91
PK	15.57186G	51.27	74.00	-22.73	5.22	3	Vertical	15	2.09	46.05	38.34	9.86	42.98

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58296G	37.93	54.00	-16.07	5.24	3	Horizontal	274	1.15	32.69	38.37	9.87	43.00
PK	10.3602G	50.35	68.20	-17.85	4.10	3	Horizontal	22	1.53	46.25	38.70	7.30	41.90
PK	15.54072G	51.07	74.00	-22.93	5.20	3	Horizontal	274	1.15	45.87	38.30	9.85	42.95



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.28	54.00	-0.72	-5.77	3	Vertical	166	2.01	59.05	33.50	4.81	44.08
AV	5.178G	95.86	Inf	-Inf	-5.76	3	Vertical	166	2.01	101.62	33.50	4.83	44.09
AV	5.361G	42.55	54.00	-11.45	-5.96	3	Vertical	166	2.01	48.51	33.28	4.91	44.15
PK	5.15G	66.48	74.00	-7.52	-5.77	3	Vertical	166	2.01	72.25	33.50	4.81	44.08
PK	5.178G	108.64	Inf	-Inf	-5.76	3	Vertical	166	2.01	114.40	33.50	4.83	44.09
PK	5.386G	55.15	74.00	-18.85	-6.00	3	Vertical	166	2.01	61.15	33.23	4.92	44.15

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.71	54.00	-1.29	-5.77	3	Horizontal	72	2.32	58.48	33.50	4.81	44.08
AV	5.234G	98.65	Inf	-Inf	-5.74	3	Horizontal	72	2.32	104.39	33.50	4.86	44.10
AV	5.354G	42.40	54.00	-11.60	-5.94	3	Horizontal	72	2.32	48.34	33.29	4.91	44.14
PK	5.15G	66.61	74.00	-7.39	-5.77	3	Horizontal	72	2.32	72.38	33.50	4.81	44.08
PK	5.228G	112.14	Inf	-Inf	-5.75	3	Horizontal	72	2.32	117.89	33.50	4.85	44.10
PK	5.367G	55.99	74.00	-18.01	-5.96	3	Horizontal	72	2.32	61.95	33.27	4.92	44.15



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62224G	37.79	54.00	-16.21	5.12	3	Vertical	161	1.62	32.67	38.27	9.89	43.04
PK	10.43352G	49.85	68.20	-18.35	4.04	3	Vertical	51	1.50	45.81	38.63	7.33	41.92
PK	15.62204G	50.87	74.00	-23.13	5.12	3	Vertical	161	1.62	45.75	38.27	9.89	43.04

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61876G	37.78	54.00	-16.22	5.14	3	Horizontal	329	2.00	32.64	38.29	9.89	43.04
PK	10.43284G	49.56	68.20	-18.64	4.04	3	Horizontal	332	2.50	45.52	38.63	7.33	41.92
PK	15.61928G	50.74	74.00	-23.26	5.13	3	Horizontal	329	2.00	45.61	38.28	9.89	43.04

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	45.92	54.00	-8.08	-5.77	3	Vertical	341	1.85	51.69	33.50	4.81	44.08
AV	5.2684G	111.41	Inf	-Inf	-5.82	3	Vertical	341	1.85	117.23	33.43	4.87	44.12
AV	5.3506G	50.97	54.00	-3.03	-5.93	3	Vertical	341	1.85	56.90	33.30	4.91	44.14
PK	5.1298G	68.73	74.00	-5.27	-5.77	3	Vertical	341	1.85	74.50	33.50	4.80	44.07
PK	5.2678G	123.71	Inf	-Inf	-5.82	3	Vertical	341	1.85	129.53	33.43	4.87	44.12
PK	5.3554G	73.84	74.00	-0.16	-5.94	3	Vertical	341	1.85	79.78	33.29	4.91	44.14

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	48.95	54.00	-5.05	-5.77	3	Horizontal	280	1.52	54.72	33.50	4.81	44.08
AV	5.251G	114.16	Inf	-Inf	-5.75	3	Horizontal	280	1.52	119.91	33.50	4.86	44.11
AV	5.35G	52.78	54.00	-1.22	-5.93	3	Horizontal	280	1.52	58.71	33.30	4.91	44.14
PK	5.1496G	66.55	74.00	-7.45	-5.77	3	Horizontal	280	1.52	72.32	33.50	4.81	44.08
PK	5.2528G	124.34	Inf	-Inf	-5.76	3	Horizontal	280	1.52	130.10	33.49	4.86	44.11
PK	5.3536G	69.90	74.00	-4.10	-5.94	3	Horizontal	280	1.52	75.84	33.29	4.91	44.14



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78296G	39.06	54.00	-14.94	4.87	3	Vertical	269	1.48	34.19	38.13	9.97	43.23
PK	10.52146G	51.72	68.20	-16.48	4.15	3	Vertical	116	1.50	47.57	38.74	7.37	41.96
PK	15.78166G	52.98	74.00	-21.02	4.88	3	Vertical	269	1.48	48.10	38.14	9.97	43.23

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78352G	38.55	54.00	-15.45	4.87	3	Horizontal	153	1.32	33.68	38.13	9.97	43.23
PK	10.51994G	51.56	68.20	-16.64	4.15	3	Horizontal	286	1.50	47.41	38.74	7.37	41.96
PK	15.78392G	52.62	74.00	-21.38	4.87	3	Horizontal	153	1.32	47.75	38.13	9.97	43.23



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	99.07	Inf	-Inf	-5.93	3	Vertical	0	1.50	105.00	33.30	4.90	44.13
AV	5.35G	53.41	54.00	-0.59	-5.93	3	Vertical	0	1.50	59.34	33.30	4.91	44.14
PK	5.3272G	111.81	Inf	-Inf	-5.93	3	Vertical	0	1.50	117.74	33.30	4.90	44.13
PK	5.3512G	68.77	74.00	-5.23	-5.93	3	Vertical	0	1.50	74.70	33.30	4.91	44.14

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	101.41	Inf	-Inf	-5.91	3	Horizontal	101	2.29	107.32	33.33	4.88	44.12
AV	5.35G	47.92	54.00	-6.08	-5.93	3	Horizontal	101	2.29	53.85	33.30	4.91	44.14
PK	5.2928G	113.78	Inf	-Inf	-5.91	3	Horizontal	101	2.29	119.69	33.33	4.88	44.12
PK	5.35G	62.82	74.00	-11.18	-5.93	3	Horizontal	101	2.29	68.75	33.30	4.91	44.14



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.618G	36.13	54.00	-17.87	4.40	3	Vertical	310	1.50	31.73	39.04	7.41	42.05
AV	15.93037G	36.86	54.00	-17.14	4.60	3	Vertical	135	1.50	32.26	37.96	10.04	43.40
PK	10.61804G	49.72	74.00	-24.28	4.40	3	Vertical	310	1.50	45.32	39.04	7.41	42.05
PK	15.92724G	50.50	74.00	-23.50	4.59	3	Vertical	135	1.50	45.91	37.95	10.04	43.40

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61594G	36.04	54.00	-17.96	4.40	3	Horizontal	211	1.92	31.64	39.03	7.41	42.04
AV	15.92783G	36.90	54.00	-17.10	4.60	3	Horizontal	255	1.06	32.30	37.96	10.04	43.40
PK	10.61898G	50.35	74.00	-23.65	4.40	3	Horizontal	211	1.92	45.95	39.04	7.41	42.05
PK	15.92864G	51.40	74.00	-22.60	4.60	3	Horizontal	255	1.06	46.80	37.96	10.04	43.40



5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	44.31	54.00	-9.69	-5.77	3	Vertical	2	1.71	50.08	33.50	4.80	44.07
AV	5.267G	93.78	Inf	-Inf	-5.82	3	Vertical	2	1.71	99.60	33.43	4.87	44.12
AV	5.35G	47.07	54.00	-6.93	-5.93	3	Vertical	2	1.71	53.00	33.30	4.91	44.14
PK	5.134G	58.04	74.00	-15.96	-5.77	3	Vertical	2	1.71	63.81	33.50	4.80	44.07
PK	5.266G	111.49	Inf	-Inf	-5.81	3	Vertical	2	1.71	117.30	33.44	4.87	44.12
PK	5.378G	61.35	74.00	-12.65	-5.99	3	Vertical	2	1.71	67.34	33.24	4.92	44.15
PK	5.533G	58.29	68.20	-9.91	-5.77	3	Vertical	2	1.71	64.06	33.47	4.96	44.20

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.85	54.00	-9.15	-5.77	3	Horizontal	82	2.27	50.62	33.50	4.81	44.08
AV	5.265G	96.89	Inf	-Inf	-5.80	3	Horizontal	82	2.27	102.69	33.44	4.87	44.11
AV	5.35G	53.20	54.00	-0.80	-5.93	3	Horizontal	82	2.27	59.13	33.30	4.91	44.14
PK	5.13G	59.28	74.00	-14.72	-5.77	3	Horizontal	82	2.27	65.05	33.50	4.80	44.07
PK	5.265G	110.79	Inf	-Inf	-5.80	3	Horizontal	82	2.27	116.59	33.44	4.87	44.11
PK	5.365G	67.65	74.00	-6.35	-5.97	3	Horizontal	82	2.27	73.62	33.27	4.91	44.15
PK	5.477G	58.65	68.20	-9.55	-5.88	3	Horizontal	82	2.27	64.53	33.35	4.95	44.18



5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87972G	36.40	54.00	-17.60	4.50	3	Vertical	246	1.02	31.90	37.82	10.02	43.34
PK	10.58282G	48.86	68.20	-19.34	4.31	3	Vertical	66	1.67	44.55	38.93	7.39	42.01
PK	15.86542G	49.99	74.00	-24.01	4.45	3	Vertical	246	1.02	45.54	37.76	10.01	43.32

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87912G	36.45	54.00	-17.55	4.50	3	Horizontal	313	2.24	31.95	37.82	10.02	43.34
PK	10.5863G	49.11	68.20	-19.09	4.33	3	Horizontal	250	2.71	44.78	38.95	7.40	42.02
PK	15.87782G	50.65	74.00	-23.35	4.49	3	Horizontal	313	2.24	46.16	37.81	10.02	43.34



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	51.27	54.00	-2.73	-5.81	3	Vertical	349	1.93	57.08	33.46	4.81	44.08
AV	5.1744G	99.16	Inf	-Inf	-5.86	3	Vertical	349	1.93	105.02	33.40	4.83	44.09
AV	5.3628G	53.34	54.00	-0.66	-6.17	3	Vertical	349	1.93	59.51	33.07	4.91	44.15
PK	5.1468G	61.38	74.00	-12.62	-5.79	3	Vertical	349	1.93	67.17	33.48	4.81	44.08
PK	5.1816G	107.77	Inf	-Inf	-5.89	3	Vertical	349	1.93	113.66	33.37	4.83	44.09
PK	5.3508G	62.99	74.00	-11.01	-6.13	3	Vertical	349	1.93	69.12	33.10	4.91	44.14
PK	5.4612G	58.46	68.20	-9.74	-6.16	3	Vertical	349	1.93	64.62	33.07	4.95	44.18

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	52.61	54.00	-1.39	-5.88	3	Horizontal	72	2.32	58.49	33.39	4.80	44.07
AV	5.3148G	94.16	Inf	-Inf	-6.14	3	Horizontal	72	2.32	100.30	33.10	4.89	44.13
AV	5.3628G	52.55	54.00	-1.45	-6.17	3	Horizontal	72	2.32	58.72	33.07	4.91	44.15
PK	5.1456G	63.71	74.00	-10.29	-5.80	3	Horizontal	72	2.32	69.51	33.47	4.81	44.08
PK	5.1828G	110.65	Inf	-Inf	-5.89	3	Horizontal	72	2.32	116.54	33.37	4.83	44.09
PK	5.3568G	64.50	74.00	-9.50	-6.14	3	Horizontal	72	2.32	70.64	33.09	4.91	44.14
PK	5.466G	57.87	68.20	-10.33	-6.13	3	Horizontal	72	2.32	64.00	33.10	4.95	44.18



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74888G	37.30	54.00	-16.70	4.96	3	Vertical	85	1.02	32.34	38.20	9.95	43.19
PK	10.50468G	49.78	68.20	-18.42	4.13	3	Vertical	198	1.67	45.65	38.71	7.36	41.94
PK	15.76644G	50.39	74.00	-23.61	4.92	3	Vertical	85	1.02	45.47	38.17	9.96	43.21

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74488G	37.29	54.00	-16.71	4.97	3	Horizontal	283	1.27	32.32	38.20	9.95	43.18
PK	10.51804G	49.37	68.20	-18.83	4.15	3	Horizontal	136	1.43	45.22	38.74	7.37	41.96
PK	15.74044G	51.47	74.00	-22.53	4.97	3	Horizontal	283	1.27	46.50	38.20	9.95	43.18



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	100.80	Inf	-Inf	-5.27	3	Vertical	2	1.79	106.07	33.88	5.09	44.24
PK	5.7088G	113.87	Inf	-Inf	-5.26	3	Vertical	2	1.79	119.13	33.89	5.09	44.24
PK	5.726G	67.86	68.20	-0.34	-5.07	3	Vertical	2	1.79	72.93	34.06	5.11	44.24

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	100.50	Inf	-Inf	-5.37	3	Horizontal	90	1.68	105.87	33.78	5.08	44.23
PK	5.694G	113.18	Inf	-Inf	-5.40	3	Horizontal	90	1.68	118.58	33.76	5.07	44.23
PK	5.7284G	62.76	68.20	-5.44	-5.05	3	Horizontal	90	1.68	67.81	34.08	5.11	44.24



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4024G	37.24	54.00	-16.76	5.22	3	Vertical	21	2.01	32.02	39.39	7.74	41.91
PK	11.40213G	51.06	74.00	-22.94	5.22	3	Vertical	21	2.01	45.84	39.39	7.74	41.91
PK	17.09512G	49.85	68.20	-18.35	4.54	3	Vertical	316	2.19	45.31	37.51	10.36	43.33

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40384G	37.61	54.00	-16.39	5.21	3	Horizontal	161	2.99	32.40	39.38	7.74	41.91
PK	11.40227G	50.98	74.00	-23.02	5.22	3	Horizontal	161	2.99	45.76	39.39	7.74	41.91
PK	17.10133G	50.86	68.20	-17.34	4.53	3	Horizontal	202	1.50	46.33	37.50	10.36	43.33



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6706G	103.24	Inf	-Inf	-5.56	3	Vertical	352	1.85	108.80	33.62	5.05	44.23
PK	5.6682G	116.55	Inf	-Inf	-5.57	3	Vertical	352	1.85	122.12	33.61	5.05	44.23
PK	5.7252G	67.83	68.20	-0.37	-5.08	3	Vertical	352	1.85	72.91	34.05	5.11	44.24

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	103.72	Inf	-Inf	-5.55	3	Horizontal	273	2.00	109.27	33.63	5.05	44.23
PK	5.6712G	116.11	Inf	-Inf	-5.55	3	Horizontal	273	2.00	121.66	33.63	5.05	44.23
PK	5.7354G	66.90	68.20	-1.30	-4.97	3	Horizontal	273	2.00	71.87	34.15	5.12	44.24



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33908G	36.37	54.00	-17.63	5.03	3	Vertical	304	2.90	31.34	39.30	7.71	41.98
PK	11.34316G	50.38	74.00	-23.62	5.03	3	Vertical	304	2.90	45.35	39.30	7.71	41.98
PK	17.01025G	49.55	68.20	-18.65	4.33	3	Vertical	37	2.27	45.22	37.36	10.34	43.37

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34139G	36.35	54.00	-17.65	5.03	3	Horizontal	339	2.30	31.32	39.30	7.71	41.98
PK	11.34132G	50.09	74.00	-23.91	5.03	3	Horizontal	339	2.30	45.06	39.30	7.71	41.98
PK	17.01126G	49.65	68.20	-18.55	4.34	3	Horizontal	248	1.75	45.31	37.37	10.34	43.37

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.18	54.00	-8.82	-5.92	3	Vertical	0	2.73	51.10	33.32	4.94	44.18
AV	5.66G	102.37	Inf	-Inf	-5.63	3	Vertical	0	2.73	108.00	33.56	5.04	44.23
PK	5.3984G	64.31	74.00	-9.69	-6.03	3	Vertical	0	2.73	70.34	33.20	4.93	44.16
PK	5.4692G	59.12	68.20	-9.08	-5.89	3	Vertical	0	2.73	65.01	33.34	4.95	44.18
PK	5.7128G	116.52	Inf	-Inf	-5.22	3	Vertical	0	2.73	121.74	33.93	5.09	44.24
PK	5.8508G	67.06	68.20	-1.14	-4.72	3	Vertical	0	2.73	71.78	34.40	5.15	44.27

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	45.65	54.00	-8.35	-5.93	3	Horizontal	273	2.44	51.58	33.31	4.94	44.18
AV	5.6756G	105.49	Inf	-Inf	-5.52	3	Horizontal	273	2.44	111.01	33.65	5.06	44.23
PK	5.39G	60.74	74.00	-13.26	-6.00	3	Horizontal	273	2.44	66.74	33.22	4.93	44.15
PK	5.4668G	59.12	68.20	-9.08	-5.90	3	Horizontal	273	2.44	65.02	33.33	4.95	44.18
PK	5.6756G	118.08	Inf	-Inf	-5.52	3	Horizontal	273	2.44	123.60	33.65	5.06	44.23
PK	5.8628G	65.35	68.20	-2.85	-4.67	3	Horizontal	273	2.44	70.02	34.45	5.15	44.27



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37258G	36.42	54.00	-17.58	5.14	3	Vertical	260	1.01	31.28	39.35	7.73	41.94
PK	11.37198G	49.89	74.00	-24.11	5.13	3	Vertical	260	1.01	44.76	39.34	7.73	41.94
PK	17.0772G	52.40	68.20	-15.80	4.56	3	Vertical	267	1.62	47.84	37.55	10.35	43.34

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37168G	36.34	54.00	-17.66	5.13	3	Horizontal	302	1.71	31.21	39.34	7.73	41.94
PK	11.37128G	50.32	74.00	-23.68	5.13	3	Horizontal	302	1.71	45.19	39.34	7.73	41.94
PK	17.0978G	56.12	68.20	-12.08	4.53	3	Horizontal	320	1.38	51.59	37.50	10.36	43.33

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.69	54.00	-0.31	-5.92	3	Vertical	360	2.61	59.61	33.32	4.94	44.18
AV	5.6288G	92.28	Inf	-Inf	-5.75	3	Vertical	360	2.61	98.03	33.46	5.01	44.22
PK	5.318G	56.65	68.20	-11.55	-5.94	3	Vertical	360	2.61	62.59	33.30	4.89	44.13
PK	5.4452G	66.54	74.00	-7.46	-5.94	3	Vertical	360	2.61	72.48	33.29	4.94	44.17
PK	5.4656G	67.61	68.20	-0.59	-5.90	3	Vertical	360	2.61	73.51	33.33	4.95	44.18
PK	5.6288G	105.00	Inf	-Inf	-5.75	3	Vertical	360	2.61	110.75	33.46	5.01	44.22
PK	5.732G	66.55	68.20	-1.65	-5.01	3	Vertical	360	2.61	71.56	34.12	5.11	44.24

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	44.08	54.00	-9.92	-5.92	3	Horizontal	83	1.50	50.00	33.32	4.94	44.18
AV	5.6108G	91.01	Inf	-Inf	-5.80	3	Horizontal	83	1.50	96.81	33.42	4.99	44.21
PK	5.294G	53.45	68.20	-14.75	-5.92	3	Horizontal	83	1.50	59.37	33.32	4.88	44.12
PK	5.3792G	59.23	74.00	-14.77	-5.99	3	Horizontal	83	1.50	65.22	33.24	4.92	44.15
PK	5.4692G	60.90	68.20	-7.30	-5.89	3	Horizontal	83	1.50	66.79	33.34	4.95	44.18
PK	5.6144G	103.63	Inf	-Inf	-5.80	3	Horizontal	83	1.50	109.43	33.43	4.99	44.22
PK	5.7416G	57.43	68.20	-10.77	-4.90	3	Horizontal	83	1.50	62.33	34.22	5.12	44.24



5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12852G	36.15	54.00	-17.85	4.28	3	Vertical	152	1.14	31.87	38.90	7.62	42.24
PK	11.13216G	50.29	74.00	-23.71	4.30	3	Vertical	152	1.14	45.99	38.90	7.63	42.23
PK	16.69468G	51.20	68.20	-17.00	4.98	3	Vertical	119	1.18	46.22	37.89	10.26	43.17

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12968G	36.18	54.00	-17.82	4.29	3	Horizontal	189	2.10	31.89	38.90	7.62	42.23
PK	11.12756G	49.84	74.00	-24.16	4.28	3	Horizontal	189	2.10	45.56	38.90	7.62	42.24
PK	16.72524G	50.45	68.20	-17.75	4.92	3	Horizontal	152	2.00	45.53	37.85	10.26	43.19



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.91	Inf	-Inf	-4.62	3	Vertical	176	1.85	115.53	34.47	5.17	44.26
PK	5.633G	67.81	68.20	-0.39	-5.74	3	Vertical	176	1.85	73.55	33.47	5.01	44.22
PK	5.8154G	123.05	Inf	-Inf	-4.62	3	Vertical	176	1.85	127.67	34.47	5.17	44.26
PK	6.0674G	55.09	68.20	-13.11	-4.79	3	Vertical	176	1.85	59.88	34.40	5.12	44.31

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	110.78	Inf	-Inf	-4.62	3	Horizontal	131	1.49	115.40	34.47	5.17	44.26
PK	5.645G	63.79	68.20	-4.41	-5.70	3	Horizontal	131	1.49	69.49	33.49	5.03	44.22
PK	5.8166G	122.66	Inf	-Inf	-4.62	3	Horizontal	131	1.49	127.28	34.47	5.17	44.26
PK	6.0338G	55.58	68.20	-12.62	-4.74	3	Horizontal	131	1.49	60.32	34.46	5.10	44.30



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66272G	37.19	54.00	-16.81	4.67	3	Vertical	340	2.35	32.52	38.75	7.85	41.93
PK	11.66056G	50.00	74.00	-24.00	4.66	3	Vertical	340	2.35	45.34	38.74	7.85	41.93
PK	17.45448G	55.54	68.20	-12.66	5.22	3	Vertical	192	1.50	50.32	37.91	10.45	43.14

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	37.10	54.00	-16.90	4.63	3	Horizontal	35	1.68	32.47	38.71	7.84	41.92
PK	11.64616G	49.37	74.00	-24.63	4.63	3	Horizontal	35	1.68	44.74	38.71	7.84	41.92
PK	17.47884G	56.12	68.20	-12.08	5.29	3	Horizontal	203	1.50	50.83	37.96	10.46	43.13



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	103.88	Inf	-Inf	-4.58	3	Vertical	218	2.26	108.46	34.50	5.18	44.26
PK	5.6474G	67.66	68.20	-0.54	-5.70	3	Vertical	218	2.26	73.36	33.49	5.03	44.22
PK	5.7998G	116.71	Inf	-Inf	-4.58	3	Vertical	218	2.26	121.29	34.50	5.18	44.26
PK	6.0242G	55.03	68.20	-13.17	-4.71	3	Vertical	218	2.26	59.74	34.50	5.09	44.30

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.795G	108.43	Inf	-Inf	-4.60	3	Horizontal	86	2.55	113.03	34.48	5.17	44.25
PK	5.6474G	67.14	68.20	-1.06	-5.70	3	Horizontal	86	2.55	72.84	33.49	5.03	44.22
PK	5.7938G	121.33	Inf	-Inf	-4.60	3	Horizontal	86	2.55	125.93	34.48	5.17	44.25
PK	5.9822G	54.54	68.20	-13.66	-4.62	3	Horizontal	86	2.55	59.16	34.60	5.08	44.30



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57172G	36.82	54.00	-17.18	4.93	3	Vertical	98	2.40	31.89	38.97	7.81	41.85
PK	11.57564G	50.77	74.00	-23.23	4.90	3	Vertical	98	2.40	45.87	38.95	7.81	41.86
PK	17.36612G	50.89	68.20	-17.31	4.97	3	Vertical	119	1.39	45.92	37.73	10.43	43.19

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56896G	36.88	54.00	-17.12	4.95	3	Horizontal	337	2.98	31.93	38.99	7.81	41.85
PK	11.56704G	49.79	74.00	-24.21	4.96	3	Horizontal	337	2.98	44.83	39.00	7.81	41.85
PK	17.3606G	50.52	68.20	-17.68	4.96	3	Horizontal	30	1.11	45.56	37.72	10.43	43.19



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	104.96	Inf	-Inf	-4.74	3	Vertical	184	1.50	109.70	34.36	5.15	44.25
PK	5.637G	66.81	68.20	-1.39	-5.73	3	Vertical	184	1.50	72.54	33.47	5.02	44.22
PK	5.7618G	116.12	Inf	-Inf	-4.76	3	Vertical	184	1.50	120.88	34.35	5.14	44.25
PK	6.0618G	59.17	68.20	-9.03	-4.79	3	Vertical	184	1.50	63.96	34.40	5.12	44.31

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	108.84	Inf	-Inf	-4.81	3	Horizontal	258	2.19	113.65	34.30	5.13	44.24
PK	5.643G	67.79	68.20	-0.41	-5.71	3	Horizontal	258	2.19	73.50	33.49	5.02	44.22
PK	5.7498G	118.75	Inf	-Inf	-4.81	3	Horizontal	258	2.19	123.56	34.30	5.13	44.24
PK	5.9886G	54.50	68.20	-13.70	-4.62	3	Horizontal	258	2.19	59.12	34.60	5.08	44.30



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53604G	37.00	54.00	-17.00	5.08	3	Vertical	359	2.98	31.92	39.10	7.80	41.82
PK	11.55028G	50.19	74.00	-23.81	5.07	3	Vertical	359	2.98	45.12	39.10	7.80	41.83
PK	17.32908G	50.43	68.20	-17.77	4.91	3	Vertical	183	1.62	45.52	37.70	10.42	43.21

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.536G	37.16	54.00	-16.84	5.08	3	Horizontal	301	2.18	32.08	39.10	7.80	41.82
PK	11.53508G	50.17	74.00	-23.83	5.07	3	Horizontal	301	2.18	45.10	39.10	7.79	41.82
PK	17.32268G	50.37	68.20	-17.83	4.91	3	Horizontal	227	1.23	45.46	37.70	10.42	43.21



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	Horizontal
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87993G	29.92	54.00	-24.08	3	Vertical	176	1.44
Mode 1	Pass	AV	4.9197G	31.01	54.00	-22.99	3	Vertical	85	1.53
Mode 1	Pass	AV	7.37644G	38.19	54.00	-15.81	3	Vertical	2	1.50
Mode 1	Pass	AV	11.49226G	42.11	54.00	-11.89	3	Vertical	290	1.74
Mode 1	Pass	AV	13.6918G	38.87	68.20	-29.33	3	Vertical	104	1.31
Mode 1	Pass	AV	17.23794G	42.55	68.20	-25.65	3	Vertical	290	1.50
Mode 1	Pass	AV	20.53165G	46.06	54.00	-7.94	3	Vertical	23	1.16
Mode 1	Pass	PK	4.87854G	42.75	74.00	-31.25	3	Vertical	176	1.44
Mode 1	Pass	PK	4.9221G	43.30	74.00	-30.70	3	Vertical	85	1.53
Mode 1	Pass	PK	7.3639G	50.65	74.00	-23.35	3	Vertical	2	1.50
Mode 1	Pass	PK	11.49268G	54.01	74.00	-19.99	3	Vertical	290	1.74
Mode 1	Pass	PK	13.694G	50.10	88.20	-38.10	3	Vertical	104	1.31
Mode 1	Pass	PK	17.22838G	54.45	88.20	-33.75	3	Vertical	290	1.50
Mode 1	Pass	PK	20.53169G	57.65	74.00	-16.35	3	Vertical	314	2.16
Mode 1	Pass	AV	4.8801G	29.90	54.00	-24.10	3	Horizontal	247	1.35
Mode 1	Pass	AV	4.92348G	30.84	54.00	-23.16	3	Horizontal	335	2.71
Mode 1	Pass	AV	7.36614G	45.95	54.00	-8.05	3	Horizontal	295	1.93
Mode 1	Pass	AV	11.4927G	43.70	54.00	-10.30	3	Horizontal	267	2.52
Mode 1	Pass	AV	13.69792G	38.76	68.20	-29.44	3	Horizontal	352	1.00
Mode 1	Pass	AV	17.23356G	48.78	68.20	-19.42	3	Horizontal	318	1.50
Mode 1	Pass	AV	20.54466G	50.58	54.00	-3.42	3	Horizontal	312	1.18
Mode 1	Pass	PK	4.87988G	43.68	74.00	-30.32	3	Horizontal	247	1.35
Mode 1	Pass	PK	4.92174G	42.90	74.00	-31.10	3	Horizontal	335	2.71
Mode 1	Pass	PK	7.36442G	60.63	74.00	-13.37	3	Horizontal	295	1.93
Mode 1	Pass	PK	11.4875G	54.63	74.00	-19.37	3	Horizontal	267	2.52
Mode 1	Pass	PK	13.68982G	49.89	88.20	-38.31	3	Horizontal	352	1.00
Mode 1	Pass	PK	17.23836G	60.41	88.20	-27.79	3	Horizontal	318	1.50
Mode 1	Pass	PK	20.54464G	62.28	74.00	-11.72	3	Horizontal	36	1.53
Mode 2	Pass	AV	4.88G	29.77	54.00	-24.23	3	Vertical	331	2.88
Mode 2	Pass	AV	4.92074G	30.99	54.00	-23.01	3	Vertical	19	1.69
Mode 2	Pass	AV	7.3755G	37.98	54.00	-16.02	3	Vertical	2	1.50
Mode 2	Pass	AV	11.49198G	42.07	54.00	-11.93	3	Vertical	290	1.74
Mode 2	Pass	AV	13.69666G	38.89	68.20	-29.31	3	Vertical	264	1.68
Mode 2	Pass	AV	17.2329G	42.48	68.20	-25.72	3	Vertical	290	1.50
Mode 2	Pass	AV	20.53167G	45.96	54.00	-8.04	3	Vertical	209	1.38
Mode 2	Pass	PK	4.87982G	42.12	74.00	-31.88	3	Vertical	331	2.88
Mode 2	Pass	PK	4.92002G	43.27	74.00	-30.73	3	Vertical	19	1.69
Mode 2	Pass	PK	7.37552G	50.85	74.00	-23.15	3	Vertical	2	1.50
Mode 2	Pass	PK	11.48354G	54.54	74.00	-19.46	3	Vertical	290	1.74
Mode 2	Pass	PK	13.699G	50.72	88.20	-37.48	3	Vertical	264	1.68
Mode 2	Pass	PK	17.2324G	54.28	88.20	-33.92	3	Vertical	290	1.50
Mode 2	Pass	PK	20.53175G	57.59	74.00	-16.41	3	Vertical	174	1.18
Mode 2	Pass	AV	4.88007G	29.82	54.00	-24.18	3	Horizontal	302	1.86
Mode 2	Pass	AV	4.92372G	30.85	54.00	-23.15	3	Horizontal	208	1.38
Mode 2	Pass	AV	7.36496G	46.08	54.00	-7.92	3	Horizontal	295	1.93
Mode 2	Pass	AV	11.49318G	43.90	54.00	-10.10	3	Horizontal	267	2.52
Mode 2	Pass	AV	13.69478G	38.68	68.20	-29.52	3	Horizontal	209	1.24
Mode 2	Pass	AV	17.23354G	49.01	68.20	-19.19	3	Horizontal	318	1.50
Mode 2	Pass	AV	20.53628G	50.48	54.00	-3.52	3	Horizontal	180	1.40
Mode 2	Pass	PK	4.87933G	42.52	74.00	-31.48	3	Horizontal	302	1.86




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	4.92266G	42.87	74.00	-31.13	3	Horizontal	208	1.38
Mode 2	Pass	PK	7.36518G	59.58	74.00	-14.42	3	Horizontal	295	1.93
Mode 2	Pass	PK	11.48754G	54.89	74.00	-19.11	3	Horizontal	267	2.52
Mode 2	Pass	PK	13.69756G	51.14	88.20	-37.06	3	Horizontal	209	1.24
Mode 2	Pass	PK	17.22888G	59.90	88.20	-28.30	3	Horizontal	318	1.50
Mode 2	Pass	PK	20.54471G	62.33	74.00	-11.67	3	Horizontal	306	2.06

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87993G	29.92	54.00	-24.08	-6.50	3	Vertical	176	1.44	36.42	32.92	4.63	44.05
AV	4.9197G	31.01	54.00	-22.99	-6.30	3	Vertical	85	1.53	37.31	33.08	4.66	44.04
AV	7.37644G	38.19	54.00	-15.81	-0.75	3	Vertical	2	1.50	38.94	36.84	6.07	43.66
AV	11.49226G	42.11	54.00	-11.89	5.08	3	Vertical	290	1.74	37.03	39.10	7.78	41.80
AV	13.6918G	38.87	68.20	-29.33	6.18	3	Vertical	104	1.31	32.69	39.92	8.90	42.64
AV	17.23794G	42.55	68.20	-25.65	4.72	3	Vertical	290	1.50	37.83	37.58	10.40	43.26
AV	20.53165G	46.06	54.00	-7.94	-24.09	3	Vertical	23	1.16	70.15	38.10	11.21	63.86
PK	4.87854G	42.75	74.00	-31.25	-6.51	3	Vertical	176	1.44	49.26	32.91	4.63	44.05
PK	4.9221G	43.30	74.00	-30.70	-6.29	3	Vertical	85	1.53	49.59	33.09	4.66	44.04
PK	7.3639G	50.65	74.00	-23.35	-0.70	3	Vertical	2	1.50	51.35	36.92	6.05	43.67
PK	11.49268G	54.01	74.00	-19.99	5.08	3	Vertical	290	1.74	48.93	39.10	7.78	41.80
PK	13.694G	50.10	88.20	-38.10	6.16	3	Vertical	104	1.31	43.94	39.91	8.90	42.65
PK	17.22838G	54.45	88.20	-33.75	4.69	3	Vertical	290	1.50	49.76	37.56	10.39	43.26
PK	20.53169G	57.65	74.00	-16.35	-24.09	3	Vertical	314	2.16	81.74	38.10	11.21	63.86


Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8801G	29.90	54.00	-24.10	-6.50	3	Horizontal	247	1.35	36.40	32.92	4.63	44.05
AV	4.92348G	30.84	54.00	-23.16	-6.29	3	Horizontal	335	2.71	37.13	33.09	4.66	44.04
AV	7.36614G	45.95	54.00	-8.05	-0.71	3	Horizontal	295	1.93	46.66	36.90	6.06	43.67
AV	11.4927G	43.70	54.00	-10.30	5.08	3	Horizontal	267	2.52	38.62	39.10	7.78	41.80
AV	13.69792G	38.76	68.20	-29.44	6.16	3	Horizontal	352	1.00	32.60	39.90	8.91	42.65
AV	17.23356G	48.78	68.20	-19.42	4.70	3	Horizontal	318	1.50	44.08	37.57	10.39	43.26
AV	20.54466G	50.58	54.00	-3.42	-24.08	3	Horizontal	312	1.18	74.66	38.10	11.21	63.85
PK	4.87988G	43.68	74.00	-30.32	-6.50	3	Horizontal	247	1.35	50.18	32.92	4.63	44.05
PK	4.92174G	42.90	74.00	-31.10	-6.29	3	Horizontal	335	2.71	49.19	33.09	4.66	44.04
PK	7.36442G	60.63	74.00	-13.37	-0.71	3	Horizontal	295	1.93	61.34	36.91	6.05	43.67
PK	11.4875G	54.63	74.00	-19.37	5.07	3	Horizontal	267	2.52	49.56	39.10	7.77	41.80
PK	13.68982G	49.89	88.20	-38.31	6.18	3	Horizontal	352	1.00	43.71	39.92	8.90	42.64
PK	17.23836G	60.41	88.20	-27.79	4.72	3	Horizontal	318	1.50	55.69	37.58	10.40	43.26
PK	20.54464G	62.28	74.00	-11.72	-24.08	3	Horizontal	36	1.53	86.36	38.10	11.21	63.85




Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88G	29.77	54.00	-24.23	-6.50	3	Vertical	331	2.88	36.27	32.92	4.63	44.05
AV	4.92074G	30.99	54.00	-23.01	-6.30	3	Vertical	19	1.69	37.29	33.08	4.66	44.04
AV	7.3755G	37.98	54.00	-16.02	-0.74	3	Vertical	2	1.50	38.72	36.85	6.07	43.66
AV	11.49198G	42.07	54.00	-11.93	5.08	3	Vertical	290	1.74	36.99	39.10	7.78	41.80
AV	13.69666G	38.89	68.20	-29.31	6.17	3	Vertical	264	1.68	32.72	39.91	8.91	42.65
AV	17.2329G	42.48	68.20	-25.72	4.70	3	Vertical	290	1.50	37.78	37.57	10.39	43.26
AV	20.53167G	45.96	54.00	-8.04	-24.09	3	Vertical	209	1.38	70.05	38.10	11.21	63.86
PK	4.87982G	42.12	74.00	-31.88	-6.50	3	Vertical	331	2.88	48.62	32.92	4.63	44.05
PK	4.92002G	43.27	74.00	-30.73	-6.30	3	Vertical	19	1.69	49.57	33.08	4.66	44.04
PK	7.37552G	50.85	74.00	-23.15	-0.74	3	Vertical	2	1.50	51.59	36.85	6.07	43.66
PK	11.48354G	54.54	74.00	-19.46	5.06	3	Vertical	290	1.74	49.48	39.10	7.77	41.81
PK	13.699G	50.72	88.20	-37.48	6.16	3	Vertical	264	1.68	44.56	39.90	8.91	42.65
PK	17.2324G	54.28	88.20	-33.92	4.69	3	Vertical	290	1.50	49.59	37.56	10.39	43.26
PK	20.53175G	57.59	74.00	-16.41	-24.09	3	Vertical	174	1.18	81.68	38.10	11.21	63.86

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88007G	29.82	54.00	-24.18	-6.50	3	Horizontal	302	1.86	36.32	32.92	4.63	44.05
AV	4.92372G	30.85	54.00	-23.15	-6.28	3	Horizontal	208	1.38	37.13	33.09	4.67	44.04
AV	7.36496G	46.08	54.00	-7.92	-0.71	3	Horizontal	295	1.93	46.79	36.91	6.05	43.67
AV	11.49318G	43.90	54.00	-10.10	5.08	3	Horizontal	267	2.52	38.82	39.10	7.78	41.80
AV	13.69478G	38.68	68.20	-29.52	6.17	3	Horizontal	209	1.24	32.51	39.91	8.91	42.65
AV	17.23354G	49.01	68.20	-19.19	4.70	3	Horizontal	318	1.50	44.31	37.57	10.39	43.26
AV	20.53628G	50.48	54.00	-3.52	-24.09	3	Horizontal	180	1.40	74.57	38.10	11.21	63.86
PK	4.87933G	42.52	74.00	-31.48	-6.50	3	Horizontal	302	1.86	49.02	32.92	4.63	44.05
PK	4.92266G	42.87	74.00	-31.13	-6.29	3	Horizontal	208	1.38	49.16	33.09	4.66	44.04
PK	7.36518G	59.58	74.00	-14.42	-0.71	3	Horizontal	295	1.93	60.29	36.91	6.05	43.67
PK	11.48754G	54.89	74.00	-19.11	5.07	3	Horizontal	267	2.52	49.82	39.10	7.77	41.80
PK	13.69756G	51.14	88.20	-37.06	6.16	3	Horizontal	209	1.24	44.98	39.90	8.91	42.65
PK	17.22888G	59.90	88.20	-28.30	4.69	3	Horizontal	318	1.50	55.21	37.56	10.39	43.26
PK	20.54471G	62.33	74.00	-11.67	-24.08	3	Horizontal	306	2.06	86.41	38.10	11.21	63.85