


802.11a_(6Mbps)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	109.27	Inf	-Inf	3.53	3	H	214	1.81	-
PK	5.647G	59.21	68.20	-8.99	3.35	3	H	214	1.81	-
PK	5.749G	118.59	Inf	-Inf	3.55	3	H	214	1.81	-
PK	5.93G	56.43	68.20	-11.77	3.89	3	H	214	1.81	-

802.11a_(6Mbps)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	48.02	54.00	-5.98	17.68	3	V	68	1.04	-
PK	11.49G	58.34	74.00	-15.66	17.68	3	V	68	1.04	-



802.11a_(6Mbps)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	50.16	54.00	-3.84	17.68	3	H	312	1.64	-
PK	11.49G	59.35	74.00	-14.65	17.68	3	H	312	1.64	-

802.11a_(6Mbps)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.781G	105.90	Inf	-Inf	3.61	3	V	341	1.74	-
PK	5.64G	58.05	68.20	-10.15	3.34	3	V	341	1.74	-
PK	5.782G	118.22	Inf	-Inf	3.61	3	V	341	1.74	-
PK	5.942G	56.01	68.20	-12.19	3.91	3	V	341	1.74	-

802.11a_(6Mbps)_8TX

5785MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.787G	107.70	Inf	-Inf	3.62	3	H	214	1.90	-
PK	5.619G	59.33	68.20	-8.87	3.30	3	H	214	1.90	-
PK	5.787G	120.18	Inf	-Inf	3.62	3	H	214	1.90	-
PK	5.955G	56.59	68.20	-11.61	3.93	3	H	214	1.90	-

802.11a_(6Mbps)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	50.19	54.00	-3.81	17.62	3	V	34	2.99	-
PK	11.57G	59.12	74.00	-14.88	17.62	3	V	34	2.99	-

802.11a_(6Mbps)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	50.57	54.00	-3.43	17.62	3	H	311	1.71	-
PK	11.57G	59.45	74.00	-14.55	17.62	3	H	311	1.71	-

802.11a_(6Mbps)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.821G	105.36	Inf	-Inf	3.69	3	V	343	1.79	-
PK	5.579G	59.20	68.20	-9.00	3.23	3	V	343	1.79	-
PK	5.821G	117.55	Inf	-Inf	3.69	3	V	343	1.79	-
PK	5.974G	56.23	68.20	-11.97	3.97	3	V	343	1.79	-

802.11a_(6Mbps)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.826G	108.12	Inf	-Inf	3.70	3	H	213	2.05	-
PK	5.588G	59.63	68.20	-8.57	3.25	3	H	213	2.05	-
PK	5.827G	120.78	Inf	-Inf	3.70	3	H	213	2.05	-
PK	5.937G	57.21	68.20	-10.99	3.90	3	H	213	2.05	-

802.11a_(6Mbps)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	49.00	54.00	-5.00	17.57	3	V	25	3.26	-
PK	11.65G	58.73	74.00	-15.27	17.57	3	V	25	3.26	-

802.11a_(6Mbps)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	49.01	54.00	-4.99	17.57	3	H	150	1.61	-
PK	11.65G	63.65	74.00	-10.35	17.57	3	H	150	1.61	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1874G	107.14	Inf	-Inf	7.23	3	V	125	2.47	-
AV	5.149995G	53.31	54.00	-0.69	7.15	3	V	125	2.47	-
PK	5.185G	116.31	Inf	-Inf	7.23	3	V	125	2.47	-
PK	5.1496G	66.57	74.00	-7.43	7.15	3	V	125	2.47	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.173G	105.15	Inf	-Inf	7.20	3	H	176	1.25	-
AV	5.149995G	52.97	54.00	-1.03	7.15	3	H	176	1.25	-
PK	5.1734G	114.27	Inf	-Inf	7.20	3	H	176	1.25	-
PK	5.1488G	67.38	74.00	-6.62	7.15	3	H	176	1.25	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	53.55	54.00	-0.45	12.30	3	V	12	3.60	-
PK	10.36G	60.91	74.00	-13.09	12.30	3	V	12	3.60	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	53.49	54.00	-0.51	12.30	3	H	354	1.44	-
PK	10.36G	59.93	74.00	-14.07	12.30	3	H	354	1.44	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1928G	108.51	Inf	-Inf	7.24	3	V	140	1.59	-
AV	5.149995G	51.09	54.00	-2.91	7.15	3	V	140	1.59	-
PK	5.1932G	117.61	Inf	-Inf	7.25	3	V	140	1.59	-
PK	5.1492G	64.85	74.00	-9.15	7.15	3	V	140	1.59	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1928G	107.82	Inf	-Inf	7.24	3	H	176	1.39	-
AV	5.149995G	51.09	54.00	-2.91	7.15	3	H	176	1.39	-
PK	5.1932G	116.73	Inf	-Inf	7.25	3	H	176	1.39	-
PK	5.149995G	65.16	74.00	-8.84	7.15	3	H	176	1.39	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	53.08	54.00	-0.92	12.40	3	V	19	1.58	-
PK	10.4G	60.22	74.00	-13.78	12.40	3	V	19	1.58	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	53.21	54.00	-0.79	12.40	3	H	355	1.43	-
PK	10.4G	59.99	74.00	-14.01	12.40	3	H	355	1.43	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2478G	108.53	Inf	-Inf	7.37	3	V	142	1.50	-
AV	5.147G	50.46	54.00	-3.54	7.14	3	V	142	1.50	-
AV	5.3666G	51.86	54.00	-2.14	7.63	3	V	142	1.50	-
PK	5.2448G	117.00	Inf	-Inf	7.36	3	V	142	1.50	-
PK	5.1386G	62.57	74.00	-11.43	7.12	3	V	142	1.50	-
PK	5.375G	64.62	74.00	-9.38	7.64	3	V	142	1.50	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2472G	107.08	Inf	-Inf	7.36	3	H	292	1.47	-
AV	5.1362G	50.40	54.00	-3.60	7.12	3	H	292	1.47	-
AV	5.3846G	51.67	54.00	-2.33	7.67	3	H	292	1.47	-
PK	5.2448G	115.79	Inf	-Inf	7.36	3	H	292	1.47	-
PK	5.1404G	63.12	74.00	-10.88	7.13	3	H	292	1.47	-
PK	5.3774G	63.28	74.00	-10.72	7.65	3	H	292	1.47	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	53.19	54.00	-0.81	12.40	3	V	20	1.70	-
PK	10.48G	59.37	74.00	-14.63	12.40	3	V	20	1.70	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	53.39	54.00	-0.61	12.40	3	H	287	1.61	-
PK	10.48G	59.75	74.00	-14.25	12.40	3	H	287	1.61	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.749G	109.25	Inf	-Inf	3.55	3	V	285	2.18	-
PK	5.633G	59.08	68.20	-9.12	3.33	3	V	285	2.18	-
PK	5.749G	119.78	Inf	-Inf	3.55	3	V	285	2.18	-
PK	5.931G	56.39	68.20	-11.81	3.89	3	V	285	2.18	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	109.27	Inf	-Inf	3.53	3	H	214	1.81	-
PK	5.647G	59.21	68.20	-8.99	3.35	3	H	214	1.81	-
PK	5.749G	118.59	Inf	-Inf	3.55	3	H	214	1.81	-
PK	5.93G	56.43	68.20	-11.77	3.89	3	H	214	1.81	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	50.09	54.00	-3.91	17.68	3	V	36	2.81	-
PK	11.49G	59.32	74.00	-14.68	17.68	3	V	36	2.81	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	50.51	54.00	-3.49	17.68	3	H	312	1.66	-
PK	11.49G	59.61	74.00	-14.39	17.68	3	H	312	1.66	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.777G	108.71	Inf	-Inf	3.60	3	V	276	1.75	-
PK	5.629G	58.47	68.20	-9.73	3.32	3	V	276	1.75	-
PK	5.778G	118.24	Inf	-Inf	3.61	3	V	276	1.75	-
PK	5.935G	56.49	68.20	-11.71	3.90	3	V	276	1.75	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.784G	108.87	Inf	-Inf	3.62	3	H	211	1.61	-
PK	5.63G	59.11	68.20	-9.09	3.32	3	H	211	1.61	-
PK	5.786G	117.92	Inf	-Inf	3.62	3	H	211	1.61	-
PK	5.953G	56.81	68.20	-11.39	3.93	3	H	211	1.61	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	50.53	54.00	-3.47	17.62	3	V	35	2.76	-
PK	11.57G	59.14	74.00	-14.86	17.62	3	V	35	2.76	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	50.78	54.00	-3.22	17.62	3	H	309	1.63	-
PK	11.57G	59.54	74.00	-14.46	17.62	3	H	309	1.63	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.817G	107.78	Inf	-Inf	3.68	3	V	276	1.68	-
PK	5.645G	57.92	68.20	-10.28	3.35	3	V	276	1.68	-
PK	5.83G	117.90	Inf	-Inf	3.70	3	V	276	1.68	-
PK	5.929G	57.48	68.20	-10.72	3.89	3	V	276	1.68	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.824G	109.14	Inf	-Inf	3.69	3	H	213	1.80	-
PK	5.59G	58.94	68.20	-9.26	3.25	3	H	213	1.80	-
PK	5.829G	118.35	Inf	-Inf	3.70	3	H	213	1.80	-
PK	5.937G	56.74	68.20	-11.46	3.90	3	H	213	1.80	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	46.74	54.00	-7.26	17.57	3	V	20	1.52	-
PK	11.65G	57.56	74.00	-16.44	17.57	3	V	20	1.52	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	49.18	54.00	-4.82	17.57	3	H	311	1.70	-
PK	11.65G	58.86	74.00	-15.14	17.57	3	H	311	1.70	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1932G	100.41	Inf	-Inf	7.25	3	V	15	2.10	-
AV	5.149995G	52.73	54.00	-1.27	7.15	3	V	15	2.10	-
PK	5.2052G	109.81	Inf	-Inf	7.27	3	V	15	2.10	-
PK	5.1492G	65.15	74.00	-8.85	7.15	3	V	15	2.10	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1828G	100.15	Inf	-Inf	7.22	3	H	145	1.50	-
AV	5.1496G	53.44	54.00	-0.56	7.15	3	H	145	1.50	-
PK	5.1872G	109.06	Inf	-Inf	7.23	3	H	145	1.50	-
PK	5.1488G	66.81	74.00	-7.19	7.15	3	H	145	1.50	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	52.05	54.00	-1.95	12.35	3	V	19	1.67	-
PK	10.38G	58.77	74.00	-15.23	12.35	3	V	19	1.67	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	52.75	54.00	-1.25	12.35	3	H	355	1.49	-
PK	10.38G	58.92	74.00	-15.08	12.35	3	H	355	1.49	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2368G	107.38	Inf	-Inf	7.34	3	V	14	2.41	-
AV	5.149995G	52.73	54.00	-1.27	7.15	3	V	14	2.41	-
PK	5.2452G	116.39	Inf	-Inf	7.36	3	V	14	2.41	-
PK	5.1456G	64.39	74.00	-9.61	7.14	3	V	14	2.41	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2332G	106.51	Inf	-Inf	7.33	3	H	142	2.29	-
AV	5.1496G	52.47	54.00	-1.53	7.15	3	H	142	2.29	-
PK	5.2344G	115.71	Inf	-Inf	7.34	3	H	142	2.29	-
PK	5.149995G	66.11	74.00	-7.89	7.15	3	H	142	2.29	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	52.85	54.00	-1.15	12.55	3	V	20	1.63	-
PK	10.46G	59.13	74.00	-14.87	12.55	3	V	20	1.63	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	52.51	54.00	-1.49	12.55	3	H	356	1.40	-
PK	10.46G	59.12	74.00	-14.88	12.55	3	H	356	1.40	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.749G	106.26	Inf	-Inf	3.55	3	V	280	2.24	-
PK	5.647G	61.80	68.20	-6.40	3.35	3	V	280	2.24	-
PK	5.752G	117.00	Inf	-Inf	3.55	3	V	280	2.24	-
PK	5.932G	56.85	68.20	-11.35	3.89	3	V	280	2.24	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	106.62	Inf	-Inf	3.54	3	H	215	1.93	-
PK	5.644G	61.94	68.20	-6.26	3.35	3	H	215	1.93	-
PK	5.747G	116.55	Inf	-Inf	3.54	3	H	215	1.93	-
PK	5.964G	56.71	68.20	-11.49	3.95	3	H	215	1.93	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	50.76	54.00	-3.24	17.66	3	V	37	2.73	-
PK	11.51G	59.05	74.00	-14.95	17.66	3	V	37	2.73	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	50.67	54.00	-3.33	17.66	3	H	312	1.72	-
PK	11.51G	59.30	74.00	-14.70	17.66	3	H	312	1.72	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.779G	105.88	Inf	-Inf	3.61	3	V	276	2.16	-
PK	5.628G	59.10	68.20	-9.10	3.32	3	V	276	2.16	-
PK	5.792G	116.65	Inf	-Inf	3.63	3	V	276	2.16	-
PK	5.933G	56.76	68.20	-11.44	3.89	3	V	276	2.16	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.793G	106.85	Inf	-Inf	3.64	3	H	218	1.84	-
PK	5.633G	59.46	68.20	-8.74	3.33	3	H	218	1.84	-
PK	5.799G	117.06	Inf	-Inf	3.65	3	H	218	1.84	-
PK	5.942G	57.07	68.20	-11.13	3.91	3	H	218	1.84	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	50.43	54.00	-3.57	17.61	3	V	36	2.82	-
PK	11.59G	58.76	74.00	-15.24	17.61	3	V	36	2.82	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	50.12	54.00	-3.88	17.61	3	H	311	1.69	-
PK	11.59G	58.53	74.00	-15.47	17.61	3	H	311	1.69	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.213G	96.24	Inf	-Inf	7.29	3	V	146	1.50	-
AV	5.149995G	51.58	54.00	-2.42	7.15	3	V	146	1.50	-
AV	5.446G	48.31	54.00	-5.69	7.80	3	V	146	1.50	-
PK	5.206G	106.13	Inf	-Inf	7.27	3	V	146	1.50	-
PK	5.146G	72.61	74.00	-1.39	7.14	3	V	146	1.50	-
PK	5.37G	63.81	74.00	-10.19	7.63	3	V	146	1.50	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.213G	95.49	Inf	-Inf	7.29	3	H	144	1.39	-
AV	5.149995G	53.16	54.00	-0.84	7.15	3	H	144	1.39	-
AV	5.37G	48.03	54.00	-5.97	7.63	3	H	144	1.39	-
PK	5.209G	107.28	Inf	-Inf	7.28	3	H	144	1.39	-
PK	5.147G	72.20	74.00	-1.80	7.14	3	H	144	1.39	-
PK	5.381G	63.93	74.00	-10.07	7.66	3	H	144	1.39	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	52.35	54.00	-1.65	17.11	3	V	13	1.61	-
PK	10.42G	60.55	74.00	-13.45	17.11	3	V	13	1.61	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	53.45	54.00	-0.55	17.11	3	H	286	1.65	-
PK	10.42G	60.85	74.00	-13.15	17.11	3	H	286	1.65	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.773G	101.08	Inf	-Inf	3.60	3	V	281	2.16	-
PK	5.634G	67.57	68.20	-0.63	3.33	3	V	281	2.16	-
PK	5.763G	112.36	Inf	-Inf	3.58	3	V	281	2.16	-
PK	5.928G	59.47	68.20	-8.73	3.88	3	V	281	2.16	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.773G	101.08	Inf	-Inf	3.60	3	H	210	1.64	-
PK	5.639G	67.52	68.20	-0.68	3.34	3	H	210	1.64	-
PK	5.774G	111.58	Inf	-Inf	3.60	3	H	210	1.64	-
PK	5.925G	59.95	68.20	-8.25	3.88	3	H	210	1.64	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	50.13	54.00	-3.87	17.64	3	V	38	2.74	-
PK	11.55G	58.40	74.00	-15.60	17.64	3	V	38	2.74	-



802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_TX



cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	50.32	54.00	-3.68	17.64	3	H	312	1.73	-
PK	11.55G	59.14	74.00	-14.86	17.64	3	H	312	1.73	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.149995G	53.76	54.00	-0.24	5.44	3	H	189	1.67	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	PK	5.649G	67.88	68.20	-0.32	6.30	3	H	201	1.45	-
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.149995G	53.76	54.00	-0.24	5.44	3	H	189	1.67	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	PK	5.649G	67.88	68.20	-0.32	6.30	3	H	201	1.45	-
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.149995G	53.76	54.00	-0.24	5.44	3	H	189	1.67	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	PK	5.649G	67.88	68.20	-0.32	6.30	3	H	201	1.45	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149995G	53.36	54.00	-0.64	5.44	3	H	165	1.85	-
5180MHz	Pass	AV	5.1734G	102.28	Inf	-Inf	5.49	3	H	165	1.85	-
5180MHz	Pass	PK	5.149995G	68.65	74.00	-5.35	5.44	3	H	165	1.85	-
5180MHz	Pass	PK	5.185G	113.44	Inf	-Inf	5.52	3	H	165	1.85	-
5180MHz	Pass	AV	5.149995G	52.12	54.00	-1.88	5.44	3	V	14	1.99	-
5180MHz	Pass	AV	5.1866G	106.53	Inf	-Inf	5.52	3	V	14	1.99	-
5180MHz	Pass	PK	5.1494G	68.34	74.00	-5.66	5.44	3	V	14	1.99	-
5180MHz	Pass	PK	5.1838G	117.10	Inf	-Inf	5.51	3	V	14	1.99	-
5180MHz	Pass	AV	10.36G	50.62	54.00	-3.38	17.01	3	H	277	1.68	-
5180MHz	Pass	PK	10.36G	59.12	74.00	-14.88	17.01	3	H	277	1.68	-
5180MHz	Pass	AV	10.36G	49.03	54.00	-4.97	17.01	3	V	342	1.71	-
5180MHz	Pass	PK	10.36G	58.90	74.00	-15.10	17.01	3	V	342	1.71	-
5200MHz	Pass	AV	5.1496G	47.98	54.00	-6.02	5.44	3	H	170	1.87	-
5200MHz	Pass	AV	5.1976G	109.64	Inf	-Inf	5.54	3	H	170	1.87	-
5200MHz	Pass	PK	5.1496G	61.78	74.00	-12.22	5.44	3	H	170	1.87	-
5200MHz	Pass	PK	5.1972G	119.69	Inf	-Inf	5.54	3	H	170	1.87	-
5200MHz	Pass	AV	5.149995G	46.92	54.00	-7.08	5.44	3	V	13	1.73	-
5200MHz	Pass	AV	5.2068G	108.00	Inf	-Inf	5.56	3	V	13	1.73	-
5200MHz	Pass	PK	5.1472G	62.21	74.00	-11.79	5.43	3	V	13	1.73	-
5200MHz	Pass	PK	5.2064G	118.79	Inf	-Inf	5.56	3	V	13	1.73	-
5200MHz	Pass	AV	10.4G	51.34	54.00	-2.66	17.08	3	H	268	1.58	-
5200MHz	Pass	PK	10.4G	59.39	74.00	-14.61	17.08	3	H	268	1.58	-
5200MHz	Pass	AV	10.4G	49.02	54.00	-4.98	17.08	3	V	30	1.63	-
5200MHz	Pass	PK	10.4G	58.53	74.00	-15.47	17.08	3	V	30	1.63	-
5240MHz	Pass	AV	5.1302G	46.70	54.00	-7.30	5.40	3	H	172	1.62	-
5240MHz	Pass	AV	5.2376G	108.58	Inf	-Inf	5.59	3	H	172	1.62	-
5240MHz	Pass	AV	5.3744G	46.13	54.00	-7.87	5.81	3	H	172	1.62	-
5240MHz	Pass	PK	5.1146G	60.07	74.00	-13.93	5.36	3	H	172	1.62	-
5240MHz	Pass	PK	5.2328G	119.13	Inf	-Inf	5.58	3	H	172	1.62	-
5240MHz	Pass	PK	5.3606G	59.32	74.00	-14.68	5.78	3	H	172	1.62	-
5240MHz	Pass	AV	5.12G	46.14	54.00	-7.86	5.37	3	V	15	1.84	-
5240MHz	Pass	AV	5.2466G	108.95	Inf	-Inf	5.60	3	V	15	1.84	-
5240MHz	Pass	AV	5.3696G	46.33	54.00	-7.67	5.80	3	V	15	1.84	-
5240MHz	Pass	PK	5.1422G	59.22	74.00	-14.78	5.42	3	V	15	1.84	-
5240MHz	Pass	PK	5.246G	119.74	Inf	-Inf	5.60	3	V	15	1.84	-
5240MHz	Pass	PK	5.3864G	59.28	74.00	-14.72	5.84	3	V	15	1.84	-
5240MHz	Pass	AV	10.48G	50.73	54.00	-3.27	17.20	3	H	279	1.65	-
5240MHz	Pass	PK	10.48G	59.37	74.00	-14.63	17.20	3	H	279	1.65	-
5240MHz	Pass	AV	10.48G	48.66	54.00	-5.34	17.20	3	V	31	1.66	-
5240MHz	Pass	PK	10.48G	58.65	74.00	-15.35	17.20	3	V	31	1.66	-
5745MHz	Pass	AV	5.7474G	108.16	Inf	-Inf	6.40	3	H	70	1.06	-
5745MHz	Pass	PK	5.5782G	61.30	68.20	-6.90	6.20	3	H	70	1.06	-
5745MHz	Pass	PK	5.751G	117.74	Inf	-Inf	6.40	3	H	70	1.06	-
5745MHz	Pass	PK	5.9322G	59.61	68.20	-8.59	6.62	3	H	70	1.06	-
5745MHz	Pass	AV	5.7378G	105.25	Inf	-Inf	6.39	3	V	152	1.46	-
5745MHz	Pass	PK	5.5602G	59.70	68.20	-8.50	6.17	3	V	152	1.46	-
5745MHz	Pass	PK	5.7378G	116.14	Inf	-Inf	6.39	3	V	152	1.46	-



RSE TX above 1GHz Result

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9298G	59.04	68.20	-9.16	6.61	3	V	152	1.46	-
5745MHz	Pass	AV	11.49G	53.66	54.00	-0.34	17.68	3	H	312	1.60	-
5745MHz	Pass	PK	11.49G	61.48	74.00	-12.52	17.68	3	H	312	1.60	-
5745MHz	Pass	AV	11.49G	53.18	54.00	-0.82	17.68	3	V	36	2.81	-
5745MHz	Pass	PK	11.49G	61.59	74.00	-12.41	17.68	3	V	36	2.81	-
5785MHz	Pass	AV	5.779G	108.78	Inf	-Inf	6.42	3	H	202	1.51	-
5785MHz	Pass	PK	5.5354G	61.27	68.20	-6.93	6.13	3	H	268	2.44	-
5785MHz	Pass	PK	5.7778G	119.69	Inf	-Inf	6.42	3	H	202	1.51	-
5785MHz	Pass	PK	5.9302G	59.05	68.20	-9.15	6.62	3	H	268	2.44	-
5785MHz	Pass	AV	5.7826G	106.28	Inf	-Inf	6.42	3	V	268	2.44	-
5785MHz	Pass	PK	5.5786G	60.83	68.20	-7.37	6.20	3	V	268	2.44	-
5785MHz	Pass	PK	5.7898G	116.74	Inf	-Inf	6.42	3	V	268	2.44	-
5785MHz	Pass	PK	5.9578G	59.36	68.20	-8.84	6.66	3	V	268	2.44	-
5785MHz	Pass	AV	11.57G	52.94	54.00	-1.06	17.62	3	H	311	1.64	-
5785MHz	Pass	PK	11.57G	61.98	74.00	-12.02	17.62	3	H	311	1.64	-
5785MHz	Pass	AV	11.57G	53.03	54.00	-0.97	17.62	3	V	39	2.84	-
5785MHz	Pass	PK	11.57G	53.03	74.00	-20.97	17.62	3	V	39	2.84	-
5825MHz	Pass	AV	5.819G	108.64	Inf	-Inf	6.46	3	H	199	1.45	-
5825MHz	Pass	PK	5.5838G	60.50	68.20	-7.70	6.21	3	H	199	1.45	-
5825MHz	Pass	PK	5.8226G	119.52	Inf	-Inf	6.46	3	H	199	1.45	-
5825MHz	Pass	PK	5.9522G	58.86	68.20	-9.34	6.65	3	H	199	1.45	-
5825MHz	Pass	AV	5.8226G	106.13	Inf	-Inf	6.46	3	V	264	1.54	-
5825MHz	Pass	PK	5.573G	60.12	68.20	-8.08	6.19	3	V	264	1.54	-
5825MHz	Pass	PK	5.8274G	116.09	Inf	-Inf	6.47	3	V	264	1.54	-
5825MHz	Pass	PK	5.987G	59.39	68.20	-8.81	6.70	3	V	264	1.54	-
5825MHz	Pass	AV	11.65G	52.07	54.00	-1.93	17.57	3	H	311	1.64	-
5825MHz	Pass	PK	11.65G	60.21	74.00	-13.79	17.57	3	H	311	1.64	-
5825MHz	Pass	AV	11.65G	50.38	54.00	-3.62	17.57	3	V	17	1.66	-
5825MHz	Pass	PK	11.65G	60.07	74.00	-13.93	17.57	3	V	17	1.66	-
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.149995G	53.76	54.00	-0.24	5.44	3	H	189	1.67	-
5190MHz	Pass	AV	5.1732G	100.92	Inf	-Inf	5.49	3	H	189	1.67	-
5190MHz	Pass	PK	5.1488G	68.73	74.00	-5.27	5.44	3	H	189	1.67	-
5190MHz	Pass	PK	5.1728G	112.07	Inf	-Inf	5.49	3	H	189	1.67	-
5190MHz	Pass	AV	5.149995G	53.59	54.00	-0.41	5.44	3	V	99	1.52	-
5190MHz	Pass	AV	5.1976G	100.83	Inf	-Inf	5.54	3	V	99	1.52	-
5190MHz	Pass	PK	5.1488G	69.96	74.00	-4.04	5.44	3	V	99	1.52	-
5190MHz	Pass	PK	5.1852G	112.02	Inf	-Inf	5.52	3	V	99	1.52	-
5190MHz	Pass	AV	10.38G	52.52	54.00	-1.48	17.05	3	H	276	1.63	-
5190MHz	Pass	PK	10.38G	60.77	74.00	-13.23	17.05	3	H	276	1.63	-
5190MHz	Pass	AV	10.38G	49.21	54.00	-4.79	17.05	3	V	30	1.70	-
5190MHz	Pass	PK	10.38G	59.78	74.00	-14.22	17.05	3	V	30	1.70	-
5230MHz	Pass	AV	5.149995G	51.41	54.00	-2.59	5.44	3	H	170	1.64	-
5230MHz	Pass	AV	5.238G	105.95	Inf	-Inf	5.59	3	H	170	1.64	-
5230MHz	Pass	PK	5.1476G	67.37	74.00	-6.63	5.43	3	H	170	1.64	-
5230MHz	Pass	PK	5.2332G	116.40	Inf	-Inf	5.58	3	H	170	1.64	-
5230MHz	Pass	AV	5.149995G	49.48	54.00	-4.52	5.44	3	V	15	1.85	-
5230MHz	Pass	AV	5.2468G	105.73	Inf	-Inf	5.60	3	V	15	1.85	-
5230MHz	Pass	PK	5.146G	65.27	74.00	-8.73	5.43	3	V	15	1.85	-



RSE TX above 1GHz Result

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	5.2412G	116.23	Inf	-Inf	5.59	3	V	15	1.85	-
5230MHz	Pass	AV	10.46G	52.70	54.00	-1.30	17.17	3	H	274	1.65	-
5230MHz	Pass	PK	10.46G	61.03	74.00	-12.97	17.17	3	H	274	1.65	-
5230MHz	Pass	AV	10.46G	51.22	54.00	-2.78	17.17	3	V	11	1.27	-
5230MHz	Pass	PK	10.46G	60.78	74.00	-13.22	17.17	3	V	11	1.27	-
5755MHz	Pass	AV	5.7382G	105.66	Inf	-Inf	6.39	3	H	203	1.45	-
5755MHz	Pass	PK	5.6422G	63.74	68.20	-4.46	6.29	3	H	203	1.45	-
5755MHz	Pass	PK	5.7454G	117.45	Inf	-Inf	6.40	3	H	203	1.45	-
5755MHz	Pass	PK	5.989G	59.89	68.20	-8.31	6.70	3	H	203	1.45	-
5755MHz	Pass	AV	5.7622G	104.21	Inf	-Inf	6.41	3	V	270	2.54	-
5755MHz	Pass	PK	5.647G	63.29	68.20	-4.91	6.30	3	V	270	2.54	-
5755MHz	Pass	PK	5.7478G	115.18	Inf	-Inf	6.40	3	V	270	2.54	-
5755MHz	Pass	PK	5.9278G	58.70	68.20	-9.50	6.61	3	V	270	2.54	-
5755MHz	Pass	AV	11.51G	53.50	54.00	-0.50	17.66	3	H	311	1.77	-
5755MHz	Pass	PK	11.51G	61.66	74.00	-12.34	17.66	3	H	311	1.77	-
5755MHz	Pass	AV	11.51G	53.21	54.00	-0.79	17.66	3	V	37	2.77	-
5755MHz	Pass	PK	11.51G	61.17	74.00	-12.83	17.66	3	V	37	2.77	-
5795MHz	Pass	AV	5.7878G	105.66	Inf	-Inf	6.42	3	H	72	1.00	-
5795MHz	Pass	PK	5.6486G	60.69	68.20	-7.51	6.30	3	H	72	1.00	-
5795MHz	Pass	PK	5.7938G	116.54	Inf	-Inf	6.43	3	H	72	1.00	-
5795MHz	Pass	PK	5.9414G	59.45	68.20	-8.75	6.63	3	H	72	1.00	-
5795MHz	Pass	AV	5.7986G	104.46	Inf	-Inf	6.43	3	V	282	3.07	-
5795MHz	Pass	PK	5.633G	61.20	68.20	-7.00	6.28	3	V	282	3.07	-
5795MHz	Pass	PK	5.7962G	115.89	Inf	-Inf	6.43	3	V	282	3.07	-
5795MHz	Pass	PK	5.9354G	59.14	68.20	-9.06	6.62	3	V	282	3.07	-
5795MHz	Pass	AV	11.59G	52.37	54.00	-1.63	17.61	3	H	311	1.75	-
5795MHz	Pass	PK	11.59G	60.75	74.00	-13.25	17.61	3	H	311	1.75	-
5795MHz	Pass	AV	11.59G	52.91	54.00	-1.09	17.61	3	V	40	2.80	-
5795MHz	Pass	PK	11.59G	60.99	74.00	-13.01	17.61	3	V	40	2.80	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.42	54.00	-0.58	5.44	3	H	168	1.89	-
5210MHz	Pass	AV	5.198G	95.68	Inf	-Inf	5.55	3	H	168	1.89	-
5210MHz	Pass	AV	5.441G	46.26	54.00	-7.74	5.96	3	H	168	1.89	-
5210MHz	Pass	PK	5.149G	68.81	74.00	-5.19	5.44	3	H	168	1.89	-
5210MHz	Pass	PK	5.206G	108.14	Inf	-Inf	5.56	3	H	168	1.89	-
5210MHz	Pass	PK	5.458G	58.94	74.00	-15.06	5.99	3	H	168	1.89	-
5210MHz	Pass	AV	5.149995G	52.41	54.00	-1.59	5.44	3	V	11	1.74	-
5210MHz	Pass	AV	5.207G	95.61	Inf	-Inf	5.56	3	V	11	1.74	-
5210MHz	Pass	AV	5.422G	46.53	54.00	-7.47	5.92	3	V	11	1.74	-
5210MHz	Pass	PK	5.147G	67.69	74.00	-6.31	5.43	3	V	11	1.74	-
5210MHz	Pass	PK	5.22G	107.86	Inf	-Inf	5.57	3	V	11	1.74	-
5210MHz	Pass	PK	5.443G	58.87	74.00	-15.13	5.96	3	V	11	1.74	-
5210MHz	Pass	AV	10.42G	52.39	54.00	-1.61	17.11	3	H	276	1.67	-
5210MHz	Pass	PK	10.42G	60.46	74.00	-13.54	17.11	3	H	276	1.67	-
5210MHz	Pass	AV	10.42G	49.84	54.00	-4.16	17.11	3	V	32	1.63	-
5210MHz	Pass	PK	10.42G	59.51	74.00	-14.49	17.11	3	V	32	1.63	-
5775MHz	Pass	AV	5.7786G	100.17	Inf	-Inf	6.42	3	H	201	1.45	-
5775MHz	Pass	PK	5.649G	67.88	68.20	-0.32	6.30	3	H	201	1.45	-
5775MHz	Pass	PK	5.7906G	113.25	Inf	-Inf	6.42	3	H	201	1.45	-




RSE TX above 1GHz Result

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.9262G	60.62	68.20	-7.58	6.61	3	H	201	1.45	-
5775MHz	Pass	AV	5.763G	98.34	Inf	-Inf	6.41	3	V	270	2.56	-
5775MHz	Pass	PK	5.6478G	67.66	68.20	-0.54	6.30	3	V	270	2.56	-
5775MHz	Pass	PK	5.7714G	113.15	Inf	-Inf	6.41	3	V	270	2.56	-
5775MHz	Pass	PK	5.9334G	61.32	68.20	-6.88	6.62	3	V	270	2.56	-
5775MHz	Pass	AV	11.55G	52.16	54.00	-1.84	13.66	3	H	299	1.55	-
5775MHz	Pass	PK	11.55G	57.01	74.00	-16.99	13.66	3	H	299	1.55	-
5775MHz	Pass	AV	11.55G	52.23	54.00	-1.77	13.66	3	V	30	2.87	-
5775MHz	Pass	PK	11.55G	56.98	74.00	-17.02	13.66	3	V	30	2.87	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.12	54.00	-1.88	5.44	3	V	14	1.99	-
AV	5.1866G	106.53	Inf	-Inf	5.52	3	V	14	1.99	-
PK	5.1494G	68.34	74.00	-5.66	5.44	3	V	14	1.99	-
PK	5.1838G	117.10	Inf	-Inf	5.51	3	V	14	1.99	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.36	54.00	-0.64	5.44	3	H	165	1.85	-
AV	5.1734G	102.28	Inf	-Inf	5.49	3	H	165	1.85	-
PK	5.149995G	68.65	74.00	-5.35	5.44	3	H	165	1.85	-
PK	5.185G	113.44	Inf	-Inf	5.52	3	H	165	1.85	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	49.03	54.00	-4.97	17.01	3	V	342	1.71	-
PK	10.36G	58.90	74.00	-15.10	17.01	3	V	342	1.71	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	50.62	54.00	-3.38	17.01	3	H	277	1.68	-
PK	10.36G	59.12	74.00	-14.88	17.01	3	H	277	1.68	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2068G	108.00	Inf	-Inf	5.56	3	V	13	1.73	-
AV	5.149995G	46.92	54.00	-7.08	5.44	3	V	13	1.73	-
PK	5.2064G	118.79	Inf	-Inf	5.56	3	V	13	1.73	-
PK	5.1472G	62.21	74.00	-11.79	5.43	3	V	13	1.73	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1976G	109.64	Inf	-Inf	5.54	3	H	170	1.87	-
AV	5.1496G	47.98	54.00	-6.02	5.44	3	H	170	1.87	-
PK	5.1972G	119.69	Inf	-Inf	5.54	3	H	170	1.87	-
PK	5.1496G	61.78	74.00	-12.22	5.44	3	H	170	1.87	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	49.02	54.00	-4.98	17.08	3	V	30	1.63	-
PK	10.4G	58.53	74.00	-15.47	17.08	3	V	30	1.63	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	51.34	54.00	-2.66	17.08	3	H	268	1.58	-
PK	10.4G	59.39	74.00	-14.61	17.08	3	H	268	1.58	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.12G	46.14	54.00	-7.86	5.37	3	V	15	1.84	-
AV	5.2466G	108.95	Inf	-Inf	5.60	3	V	15	1.84	-
AV	5.3696G	46.33	54.00	-7.67	5.80	3	V	15	1.84	-
PK	5.1422G	59.22	74.00	-14.78	5.42	3	V	15	1.84	-
PK	5.246G	119.74	Inf	-Inf	5.60	3	V	15	1.84	-
PK	5.3864G	59.28	74.00	-14.72	5.84	3	V	15	1.84	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1302G	46.70	54.00	-7.30	5.40	3	H	172	1.62	-
AV	5.2376G	108.58	Inf	-Inf	5.59	3	H	172	1.62	-
AV	5.3744G	46.13	54.00	-7.87	5.81	3	H	172	1.62	-
PK	5.1146G	60.07	74.00	-13.93	5.36	3	H	172	1.62	-
PK	5.2328G	119.13	Inf	-Inf	5.58	3	H	172	1.62	-
PK	5.3606G	59.32	74.00	-14.68	5.78	3	H	172	1.62	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	48.66	54.00	-5.34	17.20	3	V	31	1.66	-
PK	10.48G	58.65	74.00	-15.35	17.20	3	V	31	1.66	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	50.73	54.00	-3.27	17.20	3	H	279	1.65	-
PK	10.48G	59.37	74.00	-14.63	17.20	3	H	279	1.65	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7378G	105.25	Inf	-Inf	6.39	3	V	152	1.46	-
PK	5.5602G	59.70	68.20	-8.50	6.17	3	V	152	1.46	-
PK	5.7378G	116.14	Inf	-Inf	6.39	3	V	152	1.46	-
PK	5.9298G	59.04	68.20	-9.16	6.61	3	V	152	1.46	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	5.751G	117.74	Inf	-Inf	6.40	3	H	70	1.06	-
PK	5.5782G	61.30	68.20	-6.90	6.20	3	H	70	1.06	-
PK	5.9322G	59.61	68.20	-8.59	6.62	3	H	70	1.06	-
AV	5.7474G	108.16	Inf	-Inf	6.40	3	H	70	1.06	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	53.18	54.00	-0.82	17.68	3	V	36	2.81	-
PK	11.49G	61.59	74.00	-12.41	17.68	3	V	36	2.81	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	53.66	54.00	-0.34	17.68	3	H	312	1.60	-
PK	11.49G	61.48	74.00	-12.52	17.68	3	H	312	1.60	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7826G	106.28	Inf	-Inf	6.42	3	V	268	2.44	-
PK	5.5786G	60.83	68.20	-7.37	6.20	3	V	268	2.44	-
PK	5.7898G	116.74	Inf	-Inf	6.42	3	V	268	2.44	-
PK	5.9578G	59.36	68.20	-8.84	6.66	3	V	268	2.44	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.779G	108.78	Inf	-Inf	6.42	3	H	202	1.51	-
PK	5.5354G	61.27	68.20	-6.93	6.13	3	H	268	2.44	-
PK	5.7778G	119.69	Inf	-Inf	6.42	3	H	202	1.51	-
PK	5.9302G	59.05	68.20	-9.15	6.62	3	H	268	2.44	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	53.03	54.00	-0.97	17.62	3	V	39	2.84	-
PK	11.57G	53.03	74.00	-20.97	17.62	3	V	39	2.84	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	52.94	54.00	-1.06	17.62	3	H	311	1.64	-
PK	11.57G	61.98	74.00	-12.02	17.62	3	H	311	1.64	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8226G	106.13	Inf	-Inf	6.46	3	V	264	1.54	-
PK	5.573G	60.12	68.20	-8.08	6.19	3	V	264	1.54	-
PK	5.8274G	116.09	Inf	-Inf	6.47	3	V	264	1.54	-
PK	5.987G	59.39	68.20	-8.81	6.70	3	V	264	1.54	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	108.64	Inf	-Inf	6.46	3	H	199	1.45	-
PK	5.5838G	60.50	68.20	-7.70	6.21	3	H	199	1.45	-
PK	5.8226G	119.52	Inf	-Inf	6.46	3	H	199	1.45	-
PK	5.9522G	58.86	68.20	-9.34	6.65	3	H	199	1.45	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	50.38	54.00	-3.62	17.57	3	V	17	1.66	-
PK	11.65G	60.07	74.00	-13.93	17.57	3	V	17	1.66	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	52.07	54.00	-1.93	17.57	3	H	311	1.64	-
PK	11.65G	60.21	74.00	-13.79	17.57	3	H	311	1.64	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.59	54.00	-0.41	5.44	3	V	99	1.52	-
AV	5.1976G	100.83	Inf	-Inf	5.54	3	V	99	1.52	-
PK	5.1488G	69.96	74.00	-4.04	5.44	3	V	99	1.52	-
PK	5.1852G	112.02	Inf	-Inf	5.52	3	V	99	1.52	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.76	54.00	-0.24	5.44	3	H	189	1.67	-
AV	5.1732G	100.92	Inf	-Inf	5.49	3	H	189	1.67	-
PK	5.1488G	68.73	74.00	-5.27	5.44	3	H	189	1.67	-
PK	5.1728G	112.07	Inf	-Inf	5.49	3	H	189	1.67	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	49.21	54.00	-4.79	17.05	3	V	30	1.70	-
PK	10.38G	59.78	74.00	-14.22	17.05	3	V	30	1.70	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	52.52	54.00	-1.48	17.05	3	H	276	1.63	-
PK	10.38G	60.77	74.00	-13.23	17.05	3	H	276	1.63	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.48	54.00	-4.52	5.44	3	V	15	1.85	-
AV	5.2468G	105.73	Inf	-Inf	5.60	3	V	15	1.85	-
PK	5.146G	65.27	74.00	-8.73	5.43	3	V	15	1.85	-
PK	5.2412G	116.23	Inf	-Inf	5.59	3	V	15	1.85	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.41	54.00	-2.59	5.44	3	H	170	1.64	-
AV	5.238G	105.95	Inf	-Inf	5.59	3	H	170	1.64	-
PK	5.1476G	67.37	74.00	-6.63	5.43	3	H	170	1.64	-
PK	5.2332G	116.40	Inf	-Inf	5.58	3	H	170	1.64	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	51.22	54.00	-2.78	17.17	3	V	11	1.27	-
PK	10.46G	60.78	74.00	-13.22	17.17	3	V	11	1.27	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	52.70	54.00	-1.30	17.17	3	H	274	1.65	-
PK	10.46G	61.03	74.00	-12.97	17.17	3	H	274	1.65	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7622G	104.21	Inf	-Inf	6.41	3	V	270	2.54	-
PK	5.647G	63.29	68.20	-4.91	6.30	3	V	270	2.54	-
PK	5.7478G	115.18	Inf	-Inf	6.40	3	V	270	2.54	-
PK	5.9278G	58.70	68.20	-9.50	6.61	3	V	270	2.54	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7382G	105.66	Inf	-Inf	6.39	3	H	203	1.45	-
PK	5.6422G	63.74	68.20	-4.46	6.29	3	H	203	1.45	-
PK	5.7454G	117.45	Inf	-Inf	6.40	3	H	203	1.45	-
PK	5.989G	59.89	68.20	-8.31	6.70	3	H	203	1.45	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	53.21	54.00	-0.79	17.66	3	V	37	2.77	-
PK	11.51G	61.17	74.00	-12.83	17.66	3	V	37	2.77	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	53.50	54.00	-0.50	17.66	3	H	311	1.77	-
PK	11.51G	61.66	74.00	-12.34	17.66	3	H	311	1.77	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7986G	104.46	Inf	-Inf	6.43	3	V	282	3.07	-
PK	5.633G	61.20	68.20	-7.00	6.28	3	V	282	3.07	-
PK	5.7962G	115.89	Inf	-Inf	6.43	3	V	282	3.07	-
PK	5.9354G	59.14	68.20	-9.06	6.62	3	V	282	3.07	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7878G	105.66	Inf	-Inf	6.42	3	H	72	1.00	-
PK	5.6486G	60.69	68.20	-7.51	6.30	3	H	72	1.00	-
PK	5.7938G	116.54	Inf	-Inf	6.43	3	H	72	1.00	-
PK	5.9414G	59.45	68.20	-8.75	6.63	3	H	72	1.00	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	52.91	54.00	-1.09	17.61	3	V	40	2.80	-
PK	11.59G	60.99	74.00	-13.01	17.61	3	V	40	2.80	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	52.37	54.00	-1.63	17.61	3	H	311	1.75	-
PK	11.59G	60.75	74.00	-13.25	17.61	3	H	311	1.75	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.41	54.00	-1.59	5.44	3	V	11	1.74	-
AV	5.207G	95.61	Inf	-Inf	5.56	3	V	11	1.74	-
AV	5.422G	46.53	54.00	-7.47	5.92	3	V	11	1.74	-
PK	5.147G	67.69	74.00	-6.31	5.43	3	V	11	1.74	-
PK	5.22G	107.86	Inf	-Inf	5.57	3	V	11	1.74	-
PK	5.443G	58.87	74.00	-15.13	5.96	3	V	11	1.74	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	53.42	54.00	-0.58	5.44	3	H	168	1.89	-
AV	5.198G	95.68	Inf	-Inf	5.55	3	H	168	1.89	-
AV	5.441G	46.26	54.00	-7.74	5.96	3	H	168	1.89	-
PK	5.149G	68.81	74.00	-5.19	5.44	3	H	168	1.89	-
PK	5.206G	108.14	Inf	-Inf	5.56	3	H	168	1.89	-
PK	5.458G	58.94	74.00	-15.06	5.99	3	H	168	1.89	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	49.84	54.00	-4.16	17.11	3	V	32	1.63	-
PK	10.42G	59.51	74.00	-14.49	17.11	3	V	32	1.63	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	52.39	54.00	-1.61	17.11	3	H	276	1.67	-
PK	10.42G	60.46	74.00	-13.54	17.11	3	H	276	1.67	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	98.34	Inf	-Inf	6.41	3	V	270	2.56	-
PK	5.6478G	67.66	68.20	-0.54	6.30	3	V	270	2.56	-
PK	5.7714G	113.15	Inf	-Inf	6.41	3	V	270	2.56	-
PK	5.9334G	61.32	68.20	-6.88	6.62	3	V	270	2.56	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7786G	100.17	Inf	-Inf	6.42	3	H	201	1.45	-
PK	5.649G	67.88	68.20	-0.32	6.30	3	H	201	1.45	-
PK	5.7906G	113.25	Inf	-Inf	6.42	3	H	201	1.45	-
PK	5.9262G	60.62	68.20	-7.58	6.61	3	H	201	1.45	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_TX




EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	52.23	54.00	-1.77	13.66	3	V	30	2.87	-
PK	11.55G	56.98	74.00	-17.02	13.66	3	V	30	2.87	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_TX



EUT = Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	52.16	54.00	-1.84	13.66	3	H	299	1.55	-
PK	11.55G	57.01	74.00	-16.99	13.66	3	H	299	1.55	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.13G	53.86	54.00	-0.14	5.40	3	H	39	1.61	-
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	AV	11.49G	53.88	54.00	-0.12	17.68	3	H	290	2.47	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149995G	51.89	54.00	-2.11	5.44	3	H	110	1.87	-
5180MHz	Pass	AV	5.1778G	106.41	Inf	-Inf	5.50	3	H	110	1.87	-
5180MHz	Pass	AV	10.36G	53.21	54.00	-0.79	10.25	3	H	44	2.22	-
5180MHz	Pass	PK	5.1446G	73.58	74.00	-0.42	5.43	3	H	110	1.87	-
5180MHz	Pass	PK	5.1778G	118.11	Inf	-Inf	5.50	3	H	110	1.87	-
5180MHz	Pass	PK	10.36G	58.69	74.00	-15.31	10.25	3	H	44	2.22	-
5180MHz	Pass	AV	5.149995G	49.44	54.00	-4.56	5.44	3	V	264	1.38	-
5180MHz	Pass	AV	5.1878G	103.79	Inf	-Inf	5.52	3	V	264	1.38	-
5180MHz	Pass	AV	10.36G	48.44	54.00	-5.56	10.25	3	V	40	1.63	-
5180MHz	Pass	PK	5.149995G	68.45	74.00	-5.55	5.44	3	V	264	1.38	-
5180MHz	Pass	PK	5.1874G	115.52	Inf	-Inf	5.52	3	V	264	1.38	-
5180MHz	Pass	PK	10.36G	55.33	74.00	-18.67	10.25	3	V	40	1.63	-
5200MHz	Pass	AV	5.149995G	49.34	54.00	-4.66	7.15	3	H	141	1.50	-
5200MHz	Pass	AV	5.1932G	108.36	Inf	-Inf	7.25	3	H	141	1.50	-
5200MHz	Pass	PK	5.1464G	69.67	74.00	-4.33	7.14	3	H	141	1.50	-
5200MHz	Pass	PK	5.1976G	120.53	Inf	-Inf	7.25	3	H	141	1.50	-
5200MHz	Pass	AV	5.149995G	47.88	54.00	-6.12	7.15	3	V	89	1.50	-
5200MHz	Pass	AV	5.1928G	104.71	Inf	-Inf	7.24	3	V	89	1.50	-
5200MHz	Pass	PK	5.1492G	65.58	74.00	-8.42	7.15	3	V	89	1.50	-
5200MHz	Pass	PK	5.1928G	116.84	Inf	-Inf	7.24	3	V	89	1.50	-
5200MHz	Pass	AV	10.4G	49.58	54.00	-4.42	17.08	3	H	7	1.49	-
5200MHz	Pass	AV	15.6G	51.98	54.00	-2.02	17.48	3	H	235	1.93	-
5200MHz	Pass	PK	10.4G	59.28	74.00	-14.72	17.08	3	H	7	1.49	-
5200MHz	Pass	PK	15.6G	72.94	74.00	-1.06	17.48	3	H	235	1.93	-
5200MHz	Pass	AV	10.4G	51.58	54.00	-2.42	17.08	3	V	29	1.16	-
5200MHz	Pass	AV	15.6G	50.88	54.00	-3.12	17.48	3	V	102	2.94	-
5200MHz	Pass	PK	10.4G	60.88	74.00	-13.12	17.08	3	V	29	1.16	-
5200MHz	Pass	PK	15.6G	68.85	74.00	-5.15	17.48	3	V	102	2.94	-
5240MHz	Pass	AV	5.1194G	46.23	54.00	-7.77	5.37	3	H	117	1.68	-
5240MHz	Pass	AV	5.246G	108.05	Inf	-Inf	5.60	3	H	117	1.68	-
5240MHz	Pass	AV	5.3756G	46.01	54.00	-7.99	5.82	3	H	117	1.68	-
5240MHz	Pass	AV	10.48G	53.59	54.00	-0.41	10.46	3	H	88	1.66	-
5240MHz	Pass	PK	5.0906G	59.45	74.00	-14.55	5.31	3	H	117	1.68	-
5240MHz	Pass	PK	5.246G	119.64	Inf	-Inf	5.60	3	H	117	1.68	-
5240MHz	Pass	PK	5.3762G	59.26	74.00	-14.74	5.82	3	H	117	1.68	-
5240MHz	Pass	PK	10.48G	58.40	74.00	-15.60	10.46	3	H	88	1.66	-
5240MHz	Pass	AV	5.12G	45.92	54.00	-8.08	5.37	3	V	262	1.39	-
5240MHz	Pass	AV	5.2382G	107.44	Inf	-Inf	5.59	3	V	262	1.39	-
5240MHz	Pass	AV	5.375G	45.77	54.00	-8.23	5.82	3	V	262	1.39	-
5240MHz	Pass	AV	10.48G	49.60	54.00	-4.40	10.46	3	V	39	1.74	-
5240MHz	Pass	PK	5.1476G	59.52	74.00	-14.48	5.43	3	V	262	1.39	-
5240MHz	Pass	PK	5.2358G	119.20	Inf	-Inf	5.59	3	V	262	1.39	-
5240MHz	Pass	PK	5.366G	59.10	74.00	-14.90	5.80	3	V	262	1.39	-
5240MHz	Pass	PK	10.48G	55.85	74.00	-18.15	10.46	3	V	39	1.74	-
5745MHz	Pass	AV	5.7426G	105.08	Inf	-Inf	8.31	3	H	214	2.22	-
5745MHz	Pass	AV	11.49G	53.88	54.00	-0.12	17.68	3	H	290	2.47	-
5745MHz	Pass	AV	17.235G	53.73	54.00	-0.27	21.73	3	H	323	1.59	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.5926G	61.41	68.20	-6.79	8.07	3	H	214	2.22	-
5745MHz	Pass	PK	5.7414G	116.56	Inf	-Inf	8.31	3	H	214	2.22	-
5745MHz	Pass	PK	5.9754G	61.55	68.20	-6.65	8.69	3	H	214	2.22	-
5745MHz	Pass	PK	11.49G	62.10	74.00	-11.90	17.68	3	H	290	2.47	-
5745MHz	Pass	PK	17.235G	69.23	74.00	-4.77	21.73	3	H	323	1.59	-
5745MHz	Pass	AV	5.7438G	102.01	Inf	-Inf	8.31	3	V	86	1.61	-
5745MHz	Pass	AV	11.49G	52.55	54.00	-1.45	17.68	3	V	58	1.74	-
5745MHz	Pass	AV	17.235G	53.33	54.00	-0.67	21.73	3	V	0	1.80	-
5745MHz	Pass	PK	5.577G	61.80	68.20	-6.40	8.04	3	V	86	1.61	-
5745MHz	Pass	PK	5.7522G	113.87	Inf	-Inf	8.33	3	V	86	1.61	-
5745MHz	Pass	PK	5.925G	61.99	68.20	-6.21	8.61	3	V	86	1.61	-
5745MHz	Pass	PK	11.49G	61.68	74.00	-12.32	17.68	3	V	58	1.74	-
5745MHz	Pass	PK	17.235G	68.73	74.00	-5.27	21.73	3	V	0	1.80	-
5785MHz	Pass	AV	5.7922G	107.80	Inf	-Inf	6.43	3	H	211	1.53	-
5785MHz	Pass	AV	11.57G	53.24	54.00	-0.76	12.14	3	H	302	2.16	-
5785MHz	Pass	PK	5.5474G	61.40	68.20	-6.80	6.15	3	H	211	1.53	-
5785MHz	Pass	PK	5.7922G	119.32	Inf	-Inf	6.43	3	H	211	1.53	-
5785MHz	Pass	PK	5.935G	58.99	68.20	-9.21	6.62	3	H	211	1.53	-
5785MHz	Pass	PK	11.57G	66.14	74.00	-7.86	12.14	3	H	163	1.50	-
5785MHz	Pass	AV	5.7826G	106.86	Inf	-Inf	6.42	3	V	275	2.55	-
5785MHz	Pass	AV	11.57G	52.14	54.00	-1.86	12.14	3	V	343	1.47	-
5785MHz	Pass	PK	5.6386G	60.68	68.20	-7.52	6.28	3	V	275	2.55	-
5785MHz	Pass	PK	5.7826G	118.83	Inf	-Inf	6.42	3	V	275	2.55	-
5785MHz	Pass	PK	5.953G	59.44	68.20	-8.76	6.65	3	V	275	2.55	-
5785MHz	Pass	PK	11.57G	58.64	74.00	-15.36	12.14	3	V	343	1.47	-
5825MHz	Pass	AV	5.8214G	107.85	Inf	-Inf	6.46	3	H	173	2.36	-
5825MHz	Pass	PK	5.5886G	61.23	68.20	-6.97	6.21	3	H	173	2.36	-
5825MHz	Pass	PK	5.8226G	119.52	Inf	-Inf	6.46	3	H	173	2.36	-
5825MHz	Pass	PK	5.9738G	59.79	68.20	-8.41	6.68	3	H	173	2.36	-
5825MHz	Pass	AV	5.8262G	101.00	Inf	-Inf	6.47	3	V	71	1.08	-
5825MHz	Pass	PK	5.5646G	59.78	68.20	-8.42	6.18	3	V	71	1.08	-
5825MHz	Pass	PK	5.819G	113.28	Inf	-Inf	6.46	3	V	71	1.08	-
5825MHz	Pass	PK	5.9282G	59.45	68.20	-8.75	6.61	3	V	71	1.08	-
5825MHz	Pass	AV	11.65G	53.85	54.00	-0.15	12.24	3	H	306	1.67	-
5825MHz	Pass	PK	11.65G	60.13	74.00	-13.87	12.24	3	H	306	1.67	-
5825MHz	Pass	AV	11.65G	52.88	54.00	-1.12	12.24	3	V	44	2.86	-
5825MHz	Pass	PK	11.65G	58.86	74.00	-15.14	12.24	3	V	44	2.86	-
802.11ac VHT40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	51.84	54.00	-2.16	5.44	3	H	115	1.50	-
5190MHz	Pass	AV	5.1796G	98.83	Inf	-Inf	5.51	3	H	115	1.50	-
5190MHz	Pass	AV	10.38G	52.53	54.00	-1.47	10.28	3	H	41	2.11	-
5190MHz	Pass	PK	5.1412G	70.08	74.00	-3.92	5.42	3	H	115	1.50	-
5190MHz	Pass	PK	5.1812G	116.14	Inf	-Inf	5.51	3	H	115	1.50	-
5190MHz	Pass	PK	10.38G	57.60	74.00	-16.40	10.28	3	H	41	2.11	-
5190MHz	Pass	AV	5.1496G	51.86	54.00	-2.14	5.44	3	V	276	1.50	-
5190MHz	Pass	AV	5.1732G	98.08	Inf	-Inf	5.49	3	V	276	1.50	-
5190MHz	Pass	AV	10.38G	49.21	54.00	-4.79	10.28	3	V	38	1.67	-
5190MHz	Pass	PK	5.149995G	71.53	74.00	-2.47	5.44	3	V	276	1.50	-
5190MHz	Pass	PK	5.1732G	116.66	Inf	-Inf	5.49	3	V	276	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	10.38G	55.88	74.00	-18.12	10.28	3	V	38	1.67	-
5230MHz	Pass	AV	5.149995G	52.37	54.00	-1.63	5.44	3	H	172	1.92	-
5230MHz	Pass	AV	5.2212G	105.58	Inf	-Inf	5.57	3	H	172	1.92	-
5230MHz	Pass	PK	5.1424G	69.34	74.00	-4.66	5.42	3	H	172	1.92	-
5230MHz	Pass	PK	5.2244G	118.06	Inf	-Inf	5.57	3	H	172	1.92	-
5230MHz	Pass	AV	5.149995G	50.73	54.00	-3.27	5.44	3	V	262	1.45	-
5230MHz	Pass	AV	5.2316G	104.62	Inf	-Inf	5.58	3	V	262	1.45	-
5230MHz	Pass	PK	5.1492G	65.70	74.00	-8.30	5.44	3	V	262	1.45	-
5230MHz	Pass	PK	5.2268G	117.30	Inf	-Inf	5.58	3	V	262	1.45	-
5230MHz	Pass	AV	10.46G	51.94	54.00	-2.06	10.42	3	H	90	1.75	-
5230MHz	Pass	PK	10.46G	57.17	74.00	-16.83	10.42	3	H	90	1.75	-
5230MHz	Pass	AV	10.46G	47.85	54.00	-6.15	10.42	3	V	40	1.70	-
5230MHz	Pass	PK	10.46G	54.67	74.00	-19.33	10.42	3	V	40	1.70	-
5755MHz	Pass	AV	5.7526G	103.03	Inf	-Inf	8.33	3	H	215	2.32	-
5755MHz	Pass	AV	11.51G	53.00	54.00	-1.00	17.66	3	H	292	2.41	-
5755MHz	Pass	AV	17.265G	53.33	54.00	-0.67	21.93	3	H	56	1.55	-
5755MHz	Pass	PK	5.6506G	65.55	68.64	-3.09	8.16	3	H	215	2.32	-
5755MHz	Pass	PK	5.7442G	116.40	Inf	-Inf	8.32	3	H	215	2.32	-
5755MHz	Pass	PK	5.9422G	61.64	68.20	-6.56	8.64	3	H	215	2.32	-
5755MHz	Pass	PK	11.51G	60.07	74.00	-13.93	17.66	3	H	292	2.41	-
5755MHz	Pass	PK	17.265G	68.04	74.00	-5.96	21.93	3	H	56	1.55	-
5755MHz	Pass	AV	5.7574G	100.18	Inf	-Inf	8.34	3	V	87	1.60	-
5755MHz	Pass	AV	11.51G	50.29	54.00	-3.71	17.66	3	V	55	1.72	-
5755MHz	Pass	AV	17.265G	52.63	54.00	-1.37	21.93	3	V	7	1.46	-
5755MHz	Pass	PK	5.6386G	63.84	68.20	-4.36	8.14	3	V	87	1.60	-
5755MHz	Pass	PK	5.7418G	114.43	Inf	-Inf	8.31	3	V	87	1.60	-
5755MHz	Pass	PK	5.9446G	61.35	68.20	-6.85	8.64	3	V	87	1.60	-
5755MHz	Pass	PK	11.51G	58.99	74.00	-15.01	17.66	3	V	55	1.72	-
5755MHz	Pass	PK	17.265G	68.12	74.00	-5.88	21.93	3	V	7	1.46	-
5795MHz	Pass	AV	5.7878G	103.24	Inf	-Inf	6.42	3	H	210	1.67	-
5795MHz	Pass	PK	5.6054G	60.52	68.20	-7.68	6.24	3	H	210	1.67	-
5795MHz	Pass	PK	5.8058G	116.17	Inf	-Inf	6.44	3	H	210	1.67	-
5795MHz	Pass	PK	5.9438G	59.26	68.20	-8.94	6.64	3	H	210	1.67	-
5795MHz	Pass	AV	5.7998G	101.88	Inf	-Inf	6.43	3	V	260	1.65	-
5795MHz	Pass	PK	5.5802G	60.39	68.20	-7.81	6.20	3	V	260	1.65	-
5795MHz	Pass	PK	5.8046G	114.58	Inf	-Inf	6.44	3	V	260	1.65	-
5795MHz	Pass	PK	5.981G	59.16	68.20	-9.04	6.69	3	V	260	1.65	-
5795MHz	Pass	AV	11.59G	51.07	54.00	-2.93	12.16	3	H	0	1.44	-
5795MHz	Pass	PK	11.59G	58.16	74.00	-15.84	12.16	3	H	0	1.44	-
5795MHz	Pass	AV	11.59G	51.66	54.00	-2.34	12.16	3	V	343	1.49	-
5795MHz	Pass	PK	11.59G	59.96	74.00	-14.04	12.16	3	V	343	1.49	-
802.11ac VHT80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.13G	53.86	54.00	-0.14	5.40	3	H	39	1.61	-
5210MHz	Pass	AV	5.233G	96.73	Inf	-Inf	5.58	3	H	39	1.61	-
5210MHz	Pass	AV	5.37G	46.24	54.00	-7.76	5.80	3	H	39	1.61	-
5210MHz	Pass	AV	10.42G	51.75	54.00	-2.25	10.35	3	H	322	1.17	-
5210MHz	Pass	PK	5.12G	67.48	74.00	-6.52	5.37	3	H	39	1.61	-
5210MHz	Pass	PK	5.223G	111.11	Inf	-Inf	5.57	3	H	39	1.61	-
5210MHz	Pass	PK	5.383G	59.16	74.00	-14.84	5.83	3	H	39	1.61	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	10.42G	57.31	74.00	-16.69	10.35	3	H	322	1.17	-
5210MHz	Pass	AV	5.13G	50.09	54.00	-3.91	5.40	3	V	256	1.39	-
5210MHz	Pass	AV	5.246G	91.24	Inf	-Inf	5.60	3	V	256	1.39	-
5210MHz	Pass	AV	5.444G	45.86	54.00	-8.14	5.96	3	V	256	1.39	-
5210MHz	Pass	AV	10.42G	49.21	54.00	-4.79	10.35	3	V	39	1.61	-
5210MHz	Pass	PK	5.108G	61.13	74.00	-12.87	5.35	3	V	256	1.39	-
5210MHz	Pass	PK	5.239G	115.18	Inf	-Inf	5.59	3	V	256	1.39	-
5210MHz	Pass	PK	5.392G	58.60	74.00	-15.40	5.85	3	V	256	1.39	-
5210MHz	Pass	PK	10.42G	55.50	74.00	-18.50	10.35	3	V	39	1.61	-
5775MHz	Pass	AV	5.7774G	101.81	Inf	-Inf	6.42	3	H	206	1.51	-
5775MHz	Pass	AV	11.55G	53.82	54.00	-0.18	12.11	3	H	298	2.38	-
5775MHz	Pass	PK	5.6442G	68.03	68.20	-0.17	6.29	3	H	206	1.51	-
5775MHz	Pass	PK	5.6514G	68.15	69.24	-1.09	6.29	3	H	206	1.51	-
5775MHz	Pass	PK	5.6874G	95.06	95.88	-0.82	6.33	3	H	206	1.51	-
5775MHz	Pass	PK	5.8002G	114.60	Inf	-Inf	6.43	3	H	206	1.51	-
5775MHz	Pass	PK	5.925G	60.95	68.20	-7.25	6.61	3	H	206	1.51	-
5775MHz	Pass	PK	11.55G	58.28	74.00	-15.72	12.11	3	H	298	2.38	-
5775MHz	Pass	AV	5.7726G	99.42	Inf	-Inf	6.41	3	V	96	3.21	-
5775MHz	Pass	AV	11.55G	51.44	54.00	-2.56	12.11	3	V	41	2.91	-
5775MHz	Pass	PK	5.6334G	64.79	68.20	-3.41	6.28	3	V	96	3.21	-
5775MHz	Pass	PK	5.7978G	114.14	Inf	-Inf	6.43	3	V	96	3.21	-
5775MHz	Pass	PK	5.9346G	58.37	68.20	-9.83	6.62	3	V	96	3.21	-
5775MHz	Pass	PK	11.55G	57.06	74.00	-16.94	12.11	3	V	41	2.91	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.44	54.00	-4.56	5.44	3	V	264	1.38	-
AV	5.1878G	103.79	Inf	-Inf	5.52	3	V	264	1.38	-
PK	5.149995G	68.45	74.00	-5.55	5.44	3	V	264	1.38	-
PK	5.1874G	115.52	Inf	-Inf	5.52	3	V	264	1.38	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.89	54.00	-2.11	5.44	3	H	110	1.87	-
AV	5.1778G	106.41	Inf	-Inf	5.50	3	H	110	1.87	-
PK	5.1446G	73.58	74.00	-0.42	5.43	3	H	110	1.87	-
PK	5.1778G	118.11	Inf	-Inf	5.50	3	H	110	1.87	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	48.44	54.00	-5.56	10.25	3	V	40	1.63	-
PK	10.36G	55.33	74.00	-18.67	10.25	3	V	40	1.63	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5180MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	53.21	54.00	-0.79	10.25	3	H	44	2.22	-
PK	10.36G	58.69	74.00	-15.31	10.25	3	H	44	2.22	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.88	54.00	-6.12	7.15	3	V	89	1.50	-
AV	5.1928G	104.71	Inf	-Inf	7.24	3	V	89	1.50	-
PK	5.1492G	65.58	74.00	-8.42	7.15	3	V	89	1.50	-
PK	5.1928G	116.84	Inf	-Inf	7.24	3	V	89	1.50	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.34	54.00	-4.66	7.15	3	H	141	1.50	-
AV	5.1932G	108.36	Inf	-Inf	7.25	3	H	141	1.50	-
PK	5.1464G	69.67	74.00	-4.33	7.14	3	H	141	1.50	-
PK	5.1976G	120.53	Inf	-Inf	7.25	3	H	141	1.50	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6G	50.88	54.00	-3.12	17.48	3	V	102	2.94	-
PK	15.6G	68.85	74.00	-5.15	17.48	3	V	102	2.94	-
AV	10.4G	51.58	54.00	-2.42	17.08	3	V	29	1.16	-
PK	10.4G	60.88	74.00	-13.12	17.08	3	V	29	1.16	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5200MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	49.58	54.00	-4.42	17.08	3	H	7	1.49	-
AV	15.6G	51.98	54.00	-2.02	17.48	3	H	235	1.93	-
PK	10.4G	59.28	74.00	-14.72	17.08	3	H	7	1.49	-
PK	15.6G	72.94	74.00	-1.06	17.48	3	H	235	1.93	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.12G	45.92	54.00	-8.08	5.37	3	V	262	1.39	-
AV	5.2382G	107.44	Inf	-Inf	5.59	3	V	262	1.39	-
AV	5.375G	45.77	54.00	-8.23	5.82	3	V	262	1.39	-
PK	5.1476G	59.52	74.00	-14.48	5.43	3	V	262	1.39	-
PK	5.2358G	119.20	Inf	-Inf	5.59	3	V	262	1.39	-
PK	5.366G	59.10	74.00	-14.90	5.80	3	V	262	1.39	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1194G	46.23	54.00	-7.77	5.37	3	H	117	1.68	-
AV	5.246G	108.05	Inf	-Inf	5.60	3	H	117	1.68	-
AV	5.3756G	46.01	54.00	-7.99	5.82	3	H	117	1.68	-
PK	5.0906G	59.45	74.00	-14.55	5.31	3	H	117	1.68	-
PK	5.246G	119.64	Inf	-Inf	5.60	3	H	117	1.68	-
PK	5.3762G	59.26	74.00	-14.74	5.82	3	H	117	1.68	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	49.60	54.00	-4.40	10.46	3	V	39	1.74	-
PK	10.48G	55.85	74.00	-18.15	10.46	3	V	39	1.74	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5240MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	53.59	54.00	-0.41	10.46	3	H	88	1.66	-
PK	10.48G	58.40	74.00	-15.60	10.46	3	H	88	1.66	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7438G	102.01	Inf	-Inf	8.31	3	V	86	1.61	-
PK	5.577G	61.80	68.20	-6.40	8.04	3	V	86	1.61	-
PK	5.925G	61.99	68.20	-6.21	8.61	3	V	86	1.61	-
PK	5.7522G	113.87	Inf	-Inf	8.33	3	V	86	1.61	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7426G	105.08	Inf	-Inf	8.31	3	H	214	2.22	-
PK	5.5926G	61.41	68.20	-6.79	8.07	3	H	214	2.22	-
PK	5.9754G	61.55	68.20	-6.65	8.69	3	H	214	2.22	-
PK	5.7414G	116.56	Inf	-Inf	8.31	3	H	214	2.22	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	52.55	54.00	-1.45	17.68	3	V	58	1.74	-
AV	17.235G	53.33	54.00	-0.67	21.73	3	V	0	1.80	-
PK	11.49G	61.68	74.00	-12.32	17.68	3	V	58	1.74	-
PK	17.235G	68.73	74.00	-5.27	21.73	3	V	0	1.80	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5745MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	53.88	54.00	-0.12	17.68	3	H	290	2.47	-
AV	17.235G	53.73	54.00	-0.27	21.73	3	H	323	1.59	-
PK	11.49G	62.10	74.00	-11.90	17.68	3	H	290	2.47	-
PK	17.235G	69.23	74.00	-4.77	21.73	3	H	323	1.59	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7826G	106.86	Inf	-Inf	6.42	3	V	275	2.55	-
PK	5.6386G	60.68	68.20	-7.52	6.28	3	V	275	2.55	-
PK	5.7826G	118.83	Inf	-Inf	6.42	3	V	275	2.55	-
PK	5.953G	59.44	68.20	-8.76	6.65	3	V	275	2.55	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7922G	107.80	Inf	-Inf	6.43	3	H	211	1.53	-
PK	5.5474G	61.40	68.20	-6.80	6.15	3	H	211	1.53	-
PK	5.7922G	119.32	Inf	-Inf	6.43	3	H	211	1.53	-
PK	5.935G	58.99	68.20	-9.21	6.62	3	H	211	1.53	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	52.14	54.00	-1.86	12.14	3	V	343	1.47	-
PK	11.57G	58.64	74.00	-15.36	12.14	3	V	343	1.47	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5785MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	53.24	54.00	-0.76	12.14	3	H	302	2.16	-
PK	11.57G	66.14	74.00	-7.86	12.14	3	H	163	1.50	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8262G	101.00	Inf	-Inf	6.47	3	V	71	1.08	-
PK	5.5646G	59.78	68.20	-8.42	6.18	3	V	71	1.08	-
PK	5.819G	113.28	Inf	-Inf	6.46	3	V	71	1.08	-
PK	5.9282G	59.45	68.20	-8.75	6.61	3	V	71	1.08	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8214G	107.85	Inf	-Inf	6.46	3	H	173	2.36	-
PK	5.5886G	61.23	68.20	-6.97	6.21	3	H	173	2.36	-
PK	5.8226G	119.52	Inf	-Inf	6.46	3	H	173	2.36	-
PK	5.9738G	59.79	68.20	-8.41	6.68	3	H	173	2.36	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	52.88	54.00	-1.12	12.24	3	V	44	2.86	-
PK	11.65G	58.86	74.00	-15.14	12.24	3	V	44	2.86	-

802.11ac VHT20_Nss1,(MCS0)_8TX

5825MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	53.85	54.00	-0.15	12.24	3	H	306	1.67	-
PK	11.65G	60.13	74.00	-13.87	12.24	3	H	306	1.67	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1732G	98.08	Inf	-Inf	5.49	3	V	276	1.50	-
AV	5.1496G	51.86	54.00	-2.14	5.44	3	V	276	1.50	-
PK	5.1732G	116.66	Inf	-Inf	5.49	3	V	276	1.50	-
PK	5.14995G	71.53	74.00	-2.47	5.44	3	V	276	1.50	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1796G	98.83	Inf	-Inf	5.51	3	H	115	1.50	-
AV	5.148G	51.84	54.00	-2.16	5.44	3	H	115	1.50	-
PK	5.1812G	116.14	Inf	-Inf	5.51	3	H	115	1.50	-
PK	5.1412G	70.08	74.00	-3.92	5.42	3	H	115	1.50	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	49.21	54.00	-4.79	10.28	3	V	38	1.67	-
PK	10.38G	55.88	74.00	-18.12	10.28	3	V	38	1.67	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5190MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	52.53	54.00	-1.47	10.28	3	H	41	2.11	-
PK	10.38G	57.60	74.00	-16.40	10.28	3	H	41	2.11	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.73	54.00	-3.27	5.44	3	V	262	1.45	-
AV	5.2316G	104.62	Inf	-Inf	5.58	3	V	262	1.45	-
PK	5.1492G	65.70	74.00	-8.30	5.44	3	V	262	1.45	-
PK	5.2268G	117.30	Inf	-Inf	5.58	3	V	262	1.45	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.37	54.00	-1.63	5.44	3	H	172	1.92	-
AV	5.2212G	105.58	Inf	-Inf	5.57	3	H	172	1.92	-
PK	5.1424G	69.34	74.00	-4.66	5.42	3	H	172	1.92	-
PK	5.2244G	118.06	Inf	-Inf	5.57	3	H	172	1.92	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	47.85	54.00	-6.15	10.42	3	V	40	1.70	-
PK	10.46G	54.67	74.00	-19.33	10.42	3	V	40	1.70	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5230MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	51.94	54.00	-2.06	10.42	3	H	90	1.75	-
PK	10.46G	57.17	74.00	-16.83	10.42	3	H	90	1.75	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7574G	100.18	Inf	-Inf	8.34	3	V	87	1.60	-
PK	5.6386G	63.84	68.20	-4.36	8.14	3	V	87	1.60	-
PK	5.9446G	61.35	68.20	-6.85	8.64	3	V	87	1.60	-
PK	5.7418G	114.43	Inf	-Inf	8.31	3	V	87	1.60	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7526G	103.03	Inf	-Inf	8.33	3	H	215	2.32	-
PK	5.6506G	65.55	68.64	-3.09	8.16	3	H	215	2.32	-
PK	5.9422G	61.64	68.20	-6.56	8.64	3	H	215	2.32	-
PK	5.7442G	116.40	Inf	-Inf	8.32	3	H	215	2.32	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	50.29	54.00	-3.71	17.66	3	V	55	1.72	-
AV	17.265G	52.63	54.00	-1.37	21.93	3	V	7	1.46	-
PK	11.51G	58.99	74.00	-15.01	17.66	3	V	55	1.72	-
PK	17.265G	68.12	74.00	-5.88	21.93	3	V	7	1.46	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5755MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	53.00	54.00	-1.00	17.66	3	H	292	2.41	-
AV	17.265G	53.33	54.00	-0.67	21.93	3	H	56	1.55	-
PK	11.51G	60.07	74.00	-13.93	17.66	3	H	292	2.41	-
PK	17.265G	68.04	74.00	-5.96	21.93	3	H	56	1.55	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7998G	101.88	Inf	-Inf	6.43	3	V	260	1.65	-
PK	5.5802G	60.39	68.20	-7.81	6.20	3	V	260	1.65	-
PK	5.8046G	114.58	Inf	-Inf	6.44	3	V	260	1.65	-
PK	5.981G	59.16	68.20	-9.04	6.69	3	V	260	1.65	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7878G	103.24	Inf	-Inf	6.42	3	H	210	1.67	-
PK	5.6054G	60.52	68.20	-7.68	6.24	3	H	210	1.67	-
PK	5.8058G	116.17	Inf	-Inf	6.44	3	H	210	1.67	-
PK	5.9438G	59.26	68.20	-8.94	6.64	3	H	210	1.67	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	51.66	54.00	-2.34	12.16	3	V	343	1.49	-
PK	11.59G	59.96	74.00	-14.04	12.16	3	V	343	1.49	-

802.11ac VHT40_Nss1,(MCS0)_8TX

5795MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	51.07	54.00	-2.93	12.16	3	H	0	1.44	-
PK	11.59G	58.16	74.00	-15.84	12.16	3	H	0	1.44	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.13G	50.09	54.00	-3.91	5.40	3	V	256	1.39	-
AV	5.246G	91.24	Inf	-Inf	5.60	3	V	256	1.39	-
AV	5.444G	45.86	54.00	-8.14	5.96	3	V	256	1.39	-
PK	5.108G	61.13	74.00	-12.87	5.35	3	V	256	1.39	-
PK	5.239G	115.18	Inf	-Inf	5.59	3	V	256	1.39	-
PK	5.392G	58.60	74.00	-15.40	5.85	3	V	256	1.39	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.233G	96.73	Inf	-Inf	5.58	3	H	39	1.61	-
AV	5.13G	53.86	54.00	-0.14	5.40	3	H	39	1.61	-
AV	5.37G	46.24	54.00	-7.76	5.80	3	H	39	1.61	-
PK	5.223G	111.11	Inf	-Inf	5.57	3	H	39	1.61	-
PK	5.12G	67.48	74.00	-6.52	5.37	3	H	39	1.61	-
PK	5.383G	59.16	74.00	-14.84	5.83	3	H	39	1.61	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	49.21	54.00	-4.79	10.35	3	V	39	1.61	-
PK	10.42G	55.50	74.00	-18.50	10.35	3	V	39	1.61	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5210MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	51.75	54.00	-2.25	10.35	3	H	322	1.17	-
PK	10.42G	57.31	74.00	-16.69	10.35	3	H	322	1.17	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7726G	99.42	Inf	-Inf	6.41	3	V	96	3.21	-
PK	5.6334G	64.79	68.20	-3.41	6.28	3	V	96	3.21	-
PK	5.7978G	114.14	Inf	-Inf	6.43	3	V	96	3.21	-
PK	5.9346G	58.37	68.20	-9.83	6.62	3	V	96	3.21	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7774G	101.81	Inf	-Inf	6.42	3	H	206	1.51	-
PK	5.6442G	68.03	68.20	-0.17	6.29	3	H	206	1.51	-
PK	5.6514G	68.15	69.24	-1.09	6.29	3	H	206	1.51	-
PK	5.6874G	95.06	95.88	-0.82	6.33	3	H	206	1.51	-
PK	5.8002G	114.60	Inf	-Inf	6.43	3	H	206	1.51	-
PK	5.925G	60.95	68.20	-7.25	6.61	3	H	206	1.51	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_BF




EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	51.44	54.00	-2.56	12.11	3	V	41	2.91	-
PK	11.55G	57.06	74.00	-16.94	12.11	3	V	41	2.91	-

802.11ac VHT80_Nss1,(MCS0)_8TX

5775MHz_BF



EUT : Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	53.82	54.00	-0.18	12.11	3	H	298	2.38	-
PK	11.55G	58.28	74.00	-15.72	12.11	3	H	298	2.38	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	15.72G	53.86	54.00	-0.14	15.52	3	V	21	2.85	-
5.725-5.85GHz	Pass	AV	11.57G	53.87	54.00	-0.13	17.62	3	H	296	2.51	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149995G	53.80	54.00	-0.20	5.44	3	H	115	1.81	-
5180MHz	Pass	AV	5.1734G	106.21	Inf	-Inf	5.49	3	H	115	1.81	-
5180MHz	Pass	AV	10.36G	50.88	54.00	-3.12	10.25	3	H	16	1.75	-
5180MHz	Pass	AV	15.54G	51.92	54.00	-2.08	15.52	3	H	237	1.92	-
5180MHz	Pass	PK	5.1494G	70.26	74.00	-3.74	5.44	3	H	115	1.81	-
5180MHz	Pass	PK	5.1874G	117.19	Inf	-Inf	5.52	3	H	115	1.81	-
5180MHz	Pass	PK	10.36G	57.15	74.00	-16.85	10.25	3	H	16	1.75	-
5180MHz	Pass	PK	15.54G	71.92	74.00	-2.08	15.52	3	H	237	1.92	-
5180MHz	Pass	AV	5.1498G	53.14	54.00	-0.86	5.44	3	V	83	1.85	-
5180MHz	Pass	AV	5.1778G	105.83	Inf	-Inf	5.50	3	V	83	1.85	-
5180MHz	Pass	AV	10.36G	49.55	54.00	-4.45	10.25	3	V	276	1.60	-
5180MHz	Pass	AV	15.54G	50.82	54.00	-3.18	15.52	3	V	337	3.18	-
5180MHz	Pass	PK	5.149G	71.54	74.00	-2.46	5.44	3	V	83	1.85	-
5180MHz	Pass	PK	5.1776G	116.24	Inf	-Inf	5.50	3	V	83	1.85	-
5180MHz	Pass	PK	10.36G	57.05	74.00	-16.95	10.25	3	V	276	1.60	-
5180MHz	Pass	PK	15.54G	70.22	74.00	-3.78	15.52	3	V	337	3.18	-
5200MHz	Pass	AV	5.149995G	47.97	54.00	-6.03	7.15	3	H	116	1.75	-
5200MHz	Pass	AV	5.198G	108.30	Inf	-Inf	7.26	3	H	116	1.75	-
5200MHz	Pass	PK	5.146G	64.68	74.00	-9.32	7.14	3	H	116	1.75	-
5200MHz	Pass	PK	5.1932G	120.24	Inf	-Inf	7.25	3	H	116	1.75	-
5200MHz	Pass	AV	5.1492G	46.96	54.00	-7.04	7.15	3	V	84	1.40	-
5200MHz	Pass	AV	5.198G	104.36	Inf	-Inf	7.26	3	V	84	1.40	-
5200MHz	Pass	PK	5.1452G	60.95	74.00	-13.05	7.14	3	V	84	1.40	-
5200MHz	Pass	PK	5.1924G	114.90	Inf	-Inf	7.24	3	V	84	1.40	-
5200MHz	Pass	AV	10.4G	50.63	54.00	-3.37	17.08	3	H	134	1.61	-
5200MHz	Pass	AV	15.6G	51.74	54.00	-2.26	17.48	3	H	229	2.20	-
5200MHz	Pass	PK	10.4G	65.23	74.00	-8.77	17.08	3	H	134	1.61	-
5200MHz	Pass	PK	15.6G	69.89	74.00	-4.11	17.48	3	H	229	2.20	-
5200MHz	Pass	AV	10.4G	51.90	54.00	-2.10	17.08	3	V	28	1.07	-
5200MHz	Pass	AV	15.6G	49.70	54.00	-4.30	17.48	3	V	38	2.97	-
5200MHz	Pass	PK	10.4G	60.92	74.00	-13.08	17.08	3	V	28	1.07	-
5200MHz	Pass	PK	15.6G	69.63	74.00	-4.37	17.48	3	V	38	2.97	-
5240MHz	Pass	AV	5.0954G	45.94	54.00	-8.06	5.32	3	H	82	1.51	-
5240MHz	Pass	AV	5.2334G	104.57	Inf	-Inf	5.58	3	H	82	1.51	-
5240MHz	Pass	AV	5.3726G	45.62	54.00	-8.38	5.81	3	H	82	1.51	-
5240MHz	Pass	PK	5.1212G	59.51	74.00	-14.49	5.38	3	H	82	1.51	-
5240MHz	Pass	PK	5.2346G	115.21	Inf	-Inf	5.58	3	H	82	1.51	-
5240MHz	Pass	PK	5.3504G	58.42	74.00	-15.58	5.76	3	H	82	1.51	-
5240MHz	Pass	AV	5.1158G	45.76	54.00	-8.24	5.36	3	V	278	1.38	-
5240MHz	Pass	AV	5.2334G	103.77	Inf	-Inf	5.58	3	V	278	1.38	-
5240MHz	Pass	AV	5.378G	45.63	54.00	-8.37	5.82	3	V	278	1.38	-
5240MHz	Pass	PK	5.1206G	58.90	74.00	-15.10	5.38	3	V	278	1.38	-
5240MHz	Pass	PK	5.2346G	114.60	Inf	-Inf	5.58	3	V	278	1.38	-
5240MHz	Pass	PK	5.3708G	59.10	74.00	-14.90	5.81	3	V	278	1.38	-
5240MHz	Pass	AV	10.48G	51.47	54.00	-2.53	10.46	3	H	223	2.84	-
5240MHz	Pass	AV	15.72G	51.52	54.00	-2.48	15.52	3	H	236	2.32	-
5240MHz	Pass	PK	10.48G	57.56	74.00	-16.44	10.46	3	H	223	2.84	-



RSE TX above 1GHz Result-Beamforming NSS2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.72G	72.18	74.00	-1.82	15.52	3	H	236	2.32	-
5240MHz	Pass	AV	10.48G	51.09	54.00	-2.91	10.46	3	V	27	1.01	-
5240MHz	Pass	AV	15.72G	53.86	54.00	-0.14	15.52	3	V	21	2.85	-
5240MHz	Pass	PK	10.48G	56.76	74.00	-17.24	10.46	3	V	27	1.01	-
5240MHz	Pass	PK	15.72G	72.63	74.00	-1.37	15.52	3	V	21	2.85	-
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.149995G	50.26	54.00	-3.74	5.44	3	H	249	1.67	-
5190MHz	Pass	AV	5.1812G	99.05	Inf	-Inf	5.51	3	H	249	1.67	-
5190MHz	Pass	PK	5.1344G	65.30	74.00	-8.70	5.41	3	H	249	1.67	-
5190MHz	Pass	PK	5.1816G	115.81	Inf	-Inf	5.51	3	H	249	1.67	-
5190MHz	Pass	AV	5.1492G	48.61	54.00	-5.39	5.44	3	V	291	1.68	-
5190MHz	Pass	AV	5.1788G	99.19	Inf	-Inf	5.50	3	V	291	1.68	-
5190MHz	Pass	PK	5.149995G	65.67	74.00	-8.33	5.44	3	V	291	1.68	-
5190MHz	Pass	PK	5.1788G	116.51	Inf	-Inf	5.50	3	V	291	1.68	-
5190MHz	Pass	AV	10.38G	51.22	54.00	-2.78	10.28	3	H	13	1.52	-
5190MHz	Pass	PK	10.38G	56.78	74.00	-17.22	10.28	3	H	13	1.52	-
5190MHz	Pass	AV	10.38G	49.90	54.00	-4.10	10.28	3	V	262	1.57	-
5190MHz	Pass	PK	10.38G	55.68	74.00	-18.32	10.28	3	V	262	1.57	-
5230MHz	Pass	AV	5.149995G	50.02	54.00	-3.98	5.44	3	H	121	2.53	-
5230MHz	Pass	AV	5.2132G	103.64	Inf	-Inf	5.56	3	H	121	2.53	-
5230MHz	Pass	AV	10.46G	51.20	54.00	-2.80	10.42	3	H	225	2.84	-
5230MHz	Pass	AV	15.69G	52.99	54.00	-1.01	15.52	3	H	238	2.27	-
5230MHz	Pass	PK	5.1496G	65.87	74.00	-8.13	5.44	3	H	121	2.53	-
5230MHz	Pass	PK	5.224G	114.72	Inf	-Inf	5.57	3	H	121	2.53	-
5230MHz	Pass	PK	10.46G	56.32	74.00	-17.68	10.42	3	H	225	2.84	-
5230MHz	Pass	PK	15.69G	69.41	74.00	-4.59	15.52	3	H	238	2.27	-
5230MHz	Pass	AV	5.149995G	49.16	54.00	-4.84	5.44	3	V	295	1.62	-
5230MHz	Pass	AV	5.2336G	102.46	Inf	-Inf	5.58	3	V	295	1.62	-
5230MHz	Pass	AV	10.46G	50.68	54.00	-3.32	10.42	3	V	25	1.01	-
5230MHz	Pass	AV	15.69G	51.85	54.00	-2.15	15.52	3	V	20	3.00	-
5230MHz	Pass	PK	5.1428G	65.31	74.00	-8.69	5.42	3	V	295	1.62	-
5230MHz	Pass	PK	5.2264G	114.52	Inf	-Inf	5.58	3	V	295	1.62	-
5230MHz	Pass	PK	10.46G	55.92	74.00	-18.08	10.42	3	V	25	1.01	-
5230MHz	Pass	PK	15.69G	68.92	74.00	-5.08	15.52	3	V	20	3.00	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.13G	51.06	54.00	-2.94	5.40	3	H	76	1.75	-
5210MHz	Pass	AV	5.175G	90.74	Inf	-Inf	5.50	3	H	76	1.75	-
5210MHz	Pass	AV	5.37G	45.95	54.00	-8.05	5.80	3	H	76	1.75	-
5210MHz	Pass	AV	10.42G	50.50	54.00	-3.50	10.35	3	H	14	1.71	-
5210MHz	Pass	PK	5.145G	63.92	74.00	-10.08	5.43	3	H	76	1.75	-
5210MHz	Pass	PK	5.185G	111.87	Inf	-Inf	5.52	3	H	76	1.75	-
5210MHz	Pass	PK	5.435G	59.42	74.00	-14.58	5.94	3	H	76	1.75	-
5210MHz	Pass	PK	10.42G	55.95	74.00	-18.05	10.35	3	H	14	1.71	-
5210MHz	Pass	AV	5.13G	48.61	54.00	-5.39	5.40	3	V	262	1.63	-
5210MHz	Pass	AV	5.187G	93.31	Inf	-Inf	5.52	3	V	262	1.63	-
5210MHz	Pass	AV	5.459G	45.79	54.00	-8.21	5.99	3	V	262	1.63	-
5210MHz	Pass	AV	10.42G	49.85	54.00	-4.15	10.35	3	V	260	1.68	-
5210MHz	Pass	PK	5.147G	63.57	74.00	-10.43	5.43	3	V	262	1.63	-
5210MHz	Pass	PK	5.186G	111.52	Inf	-Inf	5.52	3	V	262	1.63	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.441G	59.34	74.00	-14.66	5.96	3	V	262	1.63	-
5210MHz	Pass	PK	10.42G	55.85	74.00	-18.15	10.35	3	V	260	1.68	-
802.11ac VHT20_Nss2_(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.4522G	46.41	54.00	-7.59	7.81	3	H	204	1.15	-
5745MHz	Pass	AV	5.751G	101.97	Inf	-Inf	8.33	3	H	204	1.15	-
5745MHz	Pass	AV	5.853G	48.07	Inf	-Inf	8.49	3	H	204	1.15	-
5745MHz	Pass	PK	5.6238G	61.18	68.20	-7.02	8.12	3	H	204	1.15	-
5745MHz	Pass	PK	5.751G	112.95	Inf	-Inf	8.33	3	H	204	1.15	-
5745MHz	Pass	PK	5.9382G	60.64	68.20	-7.56	8.63	3	H	204	1.15	-
5745MHz	Pass	AV	5.4498G	46.36	54.00	-7.64	7.81	3	V	87	1.50	-
5745MHz	Pass	AV	5.7426G	101.83	Inf	-Inf	8.31	3	V	87	1.50	-
5745MHz	Pass	AV	5.8566G	48.00	Inf	-Inf	8.50	3	V	87	1.50	-
5745MHz	Pass	PK	5.643G	61.90	68.20	-6.30	8.15	3	V	87	1.50	-
5745MHz	Pass	PK	5.7438G	112.52	Inf	-Inf	8.31	3	V	87	1.50	-
5745MHz	Pass	PK	5.985G	60.75	68.20	-7.45	8.71	3	V	87	1.50	-
5745MHz	Pass	AV	11.49G	52.06	54.00	-1.94	17.68	3	H	303	1.67	-
5745MHz	Pass	AV	17.235G	52.39	54.00	-1.61	21.73	3	H	74	1.60	-
5745MHz	Pass	PK	11.49G	60.65	74.00	-13.35	17.68	3	H	303	1.67	-
5745MHz	Pass	PK	17.235G	67.49	74.00	-6.51	21.73	3	H	74	1.60	-
5745MHz	Pass	AV	11.49G	51.68	54.00	-2.32	17.68	3	V	61	1.67	-
5745MHz	Pass	AV	17.235G	51.86	54.00	-2.14	21.73	3	V	349	1.38	-
5745MHz	Pass	PK	11.49G	60.88	74.00	-13.12	17.68	3	V	61	1.67	-
5745MHz	Pass	PK	17.235G	66.33	74.00	-7.67	21.73	3	V	349	1.38	-
5785MHz	Pass	AV	5.7874G	107.09	Inf	-Inf	6.42	3	H	62	1.61	-
5785MHz	Pass	PK	5.539G	60.15	68.20	-8.05	6.14	3	H	62	1.61	-
5785MHz	Pass	PK	5.7874G	118.27	Inf	-Inf	6.42	3	H	62	1.61	-
5785MHz	Pass	PK	5.9758G	58.87	68.20	-9.33	6.68	3	H	62	1.61	-
5785MHz	Pass	AV	5.7826G	105.14	Inf	-Inf	6.42	3	V	272	1.60	-
5785MHz	Pass	PK	5.629G	60.25	68.20	-7.95	6.27	3	V	272	1.60	-
5785MHz	Pass	PK	5.7814G	115.96	Inf	-Inf	6.42	3	V	272	1.60	-
5785MHz	Pass	PK	5.989G	58.35	68.20	-9.85	6.70	3	V	272	1.60	-
5785MHz	Pass	AV	11.57G	53.87	54.00	-0.13	17.62	3	H	296	2.51	-
5785MHz	Pass	AV	17.355G	53.79	54.00	-0.21	22.54	3	H	249	1.54	-
5785MHz	Pass	PK	11.57G	61.87	74.00	-12.13	17.62	3	H	296	2.51	-
5785MHz	Pass	PK	17.355G	69.22	74.00	-4.78	22.54	3	H	249	1.54	-
5785MHz	Pass	AV	11.57G	50.92	54.00	-3.08	17.62	3	V	333	1.50	-
5785MHz	Pass	AV	17.355G	53.19	54.00	-0.81	22.54	3	V	350	1.37	-
5785MHz	Pass	PK	11.57G	60.23	74.00	-13.77	17.62	3	V	333	1.50	-
5785MHz	Pass	PK	17.355G	66.83	74.00	-7.17	22.54	3	V	350	1.37	-
5825MHz	Pass	AV	5.819G	107.67	Inf	-Inf	6.46	3	H	183	1.88	-
5825MHz	Pass	PK	5.5718G	60.67	68.20	-7.53	6.19	3	H	183	1.88	-
5825MHz	Pass	PK	5.8202G	118.41	Inf	-Inf	6.46	3	H	183	1.88	-
5825MHz	Pass	PK	5.9402G	59.17	68.20	-9.03	6.63	3	H	183	1.88	-
5825MHz	Pass	AV	5.8226G	105.38	Inf	-Inf	6.46	3	V	71	1.57	-
5825MHz	Pass	PK	5.5814G	59.81	68.20	-8.39	6.20	3	V	71	1.57	-
5825MHz	Pass	PK	5.8238G	115.89	Inf	-Inf	6.46	3	V	71	1.57	-
5825MHz	Pass	PK	5.9894G	59.41	68.20	-8.79	6.70	3	V	71	1.57	-
5825MHz	Pass	AV	11.65G	51.29	54.00	-2.71	17.57	3	H	38	2.56	-
5825MHz	Pass	AV	17.475G	53.30	54.00	-0.70	23.35	3	H	239	1.61	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.65G	60.58	74.00	-13.42	17.57	3	H	38	2.56	-
5825MHz	Pass	PK	17.475G	69.70	74.00	-4.30	23.35	3	H	239	1.61	-
5825MHz	Pass	AV	11.65G	50.50	54.00	-3.50	17.57	3	V	334	1.59	-
5825MHz	Pass	AV	17.475G	53.61	54.00	-0.39	23.35	3	V	11	1.35	-
5825MHz	Pass	PK	11.65G	60.17	74.00	-13.83	17.57	3	V	334	1.59	-
5825MHz	Pass	PK	17.475G	67.05	74.00	-6.95	23.35	3	V	11	1.35	-
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.4574G	46.50	54.00	-7.50	7.83	3	H	203	1.40	-
5755MHz	Pass	AV	5.7514G	101.40	Inf	-Inf	8.33	3	H	203	1.40	-
5755MHz	Pass	AV	5.851G	48.63	Inf	-Inf	8.49	3	H	203	1.40	-
5755MHz	Pass	PK	5.5978G	62.47	68.20	-5.73	8.08	3	H	203	1.40	-
5755MHz	Pass	PK	5.7466G	114.77	Inf	-Inf	8.32	3	H	203	1.40	-
5755MHz	Pass	PK	5.9302G	61.86	68.20	-6.34	8.62	3	H	203	1.40	-
5755MHz	Pass	AV	5.459995G	46.34	54.00	-7.66	7.83	3	V	86	1.32	-
5755MHz	Pass	AV	5.7622G	100.98	Inf	-Inf	8.35	3	V	86	1.32	-
5755MHz	Pass	AV	5.8534G	48.39	Inf	-Inf	8.50	3	V	86	1.32	-
5755MHz	Pass	PK	5.641G	61.34	68.20	-6.86	8.15	3	V	86	1.32	-
5755MHz	Pass	PK	5.7454G	114.23	Inf	-Inf	8.32	3	V	86	1.32	-
5755MHz	Pass	PK	5.9482G	61.10	68.20	-7.10	8.65	3	V	86	1.32	-
5755MHz	Pass	AV	11.51G	53.00	54.00	-1.00	17.66	3	H	297	2.50	-
5755MHz	Pass	AV	17.265G	52.97	54.00	-1.03	21.93	3	H	74	1.49	-
5755MHz	Pass	PK	11.51G	60.52	74.00	-13.48	17.66	3	H	297	2.50	-
5755MHz	Pass	PK	17.265G	66.87	74.00	-7.13	21.93	3	H	74	1.49	-
5755MHz	Pass	AV	11.51G	48.87	54.00	-5.13	17.66	3	V	41	1.50	-
5755MHz	Pass	AV	17.265G	53.13	54.00	-0.87	21.93	3	V	349	2.72	-
5755MHz	Pass	PK	11.51G	58.86	74.00	-15.14	17.66	3	V	41	1.50	-
5755MHz	Pass	PK	17.265G	67.45	74.00	-6.55	21.93	3	V	349	2.72	-
5795MHz	Pass	AV	5.7866G	103.76	Inf	-Inf	6.42	3	H	63	1.50	-
5795MHz	Pass	PK	5.6258G	60.24	68.20	-7.96	6.27	3	H	63	1.50	-
5795MHz	Pass	PK	5.7878G	115.02	Inf	-Inf	6.42	3	H	63	1.50	-
5795MHz	Pass	PK	5.9786G	58.88	68.20	-9.32	6.69	3	H	63	1.50	-
5795MHz	Pass	AV	5.7986G	102.43	Inf	-Inf	6.43	3	V	271	1.25	-
5795MHz	Pass	PK	5.5622G	60.30	68.20	-7.90	6.17	3	V	271	1.25	-
5795MHz	Pass	PK	5.7902G	115.05	Inf	-Inf	6.42	3	V	271	1.25	-
5795MHz	Pass	PK	5.9714G	58.67	68.20	-9.53	6.68	3	V	271	1.25	-
5795MHz	Pass	AV	11.59G	50.81	54.00	-3.19	17.61	3	H	37	2.55	-
5795MHz	Pass	AV	17.385G	52.60	54.00	-1.40	22.74	3	H	75	1.62	-
5795MHz	Pass	PK	11.59G	59.46	74.00	-14.54	17.61	3	H	37	2.55	-
5795MHz	Pass	PK	17.385G	67.87	74.00	-6.13	22.74	3	H	75	1.62	-
5795MHz	Pass	AV	11.59G	50.45	54.00	-3.55	17.61	3	V	334	1.50	-
5795MHz	Pass	AV	17.385G	51.68	54.00	-2.32	22.74	3	V	339	1.33	-
5795MHz	Pass	PK	11.59G	59.25	74.00	-14.75	17.61	3	V	334	1.50	-
5795MHz	Pass	PK	17.385G	65.46	74.00	-8.54	22.74	3	V	339	1.33	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7714G	101.40	Inf	-Inf	6.41	3	H	66	1.98	-
5775MHz	Pass	PK	5.6394G	67.97	68.20	-0.23	6.29	3	H	66	1.98	-
5775MHz	Pass	PK	5.7858G	115.38	Inf	-Inf	6.42	3	H	66	1.98	-
5775MHz	Pass	PK	5.9286G	60.90	68.20	-7.30	6.61	3	H	66	1.98	-
5775MHz	Pass	AV	5.7906G	100.02	Inf	-Inf	6.42	3	V	73	1.51	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.6478G	65.24	68.20	-2.96	6.30	3	V	73	1.51	-
5775MHz	Pass	PK	5.7906G	116.35	Inf	-Inf	6.42	3	V	73	1.51	-
5775MHz	Pass	PK	5.925G	61.87	68.20	-6.33	6.61	3	V	73	1.51	-
5775MHz	Pass	AV	11.55G	49.88	54.00	-4.12	17.64	3	H	40	1.61	-
5775MHz	Pass	AV	17.325G	53.74	54.00	-0.26	22.34	3	H	227	1.98	-
5775MHz	Pass	PK	11.55G	58.23	74.00	-15.77	17.64	3	H	40	1.61	-
5775MHz	Pass	PK	17.325G	69.97	74.00	-4.03	22.34	3	H	227	1.98	-
5775MHz	Pass	AV	11.55G	49.55	54.00	-4.45	17.64	3	V	332	1.50	-
5775MHz	Pass	AV	17.325G	53.09	54.00	-0.91	22.34	3	V	338	1.31	-
5775MHz	Pass	PK	11.55G	59.03	74.00	-14.97	17.64	3	V	332	1.50	-
5775MHz	Pass	PK	17.325G	69.55	74.00	-4.45	22.34	3	V	338	1.31	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1498G	53.14	54.00	-0.86	5.44	3	V	83	1.85	-
AV	5.1778G	105.83	Inf	-Inf	5.50	3	V	83	1.85	-
PK	5.149G	71.54	74.00	-2.46	5.44	3	V	83	1.85	-
PK	5.1776G	116.24	Inf	-Inf	5.50	3	V	83	1.85	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.80	54.00	-0.20	5.44	3	H	115	1.81	-
AV	5.1734G	106.21	Inf	-Inf	5.49	3	H	115	1.81	-
PK	5.1494G	70.26	74.00	-3.74	5.44	3	H	115	1.81	-
PK	5.1874G	117.19	Inf	-Inf	5.52	3	H	115	1.81	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	49.55	54.00	-4.45	10.25	3	V	276	1.60	-
AV	15.54G	50.82	54.00	-3.18	15.52	3	V	337	3.18	-
PK	10.36G	57.05	74.00	-16.95	10.25	3	V	276	1.60	-
PK	15.54G	70.22	74.00	-3.78	15.52	3	V	337	3.18	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5180MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.36G	50.88	54.00	-3.12	10.25	3	H	16	1.75	-
AV	15.54G	51.92	54.00	-2.08	15.52	3	H	237	1.92	-
PK	10.36G	57.15	74.00	-16.85	10.25	3	H	16	1.75	-
PK	15.54G	71.92	74.00	-2.08	15.52	3	H	237	1.92	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.198G	104.36	Inf	-Inf	7.26	3	V	84	1.40	-
AV	5.1492G	46.96	54.00	-7.04	7.15	3	V	84	1.40	-
PK	5.1924G	114.90	Inf	-Inf	7.24	3	V	84	1.40	-
PK	5.1452G	60.95	74.00	-13.05	7.14	3	V	84	1.40	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.198G	108.30	Inf	-Inf	7.26	3	H	116	1.75	-
AV	5.149995G	47.97	54.00	-6.03	7.15	3	H	116	1.75	-
PK	5.1932G	120.24	Inf	-Inf	7.25	3	H	116	1.75	-
PK	5.146G	64.68	74.00	-9.32	7.14	3	H	116	1.75	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	51.90	54.00	-2.10	17.08	3	V	28	1.07	-
AV	15.6G	49.70	54.00	-4.30	17.48	3	V	38	2.97	-
PK	10.4G	60.92	74.00	-13.08	17.08	3	V	28	1.07	-
PK	15.6G	69.63	74.00	-4.37	17.48	3	V	38	2.97	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5200MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.4G	50.63	54.00	-3.37	17.08	3	H	134	1.61	-
AV	15.6G	51.74	54.00	-2.26	17.48	3	H	229	2.20	-
PK	10.4G	65.23	74.00	-8.77	17.08	3	H	134	1.61	-
PK	15.6G	69.89	74.00	-4.11	17.48	3	H	229	2.20	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1158G	45.76	54.00	-8.24	5.36	3	V	278	1.38	-
AV	5.2334G	103.77	Inf	-Inf	5.58	3	V	278	1.38	-
AV	5.378G	45.63	54.00	-8.37	5.82	3	V	278	1.38	-
PK	5.1206G	58.90	74.00	-15.10	5.38	3	V	278	1.38	-
PK	5.2346G	114.60	Inf	-Inf	5.58	3	V	278	1.38	-
PK	5.3708G	59.10	74.00	-14.90	5.81	3	V	278	1.38	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0954G	45.94	54.00	-8.06	5.32	3	H	82	1.51	-
AV	5.2334G	104.57	Inf	-Inf	5.58	3	H	82	1.51	-
AV	5.3726G	45.62	54.00	-8.38	5.81	3	H	82	1.51	-
PK	5.1212G	59.51	74.00	-14.49	5.38	3	H	82	1.51	-
PK	5.2346G	115.21	Inf	-Inf	5.58	3	H	82	1.51	-
PK	5.3504G	58.42	74.00	-15.58	5.76	3	H	82	1.51	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	51.09	54.00	-2.91	10.46	3	V	27	1.01	-
AV	15.72G	53.86	54.00	-0.14	15.52	3	V	21	2.85	-
PK	10.48G	56.76	74.00	-17.24	10.46	3	V	27	1.01	-
PK	15.72G	72.63	74.00	-1.37	15.52	3	V	21	2.85	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5240MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.48G	51.47	54.00	-2.53	10.46	3	H	223	2.84	-
AV	15.72G	51.52	54.00	-2.48	15.52	3	H	236	2.32	-
PK	10.48G	57.56	74.00	-16.44	10.46	3	H	223	2.84	-
PK	15.72G	72.18	74.00	-1.82	15.52	3	H	236	2.32	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	48.61	54.00	-5.39	5.44	3	V	291	1.68	-
AV	5.1788G	99.19	Inf	-Inf	5.50	3	V	291	1.68	-
PK	5.149995G	65.67	74.00	-8.33	5.44	3	V	291	1.68	-
PK	5.1788G	116.51	Inf	-Inf	5.50	3	V	291	1.68	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.26	54.00	-3.74	5.44	3	H	249	1.67	-
AV	5.1812G	99.05	Inf	-Inf	5.51	3	H	249	1.67	-
PK	5.1344G	65.30	74.00	-8.70	5.41	3	H	249	1.67	-
PK	5.1816G	115.81	Inf	-Inf	5.51	3	H	249	1.67	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	49.90	54.00	-4.10	10.28	3	V	262	1.57	-
PK	10.38G	55.68	74.00	-18.32	10.28	3	V	262	1.57	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5190MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.38G	51.22	54.00	-2.78	10.28	3	H	13	1.52	-
PK	10.38G	56.78	74.00	-17.22	10.28	3	H	13	1.52	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.16	54.00	-4.84	5.44	3	V	295	1.62	-
AV	5.2336G	102.46	Inf	-Inf	5.58	3	V	295	1.62	-
PK	5.1428G	65.31	74.00	-8.69	5.42	3	V	295	1.62	-
PK	5.2264G	114.52	Inf	-Inf	5.58	3	V	295	1.62	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.02	54.00	-3.98	5.44	3	H	121	2.53	-
AV	5.2132G	103.64	Inf	-Inf	5.56	3	H	121	2.53	-
PK	5.1496G	65.87	74.00	-8.13	5.44	3	H	121	2.53	-
PK	5.224G	114.72	Inf	-Inf	5.57	3	H	121	2.53	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	50.68	54.00	-3.32	10.42	3	V	25	1.01	-
AV	15.69G	51.85	54.00	-2.15	15.52	3	V	20	3.00	-
PK	10.46G	55.92	74.00	-18.08	10.42	3	V	25	1.01	-
PK	15.69G	68.92	74.00	-5.08	15.52	3	V	20	3.00	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5230MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.46G	51.20	54.00	-2.80	10.42	3	H	225	2.84	-
AV	15.69G	52.99	54.00	-1.01	15.52	3	H	238	2.27	-
PK	10.46G	56.32	74.00	-17.68	10.42	3	H	225	2.84	-
PK	15.69G	69.41	74.00	-4.59	15.52	3	H	238	2.27	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.13G	48.61	54.00	-5.39	5.40	3	V	262	1.63	-
AV	5.187G	93.31	Inf	-Inf	5.52	3	V	262	1.63	-
AV	5.459G	45.79	54.00	-8.21	5.99	3	V	262	1.63	-
PK	5.147G	63.57	74.00	-10.43	5.43	3	V	262	1.63	-
PK	5.186G	111.52	Inf	-Inf	5.52	3	V	262	1.63	-
PK	5.441G	59.34	74.00	-14.66	5.96	3	V	262	1.63	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.13G	51.06	54.00	-2.94	5.40	3	H	76	1.75	-
AV	5.175G	90.74	Inf	-Inf	5.50	3	H	76	1.75	-
AV	5.37G	45.95	54.00	-8.05	5.80	3	H	76	1.75	-
PK	5.145G	63.92	74.00	-10.08	5.43	3	H	76	1.75	-
PK	5.185G	111.87	Inf	-Inf	5.52	3	H	76	1.75	-
PK	5.435G	59.42	74.00	-14.58	5.94	3	H	76	1.75	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	49.85	54.00	-4.15	10.35	3	V	260	1.68	-
PK	10.42G	55.85	74.00	-18.15	10.35	3	V	260	1.68	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5210MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.42G	50.50	54.00	-3.50	10.35	3	H	14	1.71	-
PK	10.42G	55.95	74.00	-18.05	10.35	3	H	14	1.71	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7426G	101.83	Inf	-Inf	8.31	3	V	87	1.50	-
AV	5.4498G	46.36	54.00	-7.64	7.81	3	V	87	1.50	-
AV	5.8566G	48.00	Inf	-Inf	8.50	3	V	87	1.50	-
PK	5.7438G	112.52	Inf	-Inf	8.31	3	V	87	1.50	-
PK	5.643G	61.90	68.20	-6.30	8.15	3	V	87	1.50	-
PK	5.985G	60.75	68.20	-7.45	8.71	3	V	87	1.50	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.751G	101.97	Inf	-Inf	8.33	3	H	204	1.15	-
AV	5.4522G	46.41	54.00	-7.59	7.81	3	H	204	1.15	-
AV	5.853G	48.07	Inf	-Inf	8.49	3	H	204	1.15	-
PK	5.751G	112.95	Inf	-Inf	8.33	3	H	204	1.15	-
PK	5.6238G	61.18	68.20	-7.02	8.12	3	H	204	1.15	-
PK	5.9382G	60.64	68.20	-7.56	8.63	3	H	204	1.15	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	51.68	54.00	-2.32	17.68	3	V	61	1.67	-
AV	17.235G	51.86	54.00	-2.14	21.73	3	V	349	1.38	-
PK	11.49G	60.88	74.00	-13.12	17.68	3	V	61	1.67	-
PK	17.235G	66.33	74.00	-7.67	21.73	3	V	349	1.38	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5745MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49G	52.06	54.00	-1.94	17.68	3	H	303	1.67	-
AV	17.235G	52.39	54.00	-1.61	21.73	3	H	74	1.60	-
PK	11.49G	60.65	74.00	-13.35	17.68	3	H	303	1.67	-
PK	17.235G	67.49	74.00	-6.51	21.73	3	H	74	1.60	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7826G	105.14	Inf	-Inf	6.42	3	V	272	1.60	-
PK	5.629G	60.25	68.20	-7.95	6.27	3	V	272	1.60	-
PK	5.7814G	115.96	Inf	-Inf	6.42	3	V	272	1.60	-
PK	5.989G	58.35	68.20	-9.85	6.70	3	V	272	1.60	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7874G	107.09	Inf	-Inf	6.42	3	H	62	1.61	-
PK	5.539G	60.15	68.20	-8.05	6.14	3	H	62	1.61	-
PK	5.7874G	118.27	Inf	-Inf	6.42	3	H	62	1.61	-
PK	5.9758G	58.87	68.20	-9.33	6.68	3	H	62	1.61	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	50.92	54.00	-3.08	17.62	3	V	333	1.50	-
PK	11.57G	60.23	74.00	-13.77	17.62	3	V	333	1.50	-
AV	17.355G	53.19	54.00	-0.81	22.54	3	V	350	1.37	-
PK	17.355G	66.83	74.00	-7.17	22.54	3	V	350	1.37	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5785MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57G	53.87	54.00	-0.13	17.62	3	H	296	2.51	-
AV	17.355G	53.79	54.00	-0.21	22.54	3	H	249	1.54	-
PK	11.57G	61.87	74.00	-12.13	17.62	3	H	296	2.51	-
PK	17.355G	69.22	74.00	-4.78	22.54	3	H	249	1.54	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8226G	105.38	Inf	-Inf	6.46	3	V	71	1.57	-
PK	5.5814G	59.81	68.20	-8.39	6.20	3	V	71	1.57	-
PK	5.8238G	115.89	Inf	-Inf	6.46	3	V	71	1.57	-
PK	5.9894G	59.41	68.20	-8.79	6.70	3	V	71	1.57	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	107.67	Inf	-Inf	6.46	3	H	183	1.88	-
PK	5.5718G	60.67	68.20	-7.53	6.19	3	H	183	1.88	-
PK	5.8202G	118.41	Inf	-Inf	6.46	3	H	183	1.88	-
PK	5.9402G	59.17	68.20	-9.03	6.63	3	H	183	1.88	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65G	50.50	54.00	-3.50	17.57	3	V	334	1.59	-
AV	17.475G	53.61	54.00	-0.39	23.35	3	V	11	1.35	-
PK	11.65G	60.17	74.00	-13.83	17.57	3	V	334	1.59	-
PK	17.475G	67.05	74.00	-6.95	23.35	3	V	11	1.35	-

802.11ac VHT20_Nss2,(MCS0)_8TX

5825MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	17.475G	53.30	54.00	-0.70	23.35	3	H	239	1.61	-
PK	17.475G	69.70	74.00	-4.30	23.35	3	H	239	1.61	-
AV	11.65G	51.29	54.00	-2.71	17.57	3	H	38	2.56	-
PK	11.65G	60.58	74.00	-13.42	17.57	3	H	38	2.56	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7622G	100.98	Inf	-Inf	8.35	3	V	86	1.32	-
AV	5.459995G	46.34	54.00	-7.66	7.83	3	V	86	1.32	-
AV	5.8534G	48.39	Inf	-Inf	8.50	3	V	86	1.32	-
PK	5.7454G	114.23	Inf	-Inf	8.32	3	V	86	1.32	-
PK	5.641G	61.34	68.20	-6.86	8.15	3	V	86	1.32	-
PK	5.9482G	61.10	68.20	-7.10	8.65	3	V	86	1.32	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7514G	101.40	Inf	-Inf	8.33	3	H	203	1.40	-
AV	5.4574G	46.50	54.00	-7.50	7.83	3	H	203	1.40	-
AV	5.851G	48.63	Inf	-Inf	8.49	3	H	203	1.40	-
PK	5.7466G	114.77	Inf	-Inf	8.32	3	H	203	1.40	-
PK	5.5978G	62.47	68.20	-5.73	8.08	3	H	203	1.40	-
PK	5.9302G	61.86	68.20	-6.34	8.62	3	H	203	1.40	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	48.87	54.00	-5.13	17.66	3	V	41	1.50	-
AV	17.265G	53.13	54.00	-0.87	21.93	3	V	349	2.72	-
PK	11.51G	58.86	74.00	-15.14	17.66	3	V	41	1.50	-
PK	17.265G	67.45	74.00	-6.55	21.93	3	V	349	2.72	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5755MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51G	53.00	54.00	-1.00	17.66	3	H	297	2.50	-
AV	17.265G	52.97	54.00	-1.03	21.93	3	H	74	1.49	-
PK	11.51G	60.52	74.00	-13.48	17.66	3	H	297	2.50	-
PK	17.265G	66.87	74.00	-7.13	21.93	3	H	74	1.49	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7986G	102.43	Inf	-Inf	6.43	3	V	271	1.25	-
PK	5.5622G	60.30	68.20	-7.90	6.17	3	V	271	1.25	-
PK	5.7902G	115.05	Inf	-Inf	6.42	3	V	271	1.25	-
PK	5.9714G	58.67	68.20	-9.53	6.68	3	V	271	1.25	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7866G	103.76	Inf	-Inf	6.42	3	H	63	1.50	-
PK	5.6258G	60.24	68.20	-7.96	6.27	3	H	63	1.50	-
PK	5.7878G	115.02	Inf	-Inf	6.42	3	H	63	1.50	-
PK	5.9786G	58.88	68.20	-9.32	6.69	3	H	63	1.50	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	50.45	54.00	-3.55	17.61	3	V	334	1.50	-
AV	17.385G	51.68	54.00	-2.32	22.74	3	V	339	1.33	-
PK	11.59G	59.25	74.00	-14.75	17.61	3	V	334	1.50	-
PK	17.385G	65.46	74.00	-8.54	22.74	3	V	339	1.33	-

802.11ac VHT40_Nss2,(MCS0)_8TX

5795MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59G	50.81	54.00	-3.19	17.61	3	H	37	2.55	-
AV	17.385G	52.60	54.00	-1.40	22.74	3	H	75	1.62	-
PK	11.59G	59.46	74.00	-14.54	17.61	3	H	37	2.55	-
PK	17.385G	67.87	74.00	-6.13	22.74	3	H	75	1.62	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7906G	100.02	Inf	-Inf	6.42	3	V	73	1.51	-
PK	5.6478G	65.24	68.20	-2.96	6.30	3	V	73	1.51	-
PK	5.7906G	116.35	Inf	-Inf	6.42	3	V	73	1.51	-
PK	5.925G	61.87	68.20	-6.33	6.61	3	V	73	1.51	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7714G	101.40	Inf	-Inf	6.41	3	H	66	1.98	-
PK	5.6394G	67.97	68.20	-0.23	6.29	3	H	66	1.98	-
PK	5.7858G	115.38	Inf	-Inf	6.42	3	H	66	1.98	-
PK	5.9286G	60.90	68.20	-7.30	6.61	3	H	66	1.98	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_BF




EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	49.55	54.00	-4.45	17.64	3	V	332	1.50	-
AV	17.325G	53.09	54.00	-0.91	22.34	3	V	338	1.31	-
PK	11.55G	59.03	74.00	-14.97	17.64	3	V	332	1.50	-
PK	17.325G	69.55	74.00	-4.45	22.34	3	V	338	1.31	-

802.11ac VHT80_Nss2,(MCS0)_8TX

5775MHz_BF



EUT=Y axis

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55G	49.88	54.00	-4.12	17.64	3	H	40	1.61	-
AV	17.325G	53.74	54.00	-0.26	22.34	3	H	227	1.98	-
PK	11.55G	58.23	74.00	-15.77	17.64	3	H	40	1.61	-
PK	17.325G	69.97	74.00	-4.03	22.34	3	H	227	1.98	-



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	5.2G	5.199918G	15.863	20	1	10 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ac VHT20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-
5200MHz_-30°C	Pass	5.2G	5.200028G	5.408	20	1	0 min
5200MHz_-30°C	Pass	5.2G	5.200022G	4.326	20	1	2 min
5200MHz_-30°C	Pass	5.2G	5.200026G	5.047	20	1	5 min
5200MHz_-30°C	Pass	5.2G	5.200024G	4.687	20	1	10 min
5200MHz_-20°C	Pass	5.2G	5.199993G	1.442	20	1	0 min
5200MHz_-20°C	Pass	5.2G	5.199994G	1.082	20	1	2 min
5200MHz_-20°C	Pass	5.2G	5.199991G	1.803	20	1	5 min
5200MHz_-20°C	Pass	5.2G	5.199994G	1.082	20	1	10 min
5200MHz_-10°C	Pass	5.2G	5.199942G	11.176	20	1	0 min
5200MHz_-10°C	Pass	5.2G	5.199933G	12.979	20	1	2 min
5200MHz_-10°C	Pass	5.2G	5.199942G	11.176	20	1	5 min
5200MHz_-10°C	Pass	5.2G	5.199918G	15.863	20	1	10 min
5200MHz_0°C	Pass	5.2G	5.199942G	11.176	20	1	0 min
5200MHz_0°C	Pass	5.2G	5.199949G	9.734	20	1	2 min
5200MHz_0°C	Pass	5.2G	5.199942G	11.176	20	1	5 min
5200MHz_0°C	Pass	5.2G	5.199948G	10.095	20	1	10 min
5200MHz_10°C	Pass	5.2G	5.199983G	3.245	20	1	0 min
5200MHz_10°C	Pass	5.2G	5.199966G	6.49	20	1	2 min
5200MHz_10°C	Pass	5.2G	5.199981G	3.605	20	1	5 min
5200MHz_10°C	Pass	5.2G	5.199976G	4.687	20	1	10 min
5200MHz_20°C	Pass	5.2G	5.199974G	5.047	20	1	0 min
5200MHz_20°C	Pass	5.2G	5.199974G	5.047	20	1	2 min
5200MHz_20°C	Pass	5.2G	5.19997G	5.769	20	1	5 min
5200MHz_20°C	Pass	5.2G	5.199976G	4.687	20	1	10 min
5200MHz_30°C	Pass	5.2G	5.199936G	12.258	20	1	0 min
5200MHz_30°C	Pass	5.2G	5.199936G	12.258	20	1	2 min
5200MHz_30°C	Pass	5.2G	5.199931G	13.34	20	1	5 min
5200MHz_30°C	Pass	5.2G	5.199933G	12.979	20	1	10 min
5200MHz_40°C	Pass	5.2G	5.199942G	11.176	20	1	0 min
5200MHz_40°C	Pass	5.2G	5.199938G	11.898	20	1	2 min
5200MHz_40°C	Pass	5.2G	5.199951G	9.374	20	1	5 min
5200MHz_40°C	Pass	5.2G	5.199948G	10.095	20	1	10 min
5200MHz_50°C	Pass	5.2G	5.199936G	12.258	20	1	0 min
5200MHz_50°C	Pass	5.2G	5.199944G	10.816	20	1	2 min
5200MHz_50°C	Pass	5.2G	5.199953G	9.013	20	1	5 min
5200MHz_50°C	Pass	5.2G	5.19994G	11.537	20	1	10 min
5200MHz_138V	Pass	5.2G	5.199968G	6.129	20	1	0 min
5200MHz_138V	Pass	5.2G	5.199966G	6.49	20	1	2 min
5200MHz_138V	Pass	5.2G	5.199976G	4.687	20	1	5 min
5200MHz_138V	Pass	5.2G	5.199961G	7.571	20	1	10 min
5200MHz_120V	Pass	5.2G	5.199974G	5.047	20	1	0 min
5200MHz_120V	Pass	5.2G	5.199974G	5.047	20	1	2 min
5200MHz_120V	Pass	5.2G	5.199978G	4.326	20	1	5 min



Frequency Stability Result- NSS1

Appendix F.1

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5200MHz_120V	Pass	5.2G	5.199978G	4.326	20	1	10 min
5200MHz_102V	Pass	5.2G	5.199987G	2.524	20	1	0 min
5200MHz_102V	Pass	5.2G	5.199972G	5.408	20	1	2 min
5200MHz_102V	Pass	5.2G	5.199961G	7.571	20	1	5 min
5200MHz_102V	Pass	5.2G	5.199974G	5.047	20	1	10 min



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	5.2G	5.199934G	12.619	20	1	10 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-
5200MHz_-30°C	Pass	5.2G	5.199979G	3.966	20	1	0 min
5200MHz_-30°C	Pass	5.2G	5.199987G	2.524	20	1	2 min
5200MHz_-30°C	Pass	5.2G	5.199983G	3.245	20	1	5 min
5200MHz_-30°C	Pass	5.2G	5.199987G	2.524	20	1	10 min
5200MHz_-20°C	Pass	5.2G	5.199979G	3.966	20	1	0 min
5200MHz_-20°C	Pass	5.2G	5.199972G	5.408	20	1	2 min
5200MHz_-20°C	Pass	5.2G	5.199979G	3.966	20	1	5 min
5200MHz_-20°C	Pass	5.2G	5.199974G	5.047	20	1	10 min
5200MHz_-10°C	Pass	5.2G	5.199983G	3.245	20	1	0 min
5200MHz_-10°C	Pass	5.2G	5.199978G	4.326	20	1	2 min
5200MHz_-10°C	Pass	5.2G	5.199972G	5.408	20	1	5 min
5200MHz_-10°C	Pass	5.2G	5.199979G	3.966	20	1	10 min
5200MHz_0°C	Pass	5.2G	5.199983G	3.245	20	1	0 min
5200MHz_0°C	Pass	5.2G	5.199978G	4.326	20	1	2 min
5200MHz_0°C	Pass	5.2G	5.199979G	3.966	20	1	5 min
5200MHz_0°C	Pass	5.2G	5.199989G	2.163	20	1	10 min
5200MHz_10°C	Pass	5.2G	5.199955G	8.653	20	1	0 min
5200MHz_10°C	Pass	5.2G	5.199951G	9.374	20	1	2 min
5200MHz_10°C	Pass	5.2G	5.199948G	10.095	20	1	5 min
5200MHz_10°C	Pass	5.2G	5.199963G	7.211	20	1	10 min
5200MHz_20°C	Pass	5.2G	5.199957G	8.292	20	1	0 min
5200MHz_20°C	Pass	5.2G	5.199955G	8.653	20	1	2 min
5200MHz_20°C	Pass	5.2G	5.199948G	10.095	20	1	5 min
5200MHz_20°C	Pass	5.2G	5.199948G	10.095	20	1	10 min
5200MHz_30°C	Pass	5.2G	5.19994G	11.537	20	1	0 min
5200MHz_30°C	Pass	5.2G	5.199949G	9.734	20	1	2 min
5200MHz_30°C	Pass	5.2G	5.199948G	10.095	20	1	5 min
5200MHz_30°C	Pass	5.2G	5.199944G	10.816	20	1	10 min
5200MHz_40°C	Pass	5.2G	5.199948G	10.095	20	1	0 min
5200MHz_40°C	Pass	5.2G	5.199942G	11.176	20	1	2 min
5200MHz_40°C	Pass	5.2G	5.19994G	11.537	20	1	5 min
5200MHz_40°C	Pass	5.2G	5.199938G	11.898	20	1	10 min
5200MHz_50°C	Pass	5.2G	5.199949G	9.734	20	1	0 min
5200MHz_50°C	Pass	5.2G	5.19994G	11.537	20	1	2 min
5200MHz_50°C	Pass	5.2G	5.199938G	11.898	20	1	5 min
5200MHz_50°C	Pass	5.2G	5.199934G	12.619	20	1	10 min
5200MHz_138V	Pass	5.2G	5.199957G	8.292	20	1	0 min
5200MHz_138V	Pass	5.2G	5.199959G	7.932	20	1	2 min
5200MHz_138V	Pass	5.2G	5.199946G	10.455	20	1	5 min
5200MHz_138V	Pass	5.2G	5.199949G	9.734	20	1	10 min
5200MHz_120V	Pass	5.2G	5.199959G	7.932	20	1	0 min
5200MHz_120V	Pass	5.2G	5.199949G	9.734	20	1	2 min
5200MHz_120V	Pass	5.2G	5.199959G	7.932	20	1	5 min



Frequency Stability Result- NSS2

Appendix F.2

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5200MHz_120V	Pass	5.2G	5.199955G	8.653	20	1	10 min
5200MHz_102V	Pass	5.2G	5.199959G	7.932	20	1	0 min
5200MHz_102V	Pass	5.2G	5.199957G	8.292	20	1	2 min
5200MHz_102V	Pass	5.2G	5.199959G	7.932	20	1	5 min
5200MHz_102V	Pass	5.2G	5.199959G	7.932	20	1	10 min