


### 802.11a\_(6Mbps)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	46.11	54.00	-7.89	17.71	3	V	313	1.44	-
AV	17.16G	52.79	54.00	-1.21	21.22	3	V	258	1.43	-
PK	11.44G	57.68	74.00	-16.32	17.71	3	V	313	1.44	-
PK	17.16G	66.81	74.00	-7.19	21.22	3	V	258	1.43	-

### 802.11a\_(6Mbps)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	49.01	54.00	-4.99	17.71	3	H	315	1.49	-
AV	17.16G	53.42	54.00	-0.58	21.22	3	H	260	1.47	-
PK	11.44G	59.71	74.00	-14.29	17.71	3	H	315	1.49	-
PK	17.16G	68.11	74.00	-5.89	21.22	3	H	260	1.47	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5260MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1196G	44.76	54.00	-9.24	2.65	3	V	142	1.82	-
AV	5.2618G	108.79	Inf	-Inf	2.81	3	V	142	1.82	-
AV	5.3602G	45.54	54.00	-8.46	2.92	3	V	142	1.82	-
PK	5.149995G	57.26	74.00	-16.74	2.69	3	V	142	1.82	-
PK	5.2612G	118.26	Inf	-Inf	2.81	3	V	142	1.82	-
PK	5.3554G	57.31	74.00	-16.69	2.92	3	V	142	1.82	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1196G	44.96	54.00	-9.04	2.65	3	H	147	2.22	-
AV	5.2528G	109.25	Inf	-Inf	2.80	3	H	147	2.22	-
AV	5.3878G	44.47	54.00	-9.53	2.96	3	H	147	2.22	-
PK	5.1178G	56.67	74.00	-17.33	2.65	3	H	147	2.22	-
PK	5.2528G	119.34	Inf	-Inf	2.80	3	H	147	2.22	-
PK	5.371G	57.35	74.00	-16.65	2.94	3	H	147	2.22	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	49.76	54.00	-4.24	17.26	3	V	26	2.63	-
AV	15.78G	52.62	54.00	-1.38	16.92	3	V	266	1.60	-
PK	10.52G	60.11	74.00	-13.89	17.26	3	V	26	2.63	-
PK	15.78G	70.67	74.00	-3.33	16.92	3	V	266	1.60	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	52.57	54.00	-1.43	17.26	3	H	87	1.75	-
AV	15.78G	52.02	54.00	-1.98	16.92	3	H	233	1.57	-
PK	10.52G	61.03	74.00	-12.97	17.26	3	H	87	1.75	-
PK	15.78G	68.52	74.00	-5.48	16.92	3	H	233	1.57	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3004G	108.86	Inf	-Inf	2.85	3	V	127	1.60	-
AV	5.350005G	46.65	54.00	-7.35	2.91	3	V	127	1.60	-
PK	5.3044G	118.71	Inf	-Inf	2.86	3	V	127	1.60	-
PK	5.3524G	60.12	74.00	-13.88	2.91	3	V	127	1.60	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5300MHz\_TX



cut : Y


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3076G	109.16	Inf	-Inf	2.86	3	H	57	1.00	-
AV	5.350005G	46.95	54.00	-7.05	2.91	3	H	57	1.00	-
PK	5.3052G	119.01	Inf	-Inf	2.86	3	H	57	1.00	-
PK	5.350005G	61.55	74.00	-12.45	2.91	3	H	57	1.00	-





### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	49.75	54.00	-4.25	17.38	3	V	26	1.40	-
AV	15.9G	52.29	54.00	-1.71	16.55	3	V	260	1.48	-
PK	10.6G	60.58	74.00	-13.42	17.38	3	V	26	1.40	-
PK	15.9G	68.85	74.00	-5.15	16.55	3	V	260	1.48	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	52.85	54.00	-1.15	17.38	3	H	316	1.44	-
AV	15.9G	53.06	54.00	-0.94	16.55	3	H	144	1.59	-
PK	10.6G	61.88	74.00	-12.12	17.38	3	H	316	1.44	-
PK	15.9G	68.85	74.00	-5.15	16.55	3	H	144	1.59	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3126G	106.71	Inf	-Inf	2.87	3	V	153	1.60	-
AV	5.3502G	53.47	54.00	-0.53	2.91	3	V	153	1.60	-
PK	5.313G	116.49	Inf	-Inf	2.87	3	V	153	1.60	-
PK	5.3504G	69.94	74.00	-4.06	2.91	3	V	153	1.60	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3208G	107.25	Inf	-Inf	2.87	3	H	318	1.04	-
AV	5.350005G	51.90	54.00	-2.10	2.91	3	H	318	1.04	-
PK	5.3244G	117.34	Inf	-Inf	2.88	3	H	318	1.04	-
PK	5.3516G	67.16	74.00	-6.84	2.91	3	H	318	1.04	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	53.20	54.00	-0.80	17.45	3	V	23	1.43	-
AV	15.96G	52.49	54.00	-1.51	16.36	3	V	342	2.71	-
PK	10.64G	60.27	74.00	-13.73	17.45	3	V	23	1.43	-
PK	15.96G	70.00	74.00	-4.00	16.36	3	V	342	2.71	-



### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5320MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	52.05	54.00	-1.95	17.45	3	H	215	1.40	-
AV	15.96G	49.70	54.00	-4.30	16.36	3	H	63	1.54	-
PK	10.64G	58.53	74.00	-15.47	17.45	3	H	215	1.40	-
PK	15.96G	66.05	74.00	-7.95	16.36	3	H	63	1.54	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5500MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	47.06	54.00	-6.94	3.04	3	V	14	2.46	-
AV	5.5042G	105.75	Inf	-Inf	3.09	3	V	14	2.46	-
PK	5.4598G	61.24	74.00	-12.76	3.04	3	V	14	2.46	-
PK	5.4654G	66.42	68.20	-1.78	3.04	3	V	14	2.46	-
PK	5.5044G	116.54	Inf	-Inf	3.09	3	V	14	2.46	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5500MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	46.39	54.00	-7.61	3.04	3	H	318	1.77	-
AV	5.4962G	106.64	Inf	-Inf	3.08	3	H	318	1.77	-
PK	5.4578G	60.14	74.00	-13.86	3.03	3	H	318	1.77	-
PK	5.467G	65.28	68.20	-2.92	3.04	3	H	318	1.77	-
PK	5.5044G	117.17	Inf	-Inf	3.09	3	H	318	1.77	-



### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5500MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	52.88	54.00	-1.12	18.00	3	V	303	1.68	-
AV	16.5G	48.19	54.00	-5.81	18.19	3	V	266	1.37	-
PK	11G	62.04	74.00	-11.96	18.00	3	V	303	1.68	-
PK	16.5G	61.89	74.00	-12.11	18.19	3	V	266	1.37	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5500MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	53.82	54.00	-0.18	18.00	3	H	311	2.13	-
AV	16.5G	48.79	54.00	-5.21	18.19	3	H	143	1.53	-
PK	11G	62.30	74.00	-11.70	18.00	3	H	311	2.13	-
PK	16.5G	64.19	74.00	-9.81	18.19	3	H	143	1.53	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	44.20	54.00	-9.80	3.03	3	V	92	1.60	-
AV	5.5872G	106.88	Inf	-Inf	3.25	3	V	92	1.60	-
PK	5.4588G	56.03	74.00	-17.97	3.03	3	V	92	1.60	-
PK	5.469G	56.51	68.20	-11.69	3.05	3	V	92	1.60	-
PK	5.5848G	115.82	Inf	-Inf	3.24	3	V	92	1.60	-
PK	5.7276G	57.09	68.20	-11.11	3.51	3	V	92	1.60	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4594G	44.22	54.00	-9.78	3.04	3	H	324	1.49	-
AV	5.5806G	108.46	Inf	-Inf	3.23	3	H	324	1.49	-
PK	5.4456G	56.40	74.00	-17.60	3.02	3	H	324	1.49	-
PK	5.463G	56.77	68.20	-11.43	3.04	3	H	324	1.49	-
PK	5.5848G	119.28	Inf	-Inf	3.24	3	H	324	1.49	-
PK	5.7276G	55.65	68.20	-12.55	3.51	3	H	324	1.49	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5580MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	53.12	54.00	-0.88	17.89	3	V	274	1.72	-
AV	16.74G	52.98	54.00	-1.02	19.13	3	V	279	3.10	-
PK	11.16G	67.15	74.00	-6.85	17.89	3	V	274	1.72	-
PK	16.74G	67.94	74.00	-6.06	19.13	3	V	279	3.10	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	53.77	54.00	-0.23	17.89	3	H	204	3.40	-
AV	16.74G	48.77	54.00	-5.23	19.13	3	H	322	1.37	-
PK	11.16G	68.22	74.00	-5.78	17.89	3	H	204	3.40	-
PK	16.74G	65.41	74.00	-8.59	19.13	3	H	322	1.37	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5700MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7074G	101.71	Inf	-Inf	3.46	3	V	279	2.30	-
PK	5.7048G	111.37	Inf	-Inf	3.46	3	V	279	2.30	-
PK	5.7254G	67.30	68.20	-0.90	3.50	3	V	279	2.30	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.693G	104.48	Inf	-Inf	3.44	3	H	229	1.62	-
PK	5.7044G	113.80	Inf	-Inf	3.46	3	H	229	1.62	-
PK	5.7258G	67.65	68.20	-0.55	3.50	3	H	229	1.62	-



### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	53.20	54.00	-0.80	17.74	3	V	107	1.64	-
AV	17.1G	50.42	54.00	-3.58	20.82	3	V	279	2.98	-
PK	11.4G	67.23	74.00	-6.77	17.74	3	V	107	1.64	-
PK	17.1G	66.52	74.00	-7.48	20.82	3	V	279	2.98	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	53.52	54.00	-0.48	17.74	3	H	203	1.50	-
AV	17.1G	48.83	54.00	-5.17	20.82	3	H	212	3.30	-
PK	11.4G	67.33	74.00	-6.67	17.74	3	H	203	1.50	-
PK	17.1G	69.12	74.00	-4.88	20.82	3	H	212	3.30	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4392G	44.61	54.00	-9.39	3.01	3	V	273	1.54	-
AV	5.7128G	105.76	Inf	-Inf	3.48	3	V	273	1.54	-
PK	5.426G	55.21	74.00	-18.79	3.00	3	V	273	1.54	-
PK	5.4692G	55.55	68.20	-12.65	3.05	3	V	273	1.54	-
PK	5.7248G	115.20	Inf	-Inf	3.50	3	V	273	1.54	-
PK	5.9804G	55.57	68.20	-12.63	3.98	3	V	273	1.54	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4392G	43.48	54.00	-10.52	3.01	3	H	226	1.77	-
AV	5.7188G	107.71	Inf	-Inf	3.49	3	H	226	1.77	-
PK	5.4488G	55.64	74.00	-18.36	3.02	3	H	226	1.77	-
PK	5.462G	55.96	68.20	-12.24	3.04	3	H	226	1.77	-
PK	5.7212G	116.11	Inf	-Inf	3.49	3	H	226	1.77	-
PK	5.9444G	55.37	68.20	-12.83	3.91	3	H	226	1.77	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	53.71	54.00	-0.29	17.71	3	V	310	1.39	-
AV	17.16G	52.82	54.00	-1.18	21.22	3	V	113	1.50	-
PK	11.44G	61.31	74.00	-12.69	17.71	3	V	310	1.39	-
PK	17.16G	66.22	74.00	-7.78	21.22	3	V	113	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	53.44	54.00	-0.56	17.71	3	H	314	1.67	-
AV	17.16G	53.25	54.00	-0.75	21.22	3	H	148	1.40	-
PK	11.44G	62.31	74.00	-11.69	17.71	3	H	314	1.67	-
PK	17.16G	68.22	74.00	-5.78	21.22	3	H	148	1.40	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2732G	106.72	Inf	-Inf	2.82	3	V	145	1.93	-
AV	5.3504G	52.37	54.00	-1.63	2.91	3	V	145	1.93	-
PK	5.2748G	117.04	Inf	-Inf	2.82	3	V	145	1.93	-
PK	5.3512G	67.70	74.00	-6.30	2.91	3	V	145	1.93	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.262G	104.80	Inf	-Inf	2.81	3	H	218	1.37	-
AV	5.350005G	49.23	54.00	-4.77	2.91	3	H	218	1.37	-
PK	5.2736G	113.95	Inf	-Inf	2.82	3	H	218	1.37	-
PK	5.354G	66.50	74.00	-7.50	2.91	3	H	218	1.37	-



### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	50.92	54.00	-3.08	17.29	3	V	26	2.57	-
AV	15.81G	52.77	54.00	-1.23	16.83	3	V	350	1.60	-
PK	10.54G	58.77	74.00	-15.23	17.29	3	V	26	2.57	-
PK	15.81G	67.50	74.00	-6.50	16.83	3	V	350	1.60	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	52.02	54.00	-1.98	17.29	3	H	222	1.72	-
AV	15.81G	52.86	54.00	-1.14	16.83	3	H	301	1.57	-
PK	10.54G	59.71	74.00	-14.29	17.29	3	H	222	1.72	-
PK	15.81G	66.87	74.00	-7.13	16.83	3	H	301	1.57	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.308G	99.44	Inf	-Inf	2.86	3	V	152	1.57	-
AV	5.350005G	50.18	54.00	-3.82	2.91	3	V	152	1.57	-
PK	5.3076G	109.48	Inf	-Inf	2.86	3	V	152	1.57	-
PK	5.3516G	64.65	74.00	-9.35	2.91	3	V	152	1.57	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3136G	101.34	Inf	-Inf	2.87	3	H	63	1.00	-
AV	5.350005G	52.36	54.00	-1.64	2.91	3	H	63	1.00	-
PK	5.3136G	110.59	Inf	-Inf	2.87	3	H	63	1.00	-
PK	5.350005G	66.87	74.00	-7.13	2.91	3	H	63	1.00	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	52.36	54.00	-1.64	10.71	3	V	27	1.47	-
AV	15.93G	47.55	54.00	-6.45	15.53	3	V	18	1.66	-
PK	10.62G	57.98	74.00	-16.02	10.71	3	V	27	1.47	-
PK	15.93G	61.20	74.00	-12.80	15.53	3	V	18	1.66	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	53.27	54.00	-0.73	10.71	3	H	318	1.45	-
AV	15.93G	47.42	54.00	-6.58	15.53	3	H	86	1.49	-
PK	10.62G	58.47	74.00	-15.53	10.71	3	H	318	1.45	-
PK	15.93G	61.08	74.00	-12.92	15.53	3	H	86	1.49	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5510MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.54	54.00	-7.46	3.04	3	V	25	1.55	-
AV	5.5128G	98.71	Inf	-Inf	3.10	3	V	25	1.55	-
PK	5.4532G	58.96	74.00	-15.04	3.03	3	V	25	1.55	-
PK	5.468G	63.61	68.20	-4.59	3.04	3	V	25	1.55	-
PK	5.5164G	108.29	Inf	-Inf	3.11	3	V	25	1.55	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5510MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.52	54.00	-6.48	3.04	3	H	318	1.44	-
AV	5.5264G	101.26	Inf	-Inf	3.13	3	H	318	1.44	-
PK	5.46G	60.52	74.00	-13.48	3.04	3	H	318	1.44	-
PK	5.468G	64.98	68.20	-3.22	3.04	3	H	318	1.44	-
PK	5.5264G	111.75	Inf	-Inf	3.13	3	H	318	1.44	-



### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5510MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	53.36	54.00	-0.64	17.99	3	V	267	1.75	-
AV	16.53G	50.24	54.00	-3.76	18.31	3	V	263	1.73	-
PK	11.02G	67.05	74.00	-6.95	17.99	3	V	267	1.75	-
PK	16.53G	64.88	74.00	-9.12	18.31	3	V	263	1.73	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5510MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	53.72	54.00	-0.28	17.99	3	H	48	1.68	-
AV	16.53G	50.41	54.00	-3.59	18.31	3	H	46	1.65	-
PK	11.02G	68.13	74.00	-5.87	17.99	3	H	48	1.68	-
PK	16.53G	65.57	74.00	-8.43	18.31	3	H	46	1.65	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5550MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	48.12	54.00	-5.88	3.04	3	V	27	1.53	-
AV	5.5532G	104.03	Inf	-Inf	3.18	3	V	27	1.53	-
PK	5.46G	62.50	74.00	-11.50	3.04	3	V	27	1.53	-
PK	5.4664G	63.98	68.20	-4.22	3.04	3	V	27	1.53	-
PK	5.5564G	113.79	Inf	-Inf	3.18	3	V	27	1.53	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5550MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	48.60	54.00	-5.40	3.04	3	H	320	1.78	-
AV	5.5536G	106.38	Inf	-Inf	3.18	3	H	320	1.78	-
PK	5.4592G	62.59	74.00	-11.41	3.04	3	H	320	1.78	-
PK	5.4692G	65.78	68.20	-2.42	3.05	3	H	320	1.78	-
PK	5.5664G	117.19	Inf	-Inf	3.18	3	H	320	1.78	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5550MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	53.11	54.00	-0.89	17.93	3	V	274	1.50	-
AV	16.65G	50.40	54.00	-3.60	18.78	3	V	102	1.82	-
PK	11.1G	67.43	74.00	-6.57	17.93	3	V	274	1.50	-
PK	16.65G	67.07	74.00	-6.93	18.78	3	V	102	1.82	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5550MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	53.66	54.00	-0.34	17.93	3	H	321	1.50	-
AV	16.65G	48.49	54.00	-5.51	18.78	3	H	316	1.50	-
PK	11.1G	66.73	74.00	-7.27	17.93	3	H	321	1.50	-
PK	16.65G	66.47	74.00	-7.53	18.78	3	H	316	1.50	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.654G	100.35	Inf	-Inf	3.37	3	V	277	1.55	-
PK	5.6852G	110.56	Inf	-Inf	3.42	3	V	277	1.55	-
PK	5.732G	65.75	68.20	-2.45	3.51	3	V	277	1.55	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5670MHz\_TX



cut : Y


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.668G	102.95	Inf	-Inf	3.39	3	H	229	1.54	-
PK	5.6832G	112.68	Inf	-Inf	3.42	3	H	229	1.54	-
PK	5.7288G	67.87	68.20	-0.33	3.51	3	H	229	1.54	-





### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5670MHz\_TX




eut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	53.48	54.00	-0.52	17.78	3	V	313	1.42	-
PK	11.34G	61.58	74.00	-12.42	17.78	3	V	313	1.42	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	53.68	54.00	-0.32	17.78	3	H	311	1.73	-
PK	11.34G	61.38	74.00	-12.62	17.78	3	H	311	1.73	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	44.30	54.00	-9.70	3.03	3	V	132	1.64	-
AV	5.7136G	102.13	Inf	-Inf	3.48	3	V	132	1.64	-
PK	5.4172G	55.86	74.00	-18.14	2.99	3	V	132	1.64	-
PK	5.4616G	56.93	68.20	-11.27	3.04	3	V	132	1.64	-
PK	5.7148G	111.88	Inf	-Inf	3.48	3	V	132	1.64	-
PK	5.9836G	55.13	68.20	-13.07	3.99	3	V	132	1.64	-

**802.11ac VHT40\_Nss1,(MCS0)\_8TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	43.62	54.00	-10.38	3.04	3	H	228	1.61	-
AV	5.7112G	104.92	Inf	-Inf	3.47	3	H	228	1.61	-
PK	5.458G	55.54	74.00	-18.46	3.03	3	H	228	1.61	-
PK	5.4652G	55.51	68.20	-12.69	3.04	3	H	228	1.61	-
PK	5.6956G	114.54	Inf	-Inf	3.44	3	H	228	1.61	-
PK	5.9524G	56.42	68.20	-11.78	3.93	3	H	228	1.61	-

### 802.11ac VHT40\_Nss1,(MCS0)\_8TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	53.82	54.00	-0.18	17.72	3	V	311	1.48	-
AV	17.13G	51.02	54.00	-2.98	21.02	3	V	122	1.50	-
PK	11.42G	61.22	74.00	-12.78	17.72	3	V	311	1.48	-
PK	17.13G	64.02	74.00	-9.98	21.02	3	V	122	1.50	-

**802.11ac VHT40\_Nss1,(MCS0)\_8TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	53.52	54.00	-0.48	17.72	3	H	313	1.60	-
AV	17.13G	52.02	54.00	-1.98	21.02	3	H	116	1.47	-
PK	11.42G	61.92	74.00	-12.08	17.72	3	H	313	1.60	-
PK	17.13G	67.22	74.00	-6.78	21.02	3	H	116	1.47	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.147G	44.24	54.00	-9.76	2.69	3	V	153	1.50	-
AV	5.287G	95.64	Inf	-Inf	2.84	3	V	153	1.50	-
AV	5.350005G	52.18	54.00	-1.82	2.91	3	V	153	1.50	-
PK	5.146G	57.33	74.00	-16.67	2.69	3	V	153	1.50	-
PK	5.307G	106.57	Inf	-Inf	2.86	3	V	153	1.50	-
PK	5.350005G	72.95	74.00	-1.05	2.91	3	V	153	1.50	-
PK	5.505G	56.23	68.20	-11.97	3.09	3	V	153	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5290MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.05G	45.04	54.00	-8.96	2.58	3	H	63	1.06	-
AV	5.294G	97.72	Inf	-Inf	2.84	3	H	63	1.06	-
AV	5.351G	53.54	54.00	-0.46	2.91	3	H	63	1.06	-
PK	5.141G	57.17	74.00	-16.83	2.68	3	H	63	1.06	-
PK	5.296G	107.79	Inf	-Inf	2.85	3	H	63	1.06	-
PK	5.351G	71.30	74.00	-2.70	2.91	3	H	63	1.06	-
PK	5.532G	56.77	68.20	-11.43	3.14	3	H	63	1.06	-



### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	53.19	54.00	-0.81	10.64	3	V	31	2.75	-
AV	15.87G	46.85	54.00	-7.15	15.53	3	V	359	3.40	-
PK	10.58G	58.15	74.00	-15.85	10.64	3	V	31	2.75	-
PK	15.87G	60.41	74.00	-13.59	15.53	3	V	359	3.40	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	53.44	54.00	-0.56	10.64	3	H	320	1.54	-
AV	15.87G	46.79	54.00	-7.21	15.53	3	H	360	1.50	-
PK	10.58G	58.43	74.00	-15.57	10.64	3	H	320	1.54	-
PK	15.87G	60.17	74.00	-13.83	15.53	3	H	360	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5530MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	45.73	54.00	-8.27	3.02	3	V	94	2.80	-
AV	5.532G	93.10	Inf	-Inf	3.14	3	V	94	2.80	-
PK	5.335G	56.37	68.20	-11.83	2.89	3	V	94	2.80	-
PK	5.447G	59.44	74.00	-14.56	3.02	3	V	94	2.80	-
PK	5.469G	62.16	68.20	-6.04	3.05	3	V	94	2.80	-
PK	5.535G	103.22	Inf	-Inf	3.15	3	V	94	2.80	-
PK	5.771G	56.89	68.20	-11.31	3.59	3	V	94	2.80	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5530MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.70	54.00	-7.30	3.04	3	H	322	1.48	-
AV	5.532G	96.00	Inf	-Inf	3.14	3	H	322	1.48	-
PK	5.304G	55.92	68.20	-12.28	2.85	3	H	322	1.48	-
PK	5.457G	63.05	74.00	-10.95	3.03	3	H	322	1.48	-
PK	5.466G	64.86	68.20	-3.34	3.04	3	H	322	1.48	-
PK	5.536G	107.12	Inf	-Inf	3.15	3	H	322	1.48	-
PK	5.733G	56.95	68.20	-11.25	3.52	3	H	322	1.48	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5530MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	52.61	54.00	-1.39	17.96	3	V	274	1.48	-
PK	11.06G	66.76	74.00	-7.24	17.96	3	V	274	1.48	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5530MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	53.64	54.00	-0.36	17.96	3	H	322	1.50	-
PK	11.06G	68.28	74.00	-5.72	17.96	3	H	322	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5610MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.20	54.00	-7.80	3.04	3	V	94	2.53	-
AV	5.607G	98.59	Inf	-Inf	3.28	3	V	94	2.53	-
PK	5.454G	63.14	74.00	-10.86	3.03	3	V	94	2.53	-
PK	5.467G	63.01	68.20	-5.19	3.04	3	V	94	2.53	-
PK	5.601G	109.18	Inf	-Inf	3.27	3	V	94	2.53	-
PK	5.727G	66.01	68.20	-2.19	3.50	3	V	94	2.53	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5610MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.57	54.00	-7.43	3.04	3	H	235	1.58	-
AV	5.612G	101.28	Inf	-Inf	3.29	3	H	235	1.58	-
PK	5.459G	63.83	74.00	-10.17	3.03	3	H	235	1.58	-
PK	5.467G	63.38	68.20	-4.82	3.04	3	H	235	1.58	-
PK	5.622G	111.54	Inf	-Inf	3.31	3	H	235	1.58	-
PK	5.726G	68.00	68.20	-0.20	3.50	3	H	235	1.58	-



### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5610MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	53.49	54.00	-0.51	17.85	3	V	300	1.75	-
PK	11.22G	61.57	74.00	-12.43	17.85	3	V	300	1.75	-



### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5610MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	53.05	54.00	-0.95	17.85	3	H	313	1.61	-
PK	11.22G	60.87	74.00	-13.13	17.85	3	H	313	1.61	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX


### 5690MHz Straddle 5.47-5.725GHz\_TX



eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	43.41	54.00	-10.59	3.03	3	V	101	1.01	-
AV	5.6924G	100.34	Inf	-Inf	3.44	3	V	101	1.01	-
PK	5.4512G	56.68	74.00	-17.32	3.03	3	V	101	1.01	-
PK	5.4644G	57.12	68.20	-11.08	3.04	3	V	101	1.01	-
PK	5.6864G	111.83	Inf	-Inf	3.43	3	V	101	1.01	-
PK	5.99G	57.11	68.20	-11.09	4.00	3	V	101	1.01	-

**802.11ac VHT80\_Nss1,(MCS0)\_8TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4392G	44.61	54.00	-9.39	3.01	3	H	207	1.45	-
AV	5.6936G	101.69	Inf	-Inf	3.44	3	H	207	1.45	-
PK	5.4296G	57.80	74.00	-16.20	3.00	3	H	207	1.45	-
PK	5.4692G	57.89	68.20	-10.31	3.05	3	H	207	1.45	-
PK	5.696G	112.54	Inf	-Inf	3.44	3	H	207	1.45	-
PK	5.9276G	57.52	68.20	-10.68	3.88	3	H	207	1.45	-

### 802.11ac VHT80\_Nss1,(MCS0)\_8TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38G	50.99	54.00	-3.01	17.75	3	V	272	1.52	-
PK	11.38G	59.89	74.00	-14.11	17.75	3	V	272	1.52	-



**802.11ac VHT80\_Nss1,(MCS0)\_8TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




eut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38G	53.62	54.00	-0.38	17.75	3	H	324	162	-
PK	11.38G	61.22	74.00	-12.78	17.75	3	H	324	162	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.14716G	48.96	54.00	-5.04	2.69	3	V	25	1.59	-
AV	5.23296G	92.98	Inf	-Inf	2.78	3	V	25	1.59	-
AV	5.35044G	47.40	54.00	-6.60	2.91	3	V	25	1.59	-
PK	5.10624G	71.12	74.00	-2.88	2.64	3	V	25	1.59	-
PK	5.23296G	105.13	Inf	-Inf	2.78	3	V	25	1.59	-
PK	5.40588G	70.17	74.00	-3.83	2.98	3	V	25	1.59	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5250MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.14716G	49.76	54.00	-4.24	2.69	3	H	287	1.72	-
AV	5.26332G	92.16	Inf	-Inf	2.81	3	H	287	1.72	-
AV	5.35044G	48.29	54.00	-5.71	2.91	3	H	287	1.72	-
PK	5.11416G	73.17	74.00	-0.83	2.65	3	H	287	1.72	-
PK	5.25804G	104.67	Inf	-Inf	2.81	3	H	287	1.72	-
PK	5.4006G	71.82	74.00	-2.18	2.97	3	H	287	1.72	-



### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.5G	52.25	54.00	-1.75	10.50	3	V	34	2.66	-
AV	15.75G	44.67	54.00	-9.33	15.52	3	V	94	1.50	-
PK	10.5G	56.84	74.00	-17.16	10.50	3	V	34	2.66	-
PK	15.75G	58.12	74.00	-15.88	15.52	3	V	94	1.50	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.5G	53.55	54.00	-0.45	10.50	3	H	89	2.22	-
AV	15.75G	44.87	54.00	-9.13	15.52	3	H	243	1.50	-
PK	10.5G	58.78	74.00	-15.22	10.50	3	H	89	2.22	-
PK	15.75G	58.33	74.00	-15.67	15.52	3	H	243	1.50	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5570MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4468G	50.10	54.00	-3.90	3.02	3	V	24	2.64	-
AV	5.5812G	91.61	Inf	-Inf	3.23	3	V	24	2.64	-
PK	5.322G	59.34	68.20	-8.86	2.88	3	V	24	2.64	-
PK	5.442G	67.48	74.00	-6.52	3.02	3	V	24	2.64	-
PK	5.460005G	64.97	68.20	-3.23	3.04	3	V	24	2.64	-
PK	5.578G	103.37	Inf	-Inf	3.23	3	V	24	2.64	-
PK	5.7988G	64.09	68.20	-4.11	3.65	3	V	24	2.64	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5570MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	48.68	54.00	-5.32	3.03	3	H	326	1.73	-
AV	5.5524G	92.48	Inf	-Inf	3.18	3	H	326	1.73	-
PK	5.3204G	59.63	68.20	-8.57	2.87	3	H	326	1.73	-
PK	5.4468G	65.46	74.00	-8.54	3.02	3	H	326	1.73	-
PK	5.4628G	66.97	68.20	-1.23	3.04	3	H	326	1.73	-
PK	5.5892G	104.95	Inf	-Inf	3.25	3	H	326	1.73	-
PK	5.8052G	64.57	68.20	-3.63	3.66	3	H	326	1.73	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5570MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14G	49.52	54.00	-4.48	17.91	3	V	45	1.49	-
PK	11.14G	58.73	74.00	-15.27	17.91	3	V	45	1.49	-

### 802.11ac VHT160\_Nss1,(MCS0)\_8TX

### 5570MHz\_TX



cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14G	51.97	54.00	-2.03	17.91	3	H	311	1.50	-
PK	11.14G	60.13	74.00	-13.87	17.91	3	H	311	1.50	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
802.11ac VHT160_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	11.14G	53.95	54.00	-0.05	17.91	3	H	305	1.68	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
802.11ac VHT160_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	11.14G	53.95	54.00	-0.05	17.91	3	H	305	1.68	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
802.11ac VHT160_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	11.14G	53.95	54.00	-0.05	17.91	3	H	305	1.68	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.25-5.35GHz	Pass	AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
802.11ac VHT160_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5.47-5.725GHz	Pass	AV	11.14G	53.95	54.00	-0.05	17.91	3	H	305	1.68	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1196G	46.35	54.00	-7.65	7.08	3	H	216	1.29	-
5260MHz	Pass	AV	5.2666G	106.16	Inf	-Inf	7.41	3	H	216	1.29	-
5260MHz	Pass	AV	5.392G	47.20	54.00	-6.80	7.68	3	H	216	1.29	-
5260MHz	Pass	AV	10.52G	50.29	54.00	-3.71	10.53	3	H	334	1.52	-
5260MHz	Pass	PK	5.116G	58.76	74.00	-15.24	7.08	3	H	216	1.29	-
5260MHz	Pass	PK	5.2666G	116.21	Inf	-Inf	7.41	3	H	216	1.29	-
5260MHz	Pass	PK	5.3992G	60.28	74.00	-13.72	7.70	3	H	216	1.29	-
5260MHz	Pass	PK	10.52G	56.43	74.00	-17.57	10.53	3	H	334	1.52	-
5260MHz	Pass	AV	5.1448G	46.11	54.00	-7.89	7.14	3	V	21	1.50	-
5260MHz	Pass	AV	5.2534G	105.18	Inf	-Inf	7.38	3	V	21	1.50	-
5260MHz	Pass	AV	5.3944G	47.24	54.00	-6.76	7.69	3	V	21	1.50	-
5260MHz	Pass	AV	10.52G	50.48	54.00	-3.52	10.53	3	V	349	1.51	-
5260MHz	Pass	PK	5.1394G	58.95	74.00	-15.05	7.13	3	V	21	1.50	-
5260MHz	Pass	PK	5.266G	115.67	Inf	-Inf	7.41	3	V	21	1.50	-
5260MHz	Pass	PK	5.3572G	60.12	74.00	-13.88	7.61	3	V	21	1.50	-
5260MHz	Pass	PK	10.52G	56.78	74.00	-17.22	10.53	3	V	349	1.51	-
5300MHz	Pass	AV	5.2976G	105.62	Inf	-Inf	7.47	3	H	188	2.87	-
5300MHz	Pass	AV	5.3508G	47.84	54.00	-6.16	7.59	3	H	188	2.87	-
5300MHz	Pass	AV	10.6G	53.14	54.00	-0.86	10.67	3	H	157	1.61	-
5300MHz	Pass	PK	5.2972G	116.07	Inf	-Inf	7.47	3	H	188	2.87	-
5300MHz	Pass	PK	5.3592G	61.07	74.00	-12.93	7.61	3	H	188	2.87	-
5300MHz	Pass	PK	10.6G	59.03	74.00	-14.97	10.67	3	H	157	1.61	-
5300MHz	Pass	AV	5.2936G	105.90	Inf	-Inf	7.47	3	V	130	1.85	-
5300MHz	Pass	AV	5.3504G	47.98	54.00	-6.02	7.59	3	V	130	1.85	-
5300MHz	Pass	AV	10.6G	50.14	54.00	-3.86	10.67	3	V	360	1.50	-
5300MHz	Pass	PK	5.2976G	116.71	Inf	-Inf	7.47	3	V	130	1.85	-
5300MHz	Pass	PK	5.3592G	61.06	74.00	-12.94	7.61	3	V	130	1.85	-
5300MHz	Pass	PK	10.6G	58.02	74.00	-15.98	10.67	3	V	360	1.50	-
5320MHz	Pass	AV	5.3266G	105.09	Inf	-Inf	7.54	3	H	213	1.48	-
5320MHz	Pass	AV	5.350005G	53.35	54.00	-0.65	7.59	3	H	213	1.48	-
5320MHz	Pass	AV	10.64G	53.21	54.00	-0.79	10.74	3	H	291	1.69	-
5320MHz	Pass	PK	5.3148G	115.09	Inf	-Inf	7.51	3	H	213	1.48	-
5320MHz	Pass	PK	5.351G	69.59	74.00	-4.41	7.59	3	H	213	1.48	-
5320MHz	Pass	PK	10.64G	58.61	74.00	-15.39	10.74	3	H	291	1.69	-
5320MHz	Pass	AV	5.3134G	105.06	Inf	-Inf	7.51	3	V	21	1.45	-
5320MHz	Pass	AV	5.350005G	52.94	54.00	-1.06	7.59	3	V	21	1.45	-
5320MHz	Pass	AV	10.64G	52.88	54.00	-1.12	10.74	3	V	331	1.50	-
5320MHz	Pass	PK	5.3132G	115.87	Inf	-Inf	7.51	3	V	21	1.45	-
5320MHz	Pass	PK	5.3512G	67.91	74.00	-6.09	7.59	3	V	21	1.45	-
5320MHz	Pass	PK	10.64G	58.00	74.00	-16.00	10.74	3	V	331	1.50	-
5500MHz	Pass	AV	5.4598G	48.79	54.00	-5.21	7.83	3	H	313	1.50	-
5500MHz	Pass	AV	5.4934G	103.77	Inf	-Inf	7.91	3	H	313	1.50	-
5500MHz	Pass	AV	11G	52.93	54.00	-1.07	18.00	3	H	315	2.13	-
5500MHz	Pass	PK	5.4596G	62.58	74.00	-11.42	7.83	3	H	313	1.50	-
5500MHz	Pass	PK	5.4674G	67.02	68.20	-1.18	7.85	3	H	313	1.50	-
5500MHz	Pass	PK	5.4934G	114.66	Inf	-Inf	7.91	3	H	313	1.50	-
5500MHz	Pass	PK	11G	63.03	74.00	-10.97	18.00	3	H	315	2.13	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.46G	49.26	54.00	-4.74	7.83	3	V	256	1.59	-
5500MHz	Pass	AV	5.4978G	103.56	Inf	-Inf	7.92	3	V	256	1.59	-
5500MHz	Pass	AV	11G	51.54	54.00	-2.46	18.00	3	V	311	2.15	-
5500MHz	Pass	PK	5.4586G	63.11	74.00	-10.89	7.83	3	V	256	1.59	-
5500MHz	Pass	PK	5.4688G	67.93	68.20	-0.27	7.85	3	V	256	1.59	-
5500MHz	Pass	PK	5.497G	114.32	Inf	-Inf	7.91	3	V	256	1.59	-
5500MHz	Pass	PK	11G	60.39	74.00	-13.61	18.00	3	V	311	2.15	-
5580MHz	Pass	AV	5.4396G	46.94	54.00	-7.06	7.79	3	H	169	1.62	-
5580MHz	Pass	AV	5.5776G	103.69	Inf	-Inf	8.04	3	H	169	1.62	-
5580MHz	Pass	AV	11.16G	53.90	54.00	-0.10	17.89	3	H	311	1.63	-
5580MHz	Pass	PK	5.4588G	61.03	74.00	-12.97	7.83	3	H	169	1.62	-
5580MHz	Pass	PK	5.4684G	60.48	68.20	-7.72	7.85	3	H	169	1.62	-
5580MHz	Pass	PK	5.577G	114.56	Inf	-Inf	8.04	3	H	169	1.62	-
5580MHz	Pass	PK	5.7294G	61.25	68.20	-6.95	8.29	3	H	169	1.62	-
5580MHz	Pass	PK	11.16G	61.36	74.00	-12.64	17.89	3	H	311	1.63	-
5580MHz	Pass	AV	5.442G	47.08	54.00	-6.92	7.79	3	V	269	3.17	-
5580MHz	Pass	AV	5.5734G	105.58	Inf	-Inf	8.04	3	V	269	3.17	-
5580MHz	Pass	AV	11.16G	48.34	54.00	-5.66	17.89	3	V	45	1.65	-
5580MHz	Pass	PK	5.4372G	60.40	74.00	-13.60	7.78	3	V	269	3.17	-
5580MHz	Pass	PK	5.4612G	60.94	68.20	-7.26	7.83	3	V	269	3.17	-
5580MHz	Pass	PK	5.5734G	116.24	Inf	-Inf	8.04	3	V	269	3.17	-
5580MHz	Pass	PK	5.7288G	60.70	68.20	-7.50	8.29	3	V	269	3.17	-
5580MHz	Pass	PK	11.16G	58.76	74.00	-15.24	17.89	3	V	45	1.65	-
5700MHz	Pass	AV	5.6936G	102.76	Inf	-Inf	8.23	3	H	202	1.50	-
5700MHz	Pass	AV	11.4G	53.94	54.00	-0.06	17.74	3	H	313	1.59	-
5700MHz	Pass	PK	5.6928G	113.33	Inf	-Inf	8.23	3	H	202	1.50	-
5700MHz	Pass	PK	5.7264G	67.21	68.20	-0.99	8.28	3	H	202	1.50	-
5700MHz	Pass	PK	11.4G	62.04	74.00	-11.96	17.74	3	H	313	1.59	-
5700MHz	Pass	AV	5.7024G	101.18	Inf	-Inf	8.24	3	V	137	2.55	-
5700MHz	Pass	AV	11.4G	49.31	54.00	-4.69	17.74	3	V	311	1.39	-
5700MHz	Pass	PK	5.6952G	105.17	Inf	-Inf	8.23	3	V	137	2.55	-
5700MHz	Pass	PK	5.7256G	67.39	68.20	-0.81	8.28	3	V	137	2.55	-
5700MHz	Pass	PK	11.4G	59.27	74.00	-14.73	17.74	3	V	311	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	46.67	54.00	-7.33	7.74	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	105.09	Inf	-Inf	8.28	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	52.06	54.00	-1.94	17.71	3	H	305	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	60.10	74.00	-13.90	7.79	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.56	68.20	-8.64	7.85	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	115.08	Inf	-Inf	8.26	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	60.86	68.20	-7.34	8.64	3	H	204	3.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	60.11	74.00	-13.89	17.71	3	H	305	1.61	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4248G	46.73	54.00	-7.27	7.75	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	106.94	Inf	-Inf	8.26	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	52.62	54.00	-1.38	17.71	3	V	308	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	59.85	74.00	-14.15	7.82	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.43	68.20	-8.77	7.84	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	117.98	Inf	-Inf	8.26	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9384G	61.54	68.20	-6.66	8.63	3	V	270	3.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	61.26	74.00	-12.74	17.71	3	V	308	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT40_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2776G	103.18	Inf	-Inf	7.43	3	H	108	1.84	-
5270MHz	Pass	AV	5.3504G	49.12	54.00	-4.88	7.59	3	H	108	1.84	-
5270MHz	Pass	AV	10.54G	52.88	54.00	-1.12	10.57	3	H	93	2.21	-
5270MHz	Pass	PK	5.278G	113.79	Inf	-Inf	7.43	3	H	108	1.84	-
5270MHz	Pass	PK	5.3528G	64.02	74.00	-9.98	7.60	3	H	108	1.84	-
5270MHz	Pass	PK	10.54G	57.94	74.00	-16.06	10.57	3	H	93	2.21	-
5270MHz	Pass	AV	5.2736G	102.41	Inf	-Inf	7.42	3	V	20	1.34	-
5270MHz	Pass	AV	5.3508G	49.36	54.00	-4.64	7.59	3	V	20	1.34	-
5270MHz	Pass	AV	10.54G	53.07	54.00	-0.93	10.57	3	V	37	2.70	-
5270MHz	Pass	PK	5.272G	113.36	Inf	-Inf	7.42	3	V	20	1.34	-
5270MHz	Pass	PK	5.354G	62.87	74.00	-11.13	7.60	3	V	20	1.34	-
5270MHz	Pass	PK	10.54G	57.75	74.00	-16.25	10.57	3	V	37	2.70	-
5310MHz	Pass	AV	5.3132G	97.99	Inf	-Inf	7.51	3	H	133	1.63	-
5310MHz	Pass	AV	5.3504G	52.05	54.00	-1.95	7.59	3	H	133	1.63	-
5310MHz	Pass	AV	10.62G	52.59	54.00	-1.41	10.71	3	H	320	1.52	-
5310MHz	Pass	PK	5.2932G	108.16	Inf	-Inf	7.47	3	H	133	1.63	-
5310MHz	Pass	PK	5.3508G	66.87	74.00	-7.13	7.59	3	H	133	1.63	-
5310MHz	Pass	PK	10.62G	58.38	74.00	-15.62	10.71	3	H	320	1.52	-
5310MHz	Pass	AV	5.3176G	99.42	Inf	-Inf	7.52	3	V	146	1.54	-
5310MHz	Pass	AV	5.350005G	53.18	54.00	-0.82	7.59	3	V	146	1.54	-
5310MHz	Pass	AV	10.62G	53.01	54.00	-0.99	10.71	3	V	329	1.38	-
5310MHz	Pass	PK	5.3176G	110.39	Inf	-Inf	7.52	3	V	146	1.54	-
5310MHz	Pass	PK	5.350005G	68.60	74.00	-5.40	7.59	3	V	146	1.54	-
5310MHz	Pass	PK	10.62G	57.90	74.00	-16.10	10.71	3	V	329	1.38	-
5510MHz	Pass	AV	5.46G	49.63	54.00	-4.37	7.83	3	H	100	1.74	-
5510MHz	Pass	AV	5.46G	49.63	54.00	-4.37	7.83	3	H	100	1.74	-
5510MHz	Pass	AV	11.02G	53.68	54.00	-0.32	17.99	3	H	211	1.50	-
5510MHz	Pass	PK	5.46G	64.04	74.00	-9.96	7.83	3	H	100	1.74	-
5510MHz	Pass	PK	5.4652G	67.91	68.20	-0.29	7.84	3	H	100	1.74	-
5510MHz	Pass	PK	5.5132G	108.06	Inf	-Inf	7.94	3	H	100	1.74	-
5510MHz	Pass	PK	11.02G	64.12	74.00	-9.88	17.99	3	H	211	1.50	-
5510MHz	Pass	AV	5.46G	48.54	54.00	-5.46	7.83	3	V	257	1.50	-
5510MHz	Pass	AV	5.5264G	95.94	Inf	-Inf	7.96	3	V	257	1.50	-
5510MHz	Pass	AV	11.02G	53.12	54.00	-0.88	17.99	3	V	305	1.63	-
5510MHz	Pass	PK	5.4584G	61.82	74.00	-12.18	7.83	3	V	257	1.50	-
5510MHz	Pass	PK	5.466G	67.60	68.20	-0.60	7.85	3	V	257	1.50	-
5510MHz	Pass	PK	5.4928G	107.28	Inf	-Inf	7.90	3	V	257	1.50	-
5510MHz	Pass	PK	11.02G	61.55	74.00	-12.45	17.99	3	V	305	1.63	-
5550MHz	Pass	AV	5.46G	47.81	54.00	-6.19	7.83	3	H	311	1.43	-
5550MHz	Pass	AV	5.5464G	101.38	Inf	-Inf	7.99	3	H	311	1.43	-
5550MHz	Pass	AV	11.1G	53.84	54.00	-0.16	17.93	3	H	305	1.61	-
5550MHz	Pass	PK	5.45G	61.71	74.00	-12.29	7.81	3	H	311	1.43	-
5550MHz	Pass	PK	5.4656G	62.77	68.20	-5.43	7.84	3	H	311	1.43	-
5550MHz	Pass	PK	5.5512G	112.44	Inf	-Inf	8.00	3	H	311	1.43	-
5550MHz	Pass	PK	11.1G	55.40	74.00	-18.60	17.93	3	H	305	1.61	-
5550MHz	Pass	AV	5.4596G	48.20	54.00	-5.80	7.83	3	V	269	2.84	-
5550MHz	Pass	AV	5.5576G	102.73	Inf	-Inf	8.01	3	V	269	2.84	-
5550MHz	Pass	AV	11.1G	53.48	54.00	-0.52	17.93	3	V	298	1.80	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	PK	5.46G	62.57	74.00	-11.43	7.83	3	V	269	2.84	-
5550MHz	Pass	PK	5.4688G	64.85	68.20	-3.35	7.85	3	V	269	2.84	-
5550MHz	Pass	PK	5.558G	113.88	Inf	-Inf	8.01	3	V	269	2.84	-
5550MHz	Pass	PK	11.1G	60.60	74.00	-13.40	17.93	3	V	298	1.80	-
5670MHz	Pass	AV	5.6668G	97.09	Inf	-Inf	8.19	3	H	194	1.50	-
5670MHz	Pass	AV	11.34G	52.49	54.00	-1.51	17.78	3	H	311	1.61	-
5670MHz	Pass	PK	5.6748G	109.55	Inf	-Inf	8.20	3	H	194	1.50	-
5670MHz	Pass	PK	5.734G	65.51	68.20	-2.69	8.30	3	H	194	1.50	-
5670MHz	Pass	PK	11.34G	60.53	74.00	-13.47	17.78	3	H	311	1.61	-
5670MHz	Pass	AV	5.6668G	96.50	Inf	-Inf	8.19	3	V	268	2.68	-
5670MHz	Pass	AV	11.34G	52.64	54.00	-1.36	17.78	3	V	308	1.29	-
5670MHz	Pass	PK	5.6524G	108.38	Inf	-Inf	8.16	3	V	268	2.68	-
5670MHz	Pass	PK	5.7276G	67.32	68.20	-0.88	8.29	3	V	268	2.68	-
5670MHz	Pass	PK	11.34G	59.20	74.00	-14.80	17.78	3	V	308	1.29	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.73	54.00	-7.27	7.73	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	102.27	Inf	-Inf	8.23	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	52.90	54.00	-1.10	17.72	3	H	307	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4148G	59.85	74.00	-14.15	7.73	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	59.76	68.20	-8.44	7.84	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	114.20	Inf	-Inf	8.24	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.938G	61.07	68.20	-7.13	8.63	3	H	195	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	60.64	74.00	-13.36	17.72	3	H	307	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.68	54.00	-7.32	7.73	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7184G	102.40	Inf	-Inf	8.27	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	52.98	54.00	-1.02	17.72	3	V	306	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4172G	60.31	74.00	-13.69	7.74	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	59.30	68.20	-8.90	7.85	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	113.77	Inf	-Inf	8.27	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9488G	60.97	68.20	-7.23	8.65	3	V	265	2.55	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	60.21	74.00	-13.79	17.72	3	V	306	1.50	-
802.11ac VHT80_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.119G	46.44	54.00	-7.56	5.37	3	H	57	1.16	-
5290MHz	Pass	AV	5.286G	94.94	Inf	-Inf	5.64	3	H	57	1.16	-
5290MHz	Pass	AV	5.353G	53.07	54.00	-0.93	5.77	3	H	57	1.16	-
5290MHz	Pass	AV	10.58G	52.61	54.00	-1.39	10.64	3	H	322	1.41	-
5290MHz	Pass	PK	5.075G	60.20	74.00	-13.80	5.28	3	H	57	1.16	-
5290MHz	Pass	PK	5.277G	108.69	Inf	-Inf	5.63	3	H	57	1.16	-
5290MHz	Pass	PK	5.350005G	68.91	74.00	-5.09	5.76	3	H	57	1.16	-
5290MHz	Pass	PK	5.494G	58.73	68.20	-9.47	6.07	3	H	57	1.16	-
5290MHz	Pass	PK	10.58G	58.15	74.00	-15.85	10.64	3	H	322	1.41	-
5290MHz	Pass	AV	5.12G	46.44	54.00	-7.56	5.37	3	V	141	1.76	-
5290MHz	Pass	AV	5.293G	97.20	Inf	-Inf	5.64	3	V	141	1.76	-
5290MHz	Pass	AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
5290MHz	Pass	AV	10.58G	52.12	54.00	-1.88	10.64	3	V	330	1.45	-
5290MHz	Pass	PK	5.146G	59.53	74.00	-14.47	5.43	3	V	141	1.76	-
5290MHz	Pass	PK	5.293G	109.91	Inf	-Inf	5.64	3	V	141	1.76	-
5290MHz	Pass	PK	5.351G	72.77	74.00	-1.23	5.76	3	V	141	1.76	-
5290MHz	Pass	PK	5.527G	60.27	68.20	-7.93	6.12	3	V	141	1.76	-
5290MHz	Pass	PK	10.58G	57.70	74.00	-16.30	10.64	3	V	330	1.45	-



RSE TX above 1GHz Result-Non-Beamforming NSS2

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.45G	48.91	54.00	-5.09	7.81	3	H	311	1.50	-
5530MHz	Pass	AV	5.526G	93.44	Inf	-Inf	7.96	3	H	311	1.50	-
5530MHz	Pass	AV	11.06G	53.85	54.00	-0.15	17.96	3	H	308	1.62	-
5530MHz	Pass	PK	5.32G	59.91	68.20	-8.29	7.52	3	H	311	1.50	-
5530MHz	Pass	PK	5.458G	64.15	74.00	-9.85	7.83	3	H	311	1.50	-
5530MHz	Pass	PK	5.468G	65.12	68.20	-3.08	7.85	3	H	311	1.50	-
5530MHz	Pass	PK	5.517G	105.92	Inf	-Inf	7.95	3	H	311	1.50	-
5530MHz	Pass	PK	5.779G	62.05	68.20	-6.15	8.37	3	H	311	1.50	-
5530MHz	Pass	PK	11.06G	62.05	74.00	-11.95	17.96	3	H	308	1.62	-
5530MHz	Pass	AV	5.459G	48.58	54.00	-5.42	7.83	3	V	268	1.56	-
5530MHz	Pass	AV	5.46G	48.37	54.00	-5.63	7.83	3	V	268	1.56	-
5530MHz	Pass	AV	5.533G	91.75	Inf	-Inf	7.97	3	V	268	1.56	-
5530MHz	Pass	AV	11.06G	53.35	54.00	-0.65	17.96	3	V	299	1.70	-
5530MHz	Pass	PK	5.348G	60.22	68.20	-7.98	7.59	3	V	268	1.56	-
5530MHz	Pass	PK	5.459G	66.06	74.00	-7.94	7.83	3	V	268	1.56	-
5530MHz	Pass	PK	5.465G	67.54	68.20	-0.66	7.84	3	V	268	1.56	-
5530MHz	Pass	PK	5.545G	105.69	Inf	-Inf	7.99	3	V	268	1.56	-
5530MHz	Pass	PK	5.743G	61.99	68.20	-6.21	8.31	3	V	268	1.56	-
5530MHz	Pass	PK	11.06G	58.58	74.00	-15.42	17.96	3	V	299	1.70	-
5610MHz	Pass	AV	5.46G	50.11	54.00	-3.89	7.83	3	H	193	3.66	-
5610MHz	Pass	AV	5.613G	98.97	Inf	-Inf	8.10	3	H	193	3.66	-
5610MHz	Pass	AV	11.22G	53.94	54.00	-0.06	17.85	3	H	308	1.62	-
5610MHz	Pass	PK	5.458G	65.12	74.00	-8.88	7.83	3	H	193	3.66	-
5610MHz	Pass	PK	5.467G	66.41	68.20	-1.79	7.85	3	H	193	3.66	-
5610MHz	Pass	PK	5.598G	111.31	Inf	-Inf	8.08	3	H	193	3.66	-
5610MHz	Pass	PK	5.727G	68.09	68.20	-0.11	8.29	3	H	193	3.66	-
5610MHz	Pass	PK	11.22G	61.61	74.00	-12.39	17.85	3	H	308	1.62	-
5610MHz	Pass	AV	5.46G	50.02	54.00	-3.98	7.83	3	V	105	1.71	-
5610MHz	Pass	AV	5.613G	97.19	Inf	-Inf	8.10	3	V	105	1.71	-
5610MHz	Pass	AV	11.22G	51.94	54.00	-2.06	17.85	3	V	313	1.49	-
5610MHz	Pass	PK	5.447G	64.16	74.00	-9.84	7.80	3	V	105	1.71	-
5610MHz	Pass	PK	5.467G	66.19	68.20	-2.01	7.85	3	V	105	1.71	-
5610MHz	Pass	PK	5.629G	109.94	Inf	-Inf	8.13	3	V	105	1.71	-
5610MHz	Pass	PK	5.727G	68.03	68.20	-0.17	8.29	3	V	105	1.71	-
5610MHz	Pass	PK	11.22G	60.06	74.00	-13.94	17.85	3	V	313	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3948G	46.80	54.00	-7.20	7.69	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	98.21	Inf	-Inf	8.22	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	52.71	54.00	-1.29	17.75	3	H	306	1.64	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3936G	60.89	74.00	-13.11	7.69	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.03	68.20	-8.17	7.85	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	110.53	Inf	-Inf	8.24	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9288G	61.23	68.20	-6.97	8.62	3	H	205	3.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	60.58	74.00	-13.42	17.75	3	H	306	1.64	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.459995G	46.82	54.00	-7.18	7.83	3	V	273	3.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	98.94	Inf	-Inf	8.23	3	V	273	3.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	52.78	54.00	-1.22	17.75	3	V	310	1.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.39G	61.27	74.00	-12.73	7.68	3	V	273	3.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.58	68.20	-7.62	7.85	3	V	273	3.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	111.58	Inf	-Inf	8.25	3	V	273	3.11	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9516G	61.82	68.20	-6.38	8.65	3	V	273	3.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	60.49	74.00	-13.51	17.75	3	V	310	1.43	-
802.11ac VHT160_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1276G	52.81	54.00	-1.19	5.39	3	H	185	2.80	-
5250MHz	Pass	AV	5.2572G	90.87	Inf	-Inf	5.61	3	H	185	2.80	-
5250MHz	Pass	AV	5.3724G	50.97	54.00	-3.03	5.81	3	H	185	2.80	-
5250MHz	Pass	AV	10.5G	52.75	54.00	-1.25	10.50	3	H	92	2.25	-
5250MHz	Pass	PK	5.1276G	72.72	74.00	-1.28	5.39	3	H	185	2.80	-
5250MHz	Pass	PK	5.2572G	107.74	Inf	-Inf	5.61	3	H	185	2.80	-
5250MHz	Pass	PK	5.478G	62.10	68.20	-6.10	6.03	3	H	185	2.80	-
5250MHz	Pass	PK	10.5G	58.01	74.00	-15.99	10.50	3	H	92	2.25	-
5250MHz	Pass	AV	5.1468G	52.44	54.00	-1.56	5.43	3	V	128	1.74	-
5250MHz	Pass	AV	5.2332G	90.95	Inf	-Inf	5.58	3	V	128	1.74	-
5250MHz	Pass	AV	5.3544G	50.89	54.00	-3.11	5.77	3	V	128	1.74	-
5250MHz	Pass	AV	10.5G	50.87	54.00	-3.13	10.50	3	V	31	2.25	-
5250MHz	Pass	PK	5.1144G	73.09	74.00	-0.91	5.36	3	V	128	1.74	-
5250MHz	Pass	PK	5.2284G	108.34	Inf	-Inf	5.58	3	V	128	1.74	-
5250MHz	Pass	PK	5.478G	67.31	68.20	-0.89	6.03	3	V	128	1.74	-
5250MHz	Pass	PK	10.5G	56.86	74.00	-17.14	10.50	3	V	31	2.25	-
5570MHz	Pass	AV	5.4476G	51.05	54.00	-2.95	7.80	3	H	315	1.59	-
5570MHz	Pass	AV	5.5868G	88.73	Inf	-Inf	8.06	3	H	315	1.59	-
5570MHz	Pass	AV	11.14G	53.95	54.00	-0.05	17.91	3	H	305	1.68	-
5570MHz	Pass	PK	5.3216G	60.80	68.20	-7.40	7.53	3	H	315	1.59	-
5570MHz	Pass	PK	5.4332G	67.33	74.00	-6.67	7.77	3	H	315	1.59	-
5570MHz	Pass	PK	5.4608G	65.82	68.20	-2.38	7.83	3	H	315	1.59	-
5570MHz	Pass	PK	5.5484G	103.67	Inf	-Inf	8.00	3	H	315	1.59	-
5570MHz	Pass	PK	5.7272G	64.18	68.20	-4.02	8.29	3	H	315	1.59	-
5570MHz	Pass	PK	11.14G	61.11	74.00	-12.89	17.91	3	H	305	1.68	-
5570MHz	Pass	AV	5.4572G	50.86	54.00	-3.14	7.83	3	V	258	2.65	-
5570MHz	Pass	AV	5.5784G	88.36	Inf	-Inf	8.05	3	V	258	2.65	-
5570MHz	Pass	AV	11.14G	53.59	54.00	-0.41	17.91	3	V	298	1.75	-
5570MHz	Pass	PK	5.3288G	59.94	68.20	-8.26	7.54	3	V	NaN	NaN	-
5570MHz	Pass	PK	5.432G	68.48	74.00	-5.52	7.77	3	V	258	2.65	-
5570MHz	Pass	PK	5.4608G	65.65	68.20	-2.55	7.83	3	V	258	2.65	-
5570MHz	Pass	PK	5.552G	102.90	Inf	-Inf	8.00	3	V	258	2.65	-
5570MHz	Pass	PK	5.7548G	66.77	68.20	-1.43	8.33	3	V	258	2.65	-
5570MHz	Pass	PK	11.14G	60.60	74.00	-13.40	17.91	3	V	298	1.75	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1448G	46.11	54.00	-7.89	7.14	3	V	21	1.50	-
AV	5.2534G	105.18	Inf	-Inf	7.38	3	V	21	1.50	-
AV	5.3944G	47.24	54.00	-6.76	7.69	3	V	21	1.50	-
PK	5.1394G	58.95	74.00	-15.05	7.13	3	V	21	1.50	-
PK	5.266G	115.67	Inf	-Inf	7.41	3	V	21	1.50	-
PK	5.3572G	60.12	74.00	-13.88	7.61	3	V	21	1.50	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5260MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1196G	46.35	54.00	-7.65	7.08	3	H	216	1.29	-
AV	5.2666G	106.16	Inf	-Inf	7.41	3	H	216	1.29	-
AV	5.3992G	47.20	54.00	-6.80	7.68	3	H	216	1.29	-
PK	5.116G	58.76	74.00	-15.24	7.08	3	H	216	1.29	-
PK	5.2666G	116.21	Inf	-Inf	7.41	3	H	216	1.29	-
PK	5.3992G	60.28	74.00	-13.72	7.70	3	H	216	1.29	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	50.48	54.00	-3.52	10.53	3	V	349	1.51	-
PK	10.52G	56.78	74.00	-17.22	10.53	3	V	349	1.51	-



### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5260MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.52G	50.29	54.00	-3.71	10.53	3	H	334	1.52	-
PK	10.52G	56.43	74.00	-17.57	10.53	3	H	334	1.52	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2936G	105.90	Inf	-Inf	7.47	3	V	130	1.85	-
AV	5.3504G	47.98	54.00	-6.02	7.59	3	V	130	1.85	-
PK	5.2976G	116.71	Inf	-Inf	7.47	3	V	130	1.85	-
PK	5.3592G	61.06	74.00	-12.94	7.61	3	V	130	1.85	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2976G	105.62	Inf	-Inf	7.47	3	H	188	2.87	-
AV	5.3508G	47.84	54.00	-6.16	7.59	3	H	188	2.87	-
PK	5.2972G	116.07	Inf	-Inf	7.47	3	H	188	2.87	-
PK	5.3592G	61.07	74.00	-12.93	7.61	3	H	188	2.87	-



### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	50.14	54.00	-3.86	10.67	3	V	360	1.50	-
PK	10.6G	58.02	74.00	-15.98	10.67	3	V	360	1.50	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5300MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6G	53.14	54.00	-0.86	10.67	3	H	157	1.61	-
PK	10.6G	59.03	74.00	-14.97	10.67	3	H	157	1.61	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3134G	105.06	Inf	-Inf	7.51	3	V	21	1.45	-
AV	5.350005G	52.94	54.00	-1.06	7.59	3	V	21	1.45	-
PK	5.3132G	115.87	Inf	-Inf	7.51	3	V	21	1.45	-
PK	5.3512G	67.91	74.00	-6.09	7.59	3	V	21	1.45	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3266G	105.09	Inf	-Inf	7.54	3	H	213	1.48	-
AV	5.350005G	53.35	54.00	-0.65	7.59	3	H	213	1.48	-
PK	5.3148G	115.09	Inf	-Inf	7.51	3	H	213	1.48	-
PK	5.351G	69.59	74.00	-4.41	7.59	3	H	213	1.48	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	52.88	54.00	-1.12	10.74	3	V	331	1.50	-
PK	10.64G	58.00	74.00	-16.00	10.74	3	V	331	1.50	-



### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5320MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64G	53.21	54.00	-0.79	10.74	3	H	291	1.69	-
PK	10.64G	58.61	74.00	-15.39	10.74	3	H	291	1.69	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5500MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.26	54.00	-4.74	7.83	3	V	256	1.59	-
AV	5.4978G	103.56	Inf	-Inf	7.92	3	V	256	1.59	-
PK	5.4586G	63.11	74.00	-10.89	7.83	3	V	256	1.59	-
PK	5.4688G	67.93	68.20	-0.27	7.85	3	V	256	1.59	-
PK	5.497G	114.32	Inf	-Inf	7.91	3	V	256	1.59	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5500MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	48.79	54.00	-5.21	7.83	3	H	313	1.50	-
AV	5.4934G	103.77	Inf	-Inf	7.91	3	H	313	1.50	-
PK	5.4596G	62.58	74.00	-11.42	7.83	3	H	313	1.50	-
PK	5.4674G	67.02	68.20	-1.18	7.85	3	H	313	1.50	-
PK	5.4934G	114.66	Inf	-Inf	7.91	3	H	313	1.50	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5500MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	51.54	54.00	-2.46	18.00	3	V	311	2.15	-
PK	11G	60.39	74.00	-13.61	18.00	3	V	311	2.15	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5500MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11G	52.93	54.00	-1.07	18.00	3	H	315	2.13	-
PK	11G	63.03	74.00	-10.97	18.00	3	H	315	2.13	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5580MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.442G	47.08	54.00	-6.92	7.79	3	V	269	3.17	-
AV	5.5734G	105.58	Inf	-Inf	8.04	3	V	269	3.17	-
PK	5.4372G	60.40	74.00	-13.60	7.78	3	V	269	3.17	-
PK	5.4612G	60.94	68.20	-7.26	7.83	3	V	269	3.17	-
PK	5.5734G	116.24	Inf	-Inf	8.04	3	V	269	3.17	-
PK	5.7288G	60.70	68.20	-7.50	8.29	3	V	269	3.17	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4396G	46.94	54.00	-7.06	7.79	3	H	169	1.62	-
AV	5.5776G	103.69	Inf	-Inf	8.04	3	H	169	1.62	-
PK	5.4588G	61.03	74.00	-12.97	7.83	3	H	169	1.62	-
PK	5.4684G	60.48	68.20	-7.72	7.85	3	H	169	1.62	-
PK	5.577G	114.56	Inf	-Inf	8.04	3	H	169	1.62	-
PK	5.7294G	61.25	68.20	-6.95	8.29	3	H	169	1.62	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	48.34	54.00	-5.66	17.89	3	V	45	1.65	-
PK	11.16G	58.76	74.00	-15.24	17.89	3	V	45	1.65	-



### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5580MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16G	53.90	54.00	-0.10	17.89	3	H	311	1.63	-
PK	11.16G	61.36	74.00	-12.64	17.89	3	H	311	1.63	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5700MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7024G	101.18	Inf	-Inf	8.24	3	V	137	2.55	-
PK	5.6952G	105.17	Inf	-Inf	8.23	3	V	137	2.55	-
PK	5.7256G	67.39	68.20	-0.81	8.28	3	V	137	2.55	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6936G	102.76	Inf	-Inf	8.23	3	H	202	1.50	-
PK	5.6928G	113.33	Inf	-Inf	8.23	3	H	202	1.50	-
PK	5.7264G	67.21	68.20	-0.99	8.28	3	H	202	1.50	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	49.31	54.00	-4.69	17.74	3	V	311	1.39	-
PK	11.4G	59.27	74.00	-14.73	17.74	3	V	311	1.39	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5700MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4G	53.94	54.00	-0.06	17.74	3	H	313	1.59	-
PK	11.4G	62.04	74.00	-11.96	17.74	3	H	313	1.59	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4248G	46.73	54.00	-7.27	7.75	3	V	270	3.15	-
AV	5.7128G	106.94	Inf	-Inf	8.26	3	V	270	3.15	-
PK	5.4536G	59.85	74.00	-14.15	7.82	3	V	270	3.15	-
PK	5.4644G	59.43	68.20	-8.77	7.84	3	V	270	3.15	-
PK	5.7128G	117.98	Inf	-Inf	8.26	3	V	270	3.15	-
PK	5.9384G	61.54	68.20	-6.66	8.63	3	V	270	3.15	-

### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.42G	46.67	54.00	-7.33	7.74	3	H	204	3.41	-
AV	5.726G	105.09	Inf	-Inf	8.28	3	H	204	3.41	-
PK	5.4392G	60.10	74.00	-13.90	7.79	3	H	204	3.41	-
PK	5.4668G	59.56	68.20	-8.64	7.85	3	H	204	3.41	-
PK	5.7128G	115.08	Inf	-Inf	8.26	3	H	204	3.41	-
PK	5.942G	60.86	68.20	-7.34	8.64	3	H	204	3.41	-

**802.11ac VHT20\_Nss2,(MCS0)\_8TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




eut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	52.62	54.00	-1.38	17.71	3	V	308	1.50	-
PK	11.44G	61.26	74.00	-12.74	17.71	3	V	308	1.50	-



### 802.11ac VHT20\_Nss2,(MCS0)\_8TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44G	52.06	54.00	-1.94	17.71	3	H	305	1.61	-
PK	11.44G	60.11	74.00	-13.89	17.71	3	H	305	1.61	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2736G	102.41	Inf	-Inf	7.42	3	V	20	1.34	-
AV	5.3508G	49.36	54.00	-4.64	7.59	3	V	20	1.34	-
PK	5.272G	113.36	Inf	-Inf	7.42	3	V	20	1.34	-
PK	5.354G	62.87	74.00	-11.13	7.60	3	V	20	1.34	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5270MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2776G	103.18	Inf	-Inf	7.43	3	H	108	1.84	-
AV	5.3504G	49.12	54.00	-4.88	7.59	3	H	108	1.84	-
PK	5.278G	113.79	Inf	-Inf	7.43	3	H	108	1.84	-
PK	5.3528G	64.02	74.00	-9.98	7.60	3	H	108	1.84	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5270MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	53.07	54.00	-0.93	10.57	3	V	37	2.70	-
PK	10.54G	57.75	74.00	-16.25	10.57	3	V	37	2.70	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5270MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.54G	52.88	54.00	-1.12	10.57	3	H	93	2.21	-
PK	10.54G	57.94	74.00	-16.06	10.57	3	H	93	2.21	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3176G	99.42	Inf	-Inf	7.52	3	V	146	1.54	-
AV	5.350005G	53.18	54.00	-0.82	7.59	3	V	146	1.54	-
PK	5.3176G	110.39	Inf	-Inf	7.52	3	V	146	1.54	-
PK	5.350005G	68.60	74.00	-5.40	7.59	3	V	146	1.54	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3132G	97.99	Inf	-Inf	7.51	3	H	133	1.63	-
AV	5.3504G	52.05	54.00	-1.95	7.59	3	H	133	1.63	-
PK	5.2932G	108.16	Inf	-Inf	7.47	3	H	133	1.63	-
PK	5.3508G	66.87	74.00	-7.13	7.59	3	H	133	1.63	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	53.01	54.00	-0.99	10.71	3	V	329	1.38	-
PK	10.62G	57.90	74.00	-16.10	10.71	3	V	329	1.38	-



### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5310MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62G	52.59	54.00	-1.41	10.71	3	H	320	1.52	-
PK	10.62G	58.38	74.00	-15.62	10.71	3	H	320	1.52	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5510MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	48.54	54.00	-5.46	7.83	3	V	257	1.50	-
AV	5.5264G	95.94	Inf	-Inf	7.96	3	V	257	1.50	-
PK	5.4584G	61.82	74.00	-12.18	7.83	3	V	257	1.50	-
PK	5.466G	67.60	68.20	-0.60	7.85	3	V	257	1.50	-
PK	5.4928G	107.28	Inf	-Inf	7.90	3	V	257	1.50	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5510MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.63	54.00	-4.37	7.83	3	H	100	1.74	-
AV	5.46G	49.63	54.00	-4.37	7.83	3	H	100	1.74	-
PK	5.46G	64.04	74.00	-9.96	7.83	3	H	100	1.74	-
PK	5.4652G	67.91	68.20	-0.29	7.84	3	H	100	1.74	-
PK	5.5132G	108.06	Inf	-Inf	7.94	3	H	100	1.74	-



### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5510MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	53.12	54.00	-0.88	17.99	3	V	305	1.63	-
PK	11.02G	61.55	74.00	-12.45	17.99	3	V	305	1.63	-



### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5510MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02G	53.68	54.00	-0.32	17.99	3	H	211	1.50	-
PK	11.02G	64.12	74.00	-9.88	17.99	3	H	211	1.50	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5550MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	48.20	54.00	-5.80	7.83	3	V	269	2.84	-
AV	5.5576G	102.73	Inf	-Inf	8.01	3	V	269	2.84	-
PK	5.46G	62.57	74.00	-11.43	7.83	3	V	269	2.84	-
PK	5.4688G	64.85	68.20	-3.35	7.85	3	V	269	2.84	-
PK	5.558G	113.88	Inf	-Inf	8.01	3	V	269	2.84	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5550MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.81	54.00	-6.19	7.83	3	H	311	1.43	-
AV	5.5464G	101.38	Inf	-Inf	7.99	3	H	311	1.43	-
PK	5.45G	61.71	74.00	-12.29	7.81	3	H	311	1.43	-
PK	5.4656G	62.77	68.20	-5.43	7.84	3	H	311	1.43	-
PK	5.5512G	112.44	Inf	-Inf	8.00	3	H	311	1.43	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5550MHz\_TX



cut : Y


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	53.48	54.00	-0.52	17.93	3	V	298	1.80	-
PK	11.1G	60.60	74.00	-13.40	17.93	3	V	298	1.80	-





### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5550MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1G	53.84	54.00	-0.16	17.93	3	H	305	1.61	-
PK	11.1G	55.40	74.00	-18.60	17.93	3	H	305	1.61	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6668G	96.50	Inf	-Inf	8.19	3	V	268	2.68	-
PK	5.6524G	108.38	Inf	-Inf	8.16	3	V	268	2.68	-
PK	5.7276G	67.32	68.20	-0.88	8.29	3	V	268	2.68	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6668G	97.09	Inf	-Inf	8.19	3	H	194	1.50	-
PK	5.6748G	109.55	Inf	-Inf	8.20	3	H	194	1.50	-
PK	5.734G	65.51	68.20	-2.69	8.30	3	H	194	1.50	-

### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	52.64	54.00	-1.36	17.78	3	V	308	1.29	-
PK	11.34G	59.20	74.00	-14.80	17.78	3	V	308	1.29	-



### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5670MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34G	52.49	54.00	-1.51	17.78	3	H	311	1.61	-
PK	11.34G	60.53	74.00	-13.47	17.78	3	H	311	1.61	-

**802.11ac VHT40\_Nss2,(MCS0)\_8TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4124G	46.68	54.00	-7.32	7.73	3	V	265	2.55	-
AV	5.7184G	102.40	Inf	-Inf	8.27	3	V	265	2.55	-
PK	5.4172G	60.31	74.00	-13.69	7.74	3	V	265	2.55	-
PK	5.4688G	59.30	68.20	-8.90	7.85	3	V	265	2.55	-
PK	5.7184G	113.77	Inf	-Inf	8.27	3	V	265	2.55	-
PK	5.9488G	60.97	68.20	-7.23	8.65	3	V	265	2.55	-

**802.11ac VHT40\_Nss2,(MCS0)\_8TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4124G	46.73	54.00	-7.27	7.73	3	H	195	1.50	-
AV	5.6932G	102.27	Inf	-Inf	8.23	3	H	195	1.50	-
PK	5.4148G	59.85	74.00	-14.15	7.73	3	H	195	1.50	-
PK	5.464G	59.76	68.20	-8.44	7.84	3	H	195	1.50	-
PK	5.6992G	114.20	Inf	-Inf	8.24	3	H	195	1.50	-
PK	5.938G	61.07	68.20	-7.13	8.63	3	H	195	1.50	-

**802.11ac VHT40\_Nss2,(MCS0)\_8TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




eut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	52.98	54.00	-1.02	17.72	3	V	306	1.50	-
PK	11.42G	60.21	74.00	-13.79	17.72	3	V	306	1.50	-



### 802.11ac VHT40\_Nss2,(MCS0)\_8TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42G	52.90	54.00	-1.10	17.72	3	H	307	1.66	-
PK	11.42G	60.64	74.00	-13.36	17.72	3	H	307	1.66	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5290MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.12G	46.44	54.00	-7.56	5.37	3	V	141	1.76	-
AV	5.293G	97.20	Inf	-Inf	5.64	3	V	141	1.76	-
AV	5.352G	53.43	54.00	-0.57	5.76	3	V	141	1.76	-
PK	5.146G	59.53	74.00	-14.47	5.43	3	V	141	1.76	-
PK	5.293G	109.91	Inf	-Inf	5.64	3	V	141	1.76	-
PK	5.351G	72.77	74.00	-1.23	5.76	3	V	141	1.76	-
PK	5.527G	60.27	68.20	-7.93	6.12	3	V	141	1.76	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.119G	46.44	54.00	-7.56	5.37	3	H	57	1.16	-
AV	5.286G	94.94	Inf	-Inf	5.64	3	H	57	1.16	-
AV	5.353G	53.07	54.00	-0.93	5.77	3	H	57	1.16	-
PK	5.075G	60.20	74.00	-13.80	5.28	3	H	57	1.16	-
PK	5.277G	108.69	Inf	-Inf	5.63	3	H	57	1.16	-
PK	5.350005G	68.91	74.00	-5.09	5.76	3	H	57	1.16	-
PK	5.494G	58.73	68.20	-9.47	6.07	3	H	57	1.16	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	52.12	54.00	-1.88	10.64	3	V	330	1.45	-
PK	10.58G	57.70	74.00	-16.30	10.64	3	V	330	1.45	-



### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5290MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.58G	52.61	54.00	-1.39	10.64	3	H	322	1.41	-
PK	10.58G	58.15	74.00	-15.85	10.64	3	H	322	1.41	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5530MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	48.58	54.00	-5.42	7.83	3	V	268	1.56	-
AV	5.46G	48.37	54.00	-5.63	7.83	3	V	268	1.56	-
AV	5.533G	91.75	Inf	-Inf	7.97	3	V	268	1.56	-
PK	5.348G	60.22	68.20	-7.98	7.59	3	V	268	1.56	-
PK	5.459G	66.06	74.00	-7.94	7.83	3	V	268	1.56	-
PK	5.465G	67.54	68.20	-0.66	7.84	3	V	268	1.56	-
PK	5.545G	105.69	Inf	-Inf	7.99	3	V	268	1.56	-
PK	5.743G	61.99	68.20	-6.21	8.31	3	V	268	1.56	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5530MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	48.91	54.00	-5.09	7.81	3	H	311	1.50	-
AV	5.526G	93.44	Inf	-Inf	7.96	3	H	311	1.50	-
PK	5.32G	59.91	68.20	-8.29	7.52	3	H	311	1.50	-
PK	5.458G	64.15	74.00	-9.85	7.83	3	H	311	1.50	-
PK	5.468G	65.12	68.20	-3.08	7.85	3	H	311	1.50	-
PK	5.517G	105.92	Inf	-Inf	7.95	3	H	311	1.50	-
PK	5.779G	62.05	68.20	-6.15	8.37	3	H	311	1.50	-



### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5530MHz\_TX



cut: Y


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	53.35	54.00	-0.65	17.96	3	V	299	1.70	-
PK	11.06G	58.58	74.00	-15.42	17.96	3	V	299	1.70	-





### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5530MHz\_TX




cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06G	53.85	54.00	-0.15	17.96	3	H	308	1.62	-
PK	11.06G	62.05	74.00	-11.95	17.96	3	H	308	1.62	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5610MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.02	54.00	-3.98	7.83	3	V	105	1.71	-
AV	5.613G	97.19	Inf	-Inf	8.10	3	V	105	1.71	-
PK	5.447G	64.16	74.00	-9.84	7.80	3	V	105	1.71	-
PK	5.467G	66.19	68.20	-2.01	7.85	3	V	105	1.71	-
PK	5.629G	109.94	Inf	-Inf	8.13	3	V	105	1.71	-
PK	5.727G	68.03	68.20	-0.17	8.29	3	V	105	1.71	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5610MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.11	54.00	-3.89	7.83	3	H	193	3.66	-
AV	5.613G	98.97	Inf	-Inf	8.10	3	H	193	3.66	-
PK	5.458G	65.12	74.00	-8.88	7.83	3	H	193	3.66	-
PK	5.467G	66.41	68.20	-1.79	7.85	3	H	193	3.66	-
PK	5.598G	111.31	Inf	-Inf	8.08	3	H	193	3.66	-
PK	5.727G	68.09	68.20	-0.11	8.29	3	H	193	3.66	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5610MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	51.94	54.00	-2.06	17.85	3	V	313	1.49	-
PK	11.22G	60.06	74.00	-13.94	17.85	3	V	313	1.49	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX


### 5610MHz\_TX



cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	53.94	54.00	-0.06	17.85	3	H	308	1.62	-
PK	11.22G	61.61	74.00	-12.39	17.85	3	H	308	1.62	-

**802.11ac VHT80\_Nss2,(MCS0)\_8TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.82	54.00	-7.18	7.83	3	V	273	3.11	-
AV	5.6936G	98.94	Inf	-Inf	8.23	3	V	273	3.11	-
PK	5.39G	61.27	74.00	-12.73	7.68	3	V	273	3.11	-
PK	5.4692G	60.58	68.20	-7.62	7.85	3	V	273	3.11	-
PK	5.708G	111.58	Inf	-Inf	8.25	3	V	273	3.11	-
PK	5.9516G	61.82	68.20	-6.38	8.65	3	V	273	3.11	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3948G	46.80	54.00	-7.20	7.69	3	H	205	3.40	-
AV	5.6864G	98.21	Inf	-Inf	8.22	3	H	205	3.40	-
PK	5.3936G	60.89	74.00	-13.11	7.69	3	H	205	3.40	-
PK	5.468G	60.03	68.20	-8.17	7.85	3	H	205	3.40	-
PK	5.6972G	110.53	Inf	-Inf	8.24	3	H	205	3.40	-
PK	5.9288G	61.23	68.20	-6.97	8.62	3	H	205	3.40	-

### 802.11ac VHT80\_Nss2,(MCS0)\_8TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38G	52.78	54.00	-1.22	17.75	3	V	310	1.43	-
PK	11.38G	60.49	74.00	-13.51	17.75	3	V	310	1.43	-



**802.11ac VHT80\_Nss2,(MCS0)\_8TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38G	52.71	54.00	-1.29	17.75	3	H	306	1.64	-
PK	11.38G	60.58	74.00	-13.42	17.75	3	H	306	1.64	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	52.44	54.00	-1.56	5.43	3	V	128	1.74	-
AV	5.2332G	90.95	Inf	-Inf	5.58	3	V	128	1.74	-
AV	5.3544G	50.89	54.00	-3.11	5.77	3	V	128	1.74	-
PK	5.1144G	73.09	74.00	-0.91	5.36	3	V	128	1.74	-
PK	5.2284G	108.34	Inf	-Inf	5.58	3	V	128	1.74	-
PK	5.394G	69.17	74.00	-4.83	5.86	3	V	128	1.74	-
PK	5.478G	67.31	68.20	-0.89	6.03	3	V	128	1.74	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1276G	52.81	54.00	-1.19	5.39	3	H	185	2.80	-
AV	5.2572G	90.87	Inf	-Inf	5.61	3	H	185	2.80	-
AV	5.3724G	50.97	54.00	-3.03	5.81	3	H	185	2.80	-
PK	5.1276G	72.72	74.00	-1.28	5.39	3	H	185	2.80	-
PK	5.2572G	107.74	Inf	-Inf	5.61	3	H	185	2.80	-
PK	5.3772G	67.17	74.00	-6.83	5.82	3	H	185	2.80	-
PK	5.478G	62.10	68.20	-6.10	6.03	3	H	185	2.80	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.5G	50.87	54.00	-3.13	10.50	3	V	31	2.25	-
PK	10.5G	56.86	74.00	-17.14	10.50	3	V	31	2.25	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5250MHz\_TX




cut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.5G	52.75	54.00	-1.25	10.50	3	H	92	2.25	-
PK	10.5G	58.01	74.00	-15.99	10.50	3	H	92	2.25	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5570MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	50.86	54.00	-3.14	7.83	3	V	258	2.65	-
AV	5.5784G	88.36	Inf	-Inf	8.05	3	V	258	2.65	-
PK	5.432G	68.48	74.00	-5.52	7.77	3	V	258	2.65	-
PK	5.4608G	65.65	68.20	-2.55	7.83	3	V	258	2.65	-
PK	5.552G	102.90	Inf	-Inf	8.00	3	V	258	2.65	-
PK	5.7548G	66.77	68.20	-1.43	8.33	3	V	258	2.65	-

### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5570MHz\_TX




eut : Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4476G	51.05	54.00	-2.95	7.80	3	H	315	1.59	-
AV	5.5868G	88.73	Inf	-Inf	8.06	3	H	315	1.59	-
PK	5.4332G	67.33	74.00	-6.67	7.77	3	H	315	1.59	-
PK	5.4608G	65.82	68.20	-2.38	7.83	3	H	315	1.59	-
PK	5.5484G	103.67	Inf	-Inf	8.00	3	H	315	1.59	-
PK	5.7272G	64.18	68.20	-4.02	8.29	3	H	315	1.59	-



### 802.11ac VHT160\_Nss2,(MCS0)\_8TX

### 5570MHz\_TX



cut: Y

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14G	53.59	54.00	-0.41	17.91	3	V	298	1.75	-
PK	11.14G	60.60	74.00	-13.40	17.91	3	V	298	1.75	-