


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31554G	37.92	54.00	-16.08	16.46	3	Vertical	138	2.81	21.46	39.10	11.55	34.19
PK	12.31866G	50.88	74.00	-23.12	16.46	3	Vertical	138	2.81	34.42	39.10	11.55	34.19

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31512G	37.91	54.00	-16.09	16.46	3	Horizontal	63	1.73	21.45	39.10	11.55	34.19
PK	12.31746G	50.39	74.00	-23.61	16.46	3	Horizontal	63	1.73	33.93	39.10	11.55	34.19

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81405G	38.61	68.20	-29.59	17.83	3	Vertical	203	1.26	20.78	39.83	11.45	33.45
PK	12.81372G	51.97	88.20	-36.23	17.83	3	Vertical	203	1.26	34.14	39.83	11.45	33.45

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8157G	38.63	68.20	-29.57	17.83	3	Horizontal	360	2.45	20.80	39.83	11.45	33.45
PK	12.8238G	51.57	88.20	-36.63	17.87	3	Horizontal	360	2.45	33.70	39.85	11.45	33.43

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87593G	39.12	68.20	-29.08	18.07	3	Vertical	90	2.79	21.05	39.95	11.44	33.32
PK	12.90056G	52.83	88.20	-35.37	18.16	3	Vertical	90	2.79	34.67	40.00	11.43	33.27

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87548G	39.12	68.20	-29.08	18.07	3	Horizontal	58	1.53	21.05	39.95	11.44	33.32
PK	12.90122G	51.76	88.20	-36.44	18.16	3	Horizontal	58	1.53	33.60	40.00	11.43	33.27

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95971G	38.63	68.20	-29.57	18.15	3	Vertical	230	2.27	20.48	39.88	11.42	33.15
PK	12.98122G	51.86	88.20	-36.34	18.14	3	Vertical	230	2.27	33.72	39.84	11.41	33.11

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95869G	38.64	68.20	-29.56	18.15	3	Horizontal	299	1.35	20.49	39.88	11.42	33.15
PK	12.96943G	51.17	88.20	-37.03	18.15	3	Horizontal	299	1.35	33.02	39.86	11.42	33.13

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03725G	38.53	68.20	-29.67	18.18	3	Vertical	120	1.75	20.35	39.80	11.40	33.02
PK	13.04628G	51.49	88.20	-36.71	18.20	3	Vertical	120	1.75	33.29	39.80	11.40	33.00

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03944G	38.51	68.20	-29.69	18.19	3	Horizontal	346	1.54	20.32	39.80	11.40	33.01
PK	13.05318G	50.78	88.20	-37.42	18.21	3	Horizontal	346	1.54	32.57	39.80	11.40	32.99

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1351G	38.38	68.20	-29.82	18.35	3	Vertical	42	2.68	20.03	39.84	11.38	32.87
PK	13.12769G	51.30	88.20	-36.90	18.33	3	Vertical	42	2.68	32.97	39.83	11.38	32.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13177G	38.39	68.20	-29.81	18.33	3	Horizontal	261	1.36	20.06	39.83	11.38	32.88
PK	13.12994G	50.66	88.20	-37.54	18.33	3	Horizontal	261	1.36	32.33	39.83	11.38	32.88

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38428G	39.06	54.00	-14.94	19.06	3	Vertical	294	1.74	20.00	40.24	11.33	32.51
PK	13.36583G	51.73	74.00	-22.27	18.95	3	Vertical	294	1.74	32.78	40.16	11.33	32.54

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38335G	39.06	54.00	-14.94	19.05	3	Horizontal	102	1.19	20.01	40.23	11.33	32.51
PK	13.3811G	52.09	74.00	-21.91	19.04	3	Horizontal	102	1.19	33.05	40.22	11.33	32.51

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67524G	38.19	68.20	-30.01	18.64	3	Vertical	273	1.38	19.55	39.75	11.27	32.38
PK	13.6909G	50.94	88.20	-37.26	18.60	3	Vertical	273	1.38	32.34	39.72	11.26	32.38

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67557G	38.20	68.20	-30.00	18.64	3	Horizontal	356	2.93	19.56	39.75	11.27	32.38
PK	13.67644G	51.17	88.20	-37.03	18.64	3	Horizontal	356	2.93	32.53	39.75	11.27	32.38

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77009G	38.18	68.20	-30.02	18.49	3	Vertical	7	2.54	19.69	39.63	11.25	32.39
PK	13.77324G	50.60	88.20	-37.60	18.49	3	Vertical	7	2.54	32.11	39.63	11.25	32.39

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77021G	38.16	68.20	-30.04	18.49	3	Horizontal	230	2.96	19.67	39.63	11.25	32.39
PK	13.75587G	51.51	88.20	-36.69	18.50	3	Horizontal	230	2.96	33.01	39.64	11.25	32.39

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83551G	38.05	68.20	-30.15	18.49	3	Vertical	128	1.03	19.56	39.67	11.23	32.41
PK	13.85942G	50.49	88.20	-37.71	18.54	3	Vertical	128	1.03	31.95	39.72	11.23	32.41

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83944G	38.06	68.20	-30.14	18.50	3	Horizontal	230	2.34	19.56	39.68	11.23	32.41
PK	13.85396G	50.55	88.20	-37.65	18.53	3	Horizontal	230	2.34	32.02	39.71	11.23	32.41

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01384G	38.40	68.20	-29.80	18.58	3	Vertical	306	2.04	19.82	39.83	11.21	32.46
PK	14.01423G	50.67	88.20	-37.53	18.58	3	Vertical	306	2.04	32.09	39.83	11.21	32.46

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01084G	38.40	68.20	-29.80	18.58	3	Horizontal	188	2.67	19.82	39.82	11.21	32.45
PK	14.00721G	51.18	88.20	-37.02	18.56	3	Horizontal	188	2.67	32.62	39.81	11.20	32.45

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0724G	96.73	Inf	-Inf	9.30	3	Vertical	209	2.72	87.43	36.13	7.64	34.47
AV	7.2269G	49.05	68.20	-19.15	10.17	3	Vertical	209	2.72	38.88	36.91	7.75	34.49
PK	7.0775G	108.33	Inf	-Inf	9.33	3	Vertical	209	2.72	99.00	36.16	7.64	34.47
PK	7.2014G	62.63	88.20	-25.57	10.06	3	Vertical	209	2.72	52.57	36.81	7.73	34.48

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0883G	97.98	Inf	-Inf	9.41	3	Horizontal	171	1.30	88.57	36.23	7.65	34.47
AV	7.2146G	51.70	68.20	-16.50	10.11	3	Horizontal	171	1.30	41.59	36.86	7.74	34.49
PK	7.0979G	109.66	Inf	-Inf	9.48	3	Horizontal	171	1.30	100.18	36.29	7.66	34.47
PK	7.1972G	64.48	88.20	-23.72	10.03	3	Horizontal	171	1.30	54.45	36.78	7.73	34.48

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15788G	38.80	68.20	-29.40	18.65	3	Vertical	145	2.29	20.15	40.00	11.30	32.65
PK	14.17078G	51.11	88.20	-37.09	18.64	3	Vertical	145	2.29	32.47	40.00	11.31	32.67

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15704G	38.82	68.20	-29.38	18.65	3	Horizontal	77	1.37	20.17	40.00	11.30	32.65
PK	14.15578G	50.70	88.20	-37.50	18.65	3	Horizontal	77	1.37	32.05	40.00	11.30	32.65

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	46.76	68.20	-21.44	7.05	3	Vertical	192	2.38	39.71	34.26	7.00	34.21
AV	5.9925G	95.43	Inf	-Inf	6.96	3	Vertical	192	2.38	88.47	34.12	7.06	34.22
PK	5.9175G	59.03	88.20	-29.17	7.06	3	Vertical	192	2.38	51.97	34.27	7.00	34.21
PK	6.0025G	108.38	Inf	-Inf	6.95	3	Vertical	192	2.38	101.43	34.10	7.07	34.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	50.17	68.20	-18.03	7.05	3	Horizontal	88	1.71	43.12	34.25	7.01	34.21
AV	5.9935G	96.98	Inf	-Inf	6.95	3	Horizontal	88	1.71	90.03	34.11	7.06	34.22
PK	5.924G	62.83	88.20	-25.37	7.05	3	Horizontal	88	1.71	55.78	34.25	7.01	34.21
PK	5.9585G	109.62	Inf	-Inf	6.99	3	Horizontal	88	1.71	102.63	34.18	7.03	34.22

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96484G	37.68	54.00	-16.32	16.25	3	Vertical	291	2.17	21.43	38.99	11.61	34.35
PK	11.95998G	51.03	74.00	-22.97	16.24	3	Vertical	291	2.17	34.79	38.98	11.61	34.35

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97099G	37.69	54.00	-16.31	16.27	3	Horizontal	212	2.39	21.42	39.01	11.61	34.35
PK	11.96385G	51.65	74.00	-22.35	16.25	3	Horizontal	212	2.39	35.40	38.99	11.61	34.35

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.27986G	37.97	54.00	-16.03	16.47	3	Vertical	197	1.57	21.50	39.12	11.56	34.21
PK	12.28331G	50.52	74.00	-23.48	16.47	3	Vertical	197	1.57	34.05	39.12	11.56	34.21

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.30146G	37.96	54.00	-16.04	16.46	3	Horizontal	333	1.01	21.50	39.10	11.56	34.20
PK	12.28283G	51.02	74.00	-22.98	16.47	3	Horizontal	333	1.01	34.55	39.12	11.56	34.21

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77642G	38.58	68.20	-29.62	17.66	3	Vertical	226	2.71	20.92	39.73	11.46	33.53
PK	12.76181G	51.76	88.20	-36.44	17.59	3	Vertical	226	2.71	34.17	39.69	11.46	33.56

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77651G	38.58	68.20	-29.62	17.66	3	Horizontal	242	1.17	20.92	39.73	11.46	33.53
PK	12.77273G	52.13	88.20	-36.07	17.65	3	Horizontal	242	1.17	34.48	39.72	11.46	33.53

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93054G	38.92	68.20	-29.28	18.15	3	Vertical	72	2.66	20.77	39.94	11.42	33.21
PK	12.92142G	52.10	88.20	-36.10	18.16	3	Vertical	72	2.66	33.94	39.96	11.43	33.23

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93276G	38.92	68.20	-29.28	18.14	3	Horizontal	253	1.64	20.78	39.93	11.42	33.21
PK	12.93843G	51.67	88.20	-36.53	18.14	3	Horizontal	253	1.64	33.53	39.92	11.42	33.20

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07551G	38.38	68.20	-29.82	18.23	3	Vertical	165	1.12	20.15	39.80	11.39	32.96
PK	13.09975G	50.87	88.20	-37.33	18.27	3	Vertical	165	1.12	32.60	39.80	11.39	32.92

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07563G	38.39	68.20	-29.81	18.23	3	Horizontal	154	1.56	20.16	39.80	11.39	32.96
PK	13.08364G	51.51	88.20	-36.69	18.24	3	Horizontal	154	1.56	33.27	39.80	11.39	32.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25564G	38.63	54.00	-15.37	18.56	3	Vertical	144	1.40	20.07	39.90	11.36	32.70
PK	13.25897G	51.17	74.00	-22.83	18.57	3	Vertical	144	1.40	32.60	39.90	11.36	32.69

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25495G	38.61	54.00	-15.39	18.56	3	Horizontal	16	1.85	20.05	39.90	11.36	32.70
PK	13.24736G	52.34	88.20	-35.86	18.55	3	Horizontal	16	1.85	33.79	39.90	11.36	32.71

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40466G	39.35	68.20	-28.85	19.14	3	Vertical	173	1.44	20.21	40.29	11.33	32.48
PK	13.40852G	51.58	88.20	-36.62	19.12	3	Vertical	173	1.44	32.46	40.27	11.32	32.47

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40994G	39.35	68.20	-28.85	19.12	3	Horizontal	297	2.44	20.23	40.27	11.32	32.47
PK	13.40304G	52.47	88.20	-35.73	19.14	3	Horizontal	297	2.44	33.33	40.29	11.33	32.48

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.55659G	38.80	68.20	-29.40	18.88	3	Vertical	172	1.94	19.92	39.94	11.29	32.35
PK	13.57318G	50.82	88.20	-37.38	18.87	3	Vertical	172	1.94	31.95	39.93	11.29	32.35

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.55545G	38.82	68.20	-29.38	18.88	3	Horizontal	105	1.52	19.94	39.94	11.29	32.35
PK	13.55659G	51.82	88.20	-36.38	18.88	3	Horizontal	105	1.52	32.94	39.94	11.29	32.35

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73015G	38.29	68.20	-29.91	18.54	3	Vertical	4	1.42	19.75	39.67	11.26	32.39
PK	13.71596G	51.39	88.20	-36.81	18.56	3	Vertical	4	1.42	32.83	39.68	11.26	32.38

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73021G	38.32	68.20	-29.88	18.54	3	Horizontal	18	2.91	19.78	39.67	11.26	32.39
PK	13.73315G	51.26	88.20	-36.94	18.54	3	Horizontal	18	2.91	32.72	39.67	11.26	32.39

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89165G	38.16	68.20	-30.04	18.58	3	Vertical	253	2.21	19.58	39.78	11.22	32.42
PK	13.87902G	51.27	88.20	-36.93	18.57	3	Vertical	253	2.21	32.70	39.76	11.23	32.42

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89027G	38.25	68.20	-29.95	18.58	3	Horizontal	242	1.18	19.67	39.78	11.22	32.42
PK	13.90371G	51.90	88.20	-36.30	18.60	3	Horizontal	242	1.18	33.30	39.80	11.22	32.42

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0376G	96.35	Inf	-Inf	9.11	3	Vertical	205	2.27	87.24	35.95	7.62	34.46
AV	7.1276G	52.08	68.20	-16.12	9.61	3	Vertical	205	2.27	42.47	36.41	7.68	34.48
PK	7.037G	108.83	Inf	-Inf	9.11	3	Vertical	205	2.27	99.72	35.95	7.62	34.46
PK	7.1279G	66.07	88.20	-22.13	9.61	3	Vertical	205	2.27	56.46	36.41	7.68	34.48

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0568G	97.66	Inf	-Inf	9.20	3	Horizontal	137	2.19	88.46	36.04	7.63	34.47
AV	7.1267G	54.66	68.20	-13.54	9.61	3	Horizontal	137	2.19	45.05	36.41	7.68	34.48
PK	7.0565G	110.61	Inf	-Inf	9.20	3	Horizontal	137	2.19	101.41	36.04	7.63	34.47
PK	7.1264G	68.90	88.20	-19.30	9.61	3	Horizontal	137	2.19	59.29	36.41	7.68	34.48

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05306G	38.57	68.20	-29.63	18.63	3	Vertical	1	1.19	19.94	39.91	11.23	32.51
PK	14.05633G	51.94	88.20	-36.26	18.62	3	Vertical	1	1.19	33.32	39.91	11.23	32.52

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05027G	38.56	68.20	-29.64	18.62	3	Horizontal	350	1.84	19.94	39.90	11.23	32.51
PK	14.0623G	51.69	88.20	-36.51	18.64	3	Horizontal	350	1.84	33.05	39.92	11.24	32.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	48.68	68.20	-19.52	7.05	3	Vertical	223	2.98	41.63	34.26	7.00	34.21
AV	6.051G	94.63	Inf	-Inf	6.97	3	Vertical	223	2.98	87.66	34.10	7.10	34.23
PK	5.9085G	62.54	88.20	-25.66	7.06	3	Vertical	223	2.98	55.48	34.28	6.99	34.21
PK	6.041G	107.71	Inf	-Inf	6.96	3	Vertical	223	2.98	100.75	34.10	7.09	34.23

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	53.08	68.20	-15.12	7.04	3	Horizontal	85	1.80	46.04	34.25	7.00	34.21
AV	5.9985G	98.08	Inf	-Inf	6.95	3	Horizontal	85	1.80	91.13	34.10	7.07	34.22
PK	5.908G	69.09	88.20	-19.11	7.06	3	Horizontal	85	1.80	62.03	34.28	6.99	34.21
PK	6.0385G	110.29	Inf	-Inf	6.96	3	Horizontal	85	1.80	103.33	34.10	7.09	34.23

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04031G	38.10	54.00	-15.90	16.40	3	Vertical	170	2.97	21.70	39.14	11.61	34.35
PK	12.03722G	51.51	74.00	-22.49	16.40	3	Vertical	170	2.97	35.11	39.14	11.61	34.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03953G	38.09	54.00	-15.91	16.40	3	Horizontal	301	2.11	21.69	39.14	11.61	34.35
PK	12.04274G	50.62	74.00	-23.38	16.40	3	Horizontal	301	2.11	34.22	39.14	11.61	34.35

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36019G	37.82	54.00	-16.18	16.47	3	Vertical	316	1.88	21.35	39.10	11.54	34.17
PK	12.36526G	50.61	74.00	-23.39	16.47	3	Vertical	316	1.88	34.14	39.10	11.54	34.17

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35974G	37.87	54.00	-16.13	16.47	3	Horizontal	1	2.07	21.40	39.10	11.54	34.17
PK	12.36796G	51.93	74.00	-22.07	16.48	3	Horizontal	1	2.07	35.45	39.10	11.54	34.16

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69372G	38.02	54.00	-15.98	17.27	3	Vertical	282	2.81	20.75	39.49	11.47	33.69
PK	12.69474G	50.12	74.00	-23.88	17.27	3	Vertical	282	2.81	32.85	39.49	11.47	33.69

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69504G	38.06	54.00	-15.94	17.28	3	Horizontal	203	1.66	20.78	39.50	11.47	33.69
PK	12.67755G	51.66	74.00	-22.34	17.23	3	Horizontal	203	1.66	34.43	39.48	11.48	33.73

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0103G	38.56	68.20	-29.64	18.16	3	Vertical	84	2.71	20.40	39.80	11.41	33.05
PK	12.99734G	51.35	88.20	-36.85	18.14	3	Vertical	84	2.71	33.21	39.81	11.41	33.08

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01117G	38.57	68.20	-29.63	18.16	3	Horizontal	20	2.03	20.41	39.80	11.41	33.05
PK	13.01369G	51.41	88.20	-36.79	18.16	3	Horizontal	20	2.03	33.25	39.80	11.41	33.05

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.31512G	38.77	54.00	-15.23	18.69	3	Vertical	179	1.85	20.08	39.96	11.34	32.61
PK	13.31803G	52.42	74.00	-21.58	18.70	3	Vertical	179	1.85	33.72	39.97	11.34	32.61

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3153G	38.73	54.00	-15.27	18.69	3	Horizontal	316	2.30	20.04	39.96	11.34	32.61
PK	13.32436G	51.20	74.00	-22.80	18.74	3	Horizontal	316	2.30	32.46	40.00	11.34	32.60

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.63536G	38.33	68.20	-29.87	18.74	3	Vertical	149	2.21	19.59	39.83	11.28	32.37
PK	13.66221G	51.15	88.20	-37.05	18.68	3	Vertical	149	2.21	32.47	39.78	11.27	32.37

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65015G	38.34	68.20	-29.86	18.70	3	Horizontal	90	1.93	19.64	39.80	11.27	32.37
PK	13.64643G	50.39	88.20	-37.81	18.71	3	Horizontal	90	1.93	31.68	39.81	11.27	32.37

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0125G	94.66	Inf	-Inf	8.99	3	Vertical	201	2.48	85.67	35.85	7.60	34.46
AV	7.1275G	52.34	68.20	-15.86	9.61	3	Vertical	201	2.48	42.73	36.41	7.68	34.48
PK	7.0075G	108.56	Inf	-Inf	8.97	3	Vertical	201	2.48	99.59	35.83	7.60	34.46
PK	7.1325G	68.65	88.20	-19.55	9.63	3	Vertical	201	2.48	59.02	36.43	7.68	34.48

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0175G	97.75	Inf	-Inf	9.01	3	Horizontal	32	1.50	88.74	35.87	7.60	34.46
AV	7.138G	55.29	68.20	-12.91	9.66	3	Horizontal	32	1.50	45.63	36.45	7.69	34.48
PK	7.018G	110.72	Inf	-Inf	9.01	3	Horizontal	32	1.50	101.71	35.87	7.60	34.46
PK	7.131G	72.32	88.20	-15.88	9.62	3	Horizontal	32	1.50	62.70	36.42	7.68	34.48

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.95683G	38.41	68.20	-29.79	18.58	3	Vertical	235	2.99	19.83	39.80	11.21	32.43
PK	13.96559G	50.94	88.20	-37.26	18.58	3	Vertical	235	2.99	32.36	39.80	11.21	32.43

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97942G	38.39	68.20	-29.81	18.56	3	Horizontal	119	2.67	19.83	39.80	11.20	32.44
PK	13.95974G	51.07	88.20	-37.13	18.58	3	Horizontal	119	2.67	32.49	39.80	11.21	32.43



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	5.9565G	-11.69	5.967G	-39.24	-31.78	-7.46	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	5.97379G	-7.43	5.9936G	-37.07	-30.04	-7.03	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	5.99899G	-6.91	6.0286G	-34.02	-26.92	-7.10	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.36898G	-2.92	6.0082G	-47.94	-42.92	-5.02	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.52239G	-14.03	6.5314G	-45.28	-37.81	-7.47	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.43861G	-9.20	6.4664G	-36.35	-29.22	-7.13	2
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.43503G	-5.46	6.423G	-32.64	-25.48	-7.16	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.44906G	-1.91	6.1498G	-49.97	-41.91	-8.06	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.86269G	-13.31	6.8713G	-43.91	-36.84	-7.07	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.888G	-8.92	6.92G	-41.91	-34.41	-7.50	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.81617G	-4.21	6.8274G	-31.44	-24.22	-7.22	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.58908G	-1.96	6.4058G	-50.41	-41.96	-8.45	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.8931G	-17.99	6.879G	-48.47	-41.07	-7.40	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	7.06702G	-7.98	7.0502G	-39.88	-33.39	-6.49	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.95619G	-5.70	6.987G	-32.82	-25.74	-7.08	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.92506G	-2.16	7.2394G	-51.52	-42.16	-9.36	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9536G	-10.80	5.942G	-39.19	-31.41	-7.78	1
5955MHz	Pass	5.96G	-11.98	5.9394G	-42.53	-34.29	-8.24	2
5955MHz	Pass	5.9565G	-11.69	5.967G	-39.24	-31.78	-7.46	3
5955MHz	Pass	5.96239G	-11.31	5.9683G	-40.16	-31.70	-8.46	4
6175MHz	Pass	6.18039G	-11.86	6.1917G	-43.95	-35.75	-8.20	1
6175MHz	Pass	6.1716G	-12.01	6.1582G	-43.18	-35.14	-8.04	2
6175MHz	Pass	6.1721G	-12.04	6.1617G	-41.13	-32.89	-8.24	3
6175MHz	Pass	6.1718G	-11.50	6.1897G	-41.50	-32.98	-8.52	4
6415MHz	Pass	6.40971G	-12.02	6.3968G	-44.79	-36.12	-8.67	1
6415MHz	Pass	6.4136G	-12.32	6.398G	-43.96	-36.35	-7.61	2
6415MHz	Pass	6.4163G	-11.52	6.4009G	-41.06	-33.09	-7.97	3
6415MHz	Pass	6.42009G	-12.18	6.4334G	-45.41	-37.48	-7.93	4
6435MHz	Pass	6.432G	-11.42	6.4216G	-40.28	-32.42	-7.86	1
6435MHz	Pass	6.44009G	-11.83	6.4507G	-42.30	-34.58	-7.72	2
6435MHz	Pass	6.42901G	-11.83	6.418G	-43.70	-36.10	-7.60	3
6435MHz	Pass	6.44079G	-11.20	6.4184G	-42.60	-34.85	-7.75	4
6475MHz	Pass	6.474G	-12.70	6.4598G	-43.34	-35.18	-8.16	1
6475MHz	Pass	6.46791G	-12.45	6.4589G	-43.61	-35.98	-7.63	2
6475MHz	Pass	6.48149G	-12.94	6.4927G	-45.68	-37.64	-8.04	3
6475MHz	Pass	6.4744G	-12.77	6.459G	-43.93	-35.28	-8.65	4
6515MHz	Pass	6.5134G	-13.52	6.5303G	-43.86	-36.34	-7.52	1
6515MHz	Pass	6.5181G	-12.92	6.5302G	-44.39	-35.48	-8.91	2
6515MHz	Pass	6.52239G	-14.03	6.5314G	-45.28	-37.81	-7.47	3
6515MHz	Pass	6.50881G	-12.16	6.5001G	-43.09	-34.77	-8.32	4
6535MHz	Pass	6.54299G	-14.30	6.5505G	-44.41	-36.67	-7.74	1
6535MHz	Pass	6.52681G	-13.81	6.5192G	-44.73	-36.50	-8.23	2
6535MHz	Pass	6.5325G	-14.45	6.5189G	-46.05	-37.88	-8.17	3
6535MHz	Pass	6.5341G	-13.61	6.5197G	-44.08	-35.34	-8.74	4
6695MHz	Pass	6.70009G	-11.63	6.7105G	-41.94	-34.03	-7.91	1
6695MHz	Pass	6.69G	-13.53	6.7104G	-43.80	-33.76	-10.04	2
6695MHz	Pass	6.68881G	-12.62	6.6819G	-41.04	-33.08	-7.96	3
6695MHz	Pass	6.68931G	-12.26	6.71G	-42.21	-34.60	-7.61	4
6855MHz	Pass	6.8501G	-12.74	6.8394G	-43.20	-35.35	-7.85	1
6855MHz	Pass	6.86099G	-13.52	6.8724G	-44.69	-37.51	-7.18	2
6855MHz	Pass	6.86269G	-13.31	6.8713G	-43.91	-36.84	-7.07	3
6855MHz	Pass	6.86099G	-13.38	6.871G	-44.17	-36.34	-7.83	4
6875MHz	Pass	6.86921G	-12.84	6.8895G	-42.23	-33.98	-8.25	1
6875MHz	Pass	6.88169G	-12.80	6.8921G	-43.87	-36.72	-7.15	2
6875MHz	Pass	6.8712G	-12.68	6.8605G	-42.19	-34.31	-7.88	3
6875MHz	Pass	6.8767G	-12.49	6.8871G	-40.53	-32.64	-7.89	4
6895MHz	Pass	6.8931G	-17.99	6.879G	-48.47	-41.07	-7.40	1
6895MHz	Pass	6.8918G	-19.07	6.9116G	-50.18	-42.59	-7.59	2
6895MHz	Pass	6.8939G	-19.46	6.9083G	-48.11	-39.66	-8.45	3
6895MHz	Pass	6.89G	-18.47	6.8811G	-47.81	-38.88	-8.93	4
6995MHz	Pass	7.00289G	-12.11	7.0101G	-42.35	-32.37	-9.98	1
6995MHz	Pass	7.00199G	-12.03	7.0114G	-43.47	-34.78	-8.69	2
6995MHz	Pass	7.00029G	-12.87	7.0109G	-43.36	-33.88	-9.48	3
6995MHz	Pass	7.00029G	-13.11	7.0111G	-43.47	-33.92	-9.55	4
7095MHz	Pass	7.08971G	-14.38	7.0784G	-45.76	-37.87	-7.89	1
7095MHz	Pass	7.0938G	-14.25	7.1119G	-45.96	-37.02	-8.94	2
7095MHz	Pass	7.0973G	-14.74	7.1095G	-43.81	-35.86	-7.95	3
7095MHz	Pass	7.0961G	-14.44	7.08G	-44.03	-36.12	-7.91	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9684G	-6.64	5.9868G	-33.85	-26.67	-7.18	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.97999G	-7.37	5.9948G	-37.74	-30.25	-7.49	2
5965MHz	Pass	5.9676G	-7.30	5.9942G	-37.19	-30.09	-7.10	3
5965MHz	Pass	5.97379G	-7.43	5.9936G	-37.07	-30.04	-7.03	4
6165MHz	Pass	6.15761G	-8.01	6.1348G	-39.42	-31.51	-7.91	1
6165MHz	Pass	6.15041G	-8.21	6.1308G	-41.20	-33.34	-7.86	2
6165MHz	Pass	6.1684G	-8.20	6.134G	-39.92	-31.86	-8.06	3
6165MHz	Pass	6.1696G	-7.93	6.1428G	-36.01	-28.03	-7.98	4
6405MHz	Pass	6.39961G	-9.02	6.3688G	-42.48	-34.88	-7.60	1
6405MHz	Pass	6.39861G	-9.37	6.3698G	-42.74	-34.36	-8.38	2
6405MHz	Pass	6.39821G	-9.08	6.3704G	-42.48	-34.37	-8.11	3
6405MHz	Pass	6.41979G	-9.40	6.4376G	-41.34	-33.67	-7.67	4
6445MHz	Pass	6.4402G	-8.42	6.4192G	-37.93	-29.88	-8.05	1
6445MHz	Pass	6.43861G	-9.20	6.4664G	-36.35	-29.22	-7.13	2
6445MHz	Pass	6.4474G	-9.02	6.4194G	-38.77	-30.59	-8.18	3
6445MHz	Pass	6.45359G	-7.99	6.4734G	-38.47	-30.63	-7.84	4
6485MHz	Pass	6.49779G	-7.29	6.5224G	-41.52	-33.72	-7.80	1
6485MHz	Pass	6.47981G	-7.17	6.4636G	-35.48	-27.21	-8.27	2
6485MHz	Pass	6.4898G	-7.16	6.5066G	-35.71	-27.19	-8.52	3
6485MHz	Pass	6.4836G	-7.11	6.5192G	-40.16	-32.16	-8.00	4
6525MHz	Pass	6.53G	-7.90	6.5534G	-38.67	-30.48	-8.19	1
6525MHz	Pass	6.5284G	-7.87	6.5472G	-36.25	-27.95	-8.30	2
6525MHz	Pass	6.521G	-7.57	6.5576G	-40.70	-31.91	-8.79	3
6525MHz	Pass	6.50962G	-6.76	6.503G	-35.04	-26.96	-8.08	4
6565MHz	Pass	6.562G	-10.78	6.5414G	-39.42	-30.82	-8.60	1
6565MHz	Pass	6.564G	-10.88	6.5864G	-38.57	-30.90	-7.67	2
6565MHz	Pass	6.55041G	-10.90	6.5356G	-41.75	-33.79	-7.96	3
6565MHz	Pass	6.5612G	-10.43	6.5346G	-41.63	-33.63	-8.00	4
6685MHz	Pass	6.689G	-10.36	6.7122G	-40.03	-32.11	-7.92	1
6685MHz	Pass	6.69659G	-10.59	6.7192G	-43.21	-35.36	-7.85	2
6685MHz	Pass	6.67161G	-9.92	6.6526G	-42.90	-34.24	-8.66	3
6685MHz	Pass	6.6804G	-10.30	6.6568G	-41.40	-32.72	-8.68	4
6845MHz	Pass	6.8498G	-9.28	6.8178G	-39.78	-31.44	-8.34	1
6845MHz	Pass	6.85639G	-9.01	6.8742G	-40.28	-30.26	-10.02	2
6845MHz	Pass	6.83021G	-9.89	6.8148G	-41.20	-32.80	-8.40	3
6845MHz	Pass	6.83881G	-9.60	6.8138G	-40.90	-31.89	-9.01	4
6885MHz	Pass	6.888G	-8.92	6.92G	-41.91	-34.41	-7.50	1
6885MHz	Pass	6.8874G	-8.67	6.907G	-36.67	-28.82	-7.85	2
6885MHz	Pass	6.87841G	-9.83	6.9148G	-41.11	-33.10	-8.01	3
6885MHz	Pass	6.87861G	-9.34	6.908G	-37.79	-29.58	-8.21	4
6925MHz	Pass	6.93959G	-8.28	6.955G	-39.11	-31.66	-7.45	1
6925MHz	Pass	6.91961G	-8.47	6.9466G	-36.54	-28.48	-8.06	2
6925MHz	Pass	6.9274G	-8.68	6.9474G	-36.84	-28.88	-7.96	3
6925MHz	Pass	6.9282G	-8.68	6.9576G	-40.79	-33.02	-7.77	4
7005MHz	Pass	7.0034G	-6.61	6.9834G	-35.42	-26.62	-8.80	1
7005MHz	Pass	7.0026G	-6.29	7.0272G	-35.65	-26.41	-9.24	2
7005MHz	Pass	7.0088G	-6.89	7.0268G	-35.90	-26.94	-8.96	3
7005MHz	Pass	7.0022G	-6.57	6.9742G	-38.66	-30.15	-8.51	4
7085MHz	Pass	7.06702G	-7.98	7.0502G	-39.88	-33.39	-6.49	1
7085MHz	Pass	7.10098G	-8.27	7.1166G	-38.38	-31.82	-6.56	2
7085MHz	Pass	7.08G	-8.75	7.0534G	-39.05	-31.36	-7.69	3
7085MHz	Pass	7.09339G	-8.01	7.0522G	-39.04	-32.39	-6.65	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99939G	-6.77	6.059G	-40.24	-32.17	-8.07	1
5985MHz	Pass	5.99619G	-6.32	6.0274G	-33.88	-26.35	-7.53	2
5985MHz	Pass	5.97381G	-6.46	5.9406G	-34.43	-26.47	-7.96	3
5985MHz	Pass	5.99899G	-6.91	6.0286G	-34.02	-26.92	-7.10	4







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.13181G	-4.79	6.1026G	-32.28	-24.86	-7.42	1
6145MHz	Pass	6.13501G	-5.16	6.1022G	-32.46	-25.23	-7.23	2
6145MHz	Pass	6.13341G	-5.15	6.1026G	-32.75	-25.22	-7.53	3
6145MHz	Pass	6.15899G	-5.27	6.1874G	-32.83	-25.32	-7.51	4
6385MHz	Pass	6.37141G	-5.97	6.327G	-36.10	-28.89	-7.21	1
6385MHz	Pass	6.37221G	-5.73	6.3426G	-32.95	-25.78	-7.17	2
6385MHz	Pass	6.34744G	-5.91	6.3246G	-36.88	-29.33	-7.55	3
6385MHz	Pass	6.39979G	-5.38	6.327G	-36.80	-28.16	-8.64	4
6465MHz	Pass	6.43503G	-5.46	6.423G	-32.64	-25.48	-7.16	1
6465MHz	Pass	6.45261G	-4.89	6.423G	-32.74	-24.91	-7.83	2
6465MHz	Pass	6.45581G	-6.30	6.4226G	-33.72	-26.33	-7.39	3
6465MHz	Pass	6.47099G	-4.89	6.423G	-32.64	-24.93	-7.71	4
6545MHz	Pass	6.53341G	-4.66	6.5878G	-32.86	-24.70	-8.16	1
6545MHz	Pass	6.55899G	-3.94	6.587G	-31.89	-23.96	-7.93	2
6545MHz	Pass	6.53301G	-4.92	6.5026G	-32.97	-24.95	-8.02	3
6545MHz	Pass	6.51623G	-3.59	6.503G	-31.61	-23.61	-8.00	4
6625MHz	Pass	6.59423G	-5.11	6.5566G	-38.50	-29.89	-8.61	1
6625MHz	Pass	6.65537G	-4.98	6.667G	-32.95	-25.02	-7.93	2
6625MHz	Pass	6.61301G	-5.16	6.5818G	-33.43	-25.33	-8.10	3
6625MHz	Pass	6.66216G	-5.32	6.6678G	-33.18	-25.36	-7.82	4
6705MHz	Pass	6.73497G	-5.92	6.7474G	-34.55	-25.97	-8.58	1
6705MHz	Pass	6.69461G	-7.08	6.6626G	-35.49	-27.11	-8.38	2
6705MHz	Pass	6.73537G	-6.42	6.7474G	-34.85	-26.47	-8.38	3
6705MHz	Pass	6.67783G	-7.01	6.6622G	-34.88	-27.10	-7.78	4
6785MHz	Pass	6.77541G	-4.35	6.7422G	-32.72	-24.37	-8.35	1
6785MHz	Pass	6.81617G	-4.21	6.8274G	-31.44	-24.22	-7.22	2
6785MHz	Pass	6.79139G	-4.22	6.7426G	-32.39	-24.25	-8.14	3
6785MHz	Pass	6.77301G	-4.01	6.7422G	-32.22	-24.08	-8.14	4
6865MHz	Pass	6.84942G	-6.64	6.9078G	-34.10	-26.71	-7.39	1
6865MHz	Pass	6.89457G	-5.87	6.9074G	-33.66	-25.90	-7.76	2
6865MHz	Pass	6.85381G	-6.56	6.8114G	-37.35	-27.31	-10.04	3
6865MHz	Pass	6.87819G	-5.74	6.9298G	-38.44	-29.86	-8.58	4
6945MHz	Pass	6.95379G	-5.68	7.0018G	-35.75	-28.43	-7.32	1
6945MHz	Pass	6.91463G	-5.17	6.9018G	-34.41	-25.18	-9.23	2
6945MHz	Pass	6.95619G	-5.70	6.987G	-32.82	-25.74	-7.08	3
6945MHz	Pass	6.95819G	-5.35	7.0042G	-36.30	-28.69	-7.61	4
7025MHz	Pass	7.00702G	-8.20	7.0674G	-36.36	-28.21	-8.15	1
7025MHz	Pass	7.06256G	-7.39	7.0942G	-41.17	-32.71	-8.46	2
7025MHz	Pass	7.01221G	-7.62	6.9822G	-35.86	-27.77	-8.09	3
7025MHz	Pass	6.99383G	-7.19	6.9822G	-35.01	-27.23	-7.78	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10092G	-2.20	6.2778G	-52.74	-42.20	-10.54	1
6025MHz	Pass	6.04898G	-2.35	6.277G	-54.47	-42.35	-12.12	2
6025MHz	Pass	5.99863G	-1.71	6.2802G	-55.31	-41.71	-13.60	3
6025MHz	Pass	5.99863G	-1.19	6.281G	-55.00	-41.19	-13.81	4
6185MHz	Pass	6.15783G	-2.75	5.9386G	-49.28	-42.75	-6.53	1
6185MHz	Pass	6.16102G	-2.90	5.9258G	-50.24	-42.90	-7.34	2
6185MHz	Pass	6.12506G	-2.57	5.9394G	-53.24	-42.57	-10.67	3
6185MHz	Pass	6.21617G	-2.49	6.437G	-53.60	-42.49	-11.11	4
6345MHz	Pass	6.32102G	-2.45	6.0066G	-49.60	-42.45	-7.15	1
6345MHz	Pass	6.36898G	-2.92	6.0082G	-47.94	-42.92	-5.02	2
6345MHz	Pass	6.31783G	-2.63	6.0986G	-50.41	-42.63	-7.78	3
6345MHz	Pass	6.31863G	-2.99	6.0954G	-52.77	-42.99	-9.78	4
6505MHz	Pass	6.54096G	-2.55	6.1538G	-51.16	-42.55	-8.61	1
6505MHz	Pass	6.44906G	-1.91	6.1498G	-49.97	-41.91	-8.06	2
6505MHz	Pass	6.52898G	-1.75	6.1794G	-50.82	-41.75	-9.07	3







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.48022G	-0.95	6.2578G	-52.94	-40.95	-11.99	4
6665MHz	Pass	6.64262G	-2.92	6.4186G	-52.75	-42.92	-9.83	1
6665MHz	Pass	6.58908G	-1.96	6.4058G	-50.41	-41.96	-8.45	2
6665MHz	Pass	6.67779G	-1.04	7.001G	-49.75	-41.04	-8.71	3
6665MHz	Pass	6.72334G	-1.09	6.9794G	-51.12	-41.09	-10.03	4
6825MHz	Pass	6.83779G	-2.86	6.5658G	-52.18	-42.86	-9.32	1
6825MHz	Pass	6.79943G	-2.25	6.5562G	-52.17	-42.25	-9.92	2
6825MHz	Pass	6.88734G	-0.34	7.0914G	-50.90	-40.34	-10.56	3
6825MHz	Pass	6.76586G	-2.90	7.0866G	-51.82	-42.90	-8.92	4
6985MHz	Pass	7.00898G	-0.97	7.2306G	-52.75	-40.97	-11.78	1
6985MHz	Pass	6.92506G	-2.16	7.2394G	-51.52	-42.16	-9.36	2
6985MHz	Pass	7.00418G	-1.29	6.7378G	-52.26	-41.29	-10.97	3
6985MHz	Pass	7.00658G	-1.58	6.737G	-51.85	-41.58	-10.27	4

















































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.34012G	38.58	54.00	-15.42	3	Horizontal	208	2.82
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.33536G	38.14	54.00	-15.86	3	Horizontal	158	1.40
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.29778G	38.25	54.00	-15.75	3	Horizontal	255	1.14
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.69538G	38.78	54.00	-15.22	3	Horizontal	251	2.64
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.87554G	39.95	68.20	-28.25	3	Horizontal	220	2.30
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.96014G	39.42	68.20	-28.78	3	Horizontal	118	2.62
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.9297G	39.28	68.20	-28.92	3	Vertical	266	1.97
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.00842G	39.07	68.20	-29.13	3	Horizontal	45	2.40
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38514G	40.15	54.00	-13.85	3	Horizontal	68	1.31
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37698G	39.61	54.00	-14.39	3	Horizontal	193	1.91
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	13.25093G	52.12	74.00	-21.88	3	Vertical	155	1.49
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33582G	39.23	54.00	-14.77	3	Horizontal	57	2.36
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2411G	49.82	68.20	-18.38	3	Horizontal	246	1.78
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2311G	49.19	68.20	-19.01	3	Horizontal	26	1.04
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1264G	49.85	68.20	-18.35	3	Horizontal	169	1.53
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.132G	50.66	68.20	-17.54	3	Horizontal	100	1.80



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.901G	45.39	68.20	-22.81	3	Vertical	223	2.89
5955MHz	Pass	AV	5.9466G	96.94	Inf	-Inf	3	Vertical	223	2.89
5955MHz	Pass	PK	5.8974G	58.38	88.20	-29.82	3	Vertical	223	2.89
5955MHz	Pass	PK	5.9466G	108.47	Inf	-Inf	3	Vertical	223	2.89
5955MHz	Pass	AV	5.9241G	45.48	68.20	-22.72	3	Horizontal	162	1.74
5955MHz	Pass	AV	5.964G	98.56	Inf	-Inf	3	Horizontal	162	1.74
5955MHz	Pass	PK	5.9028G	57.82	88.20	-30.38	3	Horizontal	162	1.74
5955MHz	Pass	PK	5.9625G	109.87	Inf	-Inf	3	Horizontal	162	1.74
5955MHz	Pass	AV	11.9094G	37.94	54.00	-16.06	3	Vertical	67	1.72
5955MHz	Pass	PK	11.91088G	50.41	74.00	-23.59	3	Vertical	67	1.72
5955MHz	Pass	AV	11.91892G	37.92	54.00	-16.08	3	Horizontal	44	2.07
5955MHz	Pass	PK	11.90344G	49.96	74.00	-24.04	3	Horizontal	44	2.07
6175MHz	Pass	AV	12.35091G	38.52	54.00	-15.48	3	Vertical	80	1.54
6175MHz	Pass	PK	12.35078G	50.81	74.00	-23.19	3	Vertical	80	1.54
6175MHz	Pass	AV	12.34012G	38.58	54.00	-15.42	3	Horizontal	208	2.82
6175MHz	Pass	PK	12.34298G	50.65	74.00	-23.35	3	Horizontal	208	2.82
6415MHz	Pass	AV	12.83068G	39.61	68.20	-28.59	3	Vertical	46	1.20
6415MHz	Pass	PK	12.83099G	51.98	88.20	-36.22	3	Vertical	46	1.20
6415MHz	Pass	AV	12.83754G	39.70	68.20	-28.50	3	Horizontal	281	1.62
6415MHz	Pass	PK	12.83906G	51.24	88.20	-36.96	3	Horizontal	281	1.62
6435MHz	Pass	AV	12.86928G	39.79	68.20	-28.41	3	Vertical	195	1.66
6435MHz	Pass	PK	12.86918G	52.35	88.20	-35.85	3	Vertical	195	1.66
6435MHz	Pass	AV	12.87554G	39.95	68.20	-28.25	3	Horizontal	220	2.30
6435MHz	Pass	PK	12.87556G	51.70	88.20	-36.50	3	Horizontal	220	2.30
6475MHz	Pass	AV	12.96039G	39.51	68.20	-28.69	3	Vertical	142	2.59
6475MHz	Pass	PK	12.9492G	52.40	88.20	-35.80	3	Vertical	142	2.59
6475MHz	Pass	AV	12.94212G	39.75	68.20	-28.45	3	Horizontal	219	1.10
6475MHz	Pass	PK	12.94204G	50.87	88.20	-37.33	3	Horizontal	219	1.10
6515MHz	Pass	AV	13.03045G	39.12	68.20	-29.08	3	Vertical	1	1.64
6515MHz	Pass	PK	13.03033G	51.40	88.20	-36.80	3	Vertical	1	1.64
6515MHz	Pass	AV	13.03878G	39.50	68.20	-28.70	3	Horizontal	159	1.08
6515MHz	Pass	PK	13.03018G	50.48	88.20	-37.72	3	Horizontal	159	1.08
6535MHz	Pass	AV	13.07011G	39.12	68.20	-29.08	3	Vertical	142	1.21
6535MHz	Pass	PK	13.0708G	51.66	88.20	-36.54	3	Vertical	142	1.21
6535MHz	Pass	AV	13.07674G	39.05	68.20	-29.15	3	Horizontal	312	2.73
6535MHz	Pass	PK	13.071G	51.35	88.20	-36.85	3	Horizontal	312	2.73
6695MHz	Pass	AV	13.38973G	39.97	54.00	-14.03	3	Vertical	305	1.13
6695MHz	Pass	PK	13.38954G	52.18	74.00	-21.82	3	Vertical	305	1.13
6695MHz	Pass	AV	13.38514G	40.15	54.00	-13.85	3	Horizontal	68	1.31
6695MHz	Pass	PK	13.3898G	51.96	74.00	-22.04	3	Horizontal	68	1.31
6855MHz	Pass	AV	13.70953G	39.00	68.20	-29.20	3	Vertical	219	2.49
6855MHz	Pass	PK	13.70987G	50.85	88.20	-37.35	3	Vertical	219	2.49
6855MHz	Pass	AV	13.70362G	38.94	68.20	-29.26	3	Horizontal	88	1.85
6855MHz	Pass	PK	13.71286G	50.46	88.20	-37.74	3	Horizontal	88	1.85
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75014G	38.74	68.20	-29.46	3	Vertical	70	3.00
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75099G	50.60	88.20	-37.60	3	Vertical	70	3.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.741G	38.99	68.20	-29.21	3	Horizontal	25	2.68
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75822G	50.96	88.20	-37.24	3	Horizontal	25	2.68
6895MHz	Pass	AV	13.78919G	38.77	68.20	-29.43	3	Vertical	139	2.39
6895MHz	Pass	PK	13.78992G	51.52	88.20	-36.68	3	Vertical	139	2.39
6895MHz	Pass	AV	13.78152G	38.89	68.20	-29.31	3	Horizontal	250	2.25
6895MHz	Pass	PK	13.78642G	51.09	88.20	-37.11	3	Horizontal	250	2.25
6995MHz	Pass	AV	13.99003G	39.03	68.20	-29.17	3	Vertical	134	1.95
6995MHz	Pass	PK	13.98908G	50.98	88.20	-37.22	3	Vertical	134	1.95
6995MHz	Pass	AV	13.98438G	39.19	68.20	-29.01	3	Horizontal	43	2.49
6995MHz	Pass	PK	13.98246G	51.22	88.20	-36.98	3	Horizontal	43	2.49
7095MHz	Pass	AV	7.1034G	95.07	Inf	-Inf	3	Vertical	210	2.54
7095MHz	Pass	AV	7.2345G	49.76	68.20	-18.44	3	Vertical	210	2.54
7095MHz	Pass	PK	7.1028G	106.96	Inf	-Inf	3	Vertical	210	2.54
7095MHz	Pass	PK	7.2174G	62.74	88.20	-25.46	3	Vertical	210	2.54



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	7.086G	97.90	Inf	-Inf	3	Horizontal	246	1.78
7095MHz	Pass	AV	7.2411G	49.82	68.20	-18.38	3	Horizontal	246	1.78
7095MHz	Pass	PK	7.086G	108.42	Inf	-Inf	3	Horizontal	246	1.78
7095MHz	Pass	PK	7.2444G	63.52	88.20	-24.68	3	Horizontal	246	1.78
7095MHz	Pass	AV	14.19076G	39.77	68.20	-28.43	3	Vertical	37	2.37
7095MHz	Pass	PK	14.19039G	51.80	88.20	-36.40	3	Vertical	37	2.37
7095MHz	Pass	AV	14.18272G	39.92	68.20	-28.28	3	Horizontal	320	1.56
7095MHz	Pass	PK	14.19418G	51.96	88.20	-36.24	3	Horizontal	320	1.56
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	45.22	68.20	-22.98	3	Vertical	190	1.50
5965MHz	Pass	AV	5.9824G	95.56	Inf	-Inf	3	Vertical	190	1.50
5965MHz	Pass	PK	5.896G	58.04	88.20	-30.16	3	Vertical	190	1.50
5965MHz	Pass	PK	5.9824G	106.08	Inf	-Inf	3	Vertical	190	1.50
5965MHz	Pass	AV	5.8843G	46.82	68.20	-21.38	3	Horizontal	82	1.83
5965MHz	Pass	AV	5.9473G	98.00	Inf	-Inf	3	Horizontal	82	1.83
5965MHz	Pass	PK	5.9197G	58.54	88.20	-29.66	3	Horizontal	82	1.83
5965MHz	Pass	PK	5.9485G	109.36	Inf	-Inf	3	Horizontal	82	1.83
5965MHz	Pass	AV	11.92926G	37.52	54.00	-16.48	3	Vertical	168	2.94
5965MHz	Pass	PK	11.92964G	50.74	74.00	-23.26	3	Vertical	168	2.94
5965MHz	Pass	AV	11.92898G	37.63	54.00	-16.37	3	Horizontal	25	1.94
5965MHz	Pass	PK	11.93738G	50.18	74.00	-23.82	3	Horizontal	25	1.94
6165MHz	Pass	AV	12.32968G	38.01	54.00	-15.99	3	Vertical	207	1.01
6165MHz	Pass	PK	12.33037G	50.52	74.00	-23.48	3	Vertical	207	1.01
6165MHz	Pass	AV	12.33536G	38.14	54.00	-15.86	3	Horizontal	158	1.40
6165MHz	Pass	PK	12.33304G	50.15	74.00	-23.85	3	Horizontal	158	1.40
6405MHz	Pass	AV	12.81029G	39.01	68.20	-29.19	3	Vertical	99	2.50
6405MHz	Pass	PK	12.80953G	52.15	88.20	-36.05	3	Vertical	99	2.50
6405MHz	Pass	AV	12.81668G	39.07	68.20	-29.13	3	Horizontal	336	1.45
6405MHz	Pass	PK	12.81134G	52.41	88.20	-35.79	3	Horizontal	336	1.45
6445MHz	Pass	AV	12.89053G	39.05	68.20	-29.15	3	Vertical	110	2.66
6445MHz	Pass	PK	12.8903G	52.82	88.20	-35.38	3	Vertical	110	2.66
6445MHz	Pass	AV	12.88002G	39.34	68.20	-28.86	3	Horizontal	116	1.63
6445MHz	Pass	PK	12.89256G	51.55	88.20	-36.65	3	Horizontal	116	1.63
6485MHz	Pass	AV	12.96941G	39.32	68.20	-28.88	3	Vertical	50	1.64
6485MHz	Pass	PK	12.96959G	51.78	88.20	-36.42	3	Vertical	50	1.64
6485MHz	Pass	AV	12.96014G	39.42	68.20	-28.78	3	Horizontal	118	2.62
6485MHz	Pass	PK	12.97564G	52.21	88.20	-35.99	3	Horizontal	118	2.62
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04984G	38.58	68.20	-29.62	3	Vertical	244	1.24
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04978G	51.41	88.20	-36.79	3	Vertical	244	1.24
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0417G	38.88	68.20	-29.32	3	Horizontal	120	2.73
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04434G	50.90	88.20	-37.30	3	Horizontal	120	2.73
6565MHz	Pass	AV	13.13008G	38.57	68.20	-29.63	3	Vertical	115	2.70
6565MHz	Pass	PK	13.1306G	51.95	88.20	-36.25	3	Vertical	115	2.70
6565MHz	Pass	AV	13.12254G	38.96	68.20	-29.24	3	Horizontal	76	1.58
6565MHz	Pass	PK	13.13426G	51.35	88.20	-36.85	3	Horizontal	76	1.58
6685MHz	Pass	AV	13.37038G	39.31	54.00	-14.69	3	Vertical	197	2.77
6685MHz	Pass	PK	13.37051G	52.14	74.00	-21.86	3	Vertical	197	2.77
6685MHz	Pass	AV	13.37698G	39.61	54.00	-14.39	3	Horizontal	193	1.91
6685MHz	Pass	PK	13.37322G	52.33	74.00	-21.67	3	Horizontal	193	1.91
6845MHz	Pass	AV	13.68987G	38.54	68.20	-29.66	3	Vertical	66	2.33
6845MHz	Pass	PK	13.68955G	50.76	88.20	-37.44	3	Vertical	66	2.33
6845MHz	Pass	AV	13.68272G	38.60	68.20	-29.60	3	Horizontal	46	2.60
6845MHz	Pass	PK	13.69288G	50.41	88.20	-37.79	3	Horizontal	46	2.60
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76922G	38.36	68.20	-29.84	3	Vertical	93	2.48
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77098G	51.02	88.20	-37.18	3	Vertical	93	2.48
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7761G	38.46	68.20	-29.74	3	Horizontal	60	2.71
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76434G	50.62	88.20	-37.58	3	Horizontal	60	2.71
6925MHz	Pass	AV	13.84915G	38.26	68.20	-29.94	3	Vertical	249	1.56
6925MHz	Pass	PK	13.84973G	51.11	88.20	-37.09	3	Vertical	249	1.56
6925MHz	Pass	AV	13.84024G	38.37	68.20	-29.83	3	Horizontal	275	2.59
6925MHz	Pass	PK	13.84034G	51.23	88.20	-36.97	3	Horizontal	275	2.59
7005MHz	Pass	AV	14.00981G	38.47	68.20	-29.73	3	Vertical	282	2.94



RSE TX above 1GHz_Beamforming_4T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7005MHz	Pass	PK	14.00969G	51.96	88.20	-36.24	3	Vertical	282	2.94
7005MHz	Pass	AV	14.01682G	38.67	68.20	-29.53	3	Horizontal	343	1.68
7005MHz	Pass	PK	14.01482G	51.02	88.20	-37.18	3	Horizontal	343	1.68
7085MHz	Pass	AV	7.0667G	96.16	Inf	-Inf	3	Vertical	27	1.92
7085MHz	Pass	AV	7.2338G	49.18	68.20	-19.02	3	Vertical	27	1.92
7085MHz	Pass	PK	7.0667G	106.38	Inf	-Inf	3	Vertical	27	1.92
7085MHz	Pass	PK	7.2194G	62.00	88.20	-26.20	3	Vertical	27	1.92
7085MHz	Pass	AV	7.0667G	98.18	Inf	-Inf	3	Horizontal	26	1.04
7085MHz	Pass	AV	7.2311G	49.19	68.20	-19.01	3	Horizontal	26	1.04
7085MHz	Pass	PK	7.0691G	109.93	Inf	-Inf	3	Horizontal	26	1.04
7085MHz	Pass	PK	7.2119G	62.05	88.20	-26.15	3	Horizontal	26	1.04
7085MHz	Pass	AV	14.16918G	39.24	68.20	-28.96	3	Vertical	223	2.92
7085MHz	Pass	PK	14.1696G	52.36	88.20	-35.84	3	Vertical	223	2.92
7085MHz	Pass	AV	14.16148G	39.34	68.20	-28.86	3	Horizontal	173	2.65
7085MHz	Pass	PK	14.17508G	51.65	88.20	-36.55	3	Horizontal	173	2.65
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	45.22	68.20	-22.98	3	Vertical	193	1.38
5985MHz	Pass	AV	6.023G	93.71	Inf	-Inf	3	Vertical	193	1.38
5985MHz	Pass	PK	5.921G	57.96	88.20	-30.24	3	Vertical	193	1.38
5985MHz	Pass	PK	6.022G	105.79	Inf	-Inf	3	Vertical	193	1.38
5985MHz	Pass	AV	5.925G	46.39	68.20	-21.81	3	Horizontal	84	1.78
5985MHz	Pass	AV	5.9475G	97.76	Inf	-Inf	3	Horizontal	84	1.78
5985MHz	Pass	PK	5.9165G	59.17	88.20	-29.03	3	Horizontal	84	1.78
5985MHz	Pass	PK	5.9475G	109.45	Inf	-Inf	3	Horizontal	84	1.78
5985MHz	Pass	AV	11.96957G	37.91	54.00	-16.09	3	Vertical	216	1.30
5985MHz	Pass	PK	11.96939G	50.59	74.00	-23.41	3	Vertical	216	1.30
5985MHz	Pass	AV	11.97124G	37.83	54.00	-16.17	3	Horizontal	204	2.17
5985MHz	Pass	PK	11.96804G	50.26	74.00	-23.74	3	Horizontal	204	2.17
6145MHz	Pass	AV	12.29033G	38.08	54.00	-15.92	3	Vertical	277	2.32
6145MHz	Pass	PK	12.28914G	50.47	74.00	-23.53	3	Vertical	277	2.32
6145MHz	Pass	AV	12.29778G	38.25	54.00	-15.75	3	Horizontal	255	1.14
6145MHz	Pass	PK	12.28172G	50.71	74.00	-23.29	3	Horizontal	255	1.14
6385MHz	Pass	AV	12.76971G	38.90	68.20	-29.30	3	Vertical	46	2.23
6385MHz	Pass	PK	12.77079G	52.14	88.20	-36.06	3	Vertical	46	2.23
6385MHz	Pass	AV	12.76934G	38.98	68.20	-29.22	3	Horizontal	342	2.83
6385MHz	Pass	PK	12.76746G	51.20	88.20	-37.00	3	Horizontal	342	2.83
6465MHz	Pass	AV	12.9297G	39.28	68.20	-28.92	3	Vertical	266	1.97
6465MHz	Pass	PK	12.93041G	51.88	88.20	-36.32	3	Vertical	266	1.97
6465MHz	Pass	AV	12.93722G	39.25	68.20	-28.95	3	Horizontal	316	2.48
6465MHz	Pass	PK	12.92254G	51.70	88.20	-36.50	3	Horizontal	316	2.48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08954G	38.65	68.20	-29.55	3	Vertical	276	1.56
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08938G	52.43	88.20	-35.77	3	Vertical	276	1.56
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08238G	38.69	68.20	-29.51	3	Horizontal	151	2.34
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09594G	51.65	88.20	-36.55	3	Horizontal	151	2.34
6625MHz	Pass	AV	13.24915G	38.97	68.20	-29.23	3	Vertical	155	1.49
6625MHz	Pass	PK	13.25093G	52.12	74.00	-21.88	3	Vertical	155	1.49
6625MHz	Pass	AV	13.2444G	39.26	68.20	-28.94	3	Horizontal	22	1.24
6625MHz	Pass	PK	13.25936G	51.05	74.00	-22.95	3	Horizontal	22	1.24
6705MHz	Pass	AV	13.4095G	39.57	68.20	-28.63	3	Vertical	339	1.11
6705MHz	Pass	PK	13.41099G	52.23	88.20	-35.97	3	Vertical	339	1.11
6705MHz	Pass	AV	13.40382G	39.63	68.20	-28.57	3	Horizontal	221	1.55
6705MHz	Pass	PK	13.4139G	51.93	88.20	-36.27	3	Horizontal	221	1.55
6785MHz	Pass	AV	13.56972G	39.11	68.20	-29.09	3	Vertical	94	1.09
6785MHz	Pass	PK	13.57033G	51.32	88.20	-36.88	3	Vertical	94	1.09
6785MHz	Pass	AV	13.57788G	39.12	68.20	-29.08	3	Horizontal	50	1.43
6785MHz	Pass	PK	13.57194G	52.97	88.20	-35.23	3	Horizontal	50	1.43
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73035G	38.24	68.20	-29.96	3	Vertical	338	2.99
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73053G	51.00	88.20	-37.20	3	Vertical	338	2.99
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73972G	38.34	68.20	-29.86	3	Horizontal	151	1.39
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73516G	51.09	88.20	-37.11	3	Horizontal	151	1.39
6945MHz	Pass	AV	13.8894G	38.41	68.20	-29.79	3	Vertical	323	2.14
6945MHz	Pass	PK	13.88986G	51.39	88.20	-36.81	3	Vertical	323	2.14




RSE TX above 1GHz_Beamforming_4T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6945MHz	Pass	AV	13.89822G	38.54	68.20	-29.66	3	Horizontal	344	2.64
6945MHz	Pass	PK	13.8886G	52.27	88.20	-35.93	3	Horizontal	344	2.64
7025MHz	Pass	AV	7.0358G	94.04	Inf	-Inf	3	Vertical	190	2.30
7025MHz	Pass	AV	7.1258G	49.58	68.20	-18.62	3	Vertical	190	2.30
7025MHz	Pass	PK	7.0349G	107.00	Inf	-Inf	3	Vertical	190	2.30
7025MHz	Pass	PK	7.1309G	62.95	88.20	-25.25	3	Vertical	190	2.30
7025MHz	Pass	AV	7.0355G	97.90	Inf	-Inf	3	Horizontal	169	1.53
7025MHz	Pass	AV	7.1264G	49.85	68.20	-18.35	3	Horizontal	169	1.53
7025MHz	Pass	PK	7.0361G	109.92	Inf	-Inf	3	Horizontal	169	1.53
7025MHz	Pass	PK	7.1252G	63.18	88.20	-25.02	3	Horizontal	169	1.53
7025MHz	Pass	AV	14.04903G	38.72	68.20	-29.48	3	Vertical	88	1.70
7025MHz	Pass	PK	14.05049G	52.28	88.20	-35.92	3	Vertical	88	1.70
7025MHz	Pass	AV	14.04352G	38.68	68.20	-29.52	3	Horizontal	238	2.87
7025MHz	Pass	PK	14.05254G	50.45	88.20	-37.75	3	Horizontal	238	2.87
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9155G	46.47	68.20	-21.73	3	Vertical	188	1.49
6025MHz	Pass	AV	5.999G	94.13	Inf	-Inf	3	Vertical	188	1.49
6025MHz	Pass	PK	5.9G	59.27	88.20	-28.93	3	Vertical	188	1.49
6025MHz	Pass	PK	6.0015G	107.15	Inf	-Inf	3	Vertical	188	1.49
6025MHz	Pass	AV	5.912G	48.54	68.20	-19.66	3	Horizontal	72	2.33
6025MHz	Pass	AV	5.963G	98.11	Inf	-Inf	3	Horizontal	72	2.33
6025MHz	Pass	PK	5.9095G	61.48	88.20	-26.72	3	Horizontal	72	2.33
6025MHz	Pass	PK	5.962G	110.16	Inf	-Inf	3	Horizontal	72	2.33
6025MHz	Pass	AV	12.04902G	38.56	54.00	-15.44	3	Vertical	280	2.77
6025MHz	Pass	PK	12.04976G	50.83	74.00	-23.17	3	Vertical	280	2.77
6025MHz	Pass	AV	12.04504G	38.55	54.00	-15.45	3	Horizontal	262	2.58
6025MHz	Pass	PK	12.04768G	51.85	74.00	-22.15	3	Horizontal	262	2.58
6185MHz	Pass	AV	12.36974G	38.21	54.00	-15.79	3	Vertical	200	2.40
6185MHz	Pass	PK	12.37048G	51.76	74.00	-22.24	3	Vertical	200	2.40
6185MHz	Pass	AV	12.36504G	38.12	54.00	-15.88	3	Horizontal	342	1.31
6185MHz	Pass	PK	12.37028G	50.98	74.00	-23.02	3	Horizontal	342	1.31
6345MHz	Pass	AV	12.68903G	38.65	54.00	-15.35	3	Vertical	77	2.85
6345MHz	Pass	PK	12.68918G	51.15	74.00	-22.85	3	Vertical	77	2.85
6345MHz	Pass	AV	12.69538G	38.78	54.00	-15.22	3	Horizontal	251	2.64
6345MHz	Pass	PK	12.68452G	50.75	74.00	-23.25	3	Horizontal	251	2.64
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01009G	38.94	68.20	-29.26	3	Vertical	170	2.88
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00932G	52.22	88.20	-35.98	3	Vertical	170	2.88
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00842G	39.07	68.20	-29.13	3	Horizontal	45	2.40
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.0182G	51.45	88.20	-36.75	3	Horizontal	45	2.40
6665MHz	Pass	AV	13.33093G	39.11	54.00	-14.89	3	Vertical	307	1.54
6665MHz	Pass	PK	13.3308G	50.82	74.00	-23.18	3	Vertical	307	1.54
6665MHz	Pass	AV	13.33582G	39.23	54.00	-14.77	3	Horizontal	57	2.36
6665MHz	Pass	PK	13.32458G	51.15	74.00	-22.85	3	Horizontal	57	2.36
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65052G	38.84	68.20	-29.36	3	Vertical	118	2.97
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64904G	52.01	88.20	-36.19	3	Vertical	118	2.97
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64728G	38.90	68.20	-29.30	3	Horizontal	25	1.46
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65938G	51.22	88.20	-36.98	3	Horizontal	25	1.46
6985MHz	Pass	AV	7.044G	94.53	Inf	-Inf	3	Vertical	186	2.22
6985MHz	Pass	AV	7.135G	50.29	68.20	-17.91	3	Vertical	186	2.22
6985MHz	Pass	PK	7.0455G	107.21	Inf	-Inf	3	Vertical	186	2.22
6985MHz	Pass	PK	7.1335G	64.72	88.20	-23.48	3	Vertical	186	2.22
6985MHz	Pass	AV	6.9695G	98.41	Inf	-Inf	3	Horizontal	100	1.80
6985MHz	Pass	AV	7.132G	50.66	68.20	-17.54	3	Horizontal	100	1.80
6985MHz	Pass	PK	6.9645G	110.46	Inf	-Inf	3	Horizontal	100	1.80
6985MHz	Pass	PK	7.1285G	69.84	88.20	-18.36	3	Horizontal	100	1.80
6985MHz	Pass	AV	13.96935G	38.52	68.20	-29.68	3	Vertical	258	2.98
6985MHz	Pass	PK	13.96964G	52.76	88.20	-35.44	3	Vertical	258	2.98
6985MHz	Pass	AV	13.9601G	38.71	68.20	-29.49	3	Horizontal	210	1.87
6985MHz	Pass	PK	13.96506G	50.93	88.20	-37.27	3	Horizontal	210	1.87

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	45.39	68.20	-22.81	7.08	3	Vertical	223	2.89	38.31	34.30	6.99	34.21
AV	5.9466G	96.94	Inf	-Inf	7.01	3	Vertical	223	2.89	89.93	34.21	7.02	34.22
PK	5.8974G	58.38	88.20	-29.82	7.06	3	Vertical	223	2.89	51.32	34.29	6.98	34.21
PK	5.9466G	108.47	Inf	-Inf	7.01	3	Vertical	223	2.89	101.46	34.21	7.02	34.22

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9241G	45.48	68.20	-22.72	7.05	3	Horizontal	162	1.74	38.43	34.25	7.01	34.21
AV	5.964G	98.56	Inf	-Inf	6.99	3	Horizontal	162	1.74	91.57	34.17	7.04	34.22
PK	5.9028G	57.82	88.20	-30.38	7.07	3	Horizontal	162	1.74	50.75	34.29	6.99	34.21
PK	5.9625G	109.87	Inf	-Inf	7.00	3	Horizontal	162	1.74	102.87	34.18	7.04	34.22

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9094G	37.94	54.00	-16.06	16.11	3	Vertical	67	1.72	21.83	38.83	11.59	34.31
PK	11.91088G	50.41	74.00	-23.59	16.11	3	Vertical	67	1.72	34.30	38.83	11.59	34.31

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91892G	37.92	54.00	-16.08	16.13	3	Horizontal	44	2.07	21.79	38.86	11.59	34.32
PK	11.90344G	49.96	74.00	-24.04	16.08	3	Horizontal	44	2.07	33.88	38.81	11.58	34.31

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35091G	38.52	54.00	-15.48	16.48	3	Vertical	80	1.54	22.04	39.10	11.55	34.17
PK	12.35078G	50.81	74.00	-23.19	16.48	3	Vertical	80	1.54	34.33	39.10	11.55	34.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34012G	38.58	54.00	-15.42	16.47	3	Horizontal	208	2.82	22.11	39.10	11.55	34.18
PK	12.34298G	50.65	74.00	-23.35	16.47	3	Horizontal	208	2.82	34.18	39.10	11.55	34.18

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83068G	39.61	68.20	-28.59	17.89	3	Vertical	46	1.20	21.72	39.86	11.45	33.42
PK	12.83099G	51.98	88.20	-36.22	17.90	3	Vertical	46	1.20	34.08	39.86	11.45	33.41

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83754G	39.70	68.20	-28.50	17.92	3	Horizontal	281	1.62	21.78	39.88	11.44	33.40
PK	12.83906G	51.24	88.20	-36.96	17.92	3	Horizontal	281	1.62	33.32	39.88	11.44	33.40

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86928G	39.79	68.20	-28.41	18.04	3	Vertical	195	1.66	21.75	39.94	11.44	33.34
PK	12.86918G	52.35	88.20	-35.85	18.04	3	Vertical	195	1.66	34.31	39.94	11.44	33.34

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87554G	39.95	68.20	-28.25	18.07	3	Horizontal	220	2.30	21.88	39.95	11.44	33.32
PK	12.87556G	51.70	88.20	-36.50	18.07	3	Horizontal	220	2.30	33.63	39.95	11.44	33.32

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95039G	39.51	68.20	-28.69	18.15	3	Vertical	142	2.59	21.36	39.90	11.42	33.17
PK	12.9492G	52.40	88.20	-35.80	18.15	3	Vertical	142	2.59	34.25	39.90	11.42	33.17

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94212G	39.75	68.20	-28.45	18.15	3	Horizontal	219	1.10	21.60	39.92	11.42	33.19
PK	12.94204G	50.87	88.20	-37.33	18.15	3	Horizontal	219	1.10	32.72	39.92	11.42	33.19

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03045G	39.12	68.20	-29.08	18.17	3	Vertical	1	1.64	20.95	39.80	11.40	33.03
PK	13.03033G	51.40	88.20	-36.80	18.17	3	Vertical	1	1.64	33.23	39.80	11.40	33.03

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03878G	39.50	68.20	-28.70	18.19	3	Horizontal	159	1.08	21.31	39.80	11.40	33.01
PK	13.03018G	50.48	88.20	-37.72	18.17	3	Horizontal	159	1.08	32.31	39.80	11.40	33.03

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07011G	39.12	68.20	-29.08	18.23	3	Vertical	142	1.21	20.89	39.80	11.40	32.97
PK	13.0708G	51.66	88.20	-36.54	18.23	3	Vertical	142	1.21	33.43	39.80	11.40	32.97

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07674G	39.05	68.20	-29.15	18.23	3	Horizontal	312	2.73	20.82	39.80	11.39	32.96
PK	13.071G	51.35	88.20	-36.85	18.23	3	Horizontal	312	2.73	33.12	39.80	11.40	32.97

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38973G	39.97	54.00	-14.03	19.09	3	Vertical	305	1.13	20.88	40.26	11.33	32.50
PK	13.38954G	52.18	74.00	-21.82	19.09	3	Vertical	305	1.13	33.09	40.26	11.33	32.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38514G	40.15	54.00	-13.85	19.06	3	Horizontal	68	1.31	21.09	40.24	11.33	32.51
PK	13.3898G	51.96	74.00	-22.04	19.09	3	Horizontal	68	1.31	32.87	40.26	11.33	32.50

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70953G	39.00	68.20	-29.20	18.57	3	Vertical	219	2.49	20.43	39.69	11.26	32.38
PK	13.70987G	50.85	88.20	-37.35	18.57	3	Vertical	219	2.49	32.28	39.69	11.26	32.38

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70362G	38.94	68.20	-29.26	18.58	3	Horizontal	88	1.85	20.36	39.70	11.26	32.38
PK	13.71286G	50.46	88.20	-37.74	18.57	3	Horizontal	88	1.85	31.89	39.69	11.26	32.38

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75014G	38.74	68.20	-29.46	18.51	3	Vertical	70	3.00	20.23	39.65	11.25	32.39
PK	13.75099G	50.60	88.20	-37.60	18.51	3	Vertical	70	3.00	32.09	39.65	11.25	32.39

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.741G	38.99	68.20	-29.21	18.52	3	Horizontal	25	2.68	20.47	39.66	11.25	32.39
PK	13.75822G	50.96	88.20	-37.24	18.50	3	Horizontal	25	2.68	32.46	39.64	11.25	32.39

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78919G	38.77	68.20	-29.43	18.45	3	Vertical	139	2.39	20.32	39.61	11.24	32.40
PK	13.78992G	51.52	88.20	-36.68	18.45	3	Vertical	139	2.39	33.07	39.61	11.24	32.40

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78152G	38.89	68.20	-29.31	18.47	3	Horizontal	250	2.25	20.42	39.62	11.25	32.40
PK	13.78642G	51.09	88.20	-37.11	18.45	3	Horizontal	250	2.25	32.64	39.61	11.24	32.40

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99003G	39.03	68.20	-29.17	18.56	3	Vertical	134	1.95	20.47	39.80	11.20	32.44
PK	13.98908G	50.98	88.20	-37.22	18.56	3	Vertical	134	1.95	32.42	39.80	11.20	32.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98438G	39.19	68.20	-29.01	18.56	3	Horizontal	43	2.49	20.63	39.80	11.20	32.44
PK	13.98246G	51.22	88.20	-36.98	18.56	3	Horizontal	43	2.49	32.66	39.80	11.20	32.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	95.07	Inf	-Inf	9.50	3	Vertical	210	2.54	85.57	36.31	7.66	34.47
AV	7.2345G	49.76	68.20	-18.44	10.20	3	Vertical	210	2.54	39.56	36.94	7.75	34.49
PK	7.1028G	106.96	Inf	-Inf	9.50	3	Vertical	210	2.54	97.46	36.31	7.66	34.47
PK	7.2174G	62.74	88.20	-25.46	10.12	3	Vertical	210	2.54	52.62	36.87	7.74	34.49

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.086G	97.90	Inf	-Inf	9.40	3	Horizontal	246	1.78	88.50	36.22	7.65	34.47
AV	7.2411G	49.82	68.20	-18.38	10.22	3	Horizontal	246	1.78	39.60	36.96	7.75	34.49
PK	7.086G	108.42	Inf	-Inf	9.40	3	Horizontal	246	1.78	99.02	36.22	7.65	34.47
PK	7.2444G	63.52	88.20	-24.68	10.25	3	Horizontal	246	1.78	53.27	36.98	7.76	34.49

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19076G	39.77	68.20	-28.43	18.62	3	Vertical	37	2.37	21.15	40.00	11.32	32.70
PK	14.19039G	51.80	88.20	-36.40	18.62	3	Vertical	37	2.37	33.18	40.00	11.32	32.70

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18272G	39.92	68.20	-28.28	18.62	3	Horizontal	320	1.56	21.30	40.00	11.31	32.69
PK	14.19418G	51.96	88.20	-36.24	18.62	3	Horizontal	320	1.56	33.34	40.00	11.32	32.70

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	45.22	68.20	-22.98	7.05	3	Vertical	190	1.50	38.17	34.25	7.01	34.21
AV	5.9824G	95.56	Inf	-Inf	6.98	3	Vertical	190	1.50	88.58	34.14	7.06	34.22
PK	5.896G	58.04	88.20	-30.16	7.05	3	Vertical	190	1.50	50.99	34.28	6.98	34.21
PK	5.9824G	106.08	Inf	-Inf	6.98	3	Vertical	190	1.50	99.10	34.14	7.06	34.22

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8843G	46.82	68.20	-21.38	7.00	3	Horizontal	82	1.83	39.82	34.24	6.97	34.21
AV	5.9473G	98.00	Inf	-Inf	7.02	3	Horizontal	82	1.83	90.98	34.21	7.03	34.22
PK	5.9197G	58.54	88.20	-29.66	7.05	3	Horizontal	82	1.83	51.49	34.26	7.00	34.21
PK	5.9485G	109.36	Inf	-Inf	7.01	3	Horizontal	82	1.83	102.35	34.20	7.03	34.22

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92926G	37.52	54.00	-16.48	16.15	3	Vertical	168	2.94	21.37	38.89	11.59	34.33
PK	11.92964G	50.74	74.00	-23.26	16.15	3	Vertical	168	2.94	34.59	38.89	11.59	34.33

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92898G	37.63	54.00	-16.37	16.15	3	Horizontal	25	1.94	21.48	38.89	11.59	34.33
PK	11.93738G	50.18	74.00	-23.82	16.18	3	Horizontal	25	1.94	34.00	38.91	11.60	34.33

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32968G	38.01	54.00	-15.99	16.46	3	Vertical	207	1.01	21.55	39.10	11.55	34.19
PK	12.33037G	50.52	74.00	-23.48	16.47	3	Vertical	207	1.01	34.05	39.10	11.55	34.18

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33536G	38.14	54.00	-15.86	16.47	3	Horizontal	158	1.40	21.67	39.10	11.55	34.18
PK	12.33004G	50.15	74.00	-23.85	16.47	3	Horizontal	158	1.40	33.68	39.10	11.55	34.18

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81029G	39.01	68.20	-29.19	17.81	3	Vertical	99	2.50	21.20	39.82	11.45	33.46
PK	12.80953G	52.15	88.20	-36.05	17.81	3	Vertical	99	2.50	34.34	39.82	11.45	33.46

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81668G	39.07	68.20	-29.13	17.84	3	Horizontal	336	1.45	21.23	39.83	11.45	33.44
PK	12.81134G	52.41	88.20	-35.79	17.82	3	Horizontal	336	1.45	34.59	39.82	11.45	33.45

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89053G	39.05	68.20	-29.15	18.12	3	Vertical	110	2.66	20.93	39.98	11.43	33.29
PK	12.8903G	52.82	88.20	-35.38	18.12	3	Vertical	110	2.66	34.70	39.98	11.43	33.29

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88002G	39.34	68.20	-28.86	18.09	3	Horizontal	116	1.63	21.25	39.96	11.44	33.31
PK	12.89256G	51.55	88.20	-36.65	18.13	3	Horizontal	116	1.63	33.42	39.99	11.43	33.29

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96941G	39.32	68.20	-28.88	18.15	3	Vertical	50	1.64	21.17	39.86	11.42	33.13
PK	12.96959G	51.78	88.20	-36.42	18.15	3	Vertical	50	1.64	33.63	39.86	11.42	33.13

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96014G	39.42	68.20	-28.78	18.15	3	Horizontal	118	2.62	21.27	39.88	11.42	33.15
PK	12.97564G	52.21	88.20	-35.99	18.15	3	Horizontal	118	2.62	34.06	39.85	11.42	33.12

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04984G	38.58	68.20	-29.62	18.20	3	Vertical	244	1.24	20.38	39.80	11.40	33.00
PK	13.04978G	51.41	88.20	-36.79	18.20	3	Vertical	244	1.24	33.21	39.80	11.40	33.00

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0417G	38.88	68.20	-29.32	18.19	3	Horizontal	120	2.73	20.69	39.80	11.40	33.01
PK	13.04434G	50.90	88.20	-37.30	18.19	3	Horizontal	120	2.73	32.71	39.80	11.40	33.01

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13008G	38.57	68.20	-29.63	18.33	3	Vertical	115	2.70	20.24	39.83	11.38	32.88
PK	13.1306G	51.95	88.20	-36.25	18.33	3	Vertical	115	2.70	33.62	39.83	11.38	32.88

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12254G	38.96	68.20	-29.24	18.31	3	Horizontal	76	1.58	20.65	39.82	11.38	32.89
PK	13.13426G	51.35	88.20	-36.85	18.34	3	Horizontal	76	1.58	33.01	39.83	11.38	32.87

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37038G	39.31	54.00	-14.69	18.98	3	Vertical	197	2.77	20.33	40.18	11.33	32.53
PK	13.37051G	52.14	74.00	-21.86	18.98	3	Vertical	197	2.77	33.16	40.18	11.33	32.53

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37698G	39.61	54.00	-14.39	19.02	3	Horizontal	193	1.91	20.59	40.21	11.33	32.52
PK	13.37322G	52.33	74.00	-21.67	18.99	3	Horizontal	193	1.91	33.34	40.19	11.33	32.53

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68987G	38.54	68.20	-29.66	18.61	3	Vertical	66	2.33	19.93	39.72	11.27	32.38
PK	13.68955G	50.76	88.20	-37.44	18.61	3	Vertical	66	2.33	32.15	39.72	11.27	32.38

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68272G	38.60	68.20	-29.60	18.62	3	Horizontal	46	2.60	19.98	39.73	11.27	32.38
PK	13.69288G	50.41	88.20	-37.79	18.59	3	Horizontal	46	2.60	31.82	39.71	11.26	32.38

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76922G	38.36	68.20	-29.84	18.49	3	Vertical	93	2.48	19.87	39.63	11.25	32.39
PK	13.77098G	51.02	88.20	-37.18	18.49	3	Vertical	93	2.48	32.53	39.63	11.25	32.39

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7761G	38.46	68.20	-29.74	18.47	3	Horizontal	60	2.71	19.99	39.62	11.25	32.40
PK	13.76434G	50.62	88.20	-37.58	18.50	3	Horizontal	60	2.71	32.12	39.64	11.25	32.39

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84915G	38.26	68.20	-29.94	18.52	3	Vertical	249	1.56	19.74	39.70	11.23	32.41
PK	13.84973G	51.11	88.20	-37.09	18.52	3	Vertical	249	1.56	32.59	39.70	11.23	32.41

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84024G	38.37	68.20	-29.83	18.50	3	Horizontal	275	2.59	19.87	39.68	11.23	32.41
PK	13.84034G	51.23	88.20	-36.97	18.50	3	Horizontal	275	2.59	32.73	39.68	11.23	32.41

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00981G	38.47	68.20	-29.73	18.58	3	Vertical	282	2.94	19.89	39.82	11.21	32.45
PK	14.00969G	51.96	88.20	-36.24	18.58	3	Vertical	282	2.94	33.38	39.82	11.21	32.45

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01682G	38.67	68.20	-29.53	18.58	3	Horizontal	343	1.68	20.09	39.83	11.21	32.46
PK	14.01482G	51.02	88.20	-37.18	18.58	3	Horizontal	343	1.68	32.44	39.83	11.21	32.46

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0667G	96.16	Inf	-Inf	9.27	3	Vertical	27	1.92	86.89	36.10	7.64	34.47
AV	7.2338G	49.18	68.20	-19.02	10.20	3	Vertical	27	1.92	38.98	36.94	7.75	34.49
PK	7.0667G	106.38	Inf	-Inf	9.27	3	Vertical	27	1.92	97.11	36.10	7.64	34.47
PK	7.2194G	62.00	88.20	-26.20	10.13	3	Vertical	27	1.92	51.87	36.88	7.74	34.49

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0667G	98.18	Inf	-Inf	9.27	3	Horizontal	26	1.04	88.91	36.10	7.64	34.47
AV	7.2311G	49.19	68.20	-19.01	10.18	3	Horizontal	26	1.04	39.01	36.92	7.75	34.49
PK	7.0691G	109.93	Inf	-Inf	9.28	3	Horizontal	26	1.04	100.65	36.11	7.64	34.47
PK	7.2119G	62.05	88.20	-26.15	10.10	3	Horizontal	26	1.04	51.95	36.85	7.74	34.49

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16918G	39.24	68.20	-28.96	18.63	3	Vertical	223	2.92	20.61	40.00	11.30	32.67
PK	14.1696G	52.36	88.20	-35.84	18.64	3	Vertical	223	2.92	33.72	40.00	11.31	32.67

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16148G	39.34	68.20	-28.86	18.64	3	Horizontal	173	2.65	20.70	40.00	11.30	32.66
PK	14.17508G	51.65	88.20	-36.55	18.63	3	Horizontal	173	2.65	33.02	40.00	11.31	32.68

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	45.22	68.20	-22.98	7.04	3	Vertical	193	1.38	38.18	34.25	7.00	34.21
AV	6.023G	93.71	Inf	-Inf	6.95	3	Vertical	193	1.38	86.76	34.10	7.08	34.23
PK	5.921G	57.96	88.20	-30.24	7.05	3	Vertical	193	1.38	50.91	34.26	7.00	34.21
PK	6.022G	105.79	Inf	-Inf	6.96	3	Vertical	193	1.38	98.83	34.10	7.08	34.22

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	46.39	68.20	-21.81	7.05	3	Horizontal	84	1.78	39.34	34.25	7.01	34.21
AV	5.9475G	97.76	Inf	-Inf	7.02	3	Horizontal	84	1.78	90.74	34.21	7.03	34.22
PK	5.9165G	59.17	88.20	-29.03	7.06	3	Horizontal	84	1.78	52.11	34.27	7.00	34.21
PK	5.9475G	109.45	Inf	-Inf	7.02	3	Horizontal	84	1.78	102.43	34.21	7.03	34.22

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96957G	37.91	54.00	-16.09	16.27	3	Vertical	216	1.30	21.64	39.01	11.61	34.35
PK	11.96939G	50.59	74.00	-23.41	16.27	3	Vertical	216	1.30	34.32	39.01	11.61	34.35

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97124G	37.83	54.00	-16.17	16.27	3	Horizontal	204	2.17	21.56	39.01	11.61	34.35
PK	11.96804G	50.26	74.00	-23.74	16.26	3	Horizontal	204	2.17	34.00	39.00	11.61	34.35

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29033G	38.08	54.00	-15.92	16.46	3	Vertical	277	2.32	21.62	39.11	11.56	34.21
PK	12.28914G	50.47	74.00	-23.53	16.46	3	Vertical	277	2.32	34.01	39.11	11.56	34.21

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29778G	38.25	54.00	-15.75	16.46	3	Horizontal	255	1.14	21.79	39.10	11.56	34.20
PK	12.28172G	50.71	74.00	-23.29	16.47	3	Horizontal	255	1.14	34.24	39.12	11.56	34.21

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76971G	38.90	68.20	-29.30	17.63	3	Vertical	46	2.23	21.27	39.71	11.46	33.54
PK	12.77079G	52.14	88.20	-36.06	17.63	3	Vertical	46	2.23	34.51	39.71	11.46	33.54

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76934G	38.98	68.20	-29.22	17.63	3	Horizontal	342	2.83	21.35	39.71	11.46	33.54
PK	12.76746G	51.20	88.20	-37.00	17.62	3	Horizontal	342	2.83	33.58	39.70	11.46	33.54

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9297G	39.28	68.20	-28.92	18.15	3	Vertical	266	1.97	21.13	39.94	11.42	33.21
PK	12.93041G	51.88	88.20	-36.32	18.15	3	Vertical	266	1.97	33.73	39.94	11.42	33.21

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93722G	39.25	68.20	-28.95	18.15	3	Horizontal	316	2.48	21.10	39.93	11.42	33.20
PK	12.92254G	51.70	88.20	-36.50	18.15	3	Horizontal	316	2.48	33.55	39.95	11.43	33.23

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08954G	38.65	68.20	-29.55	18.25	3	Vertical	276	1.56	20.40	39.80	11.39	32.94
PK	13.08938G	52.43	88.20	-35.77	18.25	3	Vertical	276	1.56	34.18	39.80	11.39	32.94

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08238G	38.69	68.20	-29.51	18.24	3	Horizontal	151	2.34	20.45	39.80	11.39	32.95
PK	13.09594G	51.65	88.20	-36.55	18.26	3	Horizontal	151	2.34	33.39	39.80	11.39	32.93

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24915G	38.97	68.20	-29.23	18.55	3	Vertical	155	1.49	20.42	39.90	11.36	32.71
PK	13.25093G	52.12	74.00	-21.88	18.56	3	Vertical	155	1.49	33.56	39.90	11.36	32.70

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2444G	39.26	68.20	-28.94	18.55	3	Horizontal	22	1.24	20.71	39.90	11.36	32.71
PK	13.25936G	51.05	74.00	-22.95	18.57	3	Horizontal	22	1.24	32.48	39.90	11.36	32.69

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.4095G	39.57	68.20	-28.63	19.12	3	Vertical	339	1.11	20.45	40.27	11.32	32.47
PK	13.41099G	52.23	88.20	-35.97	19.12	3	Vertical	339	1.11	33.11	40.27	11.32	32.47

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40382G	39.63	68.20	-28.57	19.14	3	Horizontal	221	1.55	20.49	40.29	11.33	32.48
PK	13.4139G	51.93	88.20	-36.27	19.11	3	Horizontal	221	1.55	32.82	40.26	11.32	32.47

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56972G	39.11	68.20	-29.09	18.87	3	Vertical	94	1.09	20.24	39.93	11.29	32.35
PK	13.57033G	51.32	88.20	-36.88	18.87	3	Vertical	94	1.09	32.45	39.93	11.29	32.35

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57788G	39.12	68.20	-29.08	18.85	3	Horizontal	50	1.43	20.27	39.92	11.29	32.36
PK	13.57194G	52.97	88.20	-35.23	18.87	3	Horizontal	50	1.43	34.10	39.93	11.29	32.35

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73035G	38.24	68.20	-29.96	18.54	3	Vertical	338	2.99	19.70	39.67	11.26	32.39
PK	13.73053G	51.00	88.20	-37.20	18.54	3	Vertical	338	2.99	32.46	39.67	11.26	32.39

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73972G	38.34	68.20	-29.86	18.52	3	Horizontal	151	1.39	19.82	39.66	11.25	32.39
PK	13.73516G	51.09	88.20	-37.11	18.53	3	Horizontal	151	1.39	32.56	39.66	11.26	32.39

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8894G	38.41	68.20	-29.79	18.58	3	Vertical	323	2.14	19.83	39.78	11.22	32.42
PK	13.88986G	51.39	88.20	-36.81	18.58	3	Vertical	323	2.14	32.81	39.78	11.22	32.42

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89822G	38.54	68.20	-29.66	18.60	3	Horizontal	344	2.64	19.94	39.80	11.22	32.42
PK	13.8886G	52.27	88.20	-35.93	18.58	3	Horizontal	344	2.64	33.69	39.78	11.22	32.42

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0358G	94.04	Inf	-Inf	9.10	3	Vertical	190	2.30	84.94	35.94	7.62	34.46
AV	7.1258G	49.58	68.20	-18.62	9.60	3	Vertical	190	2.30	39.98	36.40	7.68	34.48
PK	7.0349G	107.00	Inf	-Inf	9.09	3	Vertical	190	2.30	97.91	35.94	7.61	34.46
PK	7.1309G	62.95	88.20	-25.25	9.62	3	Vertical	190	2.30	53.33	36.42	7.68	34.48

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0355G	97.90	Inf	-Inf	9.09	3	Horizontal	169	1.53	88.81	35.94	7.61	34.46
AV	7.1264G	49.85	68.20	-18.35	9.61	3	Horizontal	169	1.53	40.24	36.41	7.68	34.48
PK	7.0361G	109.92	Inf	-Inf	9.10	3	Horizontal	169	1.53	100.82	35.94	7.62	34.46
PK	7.1252G	63.18	88.20	-25.02	9.60	3	Horizontal	169	1.53	53.58	36.40	7.68	34.48

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04903G	38.72	68.20	-29.48	18.62	3	Vertical	88	1.70	20.10	39.90	11.23	32.51
PK	14.05049G	52.28	88.20	-35.92	18.62	3	Vertical	88	1.70	33.66	39.90	11.23	32.51

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04352G	38.68	68.20	-29.52	18.62	3	Horizontal	238	2.87	20.06	39.89	11.23	32.50
PK	14.05264G	50.45	88.20	-37.75	18.63	3	Horizontal	238	2.87	31.82	39.91	11.23	32.51

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9155G	46.47	68.20	-21.73	7.06	3	Vertical	188	1.49	39.41	34.27	7.00	34.21
AV	5.999G	94.13	Inf	-Inf	6.95	3	Vertical	188	1.49	87.18	34.10	7.07	34.22
PK	5.9G	59.27	88.20	-28.93	7.08	3	Vertical	188	1.49	52.19	34.30	6.99	34.21
PK	6.0015G	107.15	Inf	-Inf	6.95	3	Vertical	188	1.49	100.20	34.10	7.07	34.22

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	48.54	68.20	-19.66	7.07	3	Horizontal	72	2.33	41.47	34.28	7.00	34.21
AV	5.963G	98.11	Inf	-Inf	6.99	3	Horizontal	72	2.33	91.12	34.17	7.04	34.22
PK	5.9095G	61.48	88.20	-26.72	7.06	3	Horizontal	72	2.33	54.42	34.28	6.99	34.21
PK	5.962G	110.16	Inf	-Inf	7.00	3	Horizontal	72	2.33	103.16	34.18	7.04	34.22

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04902G	38.56	54.00	-15.44	16.42	3	Vertical	280	2.77	22.14	39.15	11.61	34.34
PK	12.04976G	50.83	74.00	-23.17	16.42	3	Vertical	280	2.77	34.41	39.15	11.61	34.34

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04504G	38.55	54.00	-15.45	16.42	3	Horizontal	262	2.58	22.13	39.15	11.61	34.34
PK	12.04768G	51.85	74.00	-22.15	16.42	3	Horizontal	262	2.58	35.43	39.15	11.61	34.34

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36974G	38.21	54.00	-15.79	16.48	3	Vertical	200	2.40	21.73	39.10	11.54	34.16
PK	12.37048G	51.76	74.00	-22.24	16.48	3	Vertical	200	2.40	35.28	39.10	11.54	34.16

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36504G	38.12	54.00	-15.88	16.47	3	Horizontal	342	1.31	21.65	39.10	11.54	34.17
PK	12.37028G	50.98	74.00	-23.02	16.48	3	Horizontal	342	1.31	34.50	39.10	11.54	34.16

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68903G	38.65	54.00	-15.35	17.27	3	Vertical	77	2.85	21.38	39.49	11.48	33.70
PK	12.68918G	51.15	74.00	-22.85	17.27	3	Vertical	77	2.85	33.88	39.49	11.48	33.70

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69538G	38.78	54.00	-15.22	17.28	3	Horizontal	251	2.64	21.50	39.50	11.47	33.69
PK	12.68452G	50.75	74.00	-23.25	17.25	3	Horizontal	251	2.64	33.50	39.48	11.48	33.71

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01009G	38.94	68.20	-29.26	18.15	3	Vertical	170	2.88	20.79	39.80	11.41	33.06
PK	13.00932G	52.22	88.20	-35.98	18.15	3	Vertical	170	2.88	34.07	39.80	11.41	33.06

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00842G	39.07	68.20	-29.13	18.15	3	Horizontal	45	2.40	20.92	39.80	11.41	33.06
PK	13.0182G	51.45	88.20	-36.75	18.17	3	Horizontal	45	2.40	33.28	39.80	11.41	33.04

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33093G	39.11	54.00	-14.89	18.77	3	Vertical	307	1.54	20.34	40.02	11.34	32.59
PK	13.3308G	50.82	74.00	-23.18	18.77	3	Vertical	307	1.54	32.05	40.02	11.34	32.59

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33582G	39.23	54.00	-14.77	18.80	3	Horizontal	57	2.36	20.43	40.04	11.34	32.58
PK	13.32458G	51.15	74.00	-22.85	18.74	3	Horizontal	57	2.36	32.41	40.00	11.34	32.60

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65052G	38.84	68.20	-29.36	18.70	3	Vertical	118	2.97	20.14	39.80	11.27	32.37
PK	13.64904G	52.01	88.20	-36.19	18.70	3	Vertical	118	2.97	33.31	39.80	11.27	32.37

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64728G	38.90	68.20	-29.30	18.71	3	Horizontal	25	1.46	20.19	39.81	11.27	32.37
PK	13.65938G	51.22	88.20	-36.98	18.68	3	Horizontal	25	1.46	32.54	39.78	11.27	32.37

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.044G	94.53	Inf	-Inf	9.13	3	Vertical	186	2.22	85.40	35.98	7.62	34.47
AV	7.135G	50.29	68.20	-17.91	9.64	3	Vertical	186	2.22	40.65	36.44	7.68	34.48
PK	7.0455G	107.21	Inf	-Inf	9.13	3	Vertical	186	2.22	98.08	35.98	7.62	34.47
PK	7.1335G	64.72	88.20	-23.48	9.63	3	Vertical	186	2.22	55.09	36.43	7.68	34.48

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9695G	98.41	Inf	-Inf	8.92	3	Horizontal	100	1.80	89.49	35.80	7.57	34.45
AV	7.132G	50.66	68.20	-17.54	9.63	3	Horizontal	100	1.80	41.03	36.43	7.68	34.48
PK	6.9645G	110.46	Inf	-Inf	8.92	3	Horizontal	100	1.80	101.54	35.80	7.57	34.45
PK	7.1285G	69.84	88.20	-18.36	9.61	3	Horizontal	100	1.80	60.23	36.41	7.68	34.48

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96935G	38.52	68.20	-29.68	18.58	3	Vertical	258	2.98	19.94	39.80	11.21	32.43
PK	13.96964G	52.76	88.20	-35.44	18.58	3	Vertical	258	2.98	34.18	39.80	11.21	32.43

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9601G	38.71	68.20	-29.49	18.58	3	Horizontal	210	1.87	20.13	39.80	11.21	32.43
PK	13.96506G	50.93	88.20	-37.27	18.58	3	Horizontal	210	1.87	32.35	39.80	11.21	32.43



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	5.9521G	-7.45	5.9717G	-38.63	-31.58	-7.05	4
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	5.97059G	-2.19	5.994G	-32.05	-24.98	-7.07	4
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	6.13381G	-0.64	6.1022G	-27.09	-20.64	-6.45	3
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	6.31703G	1.13	6.0042G	-43.36	-38.87	-4.49	3
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	6.44G	-11.31	6.4215G	-39.86	-32.72	-7.14	3
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	6.4424G	-5.10	6.4112G	-37.06	-30.06	-7.00	2
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	6.45661G	-1.69	6.4222G	-28.77	-21.71	-7.06	4
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	6.48102G	1.52	6.253G	-44.50	-38.48	-6.02	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	6.5361G	-8.71	6.5502G	-38.75	-31.24	-7.51	1
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	6.55781G	-4.75	6.5436G	-32.18	-24.79	-7.39	2
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	6.61381G	-2.07	6.5826G	-28.95	-22.10	-6.85	2
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	6.68898G	1.58	7.001G	-44.10	-38.42	-5.68	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	7.0931G	-14.24	7.1139G	-47.17	-39.99	-7.18	3
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	7.0812G	-7.07	7.117G	-37.50	-31.16	-6.34	4
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	7.01261G	-2.27	6.9826G	-29.42	-22.34	-7.08	4
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	7.00978G	1.49	6.7362G	-43.75	-38.51	-5.24	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96049G	-7.20	5.9412G	-36.29	-27.88	-8.41	1
5955MHz	Pass	5.9565G	-7.29	5.9711G	-38.26	-29.71	-8.55	2
5955MHz	Pass	5.9591G	-7.26	5.9697G	-36.71	-29.17	-7.54	3
5955MHz	Pass	5.9521G	-7.45	5.9717G	-38.63	-31.58	-7.05	4
6175MHz	Pass	6.1763G	-8.69	6.1891G	-38.14	-29.12	-9.02	1
6175MHz	Pass	6.1737G	-9.07	6.1596G	-40.01	-31.76	-8.25	2
6175MHz	Pass	6.178G	-9.13	6.1591G	-39.61	-32.10	-7.51	3
6175MHz	Pass	6.16771G	-9.21	6.1584G	-40.20	-32.46	-7.74	4
6415MHz	Pass	6.40911G	-10.83	6.4286G	-39.80	-30.99	-8.81	1
6415MHz	Pass	6.4144G	-10.07	6.4008G	-38.96	-31.67	-7.29	2
6415MHz	Pass	6.4105G	-10.49	6.399G	-41.40	-33.60	-7.80	3
6415MHz	Pass	6.40821G	-10.63	6.4011G	-39.65	-31.04	-8.61	4
6435MHz	Pass	6.44039G	-10.57	6.4202G	-40.22	-32.41	-7.81	1
6435MHz	Pass	6.4335G	-10.82	6.4181G	-42.03	-33.53	-8.50	2
6435MHz	Pass	6.44G	-11.31	6.4215G	-39.86	-32.72	-7.14	3
6435MHz	Pass	6.4303G	-10.69	6.4221G	-38.73	-31.24	-7.49	4
6475MHz	Pass	6.4745G	-10.13	6.4607G	-39.78	-31.78	-8.00	1
6475MHz	Pass	6.4707G	-10.98	6.4592G	-41.41	-33.78	-7.63	2
6475MHz	Pass	6.4775G	-10.43	6.4594G	-41.39	-33.46	-7.93	3
6475MHz	Pass	6.4737G	-10.21	6.4617G	-39.40	-30.34	-9.06	4
6515MHz	Pass	6.5182G	-7.59	6.5279G	-36.67	-27.81	-8.86	1
6515MHz	Pass	6.52G	-8.14	6.5013G	-37.77	-28.94	-8.83	2
6515MHz	Pass	6.5125G	-8.24	6.5302G	-38.55	-30.66	-7.89	3
6515MHz	Pass	6.5176G	-8.05	6.5304G	-38.30	-30.32	-7.98	4
6535MHz	Pass	6.5361G	-8.71	6.5502G	-38.75	-31.24	-7.51	1
6535MHz	Pass	6.5305G	-9.37	6.5198G	-39.54	-31.62	-7.92	2
6535MHz	Pass	6.536G	-9.11	6.5516G	-40.60	-32.51	-8.09	3
6535MHz	Pass	6.5365G	-9.02	6.5494G	-38.89	-30.65	-8.24	4
6695MHz	Pass	6.6938G	-7.83	6.6796G	-38.19	-29.78	-8.41	1
6695MHz	Pass	6.70129G	-8.02	6.678G	-40.02	-31.76	-8.26	2
6695MHz	Pass	6.6928G	-8.90	6.7109G	-40.15	-31.90	-8.25	3
6695MHz	Pass	6.70249G	-7.92	6.7138G	-41.15	-33.21	-7.94	4
6855MHz	Pass	6.8537G	-11.48	6.8682G	-39.86	-31.53	-8.33	1
6855MHz	Pass	6.8575G	-11.32	6.8701G	-41.58	-33.69	-7.89	2
6855MHz	Pass	6.8593G	-11.52	6.8725G	-42.84	-35.24	-7.60	3
6855MHz	Pass	6.86129G	-9.95	6.8681G	-38.85	-29.97	-8.88	4
6875MHz	Pass	6.8766G	-10.79	6.8893G	-40.43	-31.50	-8.93	1
6875MHz	Pass	6.8773G	-10.81	6.8902G	-40.75	-32.82	-7.93	2
6875MHz	Pass	6.88019G	-11.10	6.8925G	-42.43	-34.03	-8.40	3
6875MHz	Pass	6.8775G	-11.13	6.8922G	-42.73	-34.01	-8.72	4
6895MHz	Pass	6.8975G	-10.17	6.8804G	-39.82	-32.12	-7.70	1
6895MHz	Pass	6.8915G	-10.25	6.9128G	-42.57	-34.82	-7.75	2
6895MHz	Pass	6.8962G	-10.87	6.8803G	-40.67	-32.89	-7.78	3
6895MHz	Pass	6.8944G	-10.39	6.9123G	-41.92	-34.53	-7.39	4
6995MHz	Pass	7.00249G	-9.87	7.0107G	-40.07	-32.02	-8.05	1
6995MHz	Pass	7.00069G	-9.10	7.0079G	-37.74	-29.20	-8.54	2
6995MHz	Pass	7.00099G	-8.94	7.0103G	-39.07	-31.38	-7.69	3
6995MHz	Pass	7.00049G	-8.47	7.0111G	-39.11	-30.27	-8.84	4
7095MHz	Pass	7.094G	-14.73	7.0815G	-43.61	-35.36	-8.25	1
7095MHz	Pass	7.0977G	-15.62	7.0808G	-44.86	-36.12	-8.74	2
7095MHz	Pass	7.0931G	-14.24	7.1139G	-47.17	-39.99	-7.18	3
7095MHz	Pass	7.10189G	-13.80	7.11G	-43.42	-35.95	-7.47	4
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97119G	-1.64	5.9924G	-30.55	-23.14	-7.41	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.9602G	-2.64	5.998G	-33.93	-26.27	-7.66	2
5965MHz	Pass	5.969G	-2.32	5.9342G	-32.39	-25.12	-7.27	3
5965MHz	Pass	5.97059G	-2.19	5.994G	-32.05	-24.98	-7.07	4
6165MHz	Pass	6.15901G	-4.68	6.1936G	-35.28	-27.31	-7.97	1
6165MHz	Pass	6.1618G	-4.45	6.132G	-36.73	-28.98	-7.75	2
6165MHz	Pass	6.15721G	-4.63	6.143G	-32.70	-24.71	-7.99	3
6165MHz	Pass	6.15321G	-4.62	6.1292G	-37.67	-30.21	-7.46	4
6405MHz	Pass	6.403G	-5.81	6.379G	-35.40	-27.17	-8.23	1
6405MHz	Pass	6.4018G	-5.28	6.3774G	-35.58	-27.38	-8.20	2
6405MHz	Pass	6.39901G	-5.85	6.3752G	-36.63	-28.52	-8.11	3
6405MHz	Pass	6.39921G	-5.40	6.3738G	-37.06	-28.95	-8.11	4
6445MHz	Pass	6.4432G	-4.75	6.4118G	-37.21	-29.43	-7.78	1
6445MHz	Pass	6.4424G	-5.10	6.4112G	-37.06	-30.06	-7.00	2
6445MHz	Pass	6.4486G	-5.22	6.4116G	-37.87	-29.24	-8.63	3
6445MHz	Pass	6.43981G	-5.20	6.4128G	-36.64	-28.92	-7.72	4
6485MHz	Pass	6.47901G	-5.39	6.5156G	-36.57	-28.67	-7.90	1
6485MHz	Pass	6.482G	-5.16	6.457G	-35.50	-27.50	-8.00	2
6485MHz	Pass	6.47981G	-5.66	6.4474G	-40.04	-31.85	-8.19	3
6485MHz	Pass	6.4826G	-5.46	6.453G	-37.20	-29.42	-7.78	4
6525MHz	Pass	6.5226G	-4.48	6.5466G	-31.91	-24.51	-7.40	1
6525MHz	Pass	6.51941G	-4.70	6.5556G	-36.65	-28.13	-8.52	2
6525MHz	Pass	6.5206G	-5.05	6.4974G	-35.39	-27.04	-8.35	3
6525MHz	Pass	6.53139G	-4.94	6.5036G	-32.29	-24.96	-7.33	4
6565MHz	Pass	6.56G	-4.94	6.5338G	-36.90	-28.65	-8.25	1
6565MHz	Pass	6.55781G	-4.75	6.5436G	-32.18	-24.79	-7.39	2
6565MHz	Pass	6.55261G	-5.44	6.5342G	-37.14	-28.16	-8.98	3
6565MHz	Pass	6.55801G	-5.11	6.5432G	-33.04	-25.20	-7.84	4
6685MHz	Pass	6.682G	-5.36	6.7148G	-37.04	-27.35	-9.69	1
6685MHz	Pass	6.6886G	-5.80	6.7064G	-33.66	-25.84	-7.82	2
6685MHz	Pass	6.69779G	-5.35	6.717G	-37.39	-29.18	-8.21	3
6685MHz	Pass	6.6866G	-5.41	6.715G	-36.30	-28.39	-7.91	4
6845MHz	Pass	6.83801G	-5.80	6.8782G	-38.34	-30.45	-7.89	1
6845MHz	Pass	6.83981G	-5.61	6.8232G	-33.78	-25.64	-8.14	2
6845MHz	Pass	6.83941G	-5.97	6.8744G	-37.17	-28.83	-8.34	3
6845MHz	Pass	6.8412G	-5.94	6.8754G	-37.02	-29.33	-7.69	4
6885MHz	Pass	6.8876G	-5.93	6.9066G	-33.71	-25.96	-7.75	1
6885MHz	Pass	6.888G	-5.94	6.9136G	-36.72	-28.37	-8.35	2
6885MHz	Pass	6.89799G	-5.59	6.907G	-33.68	-25.65	-8.03	3
6885MHz	Pass	6.8894G	-5.67	6.9138G	-36.26	-28.53	-7.73	4
6925MHz	Pass	6.9228G	-6.02	6.9578G	-38.24	-30.58	-7.66	1
6925MHz	Pass	6.9294G	-6.17	6.956G	-37.84	-29.58	-8.26	2
6925MHz	Pass	6.93759G	-5.83	6.9556G	-37.37	-29.17	-8.20	3
6925MHz	Pass	6.93639G	-6.08	6.9588G	-38.50	-31.08	-7.42	4
7005MHz	Pass	7.0016G	-4.08	6.9708G	-37.12	-29.21	-7.91	1
7005MHz	Pass	7.0012G	-4.54	6.9834G	-32.27	-24.55	-7.72	2
7005MHz	Pass	7.0018G	-4.09	6.9764G	-35.31	-26.67	-8.64	3
7005MHz	Pass	7.0026G	-4.37	6.9834G	-32.17	-24.43	-7.74	4
7085MHz	Pass	7.0804G	-6.80	7.114G	-36.19	-29.33	-6.86	1
7085MHz	Pass	7.09119G	-6.90	7.1148G	-36.85	-28.89	-7.96	2
7085MHz	Pass	7.0832G	-7.02	7.1156G	-36.77	-30.15	-6.62	3
7085MHz	Pass	7.0812G	-7.07	7.117G	-37.50	-31.16	-6.34	4
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99779G	0.40	6.0398G	-29.15	-21.15	-8.00	1
5985MHz	Pass	5.99779G	0.23	6.0274G	-27.13	-19.80	-7.33	2
5985MHz	Pass	5.97501G	0.32	5.9358G	-28.13	-20.53	-7.60	3
5985MHz	Pass	5.97061G	0.10	6.0282G	-27.19	-19.91	-7.28	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.15699G	-1.20	6.1874G	-28.27	-21.25	-7.02	1
6145MHz	Pass	6.13181G	-0.56	6.103G	-27.27	-20.58	-6.69	2
6145MHz	Pass	6.13381G	-0.64	6.1022G	-27.09	-20.64	-6.45	3
6145MHz	Pass	6.11263G	-0.78	6.1022G	-27.74	-20.78	-6.96	4
6385MHz	Pass	6.39579G	-2.58	6.3422G	-30.48	-22.65	-7.83	1
6385MHz	Pass	6.35383G	-2.72	6.3426G	-29.76	-22.79	-6.97	2
6385MHz	Pass	6.35663G	-2.77	6.3262G	-33.05	-25.79	-7.26	3
6385MHz	Pass	6.37621G	-2.54	6.3426G	-29.33	-22.59	-6.74	4
6465MHz	Pass	6.45181G	-1.70	6.4226G	-29.50	-21.73	-7.77	1
6465MHz	Pass	6.45381G	-2.08	6.3982G	-34.37	-26.58	-7.79	2
6465MHz	Pass	6.45101G	-2.03	6.4218G	-29.63	-22.09	-7.54	3
6465MHz	Pass	6.45661G	-1.69	6.4222G	-28.77	-21.71	-7.06	4
6545MHz	Pass	6.53421G	-1.30	6.5026G	-28.75	-21.35	-7.40	1
6545MHz	Pass	6.55859G	-1.79	6.5022G	-30.10	-21.83	-8.27	2
6545MHz	Pass	6.53261G	-1.63	6.5026G	-29.54	-21.70	-7.84	3
6545MHz	Pass	6.53621G	-1.37	6.5026G	-29.03	-21.44	-7.59	4
6625MHz	Pass	6.61101G	-2.13	6.5666G	-32.95	-25.01	-7.94	1
6625MHz	Pass	6.61381G	-2.07	6.5826G	-28.95	-22.10	-6.85	2
6625MHz	Pass	6.61341G	-2.57	6.6674G	-29.82	-22.58	-7.24	3
6625MHz	Pass	6.61141G	-1.96	6.5826G	-29.54	-21.97	-7.57	4
6705MHz	Pass	6.71619G	-2.05	6.661G	-30.89	-22.26	-8.63	1
6705MHz	Pass	6.71379G	-2.21	6.7474G	-29.89	-22.24	-7.65	2
6705MHz	Pass	6.69621G	-2.35	6.7478G	-30.34	-22.37	-7.97	3
6705MHz	Pass	6.71779G	-1.89	6.7482G	-30.16	-21.95	-8.21	4
6785MHz	Pass	6.77581G	-2.39	6.7426G	-29.68	-22.42	-7.26	1
6785MHz	Pass	6.77261G	-2.16	6.7182G	-35.32	-26.97	-8.35	2
6785MHz	Pass	6.77581G	-2.51	6.8282G	-30.84	-22.55	-8.29	3
6785MHz	Pass	6.77181G	-2.74	6.8286G	-31.18	-22.77	-8.41	4
6865MHz	Pass	6.87819G	-3.41	6.8086G	-34.31	-25.61	-8.70	1
6865MHz	Pass	6.87459G	-3.11	6.8218G	-31.54	-23.12	-8.42	2
6865MHz	Pass	6.87659G	-3.46	6.935G	-37.16	-28.51	-8.65	3
6865MHz	Pass	6.89537G	-3.88	6.9334G	-35.94	-28.97	-6.97	4
6945MHz	Pass	6.95459G	-2.21	6.989G	-30.60	-22.36	-8.24	1
6945MHz	Pass	6.95979G	-2.66	6.9874G	-29.80	-22.67	-7.13	2
6945MHz	Pass	6.95539G	-2.23	6.9878G	-29.97	-22.27	-7.70	3
6945MHz	Pass	6.95339G	-2.49	6.9878G	-29.87	-22.53	-7.34	4
7025MHz	Pass	6.99743G	-2.15	6.9818G	-29.79	-22.21	-7.58	1
7025MHz	Pass	7.01621G	-2.30	6.9818G	-30.11	-22.31	-7.80	2
7025MHz	Pass	7.01101G	-2.37	6.9818G	-30.06	-22.41	-7.65	3
7025MHz	Pass	7.01261G	-2.27	6.9826G	-29.42	-22.34	-7.08	4
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99943G	2.69	6.2722G	-43.97	-37.17	-6.80	1
6025MHz	Pass	6.05057G	2.81	6.2706G	-44.23	-37.11	-7.12	2
6025MHz	Pass	6.00022G	3.24	6.2698G	-45.99	-36.37	-9.62	3
6025MHz	Pass	6.00102G	3.30	6.2722G	-44.19	-36.70	-7.49	4
6185MHz	Pass	6.16182G	1.74	6.4338G	-46.24	-38.26	-7.98	1
6185MHz	Pass	6.15703G	1.67	5.9394G	-46.56	-38.15	-8.41	2
6185MHz	Pass	6.12346G	2.03	5.9386G	-43.81	-37.97	-5.84	3
6185MHz	Pass	6.15783G	1.97	5.9402G	-44.39	-37.54	-6.85	4
6345MHz	Pass	6.32102G	1.36	6.0898G	-46.85	-38.64	-8.21	1
6345MHz	Pass	6.31863G	1.35	6.0938G	-44.87	-38.65	-6.22	2
6345MHz	Pass	6.31703G	1.13	6.0042G	-43.36	-38.87	-4.49	3
6345MHz	Pass	6.31863G	1.58	6.0954G	-43.78	-38.42	-5.36	4
6505MHz	Pass	6.52898G	2.06	6.261G	-45.51	-37.53	-7.98	1
6505MHz	Pass	6.48102G	1.52	6.253G	-44.50	-38.48	-6.02	2
6505MHz	Pass	6.53057G	1.71	6.2546G	-44.36	-38.29	-6.07	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.53377G	1.93	6.2578G	-44.86	-38.07	-6.79	4
6665MHz	Pass	6.69297G	1.28	6.4194G	-45.83	-38.54	-7.29	1
6665MHz	Pass	6.68898G	1.01	6.4066G	-45.32	-38.99	-6.33	2
6665MHz	Pass	6.68898G	1.58	7.001G	-44.10	-38.42	-5.68	3
6665MHz	Pass	6.69057G	1.72	6.9378G	-45.40	-38.28	-7.12	4
6825MHz	Pass	6.80262G	0.26	6.5706G	-48.06	-39.74	-8.32	1
6825MHz	Pass	6.80182G	0.01	6.5754G	-48.21	-39.99	-8.22	2
6825MHz	Pass	6.85057G	-0.02	7.0794G	-46.67	-40.02	-6.65	3
6825MHz	Pass	6.88574G	-0.11	7.0826G	-47.58	-40.11	-7.47	4
6985MHz	Pass	6.96022G	1.99	6.585G	-49.90	-38.01	-11.89	1
6985MHz	Pass	7.00978G	1.49	6.7362G	-43.75	-38.51	-5.24	2
6985MHz	Pass	7.00098G	1.70	7.325G	-49.23	-38.30	-10.93	3
6985MHz	Pass	7.01057G	1.83	7.3314G	-50.13	-38.17	-11.96	4

