



Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	17.77	0.05984
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	20.67	0.11668
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	24.31	0.26977
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	25.66	0.36813
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	17.19	0.05236
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	20.65	0.11614
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	23.72	0.23550
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	26.43	0.43954
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	18.17	0.06561
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	20.35	0.10839
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	22.91	0.19543
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	25.97	0.39537
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	18.01	0.06324
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	20.07	0.10162
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	22.83	0.19187
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	25.17	0.32885







Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-
5955MHz	Pass	16.65	30.00
6175MHz	Pass	17.77	30.00
6415MHz	Pass	17.29	30.00
6435MHz	Pass	16.80	30.00
6475MHz	Pass	17.19	30.00
6515MHz	Pass	16.78	30.00
6535MHz	Pass	16.13	30.00
6695MHz	Pass	18.17	30.00
6855MHz	Pass	17.17	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	16.41	30.00
6895MHz	Pass	17.26	30.00
6995MHz	Pass	17.57	30.00
7095MHz	Pass	18.01	30.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-
5965MHz	Pass	20.67	30.00
6165MHz	Pass	19.64	30.00
6405MHz	Pass	19.66	30.00
6445MHz	Pass	20.34	30.00
6485MHz	Pass	20.11	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	20.65	30.00
6565MHz	Pass	20.35	30.00
6685MHz	Pass	18.78	30.00
6845MHz	Pass	19.29	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	19.59	30.00
6925MHz	Pass	19.41	30.00
7005MHz	Pass	20.07	30.00
7085MHz	Pass	19.25	30.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-
5985MHz	Pass	23.35	30.00
6145MHz	Pass	24.31	30.00
6385MHz	Pass	23.46	30.00
6465MHz	Pass	23.29	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	23.72	30.00
6625MHz	Pass	22.91	30.00
6705MHz	Pass	22.12	30.00
6785MHz	Pass	22.07	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	22.16	30.00
6945MHz	Pass	22.76	30.00
7025MHz	Pass	22.83	30.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-
6025MHz	Pass	25.66	30.00
6185MHz	Pass	25.46	30.00
6345MHz	Pass	25.49	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	26.43	30.00
6665MHz	Pass	25.97	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	24.50	30.00
6985MHz	Pass	25.17	30.00



DG = Directional Gain; Port X = Port X output power

















































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.86
802.11ax HEW40_Nss1,(MCS0)_4TX	4.78
802.11ax HEW80_Nss1,(MCS0)_4TX	4.95
802.11ax HEW160_Nss1,(MCS0)_4TX	4.93
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.95
802.11ax HEW40_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	4.97
802.11ax HEW160_Nss1,(MCS0)_4TX	4.93
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.97
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.99
802.11ax HEW160_Nss1,(MCS0)_4TX	4.99
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.88
802.11ax HEW40_Nss1,(MCS0)_4TX	4.91
802.11ax HEW80_Nss1,(MCS0)_4TX	4.88
802.11ax HEW160_Nss1,(MCS0)_4TX	4.79



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.82	5.00
6175MHz	Pass	4.86	5.00
6415MHz	Pass	4.86	5.00
6435MHz	Pass	4.95	5.00
6475MHz	Pass	4.79	5.00
6515MHz	Pass	4.95	5.00
6535MHz	Pass	4.97	5.00
6695MHz	Pass	4.97	5.00
6855MHz	Pass	4.75	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.75	5.00
6895MHz	Pass	4.83	5.00
6995MHz	Pass	4.88	5.00
7095MHz	Pass	4.81	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.78	5.00
6165MHz	Pass	4.75	5.00
6405MHz	Pass	4.76	5.00
6445MHz	Pass	4.88	5.00
6485MHz	Pass	4.97	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6565MHz	Pass	4.78	5.00
6685MHz	Pass	4.99	5.00
6845MHz	Pass	4.98	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.92	5.00
6925MHz	Pass	4.91	5.00
7005MHz	Pass	4.86	5.00
7085MHz	Pass	4.87	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.83	5.00
6145MHz	Pass	4.88	5.00
6385MHz	Pass	4.95	5.00
6465MHz	Pass	4.95	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.97	5.00
6625MHz	Pass	4.78	5.00
6705MHz	Pass	4.99	5.00
6785MHz	Pass	4.98	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6945MHz	Pass	4.76	5.00
7025MHz	Pass	4.88	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.81	5.00
6185MHz	Pass	4.93	5.00
6345MHz	Pass	4.92	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.99	5.00
6985MHz	Pass	4.79	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.90
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.96
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.88
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.78
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.88
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.99
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.93
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.88
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.95
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.83
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.93
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.97



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.80	5.00
6175MHz	Pass	4.90	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.68	5.00
6475MHz	Pass	4.78	5.00
6515MHz	Pass	4.67	5.00
6535MHz	Pass	4.58	5.00
6695MHz	Pass	4.75	5.00
6855MHz	Pass	4.77	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.62	5.00
6895MHz	Pass	4.66	5.00
6995MHz	Pass	4.83	5.00
7095MHz	Pass	4.65	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.90	5.00
6165MHz	Pass	4.78	5.00
6405MHz	Pass	4.61	5.00
6445MHz	Pass	4.63	5.00
6485MHz	Pass	4.88	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.76	5.00
6565MHz	Pass	4.88	5.00
6685MHz	Pass	4.78	5.00
6845MHz	Pass	4.88	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6925MHz	Pass	4.98	5.00
7005MHz	Pass	4.81	5.00
7085MHz	Pass	4.84	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.96	5.00
6145MHz	Pass	4.83	5.00
6385MHz	Pass	4.93	5.00
6465MHz	Pass	4.99	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.87	5.00
6785MHz	Pass	4.78	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.88	5.00
6945MHz	Pass	4.83	5.00
7025MHz	Pass	4.93	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.84	5.00
6185MHz	Pass	4.86	5.00
6345MHz	Pass	4.88	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.95	5.00
6985MHz	Pass	4.97	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.98
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.98
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.98
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.92
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.94
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.99
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.87
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.96
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.94
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.94
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.98
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.96
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.91
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.94
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	3.89



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.75	5.00
6175MHz	Pass	4.95	5.00
6415MHz	Pass	4.98	5.00
6435MHz	Pass	4.79	5.00
6475MHz	Pass	4.70	5.00
6515MHz	Pass	4.94	5.00
6535MHz	Pass	4.75	5.00
6695MHz	Pass	4.94	5.00
6855MHz	Pass	4.90	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6895MHz	Pass	4.87	5.00
6995MHz	Pass	4.72	5.00
7095MHz	Pass	4.91	5.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.92	5.00
6165MHz	Pass	4.93	5.00
6405MHz	Pass	4.98	5.00
6445MHz	Pass	4.91	5.00
6485MHz	Pass	4.93	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.99	5.00
6565MHz	Pass	4.92	5.00
6685MHz	Pass	4.80	5.00
6845MHz	Pass	4.94	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.85	5.00
6925MHz	Pass	4.87	5.00
7005MHz	Pass	4.94	5.00
7085MHz	Pass	4.87	5.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.88	5.00
6145MHz	Pass	4.84	5.00
6385MHz	Pass	4.98	5.00
6465MHz	Pass	4.84	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.87	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.93	5.00
6785MHz	Pass	4.98	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6945MHz	Pass	4.88	5.00
7025MHz	Pass	4.96	5.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.77	5.00
6185MHz	Pass	4.92	5.00
6345MHz	Pass	4.90	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6665MHz	Pass	4.86	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6985MHz	Pass	3.89	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.9538G	-11.95	5.9706G	-41.83	-34.80	-7.03	3
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.97119G	-5.79	5.9946G	-36.04	-28.89	-7.15	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.99739G	-2.97	6.0274G	-29.25	-22.98	-6.27	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.32022G	-1.13	5.9874G	-46.09	-41.13	-4.96	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.5153G	-9.90	6.5304G	-40.08	-32.41	-7.67	1
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.43921G	-7.18	6.4098G	-39.85	-32.64	-7.21	1
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.45541G	-4.62	6.397G	-36.80	-29.60	-7.20	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.52978G	-0.89	6.1834G	-48.43	-40.89	-7.54	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.8511G	-12.16	6.8411G	-40.82	-33.76	-7.06	1
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.69259G	-6.81	6.7208G	-40.44	-32.71	-7.73	2
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.77261G	-3.83	6.7426G	-30.65	-23.90	-6.75	4
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.68898G	-0.90	7.0034G	-46.59	-40.90	-5.69	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	7.00249G	-8.93	7.0123G	-40.53	-33.24	-7.29	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	7.09259G	-6.77	7.1148G	-36.52	-29.47	-7.05	2
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.95739G	-3.12	7.0018G	-32.58	-25.89	-6.69	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	7.01217G	0.96	7.2314G	-48.25	-39.04	-9.21	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.953G	-11.45	5.9699G	-40.45	-33.01	-7.44	1
5955MHz	Pass	5.9539G	-11.60	5.969G	-40.75	-32.25	-8.50	2
5955MHz	Pass	5.9538G	-11.95	5.9706G	-41.83	-34.80	-7.03	3
5955MHz	Pass	5.9544G	-11.92	5.9699G	-41.50	-34.32	-7.18	4
6175MHz	Pass	6.1763G	-9.99	6.1604G	-39.76	-32.13	-7.63	1
6175MHz	Pass	6.1724G	-10.57	6.1896G	-40.69	-32.23	-8.46	2
6175MHz	Pass	6.1737G	-10.35	6.1602G	-40.18	-31.46	-8.72	3
6175MHz	Pass	6.1723G	-10.80	6.1593G	-41.36	-32.90	-8.46	4
6415MHz	Pass	6.4116G	-11.65	6.4013G	-40.76	-32.86	-7.90	1
6415MHz	Pass	6.40761G	-11.33	6.3998G	-41.39	-33.19	-8.20	2
6415MHz	Pass	6.4142G	-11.52	6.3992G	-42.13	-34.35	-7.78	3
6415MHz	Pass	6.40991G	-11.25	6.4002G	-41.13	-32.91	-8.22	4
6435MHz	Pass	6.4363G	-11.38	6.4216G	-40.47	-31.76	-8.71	1
6435MHz	Pass	6.42881G	-11.90	6.4204G	-41.70	-32.76	-8.94	2
6435MHz	Pass	6.4325G	-11.68	6.4197G	-42.03	-34.18	-7.85	3
6435MHz	Pass	6.4326G	-11.66	6.4172G	-43.87	-35.46	-8.41	4
6475MHz	Pass	6.4779G	-8.92	6.4601G	-39.20	-29.44	-9.76	1
6475MHz	Pass	6.4711G	-9.55	6.4926G	-41.53	-33.79	-7.74	2
6475MHz	Pass	6.4737G	-9.46	6.49G	-39.92	-32.07	-7.85	3
6475MHz	Pass	6.4743G	-9.16	6.4578G	-41.44	-33.52	-7.92	4
6515MHz	Pass	6.5153G	-9.90	6.5304G	-40.08	-32.41	-7.67	1
6515MHz	Pass	6.5177G	-10.45	6.5293G	-40.15	-32.21	-7.94	2
6515MHz	Pass	6.5142G	-10.22	6.53G	-40.18	-32.23	-7.95	3
6515MHz	Pass	6.5157G	-10.33	6.5297G	-40.15	-31.76	-8.39	4
6535MHz	Pass	6.5362G	-9.56	6.5211G	-38.80	-30.08	-8.72	1
6535MHz	Pass	6.5325G	-10.28	6.5179G	-41.94	-34.77	-7.17	2
6535MHz	Pass	6.533G	-9.96	6.5499G	-39.81	-31.87	-7.94	3
6535MHz	Pass	6.5344G	-9.87	6.5195G	-40.58	-31.53	-9.05	4
6695MHz	Pass	6.6913G	-10.15	6.709G	-39.19	-31.32	-7.87	1
6695MHz	Pass	6.6987G	-10.66	6.7103G	-40.93	-32.91	-8.02	2
6695MHz	Pass	6.6978G	-10.95	6.7122G	-42.87	-35.25	-7.62	3
6695MHz	Pass	6.6938G	-10.10	6.7097G	-39.91	-31.61	-8.30	4
6855MHz	Pass	6.8511G	-12.16	6.8411G	-40.82	-33.76	-7.06	1
6855MHz	Pass	6.8526G	-11.28	6.8398G	-41.72	-33.31	-8.41	2
6855MHz	Pass	6.8574G	-12.51	6.8412G	-41.39	-32.83	-8.56	3
6855MHz	Pass	6.854G	-11.94	6.8695G	-41.06	-33.89	-7.17	4
6875MHz	Pass	6.8712G	-12.14	6.8587G	-43.15	-34.76	-8.39	1
6875MHz	Pass	6.8737G	-11.40	6.8611G	-40.79	-32.19	-8.60	2
6875MHz	Pass	6.8767G	-12.36	6.8905G	-42.66	-34.39	-8.27	3
6875MHz	Pass	6.88149G	-12.38	6.8886G	-41.43	-32.98	-8.45	4
6895MHz	Pass	6.8963G	-11.34	6.9113G	-42.54	-34.66	-7.88	1
6895MHz	Pass	6.8972G	-11.07	6.9098G	-40.99	-33.04	-7.95	2
6895MHz	Pass	6.8924G	-11.60	6.9088G	-40.42	-32.02	-8.40	3
6895MHz	Pass	6.8962G	-11.31	6.9108G	-41.68	-34.32	-7.36	4
6995MHz	Pass	7.00119G	-8.46	7.0116G	-40.02	-31.77	-8.25	1
6995MHz	Pass	7.00249G	-8.93	7.0123G	-40.53	-33.24	-7.29	2
6995MHz	Pass	7.00129G	-8.53	7.0117G	-39.67	-31.70	-7.97	3
6995MHz	Pass	7.00129G	-8.69	7.0094G	-37.87	-29.90	-7.97	4
7095MHz	Pass	7.09G	-11.77	7.0787G	-42.30	-34.64	-7.66	1
7095MHz	Pass	7.0937G	-11.49	7.1124G	-43.47	-36.02	-7.45	2
7095MHz	Pass	7.0937G	-11.45	7.0798G	-41.47	-32.94	-8.53	3
7095MHz	Pass	7.0937G	-11.64	7.1087G	-40.35	-31.99	-8.36	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97139G	-5.01	5.9918G	-34.39	-26.38	-8.01	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.97079G	-5.80	5.9958G	-36.60	-29.31	-7.29	2
5965MHz	Pass	5.97219G	-5.61	5.993G	-34.70	-27.36	-7.34	3
5965MHz	Pass	5.97119G	-5.79	5.9946G	-36.04	-28.89	-7.15	4
6165MHz	Pass	6.15501G	-7.46	6.132G	-39.43	-31.99	-7.44	1
6165MHz	Pass	6.15761G	-7.46	6.1432G	-35.07	-27.51	-7.56	2
6165MHz	Pass	6.17039G	-7.19	6.1364G	-38.19	-29.91	-8.28	3
6165MHz	Pass	6.1622G	-7.25	6.1966G	-38.87	-30.21	-8.66	4
6405MHz	Pass	6.41019G	-7.43	6.3802G	-36.43	-28.55	-7.88	1
6405MHz	Pass	6.39981G	-7.70	6.3738G	-39.52	-31.54	-7.98	2
6405MHz	Pass	6.39861G	-7.28	6.3766G	-38.26	-29.92	-8.34	3
6405MHz	Pass	6.4022G	-7.53	6.3832G	-35.52	-27.53	-7.99	4
6445MHz	Pass	6.43921G	-7.18	6.4098G	-39.85	-32.64	-7.21	1
6445MHz	Pass	6.43001G	-7.54	6.4148G	-38.34	-30.88	-7.46	2
6445MHz	Pass	6.43861G	-7.12	6.4164G	-37.37	-29.81	-7.56	3
6445MHz	Pass	6.4402G	-7.05	6.4194G	-36.03	-28.43	-7.60	4
6485MHz	Pass	6.47761G	-7.47	6.4596G	-36.89	-28.93	-7.96	1
6485MHz	Pass	6.48G	-7.90	6.5144G	-38.59	-30.88	-7.71	2
6485MHz	Pass	6.47821G	-7.24	6.4632G	-35.26	-27.24	-8.02	3
6485MHz	Pass	6.4832G	-7.23	6.507G	-35.12	-27.25	-7.87	4
6525MHz	Pass	6.53159G	-7.57	6.4944G	-39.76	-30.64	-9.12	1
6525MHz	Pass	6.53039G	-7.77	6.5468G	-35.84	-27.77	-8.07	2
6525MHz	Pass	6.528G	-7.40	6.4942G	-39.35	-31.01	-8.34	3
6525MHz	Pass	6.53G	-7.19	6.5494G	-36.85	-27.24	-9.61	4
6565MHz	Pass	6.562G	-7.45	6.5332G	-39.75	-31.43	-8.32	1
6565MHz	Pass	6.55601G	-7.73	6.5336G	-39.30	-31.23	-8.07	2
6565MHz	Pass	6.55881G	-7.28	6.5316G	-39.92	-31.83	-8.09	3
6565MHz	Pass	6.55781G	-7.04	6.5326G	-39.20	-31.19	-8.01	4
6685MHz	Pass	6.682G	-6.40	6.7118G	-36.15	-28.34	-7.81	1
6685MHz	Pass	6.69259G	-6.81	6.7208G	-40.44	-32.71	-7.73	2
6685MHz	Pass	6.67881G	-6.70	6.7066G	-34.50	-26.76	-7.74	3
6685MHz	Pass	6.69079G	-6.37	6.7112G	-35.75	-27.02	-8.73	4
6845MHz	Pass	6.83921G	-7.12	6.8668G	-35.29	-27.24	-8.05	1
6845MHz	Pass	6.85259G	-7.07	6.8778G	-39.97	-31.73	-8.24	2
6845MHz	Pass	6.8414G	-7.33	6.8734G	-38.04	-30.06	-7.98	3
6845MHz	Pass	6.8476G	-7.26	6.8184G	-37.22	-29.15	-8.07	4
6885MHz	Pass	6.8894G	-6.90	6.9128G	-37.47	-29.42	-8.05	1
6885MHz	Pass	6.87721G	-6.96	6.9174G	-39.61	-31.35	-8.26	2
6885MHz	Pass	6.87661G	-7.18	6.859G	-37.58	-28.28	-9.30	3
6885MHz	Pass	6.89159G	-7.22	6.8534G	-39.30	-31.02	-8.28	4
6925MHz	Pass	6.9214G	-6.94	6.9574G	-38.30	-30.08	-8.22	1
6925MHz	Pass	6.9274G	-7.14	6.9582G	-39.14	-31.72	-7.42	2
6925MHz	Pass	6.93139G	-6.89	6.953G	-37.16	-29.40	-7.76	3
6925MHz	Pass	6.93019G	-6.72	6.9542G	-37.73	-29.75	-7.98	4
7005MHz	Pass	7.0016G	-4.85	7.0348G	-37.09	-27.73	-9.36	1
7005MHz	Pass	7.003G	-4.94	7.0324G	-35.83	-27.21	-8.62	2
7005MHz	Pass	7.0012G	-4.89	6.9792G	-35.29	-26.41	-8.88	3
7005MHz	Pass	7.0014G	-4.63	6.9732G	-37.17	-28.78	-8.39	4
7085MHz	Pass	7.09099G	-7.03	7.1148G	-36.76	-27.80	-8.96	1
7085MHz	Pass	7.09259G	-6.77	7.1148G	-36.52	-29.47	-7.05	2
7085MHz	Pass	7.082G	-7.08	7.0554G	-36.61	-29.27	-7.34	3
7085MHz	Pass	7.06762G	-6.88	7.0536G	-37.50	-30.02	-7.48	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99619G	-2.56	6.0282G	-29.51	-22.57	-6.94	1
5985MHz	Pass	5.99979G	-2.88	6.0278G	-29.45	-22.92	-6.53	2
5985MHz	Pass	5.97221G	-2.56	5.9418G	-29.65	-22.62	-7.03	3
5985MHz	Pass	5.99739G	-2.97	6.0274G	-29.25	-22.98	-6.27	4







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.13021G	-3.94	6.101G	-32.08	-23.98	-8.10	1
6145MHz	Pass	6.13261G	-3.47	6.0894G	-33.51	-25.87	-7.64	2
6145MHz	Pass	6.13541G	-3.50	6.1026G	-30.82	-23.55	-7.27	3
6145MHz	Pass	6.13141G	-3.89	6.1878G	-31.66	-23.93	-7.73	4
6385MHz	Pass	6.39419G	-4.23	6.3422G	-31.33	-24.25	-7.08	1
6385MHz	Pass	6.39419G	-4.35	6.3218G	-35.51	-28.35	-7.16	2
6385MHz	Pass	6.37381G	-4.42	6.3426G	-31.89	-24.49	-7.40	3
6385MHz	Pass	6.39739G	-4.17	6.427G	-30.71	-24.19	-6.52	4
6465MHz	Pass	6.45541G	-4.62	6.397G	-36.80	-29.60	-7.20	1
6465MHz	Pass	6.45221G	-4.65	6.4218G	-32.02	-24.79	-7.23	2
6465MHz	Pass	6.45301G	-4.52	6.4218G	-32.39	-24.62	-7.77	3
6465MHz	Pass	6.45741G	-4.37	6.4222G	-31.79	-24.39	-7.40	4
6545MHz	Pass	6.53381G	-3.89	6.5878G	-31.49	-23.93	-7.56	1
6545MHz	Pass	6.53621G	-3.77	6.5878G	-32.12	-23.84	-8.28	2
6545MHz	Pass	6.53341G	-4.07	6.5018G	-32.51	-24.08	-8.43	3
6545MHz	Pass	6.53301G	-3.72	6.5874G	-31.33	-23.73	-7.60	4
6625MHz	Pass	6.61421G	-2.96	6.583G	-30.18	-22.98	-7.20	1
6625MHz	Pass	6.61181G	-3.54	6.6674G	-31.54	-23.55	-7.99	2
6625MHz	Pass	6.61621G	-3.04	6.5826G	-30.76	-23.09	-7.67	3
6625MHz	Pass	6.61341G	-2.81	6.5826G	-29.93	-22.84	-7.09	4
6705MHz	Pass	6.71339G	-3.04	6.7478G	-30.81	-23.17	-7.64	1
6705MHz	Pass	6.71459G	-3.61	6.7474G	-31.08	-23.66	-7.42	2
6705MHz	Pass	6.69661G	-3.34	6.7474G	-31.09	-23.39	-7.70	3
6705MHz	Pass	6.71899G	-3.07	6.7478G	-31.10	-23.14	-7.96	4
6785MHz	Pass	6.79859G	-4.07	6.8282G	-31.33	-24.19	-7.14	1
6785MHz	Pass	6.81497G	-3.82	6.8446G	-35.38	-26.93	-8.45	2
6785MHz	Pass	6.79539G	-3.66	6.8274G	-31.20	-23.69	-7.51	3
6785MHz	Pass	6.77261G	-3.83	6.7426G	-30.65	-23.90	-6.75	4
6865MHz	Pass	6.89417G	-4.18	6.9302G	-36.45	-28.41	-8.04	1
6865MHz	Pass	6.87539G	-3.88	6.9078G	-31.43	-23.95	-7.48	2
6865MHz	Pass	6.85581G	-3.75	6.9074G	-31.47	-23.82	-7.65	3
6865MHz	Pass	6.85141G	-3.91	6.9086G	-31.95	-23.92	-8.03	4
6945MHz	Pass	6.95739G	-3.12	7.0018G	-32.58	-25.89	-6.69	1
6945MHz	Pass	6.97257G	-3.01	7.0078G	-34.34	-26.80	-7.54	2
6945MHz	Pass	6.95779G	-3.27	7.0014G	-33.05	-25.91	-7.14	3
6945MHz	Pass	6.95499G	-3.17	7.0038G	-33.87	-26.40	-7.47	4
7025MHz	Pass	7.01141G	-1.83	6.9826G	-29.89	-21.84	-8.05	1
7025MHz	Pass	7.01181G	-1.82	7.0682G	-30.46	-21.88	-8.58	2
7025MHz	Pass	7.01141G	-2.04	6.9822G	-29.90	-22.19	-7.71	3
7025MHz	Pass	7.01021G	-1.58	6.983G	-29.13	-21.60	-7.53	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00182G	-0.23	6.2778G	-50.23	-40.23	-10.00	1
6025MHz	Pass	5.99943G	-0.17	6.2722G	-51.42	-40.17	-11.25	2
6025MHz	Pass	5.99783G	0.46	6.2714G	-52.54	-39.48	-13.06	3
6025MHz	Pass	5.99943G	0.52	6.2722G	-51.67	-39.48	-12.19	4
6185MHz	Pass	6.12186G	-0.83	5.9154G	-48.93	-40.83	-8.10	1
6185MHz	Pass	6.12346G	-0.89	5.9386G	-47.87	-40.83	-7.04	2
6185MHz	Pass	6.12426G	-0.97	5.937G	-51.16	-40.95	-10.21	3
6185MHz	Pass	6.20898G	-0.76	5.9386G	-51.68	-40.76	-10.92	4
6345MHz	Pass	6.32182G	-0.97	6.0114G	-47.53	-40.97	-6.56	1
6345MHz	Pass	6.32022G	-1.13	5.9874G	-46.09	-41.13	-4.96	2
6345MHz	Pass	6.31783G	-0.86	6.0978G	-47.83	-40.82	-7.01	3
6345MHz	Pass	6.32022G	-1.11	6.0906G	-50.70	-41.11	-9.59	4
6505MHz	Pass	6.48182G	-1.15	6.245G	-49.51	-41.15	-8.36	1
6505MHz	Pass	6.52978G	-0.89	6.1834G	-48.43	-40.89	-7.54	2
6505MHz	Pass	6.47623G	-1.27	6.2554G	-48.97	-41.27	-7.70	3







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.53137G	-0.48	6.2578G	-51.18	-40.48	-10.70	4
6665MHz	Pass	6.68898G	-0.37	7.005G	-48.26	-40.37	-7.89	1
6665MHz	Pass	6.68898G	-0.90	7.0034G	-46.59	-40.90	-5.69	2
6665MHz	Pass	6.63943G	-1.04	6.4186G	-48.38	-40.88	-7.50	3
6665MHz	Pass	6.64182G	-0.76	6.4194G	-48.98	-40.58	-8.40	4
6825MHz	Pass	6.84578G	-1.07	7.0754G	-49.67	-41.07	-8.60	1
6825MHz	Pass	6.84658G	-1.34	7.0866G	-48.73	-41.34	-7.39	2
6825MHz	Pass	6.84818G	-1.58	6.5762G	-50.96	-41.58	-9.38	3
6825MHz	Pass	6.84418G	-1.31	6.5714G	-50.33	-41.31	-9.02	4
6985MHz	Pass	7.00578G	1.42	7.2322G	-48.57	-38.58	-9.99	1
6985MHz	Pass	7.01217G	0.96	7.2314G	-48.25	-39.04	-9.21	2
6985MHz	Pass	7.00658G	0.90	6.7386G	-48.64	-39.10	-9.54	3
6985MHz	Pass	7.00738G	0.73	6.7346G	-48.64	-39.27	-9.37	4

















































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	47.46M	33.54	40.00	-6.46	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	PK	51.34M	31.83	40.00	-8.17	3	Vertical	0	1.00	-
6985MHz	Pass	PK	121.18M	20.61	43.50	-22.89	3	Vertical	0	1.00	-
6985MHz	Pass	PK	256.98M	22.43	46.00	-23.57	3	Vertical	0	1.00	-
6985MHz	Pass	PK	369.5M	27.86	46.00	-18.14	3	Vertical	0	1.00	-
6985MHz	Pass	PK	421.88M	37.84	46.00	-8.16	3	Vertical	0	1.00	-
6985MHz	Pass	PK	516.94M	36.85	46.00	-9.15	3	Vertical	0	1.00	-
6985MHz	Pass	PK	47.46M	33.54	40.00	-6.46	3	Horizontal	360	1.00	-
6985MHz	Pass	PK	90.14M	23.60	43.50	-19.90	3	Horizontal	360	1.00	-
6985MHz	Pass	PK	256.98M	23.85	46.00	-22.15	3	Horizontal	360	1.00	-
6985MHz	Pass	PK	421.88M	36.25	46.00	-9.75	3	Horizontal	360	1.00	-
6985MHz	Pass	PK	516.94M	35.64	46.00	-10.36	3	Horizontal	360	1.00	-
6985MHz	Pass	PK	660.5M	29.60	46.00	-16.40	3	Horizontal	360	1.00	-

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	31.83	40.00	-8.17	-13.10	3	Vertical	0	1.00	44.93	12.94	1.42	27.46
PK	121.18M	20.61	43.50	-22.89	-8.29	3	Vertical	0	1.00	28.90	17.36	2.12	27.77
PK	256.98M	22.43	46.00	-23.57	-5.69	3	Vertical	0	1.00	28.12	18.40	3.07	27.16
PK	369.5M	27.86	46.00	-18.14	-3.87	3	Vertical	0	1.00	31.73	20.01	3.75	27.63
PK	421.88M	37.84	46.00	-8.16	-2.18	3	Vertical	0	1.00	40.02	21.78	4.07	28.03
PK	516.94M	36.85	46.00	-9.15	-1.32	3	Vertical	0	1.00	38.17	22.67	4.45	28.44

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	33.54	40.00	-6.46	-11.46	3	Horizontal	360	1.00	45.00	14.39	1.44	27.29
PK	90.14M	23.60	43.50	-19.90	-11.73	3	Horizontal	360	1.00	35.33	14.11	2.00	27.84
PK	256.98M	23.85	46.00	-22.15	-5.69	3	Horizontal	360	1.00	29.54	18.40	3.07	27.16
PK	421.88M	36.25	46.00	-9.75	-2.18	3	Horizontal	360	1.00	38.43	21.78	4.07	28.03
PK	516.94M	35.64	46.00	-10.36	-1.32	3	Horizontal	360	1.00	36.96	22.67	4.45	28.44
PK	660.5M	29.60	46.00	-16.40	1.71	3	Horizontal	360	1.00	27.89	25.04	5.18	28.51



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.33683G	37.88	54.00	-16.12	3	Horizontal	5	2.82
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	12.31554G	37.92	54.00	-16.08	3	Vertical	138	2.81
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	12.27986G	37.97	54.00	-16.03	3	Vertical	197	1.57
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.923G	53.08	68.20	-15.12	3	Horizontal	85	1.80
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.87288G	39.17	68.20	-29.03	3	Horizontal	146	1.29
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	12.87593G	39.12	68.20	-29.08	3	Vertical	90	2.79
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	12.93054G	38.92	68.20	-29.28	3	Vertical	72	2.66
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.01117G	38.57	68.20	-29.63	3	Horizontal	20	2.03
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	13.39792G	52.51	74.00	-21.49	3	Vertical	58	1.73
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	13.38428G	39.06	54.00	-14.94	3	Vertical	294	1.74
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	13.25564G	38.63	54.00	-15.37	3	Vertical	144	1.40
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.31512G	38.77	54.00	-15.23	3	Vertical	179	1.85
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	7.2357G	51.44	68.20	-16.76	3	Horizontal	0	1.50
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.2146G	51.70	68.20	-16.50	3	Horizontal	171	1.30
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.1267G	54.66	68.20	-13.54	3	Horizontal	137	2.19
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.138G	55.29	68.20	-12.91	3	Horizontal	32	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	44.70	68.20	-23.50	3	Vertical	193	2.42
5955MHz	Pass	AV	5.9577G	95.72	Inf	-Inf	3	Vertical	193	2.42
5955MHz	Pass	PK	5.8812G	58.46	88.20	-29.74	3	Vertical	193	2.42
5955MHz	Pass	PK	5.9475G	108.29	Inf	-Inf	3	Vertical	193	2.42
5955MHz	Pass	AV	5.9067G	47.33	68.20	-20.87	3	Horizontal	92	1.81
5955MHz	Pass	AV	5.9538G	97.84	Inf	-Inf	3	Horizontal	92	1.81
5955MHz	Pass	PK	5.8956G	59.98	88.20	-28.22	3	Horizontal	92	1.81
5955MHz	Pass	PK	5.9535G	110.91	Inf	-Inf	3	Horizontal	92	1.81
5955MHz	Pass	AV	11.89545G	37.49	54.00	-16.51	3	Vertical	260	2.34
5955MHz	Pass	PK	11.89614G	50.48	74.00	-23.52	3	Vertical	260	2.34
5955MHz	Pass	AV	11.89545G	37.40	54.00	-16.60	3	Horizontal	260	2.34
5955MHz	Pass	PK	11.89614G	50.22	74.00	-23.78	3	Horizontal	260	2.34
6175MHz	Pass	AV	12.33551G	37.84	54.00	-16.16	3	Vertical	91	1.66
6175MHz	Pass	PK	12.36494G	50.15	74.00	-23.85	3	Vertical	91	1.66
6175MHz	Pass	PK	12.34622G	50.19	74.00	-23.81	3	Horizontal	5	2.82
6175MHz	Pass	AV	12.33683G	37.88	54.00	-16.12	3	Horizontal	5	2.82
6415MHz	Pass	AV	12.83996G	38.85	68.20	-29.35	3	Vertical	86	2.87
6415MHz	Pass	PK	12.83426G	51.75	88.20	-36.45	3	Vertical	86	2.87
6415MHz	Pass	PK	12.83447G	51.31	88.20	-36.89	3	Horizontal	41	2.68
6415MHz	Pass	AV	12.84146G	38.92	68.20	-29.28	3	Horizontal	41	2.68
6435MHz	Pass	AV	12.87171G	39.08	68.20	-29.12	3	Vertical	296	1.12
6435MHz	Pass	PK	12.87855G	51.50	88.20	-36.70	3	Vertical	296	1.12
6435MHz	Pass	AV	12.87288G	39.17	68.20	-29.03	3	Horizontal	146	1.29
6435MHz	Pass	PK	12.8601G	51.61	88.20	-36.59	3	Horizontal	146	1.29
6475MHz	Pass	AV	12.9359G	38.93	68.20	-29.27	3	Vertical	19	2.81
6475MHz	Pass	PK	12.93815G	52.90	88.20	-35.30	3	Vertical	19	2.81
6475MHz	Pass	AV	12.93539G	38.85	68.20	-29.35	3	Horizontal	36	2.85
6475MHz	Pass	PK	12.9395G	52.09	88.20	-36.11	3	Horizontal	36	2.85
6515MHz	Pass	AV	13.03024G	38.49	68.20	-29.71	3	Vertical	297	2.08
6515MHz	Pass	PK	13.02874G	50.99	88.20	-37.21	3	Vertical	297	2.08
6515MHz	Pass	AV	13.01518G	38.51	68.20	-29.69	3	Horizontal	25	3.00
6515MHz	Pass	PK	13.01749G	51.42	88.20	-36.78	3	Horizontal	25	3.00
6535MHz	Pass	AV	13.073G	38.34	68.20	-29.86	3	Vertical	94	2.15
6535MHz	Pass	PK	13.05974G	52.17	88.20	-36.03	3	Vertical	94	2.15
6535MHz	Pass	AV	13.07558G	38.37	68.20	-29.83	3	Horizontal	20	2.27
6535MHz	Pass	PK	13.07537G	51.10	88.20	-37.10	3	Horizontal	20	2.27
6695MHz	Pass	AV	13.40404G	39.31	68.20	-28.89	3	Vertical	58	1.73
6695MHz	Pass	PK	13.39792G	52.51	74.00	-21.49	3	Vertical	58	1.73
6695MHz	Pass	AV	13.40356G	39.30	68.20	-28.90	3	Horizontal	277	2.19
6695MHz	Pass	PK	13.39921G	52.44	74.00	-21.56	3	Horizontal	277	2.19
6855MHz	Pass	AV	13.7054G	38.19	68.20	-30.01	3	Vertical	185	1.20
6855MHz	Pass	PK	13.71928G	50.62	88.20	-37.58	3	Vertical	185	1.20
6855MHz	Pass	AV	13.71668G	38.22	68.20	-29.98	3	Horizontal	161	1.05
6855MHz	Pass	PK	13.71552G	51.73	88.20	-36.47	3	Horizontal	161	1.05
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.73947G	38.25	68.20	-29.95	3	Vertical	285	1.64
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75159G	51.01	88.20	-37.19	3	Vertical	285	1.64
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.73791G	38.26	68.20	-29.94	3	Horizontal	6	2.10
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.76209G	50.64	88.20	-37.56	3	Horizontal	6	2.10
6895MHz	Pass	AV	13.7924G	38.11	68.20	-30.09	3	Vertical	128	2.86
6895MHz	Pass	PK	13.80242G	50.48	88.20	-37.72	3	Vertical	128	2.86
6895MHz	Pass	AV	13.79018G	38.13	68.20	-30.07	3	Horizontal	225	2.05
6895MHz	Pass	PK	13.77644G	50.55	88.20	-37.65	3	Horizontal	225	2.05
6995MHz	Pass	AV	13.98037G	38.45	68.20	-29.75	3	Vertical	50	2.02
6995MHz	Pass	PK	13.9915G	51.28	88.20	-36.92	3	Vertical	50	2.02
6995MHz	Pass	AV	13.99009G	38.47	68.20	-29.73	3	Horizontal	191	1.28
6995MHz	Pass	PK	13.98634G	52.41	88.20	-35.79	3	Horizontal	191	1.28
7095MHz	Pass	AV	7.0923G	97.02	Inf	-Inf	3	Vertical	209	2.49
7095MHz	Pass	AV	7.245G	49.08	68.20	-19.12	3	Vertical	209	2.49
7095MHz	Pass	PK	7.0926G	108.97	Inf	-Inf	3	Vertical	209	2.49
7095MHz	Pass	PK	7.1796G	62.71	88.20	-25.49	3	Vertical	209	2.49



RSE TX above 1GHz_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	7.0914G	97.86	Inf	-Inf	3	Horizontal	0	1.50
7095MHz	Pass	AV	7.2357G	51.44	68.20	-16.76	3	Horizontal	0	1.50
7095MHz	Pass	PK	7.0914G	110.31	Inf	-Inf	3	Horizontal	0	1.50
7095MHz	Pass	PK	7.1859G	64.31	88.20	-23.89	3	Horizontal	0	1.50
7095MHz	Pass	AV	14.19021G	38.73	68.20	-29.47	3	Vertical	302	2.95
7095MHz	Pass	PK	14.17947G	51.18	88.20	-37.02	3	Vertical	302	2.95
7095MHz	Pass	AV	14.19009G	38.71	68.20	-29.49	3	Horizontal	131	2.88
7095MHz	Pass	PK	14.19564G	51.56	88.20	-36.64	3	Horizontal	131	2.88
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9212G	45.39	68.20	-22.81	3	Vertical	223	2.91
5965MHz	Pass	AV	5.971G	95.89	Inf	-Inf	3	Vertical	223	2.91
5965MHz	Pass	PK	5.9122G	58.55	88.20	-29.65	3	Vertical	223	2.91
5965MHz	Pass	PK	5.9608G	107.87	Inf	-Inf	3	Vertical	223	2.91
5965MHz	Pass	AV	5.9239G	48.17	68.20	-20.03	3	Horizontal	87	1.79
5965MHz	Pass	AV	5.9584G	98.05	Inf	-Inf	3	Horizontal	87	1.79
5965MHz	Pass	PK	5.8939G	60.24	88.20	-27.96	3	Horizontal	87	1.79
5965MHz	Pass	PK	5.9485G	110.51	Inf	-Inf	3	Horizontal	87	1.79
5965MHz	Pass	AV	11.93873G	37.56	54.00	-16.44	3	Vertical	356	2.10
5965MHz	Pass	PK	11.92991G	50.44	74.00	-23.56	3	Vertical	356	2.10
5965MHz	Pass	AV	11.9399G	37.55	54.00	-16.45	3	Horizontal	108	2.83
5965MHz	Pass	PK	11.94347G	50.40	74.00	-23.60	3	Horizontal	108	2.83
6165MHz	Pass	AV	12.31554G	37.92	54.00	-16.08	3	Vertical	138	2.81
6165MHz	Pass	PK	12.31866G	50.88	74.00	-23.12	3	Vertical	138	2.81
6165MHz	Pass	AV	12.31512G	37.91	54.00	-16.09	3	Horizontal	63	1.73
6165MHz	Pass	PK	12.31746G	50.39	74.00	-23.61	3	Horizontal	63	1.73
6405MHz	Pass	AV	12.81405G	38.61	68.20	-29.59	3	Vertical	203	1.26
6405MHz	Pass	PK	12.81372G	51.97	88.20	-36.23	3	Vertical	203	1.26
6405MHz	Pass	AV	12.8157G	38.63	68.20	-29.57	3	Horizontal	360	2.45
6405MHz	Pass	PK	12.8238G	51.57	88.20	-36.63	3	Horizontal	360	2.45
6445MHz	Pass	AV	12.87593G	39.12	68.20	-29.08	3	Vertical	90	2.79
6445MHz	Pass	PK	12.90056G	52.83	88.20	-35.37	3	Vertical	90	2.79
6445MHz	Pass	AV	12.87548G	39.12	68.20	-29.08	3	Horizontal	58	1.53
6445MHz	Pass	PK	12.90122G	51.76	88.20	-36.44	3	Horizontal	58	1.53
6485MHz	Pass	AV	12.95971G	38.63	68.20	-29.57	3	Vertical	230	2.27
6485MHz	Pass	PK	12.98122G	51.86	88.20	-36.34	3	Vertical	230	2.27
6485MHz	Pass	AV	12.95869G	38.64	68.20	-29.56	3	Horizontal	299	1.35
6485MHz	Pass	PK	12.96943G	51.17	88.20	-37.03	3	Horizontal	299	1.35
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.03725G	38.53	68.20	-29.67	3	Vertical	120	1.75
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04628G	51.49	88.20	-36.71	3	Vertical	120	1.75
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.03944G	38.51	68.20	-29.69	3	Horizontal	346	1.54
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05318G	50.78	88.20	-37.42	3	Horizontal	346	1.54
6565MHz	Pass	AV	13.1351G	38.38	68.20	-29.82	3	Vertical	42	2.68
6565MHz	Pass	PK	13.12769G	51.30	88.20	-36.90	3	Vertical	42	2.68
6565MHz	Pass	AV	13.13177G	38.39	68.20	-29.81	3	Horizontal	261	1.36
6565MHz	Pass	PK	13.12994G	50.66	88.20	-37.54	3	Horizontal	261	1.36
6685MHz	Pass	AV	13.38428G	39.06	54.00	-14.94	3	Vertical	294	1.74
6685MHz	Pass	PK	13.36583G	51.73	74.00	-22.27	3	Vertical	294	1.74
6685MHz	Pass	AV	13.38335G	39.06	54.00	-14.94	3	Horizontal	102	1.19
6685MHz	Pass	PK	13.3811G	52.09	74.00	-21.91	3	Horizontal	102	1.19
6845MHz	Pass	AV	13.67524G	38.19	68.20	-30.01	3	Vertical	273	1.38
6845MHz	Pass	PK	13.6909G	50.94	88.20	-37.26	3	Vertical	273	1.38
6845MHz	Pass	AV	13.67557G	38.20	68.20	-30.00	3	Horizontal	356	2.93
6845MHz	Pass	PK	13.67644G	51.17	88.20	-37.03	3	Horizontal	356	2.93
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77009G	38.18	68.20	-30.02	3	Vertical	7	2.54
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77324G	50.60	88.20	-37.60	3	Vertical	7	2.54
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77021G	38.16	68.20	-30.04	3	Horizontal	230	2.96
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.75587G	51.51	88.20	-36.69	3	Horizontal	230	2.96
6925MHz	Pass	AV	13.83551G	38.05	68.20	-30.15	3	Vertical	128	1.03
6925MHz	Pass	PK	13.85942G	50.49	88.20	-37.71	3	Vertical	128	1.03
6925MHz	Pass	AV	13.83944G	38.06	68.20	-30.14	3	Horizontal	230	2.34
6925MHz	Pass	PK	13.85396G	50.55	88.20	-37.65	3	Horizontal	230	2.34
7005MHz	Pass	AV	14.01384G	38.40	68.20	-29.80	3	Vertical	306	2.04



RSE TX above 1GHz_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7005MHz	Pass	PK	14.01423G	50.67	88.20	-37.53	3	Vertical	306	2.04
7005MHz	Pass	AV	14.01084G	38.40	68.20	-29.80	3	Horizontal	188	2.67
7005MHz	Pass	PK	14.00721G	51.18	88.20	-37.02	3	Horizontal	188	2.67
7085MHz	Pass	AV	7.0724G	96.73	Inf	-Inf	3	Vertical	209	2.72
7085MHz	Pass	AV	7.2269G	49.05	68.20	-19.15	3	Vertical	209	2.72
7085MHz	Pass	PK	7.0775G	108.33	Inf	-Inf	3	Vertical	209	2.72
7085MHz	Pass	PK	7.2014G	62.63	88.20	-25.57	3	Vertical	209	2.72
7085MHz	Pass	AV	7.0883G	97.98	Inf	-Inf	3	Horizontal	171	1.30
7085MHz	Pass	AV	7.2146G	51.70	68.20	-16.50	3	Horizontal	171	1.30
7085MHz	Pass	PK	7.0979G	109.66	Inf	-Inf	3	Horizontal	171	1.30
7085MHz	Pass	PK	7.1972G	64.48	88.20	-23.72	3	Horizontal	171	1.30
7085MHz	Pass	AV	14.15788G	38.80	68.20	-29.40	3	Vertical	145	2.29
7085MHz	Pass	PK	14.17078G	51.11	88.20	-37.09	3	Vertical	145	2.29
7085MHz	Pass	AV	14.15704G	38.82	68.20	-29.38	3	Horizontal	77	1.37
7085MHz	Pass	PK	14.15578G	50.70	88.20	-37.50	3	Horizontal	77	1.37
802.11ax HEW80_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	46.76	68.20	-21.44	3	Vertical	192	2.38
5985MHz	Pass	AV	5.9925G	95.43	Inf	-Inf	3	Vertical	192	2.38
5985MHz	Pass	PK	5.9175G	59.03	88.20	-29.17	3	Vertical	192	2.38
5985MHz	Pass	PK	6.0025G	108.38	Inf	-Inf	3	Vertical	192	2.38
5985MHz	Pass	AV	5.924G	50.17	68.20	-18.03	3	Horizontal	88	1.71
5985MHz	Pass	AV	5.9935G	96.98	Inf	-Inf	3	Horizontal	88	1.71
5985MHz	Pass	PK	5.924G	62.83	88.20	-25.37	3	Horizontal	88	1.71
5985MHz	Pass	PK	5.9585G	109.62	Inf	-Inf	3	Horizontal	88	1.71
5985MHz	Pass	AV	11.96484G	37.68	54.00	-16.32	3	Vertical	291	2.17
5985MHz	Pass	PK	11.95998G	51.03	74.00	-22.97	3	Vertical	291	2.17
5985MHz	Pass	AV	11.97099G	37.69	54.00	-16.31	3	Horizontal	212	2.39
5985MHz	Pass	PK	11.96385G	51.65	74.00	-22.35	3	Horizontal	212	2.39
6145MHz	Pass	AV	12.27986G	37.97	54.00	-16.03	3	Vertical	197	1.57
6145MHz	Pass	PK	12.28331G	50.52	74.00	-23.48	3	Vertical	197	1.57
6145MHz	Pass	AV	12.30146G	37.96	54.00	-16.04	3	Horizontal	333	1.01
6145MHz	Pass	PK	12.28283G	51.02	74.00	-22.98	3	Horizontal	333	1.01
6385MHz	Pass	AV	12.77642G	38.58	68.20	-29.62	3	Vertical	226	2.71
6385MHz	Pass	PK	12.76181G	51.76	88.20	-36.44	3	Vertical	226	2.71
6385MHz	Pass	AV	12.77651G	38.58	68.20	-29.62	3	Horizontal	242	1.17
6385MHz	Pass	PK	12.77273G	52.13	88.20	-36.07	3	Horizontal	242	1.17
6465MHz	Pass	AV	12.93054G	38.92	68.20	-29.28	3	Vertical	72	2.66
6465MHz	Pass	PK	12.92142G	52.10	88.20	-36.10	3	Vertical	72	2.66
6465MHz	Pass	AV	12.93276G	38.92	68.20	-29.28	3	Horizontal	253	1.64
6465MHz	Pass	PK	12.93843G	51.67	88.20	-36.53	3	Horizontal	253	1.64
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.07551G	38.38	68.20	-29.82	3	Vertical	165	1.12
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09975G	50.87	88.20	-37.33	3	Vertical	165	1.12
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.07563G	38.39	68.20	-29.81	3	Horizontal	154	1.56
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08364G	51.51	88.20	-36.69	3	Horizontal	154	1.56
6625MHz	Pass	AV	13.25564G	38.63	54.00	-15.37	3	Vertical	144	1.40
6625MHz	Pass	PK	13.25897G	51.17	74.00	-22.83	3	Vertical	144	1.40
6625MHz	Pass	AV	13.25495G	38.61	54.00	-15.39	3	Horizontal	16	1.85
6625MHz	Pass	PK	13.24736G	52.34	88.20	-35.86	3	Horizontal	16	1.85
6705MHz	Pass	AV	13.40466G	39.35	68.20	-28.85	3	Vertical	173	1.44
6705MHz	Pass	PK	13.40852G	51.58	88.20	-36.62	3	Vertical	173	1.44
6705MHz	Pass	AV	13.40994G	39.35	68.20	-28.85	3	Horizontal	297	2.44
6705MHz	Pass	PK	13.40304G	52.47	88.20	-35.73	3	Horizontal	297	2.44
6785MHz	Pass	AV	13.55659G	38.80	68.20	-29.40	3	Vertical	172	1.94
6785MHz	Pass	PK	13.57318G	50.82	88.20	-37.38	3	Vertical	172	1.94
6785MHz	Pass	AV	13.55545G	38.82	68.20	-29.38	3	Horizontal	105	1.52
6785MHz	Pass	PK	13.55659G	51.82	88.20	-36.38	3	Horizontal	105	1.52
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73015G	38.29	68.20	-29.91	3	Vertical	4	1.42
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.71596G	51.39	88.20	-36.81	3	Vertical	4	1.42
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73021G	38.32	68.20	-29.88	3	Horizontal	18	2.91
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73315G	51.26	88.20	-36.94	3	Horizontal	18	2.91
6945MHz	Pass	AV	13.89165G	38.16	68.20	-30.04	3	Vertical	253	2.21
6945MHz	Pass	PK	13.87902G	51.27	88.20	-36.93	3	Vertical	253	2.21




RSE TX above 1GHz_Non-Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6945MHz	Pass	AV	13.89027G	38.25	68.20	-29.95	3	Horizontal	242	1.18
6945MHz	Pass	PK	13.90371G	51.90	88.20	-36.30	3	Horizontal	242	1.18
7025MHz	Pass	AV	7.0376G	96.35	Inf	-Inf	3	Vertical	205	2.27
7025MHz	Pass	AV	7.1276G	52.08	68.20	-16.12	3	Vertical	205	2.27
7025MHz	Pass	PK	7.037G	108.83	Inf	-Inf	3	Vertical	205	2.27
7025MHz	Pass	PK	7.1279G	66.07	88.20	-22.13	3	Vertical	205	2.27
7025MHz	Pass	AV	7.0568G	97.66	Inf	-Inf	3	Horizontal	137	2.19
7025MHz	Pass	AV	7.1267G	54.66	68.20	-13.54	3	Horizontal	137	2.19
7025MHz	Pass	PK	7.0565G	110.61	Inf	-Inf	3	Horizontal	137	2.19
7025MHz	Pass	PK	7.1264G	68.90	88.20	-19.30	3	Horizontal	137	2.19
7025MHz	Pass	AV	14.05306G	38.57	68.20	-29.63	3	Vertical	1	1.19
7025MHz	Pass	PK	14.05633G	51.94	88.20	-36.26	3	Vertical	1	1.19
7025MHz	Pass	AV	14.05027G	38.56	68.20	-29.64	3	Horizontal	350	1.84
7025MHz	Pass	PK	14.0623G	51.69	88.20	-36.51	3	Horizontal	350	1.84
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	48.68	68.20	-19.52	3	Vertical	223	2.98
6025MHz	Pass	AV	6.051G	94.63	Inf	-Inf	3	Vertical	223	2.98
6025MHz	Pass	PK	5.9085G	62.54	88.20	-25.66	3	Vertical	223	2.98
6025MHz	Pass	PK	6.041G	107.71	Inf	-Inf	3	Vertical	223	2.98
6025MHz	Pass	AV	5.923G	53.08	68.20	-15.12	3	Horizontal	85	1.80
6025MHz	Pass	AV	5.9985G	98.08	Inf	-Inf	3	Horizontal	85	1.80
6025MHz	Pass	PK	5.908G	69.09	88.20	-19.11	3	Horizontal	85	1.80
6025MHz	Pass	PK	6.0385G	110.29	Inf	-Inf	3	Horizontal	85	1.80
6025MHz	Pass	AV	12.04031G	38.10	54.00	-15.90	3	Vertical	170	2.97
6025MHz	Pass	PK	12.03722G	51.51	74.00	-22.49	3	Vertical	170	2.97
6025MHz	Pass	AV	12.03953G	38.09	54.00	-15.91	3	Horizontal	301	2.11
6025MHz	Pass	PK	12.04274G	50.62	74.00	-23.38	3	Horizontal	301	2.11
6185MHz	Pass	AV	12.36019G	37.82	54.00	-16.18	3	Vertical	316	1.88
6185MHz	Pass	PK	12.36526G	50.61	74.00	-23.39	3	Vertical	316	1.88
6185MHz	Pass	AV	12.35974G	37.87	54.00	-16.13	3	Horizontal	1	2.07
6185MHz	Pass	PK	12.36796G	51.93	74.00	-22.07	3	Horizontal	1	2.07
6345MHz	Pass	AV	12.69372G	38.02	54.00	-15.98	3	Vertical	282	2.81
6345MHz	Pass	PK	12.69474G	50.12	74.00	-23.88	3	Vertical	282	2.81
6345MHz	Pass	AV	12.69504G	38.06	54.00	-15.94	3	Horizontal	203	1.66
6345MHz	Pass	PK	12.67755G	51.66	74.00	-22.34	3	Horizontal	203	1.66
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0103G	38.56	68.20	-29.64	3	Vertical	84	2.71
6505MHz Straddle 6.425-6.525GHz	Pass	PK	12.99734G	51.35	88.20	-36.85	3	Vertical	84	2.71
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01117G	38.57	68.20	-29.63	3	Horizontal	20	2.03
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01369G	51.41	88.20	-36.79	3	Horizontal	20	2.03
6665MHz	Pass	AV	13.31512G	38.77	54.00	-15.23	3	Vertical	179	1.85
6665MHz	Pass	PK	13.31803G	52.42	74.00	-21.58	3	Vertical	179	1.85
6665MHz	Pass	AV	13.3153G	38.73	54.00	-15.27	3	Horizontal	316	2.30
6665MHz	Pass	PK	13.32436G	51.20	74.00	-22.80	3	Horizontal	316	2.30
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.63536G	38.33	68.20	-29.87	3	Vertical	149	2.21
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.66221G	51.15	88.20	-37.05	3	Vertical	149	2.21
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65015G	38.34	68.20	-29.86	3	Horizontal	90	1.93
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64643G	50.39	88.20	-37.81	3	Horizontal	90	1.93
6985MHz	Pass	AV	7.0125G	94.66	Inf	-Inf	3	Vertical	201	2.48
6985MHz	Pass	AV	7.1275G	52.34	68.20	-15.86	3	Vertical	201	2.48
6985MHz	Pass	PK	7.0075G	108.56	Inf	-Inf	3	Vertical	201	2.48
6985MHz	Pass	PK	7.1325G	68.65	88.20	-19.55	3	Vertical	201	2.48
6985MHz	Pass	AV	7.0175G	97.75	Inf	-Inf	3	Horizontal	32	1.50
6985MHz	Pass	AV	7.138G	55.29	68.20	-12.91	3	Horizontal	32	1.50
6985MHz	Pass	PK	7.018G	110.72	Inf	-Inf	3	Horizontal	32	1.50
6985MHz	Pass	PK	7.131G	72.32	88.20	-15.88	3	Horizontal	32	1.50
6985MHz	Pass	AV	13.95683G	38.41	68.20	-29.79	3	Vertical	235	2.99
6985MHz	Pass	PK	13.96559G	50.94	88.20	-37.26	3	Vertical	235	2.99
6985MHz	Pass	AV	13.97942G	38.39	68.20	-29.81	3	Horizontal	119	2.67
6985MHz	Pass	PK	13.95974G	51.07	88.20	-37.13	3	Horizontal	119	2.67

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	44.70	68.20	-23.50	7.05	3	Vertical	193	2.42	37.65	34.25	7.01	34.21
AV	5.9577G	95.72	Inf	-Inf	6.99	3	Vertical	193	2.42	88.73	34.18	7.03	34.22
PK	5.8812G	58.46	88.20	-29.74	6.98	3	Vertical	193	2.42	51.48	34.22	6.97	34.21
PK	5.9475G	108.29	Inf	-Inf	7.02	3	Vertical	193	2.42	101.27	34.21	7.03	34.22

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9067G	47.33	68.20	-20.87	7.07	3	Horizontal	92	1.81	40.26	34.29	6.99	34.21
AV	5.9538G	97.84	Inf	-Inf	7.00	3	Horizontal	92	1.81	90.84	34.19	7.03	34.22
PK	5.8956G	59.98	88.20	-28.22	7.05	3	Horizontal	92	1.81	52.93	34.28	6.98	34.21
PK	5.9535G	110.91	Inf	-Inf	7.00	3	Horizontal	92	1.81	103.91	34.19	7.03	34.22

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89545G	37.49	54.00	-16.51	16.07	3	Vertical	260	2.34	21.42	38.80	11.58	34.31
PK	11.89614G	50.48	74.00	-23.52	16.07	3	Vertical	260	2.34	34.41	38.80	11.58	34.31

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89545G	37.40	54.00	-16.60	16.07	3	Horizontal	260	2.34	21.33	38.80	11.58	34.31
PK	11.89614G	50.22	74.00	-23.78	16.07	3	Horizontal	260	2.34	34.15	38.80	11.58	34.31

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33551G	37.84	54.00	-16.16	16.47	3	Vertical	91	1.66	21.37	39.10	11.55	34.18
PK	12.36494G	50.15	74.00	-23.85	16.47	3	Vertical	91	1.66	33.68	39.10	11.54	34.17

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	12.34622G	50.19	74.00	-23.81	16.47	3	Horizontal	5	2.82	33.72	39.10	11.55	34.18
AV	12.33683G	37.88	54.00	-16.12	16.47	3	Horizontal	5	2.82	21.41	39.10	11.55	34.18

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83996G	38.85	68.20	-29.35	17.92	3	Vertical	86	2.87	20.93	39.88	11.44	33.40
PK	12.83426G	51.75	88.20	-36.45	17.90	3	Vertical	86	2.87	33.85	39.87	11.44	33.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	12.83447G	51.31	88.20	-36.89	17.90	3	Horizontal	41	2.68	33.41	39.87	11.44	33.41
AV	12.84146G	38.92	68.20	-29.28	17.93	3	Horizontal	41	2.68	20.99	39.88	11.44	33.39

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87171G	39.08	68.20	-29.12	18.05	3	Vertical	296	1.12	21.03	39.94	11.44	33.33
PK	12.87855G	51.50	88.20	-36.70	18.08	3	Vertical	296	1.12	33.42	39.96	11.44	33.32

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87288G	39.17	68.20	-29.03	18.06	3	Horizontal	146	1.29	21.11	39.95	11.44	33.33
PK	12.8601G	51.61	88.20	-36.59	18.00	3	Horizontal	146	1.29	33.61	39.92	11.44	33.36

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9359G	38.93	68.20	-29.27	18.15	3	Vertical	19	2.81	20.78	39.93	11.42	33.20
PK	12.93815G	52.90	88.20	-35.30	18.14	3	Vertical	19	2.81	34.76	39.92	11.42	33.20

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93539G	38.85	68.20	-29.35	18.15	3	Horizontal	36	2.85	20.70	39.93	11.42	33.20
PK	12.9395G	52.09	88.20	-36.11	18.15	3	Horizontal	36	2.85	33.94	39.92	11.42	33.19

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03024G	38.49	68.20	-29.71	18.17	3	Vertical	297	2.08	20.32	39.80	11.40	33.03
PK	13.02874G	50.99	88.20	-37.21	18.17	3	Vertical	297	2.08	32.82	39.80	11.40	33.03

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01518G	38.51	68.20	-29.69	18.16	3	Horizontal	25	3.00	20.35	39.80	11.41	33.05
PK	13.01749G	51.42	88.20	-36.78	18.17	3	Horizontal	25	3.00	33.25	39.80	11.41	33.04

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.073G	38.34	68.20	-29.86	18.23	3	Vertical	94	2.15	20.11	39.80	11.39	32.96
PK	13.05974G	52.17	88.20	-36.03	18.22	3	Vertical	94	2.15	33.95	39.80	11.40	32.98

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07558G	38.37	68.20	-29.83	18.23	3	Horizontal	20	2.27	20.14	39.80	11.39	32.96
PK	13.07537G	51.10	88.20	-37.10	18.23	3	Horizontal	20	2.27	32.87	39.80	11.39	32.96

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40404G	39.31	68.20	-28.89	19.14	3	Vertical	58	1.73	20.17	40.29	11.33	32.48
PK	13.39792G	52.51	74.00	-21.49	19.13	3	Vertical	58	1.73	33.38	40.29	11.33	32.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40356G	39.30	68.20	-28.90	19.14	3	Horizontal	277	2.19	20.16	40.29	11.33	32.48
PK	13.39921G	52.44	74.00	-21.56	19.14	3	Horizontal	277	2.19	33.30	40.30	11.33	32.49

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7054G	38.19	68.20	-30.01	18.57	3	Vertical	185	1.20	19.62	39.69	11.26	32.38
PK	13.71928G	50.62	88.20	-37.58	18.56	3	Vertical	185	1.20	32.06	39.68	11.26	32.38

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71668G	38.22	68.20	-29.98	18.56	3	Horizontal	161	1.05	19.66	39.68	11.26	32.38
PK	13.71552G	51.73	88.20	-36.47	18.56	3	Horizontal	161	1.05	33.17	39.68	11.26	32.38

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73947G	38.25	68.20	-29.95	18.52	3	Vertical	285	1.64	19.73	39.66	11.25	32.39
PK	13.75159G	51.01	88.20	-37.19	18.51	3	Vertical	285	1.64	32.50	39.65	11.25	32.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73791G	38.26	68.20	-29.94	18.53	3	Horizontal	6	2.10	19.73	39.66	11.26	32.39
PK	13.76209G	50.64	88.20	-37.56	18.50	3	Horizontal	6	2.10	32.14	39.64	11.25	32.39

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7924G	38.11	68.20	-30.09	18.45	3	Vertical	128	2.86	19.66	39.61	11.24	32.40
PK	13.80242G	50.48	88.20	-37.72	18.44	3	Vertical	128	2.86	32.04	39.60	11.24	32.40

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79018G	38.13	68.20	-30.07	18.45	3	Horizontal	225	2.05	19.68	39.61	11.24	32.40
PK	13.77644G	50.55	88.20	-37.65	18.47	3	Horizontal	225	2.05	32.08	39.62	11.25	32.40

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98037G	38.45	68.20	-29.75	18.56	3	Vertical	50	2.02	19.89	39.80	11.20	32.44
PK	13.9915G	51.28	88.20	-36.92	18.56	3	Vertical	50	2.02	32.72	39.80	11.20	32.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99009G	38.47	68.20	-29.73	18.56	3	Horizontal	191	1.28	19.91	39.80	11.20	32.44
PK	13.98634G	52.41	88.20	-35.79	18.56	3	Horizontal	191	1.28	33.85	39.80	11.20	32.44

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0923G	97.02	Inf	-Inf	9.43	3	Vertical	209	2.49	87.59	36.25	7.65	34.47
AV	7.245G	49.08	68.20	-19.12	10.25	3	Vertical	209	2.49	38.83	36.98	7.76	34.49
PK	7.0926G	108.97	Inf	-Inf	9.44	3	Vertical	209	2.49	99.53	36.26	7.65	34.47
PK	7.1796G	62.71	88.20	-25.49	9.92	3	Vertical	209	2.49	52.79	36.68	7.72	34.48

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0914G	97.86	Inf	-Inf	9.43	3	Horizontal	0	1.50	88.43	36.25	7.65	34.47
AV	7.2357G	51.44	68.20	-16.76	10.20	3	Horizontal	0	1.50	41.24	36.94	7.75	34.49
PK	7.0914G	110.31	Inf	-Inf	9.43	3	Horizontal	0	1.50	100.88	36.25	7.65	34.47
PK	7.1859G	64.31	88.20	-23.89	9.96	3	Horizontal	0	1.50	54.35	36.72	7.72	34.48

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19021G	38.73	68.20	-29.47	18.62	3	Vertical	302	2.95	20.11	40.00	11.32	32.70
PK	14.17947G	51.18	88.20	-37.02	18.63	3	Vertical	302	2.95	32.55	40.00	11.31	32.68

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19009G	38.71	68.20	-29.49	18.62	3	Horizontal	131	2.88	20.09	40.00	11.32	32.70
PK	14.19564G	51.56	88.20	-36.64	18.61	3	Horizontal	131	2.88	32.95	40.00	11.32	32.71

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9212G	45.39	68.20	-22.81	7.05	3	Vertical	223	2.91	38.34	34.26	7.00	34.21
AV	5.971G	95.89	Inf	-Inf	6.99	3	Vertical	223	2.91	88.90	34.16	7.05	34.22
PK	5.9122G	58.55	88.20	-29.65	7.07	3	Vertical	223	2.91	51.48	34.28	7.00	34.21
PK	5.9608G	107.87	Inf	-Inf	7.00	3	Vertical	223	2.91	100.87	34.18	7.04	34.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	48.17	68.20	-20.03	7.05	3	Horizontal	87	1.79	41.12	34.25	7.01	34.21
AV	5.9584G	98.05	Inf	-Inf	6.99	3	Horizontal	87	1.79	91.06	34.18	7.03	34.22
PK	5.8939G	60.24	88.20	-27.96	7.05	3	Horizontal	87	1.79	53.19	34.28	6.98	34.21
PK	5.9485G	110.51	Inf	-Inf	7.01	3	Horizontal	87	1.79	103.50	34.20	7.03	34.22

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93873G	37.56	54.00	-16.44	16.19	3	Vertical	356	2.10	21.37	38.92	11.60	34.33
PK	11.92991G	50.44	74.00	-23.56	16.15	3	Vertical	356	2.10	34.29	38.89	11.59	34.33

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9399G	37.55	54.00	-16.45	16.19	3	Horizontal	108	2.83	21.36	38.92	11.60	34.33
PK	11.94347G	50.40	74.00	-23.60	16.20	3	Horizontal	108	2.83	34.20	38.93	11.60	34.33