




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.46G	48.94	54.00	-5.06	3	Vertical	27	2.21
5610MHz	Pass	AV	5.587G	103.67	Inf	-Inf	3	Vertical	27	2.21
5610MHz	Pass	PK	5.431G	58.18	74.00	-15.82	3	Vertical	27	2.21
5610MHz	Pass	PK	5.47G	60.74	68.20	-7.46	3	Vertical	27	2.21
5610MHz	Pass	PK	5.584G	109.40	Inf	-Inf	3	Vertical	27	2.21
5610MHz	Pass	PK	5.735G	62.73	68.20	-5.47	3	Vertical	27	2.21
5610MHz	Pass	AV	5.46G	50.07	54.00	-3.93	3	Horizontal	125	1.87
5610MHz	Pass	AV	5.604G	99.77	Inf	-Inf	3	Horizontal	125	1.87
5610MHz	Pass	PK	5.459G	57.77	74.00	-16.23	3	Horizontal	125	1.87
5610MHz	Pass	PK	5.47G	59.80	68.20	-8.40	3	Horizontal	125	1.87
5610MHz	Pass	PK	5.586G	112.73	Inf	-Inf	3	Horizontal	125	1.87
5610MHz	Pass	PK	5.725G	60.70	68.20	-7.50	3	Horizontal	125	1.87
5610MHz	Pass	AV	11.2155G	41.87	54.00	-12.13	3	Vertical	264	1.71
5610MHz	Pass	PK	11.21586G	51.98	74.00	-22.02	3	Vertical	264	1.71
5610MHz	Pass	PK	16.83138G	54.29	68.20	-13.91	3	Vertical	140	2.05
5610MHz	Pass	AV	11.21598G	41.85	54.00	-12.15	3	Horizontal	335	1.69
5610MHz	Pass	PK	11.2198G	52.46	74.00	-21.54	3	Horizontal	335	1.69
5610MHz	Pass	PK	16.83098G	55.63	68.20	-12.57	3	Horizontal	131	2.91
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.36	54.00	-7.64	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.666G	103.25	Inf	-Inf	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	56.76	74.00	-17.24	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.64	68.20	-13.56	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6636G	112.20	Inf	-Inf	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	58.53	68.20	-9.67	3	Vertical	206	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	46.35	54.00	-7.65	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	97.48	Inf	-Inf	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4008G	56.27	74.00	-17.73	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.44	68.20	-12.76	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	105.21	Inf	-Inf	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9312G	57.74	68.20	-10.46	3	Horizontal	112	2.47
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38072G	42.03	54.00	-11.97	3	Vertical	134	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37788G	52.36	74.00	-21.64	3	Vertical	134	1.57
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0689G	54.94	68.20	-13.26	3	Vertical	205	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38004G	42.01	54.00	-11.99	3	Horizontal	120	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37782G	52.72	74.00	-21.28	3	Horizontal	120	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07018G	53.85	68.20	-14.35	3	Horizontal	6	1.97
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	51.86	54.00	-2.14	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.22G	93.87	Inf	-Inf	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.358G	52.91	54.00	-1.09	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	62.53	74.00	-11.47	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.196G	102.94	Inf	-Inf	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3856G	69.03	74.00	-4.97	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4768G	56.52	68.20	-11.68	3	Vertical	192	1.95
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	51.79	54.00	-2.21	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.196G	95.00	Inf	-Inf	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4024G	48.38	54.00	-5.62	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	67.98	74.00	-6.02	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.202G	106.15	Inf	-Inf	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3748G	59.08	74.00	-14.92	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5272G	56.94	68.20	-11.26	3	Horizontal	232	2.71
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.76696G	42.92	54.00	-11.08	3	Vertical	311	2.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50656G	52.36	68.20	-15.84	3	Vertical	360	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7476G	52.14	74.00	-21.86	3	Vertical	311	2.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.76696G	42.98	54.00	-11.02	3	Horizontal	151	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50144G	54.52	68.20	-13.68	3	Horizontal	197	1.70
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.76064G	52.29	74.00	-21.71	3	Horizontal	151	1.32
5570MHz	Pass	AV	5.4464G	51.81	54.00	-2.19	3	Vertical	170	2.75
5570MHz	Pass	AV	5.5136G	95.54	Inf	-Inf	3	Vertical	170	2.75
5570MHz	Pass	PK	5.3324G	58.80	68.20	-9.40	3	Vertical	170	2.75
5570MHz	Pass	PK	5.4284G	60.71	74.00	-13.29	3	Vertical	170	2.75
5570MHz	Pass	PK	5.4668G	57.70	68.20	-10.50	3	Vertical	170	2.75



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.5568G	100.78	Inf	-Inf	3	Vertical	170	2.75
5570MHz	Pass	PK	5.7356G	58.90	68.20	-9.30	3	Vertical	170	2.75
5570MHz	Pass	AV	5.4548G	53.59	54.00	-0.41	3	Horizontal	262	2.96
5570MHz	Pass	AV	5.5196G	98.02	Inf	-Inf	3	Horizontal	262	2.96
5570MHz	Pass	PK	5.3468G	56.81	68.20	-11.39	3	Horizontal	262	2.96
5570MHz	Pass	PK	5.4476G	63.58	74.00	-10.42	3	Horizontal	262	2.96
5570MHz	Pass	PK	5.462G	60.00	68.20	-8.20	3	Horizontal	262	2.96
5570MHz	Pass	PK	5.5472G	105.15	Inf	-Inf	3	Horizontal	262	2.96
5570MHz	Pass	PK	5.744G	58.84	68.20	-9.36	3	Horizontal	262	2.96
5570MHz	Pass	AV	11.15952G	42.16	54.00	-11.84	3	Vertical	141	1.50
5570MHz	Pass	PK	11.16224G	53.96	74.00	-20.04	3	Vertical	141	1.50
5570MHz	Pass	PK	16.71232G	56.24	68.20	-11.96	3	Vertical	80	1.83
5570MHz	Pass	AV	11.15064G	42.51	54.00	-11.49	3	Horizontal	27	2.45
5570MHz	Pass	PK	11.14024G	54.22	74.00	-19.78	3	Horizontal	27	2.45
5570MHz	Pass	PK	16.69576G	56.76	68.20	-11.44	3	Horizontal	9	1.50

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.01	54.00	-6.99	3.89	3	Vertical	197	1.46	43.12	33.00	5.51	34.62
AV	5.2606G	106.24	Inf	-Inf	3.82	3	Vertical	197	1.46	102.42	32.88	5.54	34.60
AV	5.353G	46.65	54.00	-7.35	3.79	3	Vertical	197	1.46	42.86	32.81	5.56	34.58
PK	5.1358G	57.67	74.00	-16.33	3.89	3	Vertical	197	1.46	53.78	33.00	5.51	34.62
PK	5.2642G	116.08	Inf	-Inf	3.81	3	Vertical	197	1.46	112.27	32.87	5.54	34.60
PK	5.3602G	56.86	74.00	-17.14	3.80	3	Vertical	197	1.46	53.06	32.82	5.56	34.58

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.61	54.00	-7.39	3.89	3	Horizontal	228	2.64	42.72	33.00	5.51	34.62
AV	5.2648G	105.83	Inf	-Inf	3.81	3	Horizontal	228	2.64	102.02	32.87	5.54	34.60
AV	5.3644G	46.32	54.00	-7.68	3.81	3	Horizontal	228	2.64	42.51	32.83	5.56	34.58
PK	5.14G	57.49	74.00	-16.51	3.89	3	Horizontal	228	2.64	53.60	33.00	5.51	34.62
PK	5.266G	115.82	Inf	-Inf	3.81	3	Horizontal	228	2.64	112.01	32.87	5.54	34.60
PK	5.3608G	56.87	74.00	-17.13	3.80	3	Horizontal	228	2.64	53.07	32.82	5.56	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7786G	45.18	54.00	-8.82	12.14	3	Vertical	217	2.71	33.04	37.64	9.59	35.09
PK	10.5114G	53.23	68.20	-14.97	11.81	3	Vertical	235	1.50	41.42	38.52	8.01	34.72
PK	15.7776G	56.76	74.00	-17.24	12.14	3	Vertical	217	2.71	44.62	37.64	9.59	35.09

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78604G	47.77	54.00	-6.23	12.13	3	Horizontal	46	2.45	35.64	37.63	9.59	35.09
PK	10.51932G	56.83	68.20	-11.37	11.84	3	Horizontal	22	1.91	44.99	38.54	8.01	34.71
PK	15.7876G	60.40	74.00	-13.60	12.12	3	Horizontal	46	2.45	48.28	37.62	9.59	35.09

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	105.21	Inf	-Inf	3.76	3	Vertical	195	1.48	101.45	32.80	5.55	34.59
AV	5.3916G	46.75	54.00	-7.25	3.87	3	Vertical	195	1.48	42.88	32.88	5.57	34.58
PK	5.306G	115.79	Inf	-Inf	3.76	3	Vertical	195	1.48	112.03	32.80	5.55	34.59
PK	5.3504G	58.14	74.00	-15.86	3.78	3	Vertical	195	1.48	54.36	32.80	5.56	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	105.08	Inf	-Inf	3.76	3	Horizontal	121	2.52	101.32	32.80	5.55	34.59
AV	5.3508G	48.08	54.00	-5.92	3.78	3	Horizontal	121	2.52	44.30	32.80	5.56	34.58
PK	5.2952G	112.67	Inf	-Inf	3.77	3	Horizontal	121	2.52	108.90	32.81	5.55	34.59
PK	5.3508G	59.40	74.00	-14.60	3.78	3	Horizontal	121	2.52	55.62	32.80	5.56	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89892G	46.63	54.00	-7.37	12.15	3	Vertical	218	2.29	34.48	37.70	9.63	35.18
PK	10.6006G	55.21	74.00	-18.79	12.05	3	Vertical	176	1.56	43.16	38.70	8.04	34.69
PK	15.89768G	58.03	74.00	-15.97	12.16	3	Vertical	218	2.29	45.87	37.70	9.63	35.17

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90044G	48.55	54.00	-5.45	12.15	3	Horizontal	41	2.74	36.40	37.70	9.63	35.18
PK	10.60708G	58.77	74.00	-15.23	12.06	3	Horizontal	29	2.00	46.71	38.71	8.04	34.69
PK	15.89304G	57.97	74.00	-16.03	12.14	3	Horizontal	41	2.74	45.83	37.69	9.62	35.17

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.315G	105.18	Inf	-Inf	3.76	3	Vertical	300	2.54	101.42	32.80	5.55	34.59
AV	5.3522G	53.05	54.00	-0.95	3.78	3	Vertical	300	2.54	49.27	32.80	5.56	34.58
PK	5.326G	116.11	Inf	-Inf	3.77	3	Vertical	300	2.54	112.34	32.80	5.56	34.59
PK	5.35G	64.91	74.00	-9.09	3.78	3	Vertical	300	2.54	61.13	32.80	5.56	34.58

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	105.12	Inf	-Inf	3.77	3	Horizontal	238	2.08	101.35	32.80	5.56	34.59
AV	5.3504G	49.53	54.00	-4.47	3.78	3	Horizontal	238	2.08	45.75	32.80	5.56	34.58
PK	5.3258G	115.35	Inf	-Inf	3.77	3	Horizontal	238	2.08	111.58	32.80	5.56	34.59
PK	5.3512G	61.15	74.00	-12.85	3.78	3	Horizontal	238	2.08	57.37	32.80	5.56	34.58

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.644366G	42.88	54.00	-11.12	12.16	3	Vertical	179	1.40	30.72	38.79	8.05	34.68
AV	15.96908G	43.37	54.00	-10.63	12.12	3	Vertical	32	1.50	31.25	37.70	9.65	35.23
PK	10.64828G	54.25	74.00	-19.75	12.17	3	Vertical	179	1.40	42.08	38.80	8.05	34.68
PK	15.95208G	54.47	74.00	-19.53	12.13	3	Vertical	32	1.50	42.34	37.70	9.64	35.21

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64084G	45.47	54.00	-8.53	12.15	3	Horizontal	32	1.98	33.32	38.78	8.05	34.68
AV	15.96188G	44.91	54.00	-9.09	12.13	3	Horizontal	27	1.80	32.78	37.70	9.65	35.22
PK	10.63132G	55.49	74.00	-18.51	12.13	3	Horizontal	32	1.98	43.36	38.76	8.05	34.68
PK	15.95G	56.83	74.00	-17.17	12.13	3	Horizontal	27	1.80	44.70	37.70	9.64	35.21

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.76	54.00	-5.24	3.97	3	Vertical	44	2.51	44.79	32.92	5.62	34.57
AV	5.4946G	106.63	Inf	-Inf	4.09	3	Vertical	44	2.51	102.54	32.99	5.66	34.56
PK	5.46G	64.54	74.00	-9.46	3.97	3	Vertical	44	2.51	60.57	32.92	5.62	34.57
PK	5.4662G	67.66	68.20	-0.54	3.99	3	Vertical	44	2.51	63.67	32.93	5.63	34.57
PK	5.4928G	117.78	Inf	-Inf	4.08	3	Vertical	44	2.51	113.70	32.99	5.65	34.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.01	54.00	-4.99	3.97	3	Horizontal	89	2.96	45.04	32.92	5.62	34.57
AV	5.5078G	107.07	Inf	-Inf	4.09	3	Horizontal	89	2.96	102.98	32.98	5.67	34.56
PK	5.46G	64.25	74.00	-9.75	3.97	3	Horizontal	89	2.96	60.28	32.92	5.62	34.57
PK	5.4692G	65.16	68.20	-3.04	4.01	3	Horizontal	89	2.96	61.15	32.94	5.63	34.56
PK	5.5086G	117.19	Inf	-Inf	4.09	3	Horizontal	89	2.96	113.10	32.98	5.67	34.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98614G	43.38	54.00	-10.62	12.21	3	Vertical	177	1.50	31.17	38.63	8.16	34.58
PK	10.9904G	54.55	74.00	-19.45	12.20	3	Vertical	177	1.50	42.35	38.62	8.16	34.58
PK	16.50936G	57.14	68.20	-11.06	13.40	3	Vertical	52	1.95	43.74	38.29	9.86	34.75

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98572G	49.63	54.00	-4.37	12.21	3	Horizontal	41	1.95	37.42	38.63	8.16	34.58
PK	10.9856G	62.32	74.00	-11.68	12.21	3	Horizontal	41	1.95	50.11	38.63	8.16	34.58
PK	16.51374G	62.08	68.20	-6.12	13.41	3	Horizontal	52	1.18	48.67	38.29	9.86	34.74

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5560MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.88	54.00	-7.12	3.96	3	Vertical	183	2.63	42.92	32.91	5.62	34.57
AV	5.5522G	107.21	Inf	-Inf	4.05	3	Vertical	183	2.63	103.16	32.90	5.71	34.56
PK	5.4586G	57.77	74.00	-16.23	3.97	3	Vertical	183	2.63	53.80	32.92	5.62	34.57
PK	5.47G	57.32	68.20	-10.88	4.01	3	Vertical	183	2.63	53.31	32.94	5.63	34.56
PK	5.5516G	117.30	Inf	-Inf	4.05	3	Vertical	183	2.63	113.25	32.90	5.71	34.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5560MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	47.18	54.00	-6.82	3.95	3	Horizontal	116	2.44	43.23	32.90	5.62	34.57
AV	5.5528G	108.53	Inf	-Inf	4.05	3	Horizontal	116	2.44	104.48	32.90	5.71	34.56
PK	5.458G	57.93	74.00	-16.07	3.97	3	Horizontal	116	2.44	53.96	32.92	5.62	34.57
PK	5.4616G	58.55	68.20	-9.65	3.98	3	Horizontal	116	2.44	54.57	32.92	5.63	34.57
PK	5.551G	117.95	Inf	-Inf	4.05	3	Horizontal	116	2.44	113.90	32.90	5.71	34.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5560MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12816G	43.21	54.00	-10.79	12.19	3	Vertical	182	1.49	31.02	38.56	8.21	34.58
PK	11.1188G	55.06	74.00	-18.94	12.16	3	Vertical	182	1.49	42.90	38.54	8.20	34.58
PK	16.67624G	61.88	68.20	-6.32	13.68	3	Vertical	231	1.50	48.20	38.28	9.93	34.53

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5560MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12252G	47.92	54.00	-6.08	12.17	3	Horizontal	42	1.93	35.75	38.55	8.20	34.58
PK	11.12368G	59.48	74.00	-14.52	12.17	3	Horizontal	42	1.93	47.31	38.55	8.20	34.58
PK	16.67372G	66.83	68.20	-1.37	13.66	3	Horizontal	360	1.50	53.17	38.27	9.93	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	102.64	Inf	-Inf	4.66	3	Vertical	224	1.50	97.98	33.42	5.78	34.54
PK	5.7052G	112.63	Inf	-Inf	4.66	3	Vertical	224	1.50	107.97	33.42	5.78	34.54
PK	5.726G	67.87	68.20	-0.33	4.74	3	Vertical	224	1.50	63.13	33.50	5.78	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	102.92	Inf	-Inf	4.56	3	Horizontal	290	2.97	98.36	33.33	5.77	34.54
PK	5.6924G	113.76	Inf	-Inf	4.57	3	Horizontal	290	2.97	109.19	33.34	5.77	34.54
PK	5.7312G	63.39	68.20	-4.81	4.76	3	Horizontal	290	2.97	58.63	33.52	5.78	34.54

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38752G	42.61	54.00	-11.39	12.70	3	Vertical	306	1.50	29.91	38.98	8.29	34.57
PK	11.38698G	53.61	74.00	-20.39	12.69	3	Vertical	306	1.50	40.92	38.97	8.29	34.57
PK	17.09766G	56.97	68.20	-11.23	14.01	3	Vertical	106	1.50	42.96	38.10	10.09	34.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40144G	44.85	54.00	-9.15	12.72	3	Horizontal	37	1.91	32.13	39.00	8.29	34.57
PK	11.4039G	56.37	74.00	-17.63	12.71	3	Horizontal	37	1.91	43.66	38.99	8.29	34.57
PK	17.10864G	65.47	68.20	-2.73	14.04	3	Horizontal	42	1.50	51.43	38.13	10.10	34.19

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	46.47	54.00	-7.53	3.96	3	Vertical	213	1.91	42.51	32.91	5.62	34.57
AV	5.7152G	106.76	Inf	-Inf	4.70	3	Vertical	213	1.91	102.06	33.46	5.78	34.54
PK	5.4452G	56.62	74.00	-17.38	3.94	3	Vertical	213	1.91	52.68	32.90	5.61	34.57
PK	5.4692G	57.45	68.20	-10.75	4.01	3	Vertical	213	1.91	53.44	32.94	5.63	34.56
PK	5.7152G	117.56	Inf	-Inf	4.70	3	Vertical	213	1.91	112.86	33.46	5.78	34.54
PK	5.882G	58.39	68.20	-9.81	5.54	3	Vertical	213	1.91	52.85	34.23	5.84	34.53

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.06	54.00	-7.94	3.96	3	Horizontal	106	1.85	42.10	32.91	5.62	34.57
AV	5.714G	104.33	Inf	-Inf	4.70	3	Horizontal	106	1.85	99.63	33.46	5.78	34.54
PK	5.4584G	57.21	74.00	-16.79	3.97	3	Horizontal	106	1.85	53.24	32.92	5.62	34.57
PK	5.468G	56.16	68.20	-12.04	4.00	3	Horizontal	106	1.85	52.16	32.94	5.63	34.57
PK	5.7188G	111.84	Inf	-Inf	4.72	3	Horizontal	106	1.85	107.12	33.48	5.78	34.54
PK	5.9216G	58.65	68.20	-9.55	5.58	3	Horizontal	106	1.85	53.07	34.26	5.85	34.53

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43892G	42.80	54.00	-11.20	12.61	3	Vertical	54	1.06	30.19	38.88	8.30	34.57
PK	11.4352G	54.44	74.00	-19.56	12.62	3	Vertical	54	1.06	41.82	38.89	8.30	34.57
PK	17.15196G	60.13	68.20	-8.07	14.17	3	Vertical	335	1.43	45.96	38.26	10.12	34.21

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45G	45.63	54.00	-8.37	12.59	3	Horizontal	53	1.91	33.04	38.85	8.31	34.57
PK	11.449G	56.54	74.00	-17.46	12.59	3	Horizontal	53	1.91	43.95	38.85	8.31	34.57
PK	17.16076G	66.37	68.20	-1.83	14.18	3	Horizontal	37	1.06	52.19	38.28	10.12	34.22

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2612G	102.85	Inf	-Inf	3.82	3	Vertical	35	1.67	99.03	32.88	5.54	34.60
AV	5.352G	47.84	54.00	-6.16	3.78	3	Vertical	35	1.67	44.06	32.80	5.56	34.58
PK	5.2752G	113.01	Inf	-Inf	3.80	3	Vertical	35	1.67	109.21	32.85	5.55	34.60
PK	5.356G	57.22	74.00	-16.78	3.79	3	Vertical	35	1.67	53.43	32.81	5.56	34.58

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	102.17	Inf	-Inf	3.81	3	Horizontal	236	1.88	98.36	32.87	5.54	34.60
AV	5.352G	46.76	54.00	-7.24	3.78	3	Horizontal	236	1.88	42.98	32.80	5.56	34.58
PK	5.2772G	109.98	Inf	-Inf	3.80	3	Horizontal	236	1.88	106.18	32.85	5.55	34.60
PK	5.3532G	56.80	74.00	-17.20	3.79	3	Horizontal	236	1.88	53.01	32.81	5.56	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80676G	43.57	54.00	-10.43	12.10	3	Vertical	104	2.07	31.47	37.61	9.60	35.11
PK	10.55932G	53.98	68.20	-14.22	11.95	3	Vertical	179	1.50	42.03	38.62	8.03	34.70
PK	15.81168G	55.92	74.00	-18.08	12.10	3	Vertical	104	2.07	43.82	37.61	9.60	35.11

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83928G	46.84	54.00	-7.16	12.12	3	Horizontal	47	3.00	34.72	37.64	9.61	35.13
PK	10.54552G	54.98	68.20	-13.22	11.90	3	Horizontal	32	1.88	43.08	38.59	8.02	34.71
PK	15.8388G	63.32	74.00	-10.68	12.12	3	Horizontal	47	3.00	51.20	37.64	9.61	35.13

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	102.01	Inf	-Inf	3.76	3	Vertical	76	1.83	98.25	32.80	5.55	34.59
AV	5.35G	53.82	54.00	-0.18	3.78	3	Vertical	76	1.83	50.04	32.80	5.56	34.58
PK	5.3132G	111.68	Inf	-Inf	3.76	3	Vertical	76	1.83	107.92	32.80	5.55	34.59
PK	5.3504G	63.07	74.00	-10.93	3.78	3	Vertical	76	1.83	59.29	32.80	5.56	34.58

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	100.52	Inf	-Inf	3.76	3	Horizontal	245	1.91	96.76	32.80	5.55	34.59
AV	5.3504G	52.04	54.00	-1.96	3.78	3	Horizontal	245	1.91	48.26	32.80	5.56	34.58
PK	5.3048G	106.90	Inf	-Inf	3.76	3	Horizontal	245	1.91	103.14	32.80	5.55	34.59
PK	5.354G	60.02	74.00	-13.98	3.79	3	Horizontal	245	1.91	56.23	32.81	5.56	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61712G	42.09	54.00	-11.91	12.08	3	Vertical	176	1.50	30.01	38.73	8.04	34.69
AV	15.91212G	43.18	54.00	-10.82	12.15	3	Vertical	359	1.50	31.03	37.70	9.63	35.18
PK	10.61736G	53.64	74.00	-20.36	12.08	3	Vertical	176	1.50	41.56	38.73	8.04	34.69
PK	15.95376G	54.77	74.00	-19.23	12.12	3	Vertical	359	1.50	42.65	37.70	9.64	35.22

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6206G	43.79	54.00	-10.21	12.10	3	Horizontal	33	1.99	31.69	38.74	8.05	34.69
AV	15.95916G	43.28	54.00	-10.72	12.13	3	Horizontal	30	1.50	31.15	37.70	9.65	35.22
PK	10.62012G	56.85	74.00	-17.15	12.10	3	Horizontal	33	1.99	44.75	38.74	8.05	34.69
PK	15.91788G	55.01	74.00	-18.99	12.14	3	Horizontal	30	1.50	42.87	37.70	9.63	35.19

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	53.14	54.00	-0.86	3.97	3	Vertical	59	1.03	49.17	32.92	5.62	34.57
AV	5.4924G	102.12	Inf	-Inf	4.07	3	Vertical	59	1.03	98.05	32.98	5.65	34.56
PK	5.4552G	63.38	74.00	-10.62	3.96	3	Vertical	59	1.03	59.42	32.91	5.62	34.57
PK	5.4664G	63.24	68.20	-4.96	3.99	3	Vertical	59	1.03	59.25	32.93	5.63	34.57
PK	5.52G	110.91	Inf	-Inf	4.08	3	Vertical	59	1.03	106.83	32.96	5.68	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.26	54.00	-2.74	3.97	3	Horizontal	112	2.54	47.29	32.92	5.62	34.57
AV	5.4968G	102.08	Inf	-Inf	4.09	3	Horizontal	112	2.54	97.99	32.99	5.66	34.56
PK	5.4524G	59.31	74.00	-14.69	3.95	3	Horizontal	112	2.54	55.36	32.90	5.62	34.57
PK	5.466G	63.98	68.20	-4.22	3.99	3	Horizontal	112	2.54	59.99	32.93	5.63	34.57
PK	5.5076G	112.09	Inf	-Inf	4.09	3	Horizontal	112	2.54	108.00	32.98	5.67	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02144G	42.62	54.00	-11.38	12.17	3	Vertical	265	1.50	30.45	38.58	8.17	34.58
PK	10.99252G	54.37	74.00	-19.63	12.19	3	Vertical	265	1.50	42.18	38.61	8.16	34.58
PK	16.55508G	56.29	68.20	-11.91	13.43	3	Vertical	223	1.50	42.86	38.24	9.88	34.69

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01352G	48.18	54.00	-5.82	12.18	3	Horizontal	20	2.06	36.00	38.59	8.17	34.58
PK	11.01328G	59.51	74.00	-14.49	12.18	3	Horizontal	20	2.06	47.33	38.59	8.17	34.58
PK	16.52028G	56.74	68.20	-11.46	13.42	3	Horizontal	29	1.04	43.32	38.28	9.87	34.73

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.35	54.00	-6.65	3.97	3	Vertical	197	1.79	43.38	32.92	5.62	34.57
AV	5.5368G	104.17	Inf	-Inf	4.06	3	Vertical	197	1.79	100.11	32.93	5.69	34.56
PK	5.4568G	56.79	74.00	-17.21	3.96	3	Vertical	197	1.79	52.83	32.91	5.62	34.57
PK	5.4656G	59.88	68.20	-8.32	3.99	3	Vertical	197	1.79	55.89	32.93	5.63	34.57
PK	5.5444G	111.99	Inf	-Inf	4.05	3	Vertical	197	1.79	107.94	32.91	5.70	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.21	54.00	-5.79	3.97	3	Horizontal	125	1.97	44.24	32.92	5.62	34.57
AV	5.536G	102.67	Inf	-Inf	4.06	3	Horizontal	125	1.97	98.61	32.93	5.69	34.56
PK	5.4552G	57.31	74.00	-16.69	3.96	3	Horizontal	125	1.97	53.35	32.91	5.62	34.57
PK	5.4692G	59.00	68.20	-9.20	4.01	3	Horizontal	125	1.97	54.99	32.94	5.63	34.56
PK	5.5464G	111.95	Inf	-Inf	4.05	3	Horizontal	125	1.97	107.90	32.91	5.70	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.079G	42.30	54.00	-11.70	12.13	3	Vertical	216	1.50	30.17	38.52	8.19	34.58
PK	11.12388G	53.51	74.00	-20.49	12.17	3	Vertical	216	1.50	41.34	38.55	8.20	34.58
PK	16.6374G	64.14	68.20	-4.06	13.57	3	Vertical	106	2.12	50.57	38.24	9.91	34.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07036G	48.46	54.00	-5.54	12.14	3	Horizontal	45	1.88	36.32	38.53	8.19	34.58
PK	11.09976G	62.17	74.00	-11.83	12.12	3	Horizontal	45	1.88	50.05	38.50	8.20	34.58
PK	16.65936G	62.74	68.20	-5.46	13.62	3	Horizontal	2	1.50	49.12	38.26	9.92	34.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6592G	103.26	Inf	-Inf	4.28	3	Vertical	13	1.50	98.98	33.07	5.76	34.55
PK	5.676G	112.11	Inf	-Inf	4.43	3	Vertical	13	1.50	107.68	33.21	5.77	34.55
PK	5.7252G	66.18	68.20	-2.02	4.74	3	Vertical	13	1.50	61.44	33.50	5.78	34.54

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	104.41	Inf	-Inf	4.37	3	Horizontal	160	1.87	100.04	33.15	5.77	34.55
PK	5.6664G	113.25	Inf	-Inf	4.35	3	Horizontal	160	1.87	108.90	33.13	5.77	34.55
PK	5.7366G	64.80	68.20	-3.40	4.79	3	Horizontal	160	1.87	60.01	33.55	5.78	34.54

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3652G	41.96	54.00	-12.04	12.64	3	Vertical	344	2.22	29.32	38.93	8.28	34.57
PK	11.35704G	54.42	74.00	-19.58	12.62	3	Vertical	344	2.22	41.80	38.91	8.28	34.57
PK	17.016G	58.55	68.20	-9.65	14.03	3	Vertical	215	2.48	44.52	38.10	10.06	34.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31276G	45.41	54.00	-8.59	12.52	3	Horizontal	19	1.95	32.89	38.83	8.26	34.57
PK	11.31432G	56.80	74.00	-17.20	12.52	3	Horizontal	19	1.95	44.28	38.83	8.26	34.57
PK	17.00868G	61.91	68.20	-6.29	14.03	3	Horizontal	360	1.50	47.88	38.10	10.06	34.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.85	54.00	-8.15	3.97	3	Vertical	217	1.68	41.88	32.92	5.62	34.57
AV	5.7028G	103.90	Inf	-Inf	4.65	3	Vertical	217	1.68	99.25	33.41	5.78	34.54
PK	5.4412G	55.53	74.00	-18.47	3.94	3	Vertical	217	1.68	51.59	32.90	5.61	34.57
PK	5.4664G	55.04	68.20	-13.16	3.99	3	Vertical	217	1.68	51.05	32.93	5.63	34.57
PK	5.7028G	113.17	Inf	-Inf	4.65	3	Vertical	217	1.68	108.52	33.41	5.78	34.54
PK	5.8912G	57.87	68.20	-10.33	5.57	3	Vertical	217	1.68	52.30	34.26	5.84	34.53

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.94	54.00	-8.06	3.97	3	Horizontal	107	2.44	41.97	32.92	5.62	34.57
AV	5.6992G	100.67	Inf	-Inf	4.62	3	Horizontal	107	2.44	96.05	33.39	5.77	34.54
PK	5.4268G	55.06	74.00	-18.94	3.92	3	Horizontal	107	2.44	51.14	32.90	5.59	34.57
PK	5.4628G	55.54	68.20	-12.66	3.99	3	Horizontal	107	2.44	51.55	32.93	5.63	34.57
PK	5.6956G	106.53	Inf	-Inf	4.59	3	Horizontal	107	2.44	101.94	33.36	5.77	34.54
PK	5.95G	57.70	68.20	-10.50	5.55	3	Horizontal	107	2.44	52.15	34.20	5.87	34.52

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42864G	42.17	54.00	-11.83	12.64	3	Vertical	293	1.50	29.53	38.91	8.30	34.57
PK	11.44808G	53.87	74.00	-20.13	12.60	3	Vertical	293	1.50	41.27	38.86	8.31	34.57
PK	17.14572G	59.82	68.20	-8.38	14.14	3	Vertical	212	1.22	45.68	38.24	10.11	34.21

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	44.85	54.00	-9.15	12.67	3	Horizontal	25	1.90	32.18	38.94	8.30	34.57
PK	11.42012G	56.37	74.00	-17.63	12.67	3	Horizontal	25	1.90	43.70	38.94	8.30	34.57
PK	17.1402G	67.15	68.20	-1.05	14.13	3	Horizontal	24	1.73	53.02	38.22	10.11	34.20

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.00	54.00	-6.00	3.89	3	Vertical	311	1.50	44.11	33.00	5.51	34.62
AV	5.257G	100.87	Inf	-Inf	3.83	3	Vertical	311	1.50	97.04	32.89	5.54	34.60
AV	5.35G	51.83	54.00	-2.17	3.78	3	Vertical	311	1.50	48.05	32.80	5.56	34.58
PK	5.15G	56.69	74.00	-17.31	3.90	3	Vertical	311	1.50	52.79	33.00	5.52	34.62
PK	5.307G	107.39	Inf	-Inf	3.76	3	Vertical	311	1.50	103.63	32.80	5.55	34.59
PK	5.352G	60.93	74.00	-13.07	3.78	3	Vertical	311	1.50	57.15	32.80	5.56	34.58
PK	5.48G	56.00	68.20	-12.20	4.04	3	Vertical	311	1.50	51.96	32.96	5.64	34.56

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.40	54.00	-5.60	3.89	3	Horizontal	264	3.00	44.51	33.00	5.51	34.62
AV	5.261G	101.28	Inf	-Inf	3.82	3	Horizontal	264	3.00	97.46	32.88	5.54	34.60
AV	5.352G	53.86	54.00	-0.14	3.78	3	Horizontal	264	3.00	50.08	32.80	5.56	34.58
PK	5.078G	57.28	74.00	-16.72	3.86	3	Horizontal	264	3.00	53.42	33.00	5.49	34.63
PK	5.286G	106.02	Inf	-Inf	3.79	3	Horizontal	264	3.00	102.23	32.83	5.55	34.59
PK	5.351G	63.16	74.00	-10.84	3.78	3	Horizontal	264	3.00	59.38	32.80	5.56	34.58
PK	5.512G	56.16	68.20	-12.04	4.09	3	Horizontal	264	3.00	52.07	32.98	5.67	34.56

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85776G	43.02	54.00	-10.98	12.13	3	Vertical	294	2.19	30.89	37.66	9.61	35.14
PK	10.58552G	54.29	68.20	-13.91	12.00	3	Vertical	58	1.44	42.29	38.67	8.03	34.70
PK	15.85824G	54.44	74.00	-19.56	12.12	3	Vertical	294	2.19	42.32	37.66	9.61	35.15

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87096G	43.18	54.00	-10.82	12.14	3	Horizontal	138	1.50	31.04	37.67	9.62	35.15
PK	10.59176G	53.52	68.20	-14.68	12.03	3	Horizontal	359	1.50	41.49	38.68	8.04	34.69
PK	15.89832G	55.05	74.00	-18.95	12.16	3	Horizontal	138	1.50	42.89	37.70	9.63	35.17

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.68	54.00	-8.32	3.78	3	Vertical	30	2.20	41.90	32.80	5.56	34.58
AV	5.46G	53.39	54.00	-0.61	3.97	3	Vertical	30	2.20	49.42	32.92	5.62	34.57
AV	5.506G	101.52	Inf	-Inf	4.10	3	Vertical	30	2.20	97.42	32.99	5.67	34.56
PK	5.343G	55.97	68.20	-12.23	3.77	3	Vertical	30	2.20	52.20	32.80	5.56	34.59
PK	5.458G	62.79	74.00	-11.21	3.97	3	Vertical	30	2.20	58.82	32.92	5.62	34.57
PK	5.466G	62.11	68.20	-6.09	3.99	3	Vertical	30	2.20	58.12	32.93	5.63	34.57
PK	5.535G	108.68	Inf	-Inf	4.06	3	Vertical	30	2.20	104.62	32.93	5.69	34.56
PK	5.766G	57.43	68.20	-10.77	4.95	3	Vertical	30	2.20	52.48	33.70	5.79	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.84	54.00	-8.16	3.78	3	Horizontal	113	2.50	42.06	32.80	5.56	34.58
AV	5.46G	53.69	54.00	-0.31	3.97	3	Horizontal	113	2.50	49.72	32.92	5.62	34.57
AV	5.504G	97.40	Inf	-Inf	4.09	3	Horizontal	113	2.50	93.31	32.99	5.66	34.56
PK	5.34G	55.63	68.20	-12.57	3.77	3	Horizontal	113	2.50	51.86	32.80	5.56	34.59
PK	5.457G	65.12	74.00	-8.88	3.96	3	Horizontal	113	2.50	61.16	32.91	5.62	34.57
PK	5.461G	64.06	68.20	-4.14	3.97	3	Horizontal	113	2.50	60.09	32.92	5.62	34.57
PK	5.493G	108.61	Inf	-Inf	4.08	3	Horizontal	113	2.50	104.53	32.99	5.65	34.56
PK	5.725G	58.34	68.20	-9.86	4.74	3	Horizontal	113	2.50	53.60	33.50	5.78	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05972G	42.31	54.00	-11.69	12.14	3	Vertical	238	2.81	30.17	38.54	8.18	34.58
PK	11.06172G	51.78	74.00	-22.22	12.14	3	Vertical	238	2.81	39.64	38.54	8.18	34.58
PK	16.5891G	53.93	68.20	-14.27	13.45	3	Vertical	127	2.56	40.48	38.21	9.89	34.65

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06302G	42.34	54.00	-11.66	12.14	3	Horizontal	238	1.30	30.20	38.54	8.18	34.58
PK	11.06304G	52.10	74.00	-21.90	12.14	3	Horizontal	238	1.30	39.96	38.54	8.18	34.58
PK	16.5886G	52.60	68.20	-15.60	13.45	3	Horizontal	221	2.51	39.15	38.21	9.89	34.65

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.94	54.00	-5.06	3.97	3	Vertical	27	2.21	44.97	32.92	5.62	34.57
AV	5.587G	103.67	Inf	-Inf	4.09	3	Vertical	27	2.21	99.58	32.90	5.74	34.55
PK	5.431G	58.18	74.00	-15.82	3.93	3	Vertical	27	2.21	54.25	32.90	5.60	34.57
PK	5.47G	60.74	68.20	-7.46	4.01	3	Vertical	27	2.21	56.73	32.94	5.63	34.56
PK	5.584G	109.40	Inf	-Inf	4.09	3	Vertical	27	2.21	105.31	32.90	5.74	34.55
PK	5.735G	62.73	68.20	-5.47	4.78	3	Vertical	27	2.21	57.95	33.54	5.78	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.07	54.00	-3.93	3.97	3	Horizontal	125	1.87	46.10	32.92	5.62	34.57
AV	5.604G	99.77	Inf	-Inf	4.11	3	Horizontal	125	1.87	95.66	32.91	5.75	34.55
PK	5.459G	57.77	74.00	-16.23	3.97	3	Horizontal	125	1.87	53.80	32.92	5.62	34.57
PK	5.47G	59.80	68.20	-8.40	4.01	3	Horizontal	125	1.87	55.79	32.94	5.63	34.56
PK	5.586G	112.73	Inf	-Inf	4.09	3	Horizontal	125	1.87	108.64	32.90	5.74	34.55
PK	5.725G	60.70	68.20	-7.50	4.74	3	Horizontal	125	1.87	55.96	33.50	5.78	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2155G	41.87	54.00	-12.13	12.37	3	Vertical	264	1.71	29.50	38.72	8.23	34.58
PK	11.21586G	51.98	74.00	-22.02	12.37	3	Vertical	264	1.71	39.61	38.72	8.23	34.58
PK	16.83138G	54.29	68.20	-13.91	13.72	3	Vertical	140	2.05	40.57	38.07	9.99	34.34

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21598G	41.85	54.00	-12.15	12.37	3	Horizontal	335	1.69	29.48	38.72	8.23	34.58
PK	11.2198G	52.46	74.00	-21.54	12.37	3	Horizontal	335	1.69	40.09	38.72	8.23	34.58
PK	16.83098G	55.63	68.20	-12.57	13.72	3	Horizontal	131	2.91	41.91	38.07	9.99	34.34

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.36	54.00	-7.64	3.97	3	Vertical	206	2.04	42.39	32.92	5.62	34.57
AV	5.666G	103.25	Inf	-Inf	4.35	3	Vertical	206	2.04	98.90	33.13	5.77	34.55
PK	5.4404G	56.76	74.00	-17.24	3.94	3	Vertical	206	2.04	52.82	32.90	5.61	34.57
PK	5.4632G	54.64	68.20	-13.56	3.99	3	Vertical	206	2.04	50.65	32.93	5.63	34.57
PK	5.6636G	112.20	Inf	-Inf	4.33	3	Vertical	206	2.04	107.87	33.11	5.77	34.55
PK	5.9168G	58.53	68.20	-9.67	5.59	3	Vertical	206	2.04	52.94	34.27	5.85	34.53

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.35	54.00	-7.65	3.97	3	Horizontal	112	2.47	42.38	32.92	5.62	34.57
AV	5.7128G	97.48	Inf	-Inf	4.69	3	Horizontal	112	2.47	92.79	33.45	5.78	34.54
PK	5.4008G	56.27	74.00	-17.73	3.89	3	Horizontal	112	2.47	52.38	32.90	5.57	34.58
PK	5.4656G	55.44	68.20	-12.76	3.99	3	Horizontal	112	2.47	51.45	32.93	5.63	34.57
PK	5.714G	105.21	Inf	-Inf	4.70	3	Horizontal	112	2.47	100.51	33.46	5.78	34.54
PK	5.9312G	57.74	68.20	-10.46	5.57	3	Horizontal	112	2.47	52.17	34.24	5.86	34.53

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38072G	42.03	54.00	-11.97	12.67	3	Vertical	134	1.57	29.36	38.96	8.28	34.57
PK	11.37788G	52.36	74.00	-21.64	12.67	3	Vertical	134	1.57	39.69	38.96	8.28	34.57
PK	17.0689G	54.94	68.20	-13.26	14.02	3	Vertical	205	1.25	40.92	38.10	10.08	34.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38004G	42.01	54.00	-11.99	12.67	3	Horizontal	120	2.88	29.34	38.96	8.28	34.57
PK	11.37782G	52.72	74.00	-21.28	12.67	3	Horizontal	120	2.88	40.05	38.96	8.28	34.57
PK	17.07018G	53.85	68.20	-14.35	14.02	3	Horizontal	6	1.97	39.83	38.10	10.08	34.16

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.86	54.00	-2.14	3.89	3	Vertical	192	1.95	47.97	33.00	5.51	34.62
AV	5.22G	93.87	Inf	-Inf	3.83	3	Vertical	192	1.95	90.04	32.90	5.53	34.60
AV	5.358G	52.91	54.00	-1.09	3.80	3	Vertical	192	1.95	49.11	32.82	5.56	34.58
PK	5.1408G	62.53	74.00	-11.47	3.89	3	Vertical	192	1.95	58.64	33.00	5.51	34.62
PK	5.196G	102.94	Inf	-Inf	3.83	3	Vertical	192	1.95	99.11	32.91	5.53	34.61
PK	5.3856G	69.03	74.00	-4.97	3.86	3	Vertical	192	1.95	65.17	32.87	5.57	34.58
PK	5.4768G	56.52	68.20	-11.68	4.03	3	Vertical	192	1.95	52.49	32.95	5.64	34.56

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	51.79	54.00	-2.21	3.89	3	Horizontal	232	2.71	47.90	33.00	5.51	34.62
AV	5.196G	95.00	Inf	-Inf	3.83	3	Horizontal	232	2.71	91.17	32.91	5.53	34.61
AV	5.4024G	48.38	54.00	-5.62	3.89	3	Horizontal	232	2.71	44.49	32.90	5.57	34.58
PK	5.1408G	67.98	74.00	-6.02	3.89	3	Horizontal	232	2.71	64.09	33.00	5.51	34.62
PK	5.202G	106.15	Inf	-Inf	3.82	3	Horizontal	232	2.71	102.33	32.90	5.53	34.61
PK	5.3748G	59.08	74.00	-14.92	3.83	3	Horizontal	232	2.71	55.25	32.85	5.56	34.58
PK	5.5272G	56.94	68.20	-11.26	4.07	3	Horizontal	232	2.71	52.87	32.95	5.68	34.56

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76696G	42.92	54.00	-11.08	12.17	3	Vertical	311	2.47	30.75	37.67	9.58	35.08
PK	10.50656G	52.36	68.20	-15.84	11.80	3	Vertical	360	1.84	40.56	38.51	8.01	34.72
PK	15.7476G	52.14	74.00	-21.86	12.22	3	Vertical	311	2.47	39.92	37.70	9.58	35.06

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76696G	42.98	54.00	-11.02	12.17	3	Horizontal	151	1.32	30.81	37.67	9.58	35.08
PK	10.50144G	54.52	68.20	-13.68	11.79	3	Horizontal	197	1.70	42.73	38.50	8.01	34.72
PK	15.76064G	52.29	74.00	-21.71	12.19	3	Horizontal	151	1.32	40.10	37.68	9.58	35.07

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	51.81	54.00	-2.19	3.94	3	Vertical	170	2.75	47.87	32.90	5.61	34.57
AV	5.5136G	95.54	Inf	-Inf	4.08	3	Vertical	170	2.75	91.46	32.97	5.67	34.56
PK	5.3324G	58.80	68.20	-9.40	3.77	3	Vertical	170	2.75	55.03	32.80	5.56	34.59
PK	5.4284G	60.71	74.00	-13.29	3.93	3	Vertical	170	2.75	56.78	32.90	5.60	34.57
PK	5.4668G	57.70	68.20	-10.50	3.99	3	Vertical	170	2.75	53.71	32.93	5.63	34.57
PK	5.5568G	100.78	Inf	-Inf	4.05	3	Vertical	170	2.75	96.73	32.90	5.71	34.56
PK	5.7356G	58.90	68.20	-9.30	4.78	3	Vertical	170	2.75	54.12	33.54	5.78	34.54

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	53.59	54.00	-0.41	3.96	3	Horizontal	262	2.96	49.63	32.91	5.62	34.57
AV	5.5196G	98.02	Inf	-Inf	4.08	3	Horizontal	262	2.96	93.94	32.96	5.68	34.56
PK	5.3468G	56.81	68.20	-11.39	3.78	3	Horizontal	262	2.96	53.03	32.80	5.56	34.58
PK	5.4476G	63.58	74.00	-10.42	3.94	3	Horizontal	262	2.96	59.64	32.90	5.61	34.57
PK	5.462G	60.00	68.20	-8.20	3.98	3	Horizontal	262	2.96	56.02	32.92	5.63	34.57
PK	5.5472G	105.15	Inf	-Inf	4.05	3	Horizontal	262	2.96	101.10	32.91	5.70	34.56
PK	5.744G	58.84	68.20	-9.36	4.83	3	Horizontal	262	2.96	54.01	33.58	5.79	34.54

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15952G	42.16	54.00	-11.84	12.26	3	Vertical	141	1.50	29.90	38.62	8.22	34.58
PK	11.15224G	53.96	74.00	-20.04	12.23	3	Vertical	141	1.50	41.73	38.60	8.21	34.58
PK	16.71232G	56.24	68.20	-11.96	13.73	3	Vertical	80	1.83	42.51	38.28	9.94	34.49

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15064G	42.51	54.00	-11.49	12.23	3	Horizontal	27	2.45	30.28	38.60	8.21	34.58
PK	11.14024G	54.22	74.00	-19.78	12.21	3	Horizontal	27	2.45	42.01	38.58	8.21	34.58
PK	16.69576G	56.76	68.20	-11.44	13.72	3	Horizontal	9	1.50	43.04	38.30	9.93	34.51