


REV.LTR	DATE	UPDATE DESCRIPTION	REMARK	SIGN	APPROVER
		Initial released			
		Update from 1510-3DGB000			



* 請注意紫色為刀模線，非印刷內容。
Notes: Label purple frame outline is shown for reference only and is not to be printed.

SPEC		Roll type	Material Structure	TOLERANCE SPEC.		UNIT	SIZE	DESCRIPTION		
Material (Brand/Model No.): (ex.PET、PP、ART PAPER(Brand/Model No.))	AVERY M20328	Roll form packaging 包裝方式: 卷狀外翻	Material Made 	All Dimension	±0.20mm	MM	A3	Rating(Housing) Label		
Adhesive (Brand/Model No.): (ex.Acrylic(Brand/Model No.))	Acrylic(Embossed)	Outer diameter of the paper roll core: 3'(76.2mm) 紙張芯外直徑: 3'(76.2mm)		Edge distance邊距	±0.50mm	SCALE 1:1		MODEL NO.	PARTS NO.	
Coating (Brand/Model No.): (ex.PET、OPP(Brand/Model No.))	PETN25(A) NPL 8LK	Outer diameter of the paper roll: <8(203mm) 紙張卷外直徑: <8(203mm)		GAP distance跳距	±0.50mm			UCW4060MCS	1510-3E0L000	
Printable:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							DESIGNED	CHECKED	APPROVED
Printing color: (ex.Black 100%、Other)	Black 100%							Fanner	Jeacol	Sujing
Background color: (ex.White、Other)	White									
Packing method:	<input type="checkbox"/> Single page <input checked="" type="checkbox"/> Roll									
Safety certification:	<input checked="" type="checkbox"/> PDJ12 <input type="checkbox"/> PDGQ2 <input type="checkbox"/> NA									
Printing ribbon:	<input checked="" type="checkbox"/> high temperature ribbon <input type="checkbox"/> Low temperature ribbon <input type="checkbox"/> No									
Artwork version (File name / Released date)	20230801a									
		Notes								
		1. During OQC/IQC, the vendor/CM must inspect all critical items marked with a		5. Printing Tolerance is defined in the right column as the choose						
		2. 二色以上彩印(非純色): 需上/中/下限度樣本。Full color printing (excluding single color): Must provide color tolerance sample for customer/RD/PM/ IQC (light tolerance/color specimen/dark tolerance).		6. This part should not contain any substances which are specified in SPT-00001/PMQ-M0003, issued by PEGATRON.						
		3. 專色/純色: 提供色差儀色差報告, ΔE < 2, 或依客戶需求。Spot color/Single color: Must provide color report by Colorimeter, ΔE < 2 or define by customer.		7. 料件承認時, 須檢附原材廠商的原材規格書。Must attach the detail raw material data sheet when Approval.						
		4. 撥拭測試報告: 依客戶需求。Muse pass abrasion test. Define by customer.								

PEGATRON Corporation


MATERIAL: MY01(2.0 MIL WHITE GLOSS POLYESTER)	ROLL WITH: 2,500 EA	CORNER RADIUS: ESP
	ADHESIVE: PERMANENT	UL MODEL NO.: MY01
TOLERANCE LABEL DIMENSIONS: +/- 0.01"	CORE DIAMETER: 3.000"	UL FILE NO.: PGJ12.MH46664 & PGJ18.MH46664
TOLERANCE EDGE GAPS: +/- 0.039"		
ACROSS: 1		

SHELF LIFE: 2 years from the manufacturing date at 72°F (22°C) and 50% RH


NOTE: ALL DIMENSIONS ARE IN INCHES





UCW4060MCS
Housing Label



DESCRIPTION: LABEL 1.575" W X 1.772" L




Label Feed Direction



Part Number: **6333266A**

- [SPECIFICATION]
- 1.) Size: 40X45mm C*1=2.5 Tolerance: +/-0.15mm
 - 2.) Material: PET (Can meet PGJ12)
 - 3.) Color-Label: Blank
- Roll feed Print BARCODE
HSF (HAZARDOUS SUBSTANCES FREE) COMPLIANCE



Label zones / High gloss