



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.91	1.01	7.92	14.89	Complies
40	5200	7.06	1.01	8.07	14.89	Complies
48	5240	6.83	1.01	7.84	14.89	Complies



Date: 29_MAY.2019 09:52:50




Date: 29_MAY.2019 10:00:01




Date: 29_MAY.2019 10:02:56

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.86	1.01	7.87	14.89	Complies
40	5200	6.83	1.01	7.84	14.89	Complies
48	5240	6.68	1.01	7.69	14.89	Complies



Date: 29_MAY.2019 09:52:14



Date: 29_MAY.2019 09:58:10





Date: 29_MAY.2019 10:02:28

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.14	14.89	Complies
40	5200	14.16	14.89	Complies
48	5240	14.02	14.89	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.50	1.99	2.49	14.89	Complies
46	5230	0.90	1.99	2.89	14.89	Complies





Date: 20.MAY.2019 20:04:05

Date: 20.MAY.2019 20:13:42

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.34	1.99	6.33	14.89	Complies
46	5230	4.11	1.99	6.10	14.89	Complies




Date: 20.MAY.2019 20:07:57

Date: 20.MAY.2019 20:11:43


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.62	1.99	4.61	14.89	Complies
46	5230	2.43	1.99	4.42	14.89	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.34	1.99	4.33	14.89	Complies
46	5230	1.69	1.99	3.68	14.89	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.67	14.89	Complies
46	5230	10.46	14.89	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.56	3.48	-0.08	14.89	Complies



Date: 20.MAY.2019 20:34:12

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.66	3.48	4.14	14.89	Complies



Date: 20.MAY.2019 20:35:34

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.73	3.48	1.75	14.89	Complies



Date: 20.MAY.2019 20:36:15

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.22	3.48	2.26	14.89	Complies




Date: 20.MAY.2019 20:34:52

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.30	14.89	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.34	0.00	1.34	8.89	Complies
60	5300	1.31	0.00	1.31	8.89	Complies
64	5320	1.47	0.00	1.47	8.89	Complies



Date: 20.AUG.2019 19:50:43




Date: 20.AUG.2019 19:51:39




Date: 20.AUG.2019 19:52:00

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.96	0.00	3.96	8.89	Complies
60	5300	3.91	0.00	3.91	8.89	Complies
64	5320	3.82	0.00	3.82	8.89	Complies



Date: 20.AUG.2019 19:31:15




Date: 20.AUG.2019 19:31:44




Date: 20.AUG.2019 19:32:24

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.29	0.00	2.29	8.89	Complies
60	5300	2.25	0.00	2.25	8.89	Complies
64	5320	2.34	0.00	2.34	8.89	Complies



Date: 20.AUG.2019 19:34:30




Date: 20.AUG.2019 19:35:32




Date: 20.AUG.2019 19:36:14

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.39	0.00	2.39	8.89	Complies
60	5300	1.88	0.00	1.88	8.89	Complies
64	5320	1.92	0.00	1.92	8.89	Complies



Date: 20.AUG.2019 19:39:56



Date: 20.AUG.2019 19:45:10




Date: 20.AUG.2019 19:45:59

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.62	8.89	Complies
60	5300	8.47	8.89	Complies
64	5320	8.50	8.89	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.41	0.00	-0.41	8.89	Complies
62	5310	-0.13	0.00	-0.13	8.89	Complies




Date: 21.AUG.2019 14:43:12




Date: 21.AUG.2019 14:44:07

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.32	0.00	2.32	8.89	Complies
62	5310	2.20	0.00	2.20	8.89	Complies





Date: 21.AUG.2019 14:33:22



Date: 21.AUG.2019 14:34:04

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.70	0.00	0.70	8.89	Complies
62	5310	0.70	0.00	0.70	8.89	Complies





Date: 21.AUG.2019 14:36:19

Date: 21.AUG.2019 14:36:47

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.72	0.00	0.72	8.89	Complies
62	5310	0.45	0.00	0.45	8.89	Complies



Date: 21.AUG.2019 14:40:02

Date: 21.AUG.2019 14:40:43


Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.96	8.89	Complies
62	5310	6.91	8.89	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.92	0.16	-2.76	8.89	Complies

CH58




Date: 21.AUG.2019 14:47:25

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.40	0.16	-0.24	8.89	Complies


CH58



Date: 21.AUG.2019 14:52:30

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.19	0.16	-2.03	8.89	Complies



Date: 21.AUG.2019 14:51:07

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.23	0.16	-2.07	8.89	Complies




Date: 21.AUG.2019 14:49:12

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.35	8.89	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.52	0.00	1.52	8.89	Complies
116	5580	0.93	0.00	0.93	8.89	Complies
140	5700	0.93	0.00	0.93	8.89	Complies



Date: 20.AUG.2019 19:52:43




Date: 20.AUG.2019 19:53:15




Date: 20.AUG.2019 19:53:45

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.92	0.00	3.92	8.89	Complies
116	5580	3.20	0.00	3.20	8.89	Complies
140	5700	3.71	0.00	3.71	8.89	Complies



Date: 20.AUG.2019 19:32:51




Date: 20.AUG.2019 19:33:14




Date: 20.AUG.2019 19:33:43

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.20	0.00	2.20	8.89	Complies
116	5580	1.61	0.00	1.61	8.89	Complies
140	5700	2.18	0.00	2.18	8.89	Complies



Date: 20.AUG.2019 19:36:39




Date: 20.AUG.2019 19:37:17




Date: 20.AUG.2019 19:38:07

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.25	0.00	2.25	8.89	Complies
116	5580	1.57	0.00	1.57	8.89	Complies
140	5700	1.73	0.00	1.73	8.89	Complies



Date: 20.AUG.2019 19:46:58



Date: 20.AUG.2019 19:47:52






Date: 20.AUG.2019 19:49:25

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.59	8.89	Complies
116	5580	7.93	8.89	Complies
140	5700	8.28	8.89	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.84	0.00	0.84	8.89	Complies
110	5550	1.65	0.00	1.65	8.89	Complies
134	5670	1.62	0.00	1.62	8.89	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.14	0.00	3.14	8.89	Complies
110	5550	3.87	0.00	3.87	8.89	Complies
134	5670	3.74	0.00	3.74	8.89	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.52	0.00	1.52	8.89	Complies
110	5550	2.15	0.00	2.15	8.89	Complies
134	5670	2.53	0.00	2.53	8.89	Complies



Date: 21.AUG.2019 14:37:31




Date: 21.AUG.2019 14:38:05




Date: 21.AUG.2019 14:38:37

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.42	0.00	1.42	8.89	Complies
110	5550	2.41	0.00	2.41	8.89	Complies
134	5670	2.43	0.00	2.43	8.89	Complies



Date: 21.AUG.2019 14:41:29



Date: 21.AUG.2019 14:42:01



Date: 21.AUG.2019 14:42:26


Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.84	8.89	Complies
110	5550	8.62	8.89	Complies
134	5670	8.67	8.89	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.83	0.16	-1.67	8.89	Complies

CH106




Date: 21.AUG.2019 14:48:08

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.27	0.16	0.43	8.89	Complies


CH106



Date: 21.AUG.2019 14:53:01

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.72	0.16	-1.56	8.89	Complies



Date: 21.AUG.2019 14:51:42

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.28	0.16	-1.12	8.89	Complies




Date: 21.AUG.2019 14:50:08

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.12	8.89	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.08	1.01	8.09	27.89	Complies
157	5785	6.58	1.01	7.59	27.89	Complies
165	5825	5.99	1.01	7.00	27.89	Complies



Date: 29_MAY.2019 10:06:12




Date: 29_MAY.2019 10:10:08




Date: 29_MAY.2019 10:15:09

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.86	1.01	9.87	27.89	Complies
157	5785	8.62	1.01	9.63	27.89	Complies
165	5825	8.27	1.01	9.28	27.89	Complies



Date: 29_MAY.2019 10:07:26




Date: 29_MAY.2019 10:12:31




Date: 29_MAY.2019 10:16:07

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.01	1.01	9.02	27.89	Complies
157	5785	7.62	1.01	8.63	27.89	Complies
165	5825	7.58	1.01	8.59	27.89	Complies



Date: 29_MAY.2019 10:06:57




Date: 29_MAY.2019 10:11:53




Date: 29_MAY.2019 10:15:44

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.48	1.01	8.49	27.89	Complies
157	5785	7.11	1.01	8.12	27.89	Complies
165	5825	6.64	1.01	7.65	27.89	Complies



Date: 29_MAY.2019 10:05:30



Date: 29_MAY.2019 10:11:04



Date: 29_MAY.2019 10:14:25


Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.94	27.89	Complies
157	5785	14.58	27.89	Complies
165	5825	14.24	27.89	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.35	1.99	4.34	27.89	Complies
159	5795	2.04	1.99	4.03	27.89	Complies

CH151



Date: 29.MAY.2019 10:19:18

CH159




Date: 29.MAY.2019 10:22:31

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.29	1.99	6.28	27.89	Complies
159	5795	4.16	1.99	6.15	27.89	Complies

CH151



Date: 29.MAY.2019 10:20:41



CH159



Date: 29.MAY.2019 10:23:21

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.71	1.99	5.70	27.89	Complies
159	5795	3.36	1.99	5.35	27.89	Complies





Date: 29.MAY.2019 10:20:12

Date: 29.MAY.2019 10:23:01

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.74	1.99	4.73	27.89	Complies
159	5795	2.63	1.99	4.62	27.89	Complies



Date: 29.MAY.2019 10:19:44

Date: 29.MAY.2019 10:22:11


Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.35	27.89	Complies
159	5795	11.13	27.89	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.71	3.48	1.77	27.89	Complies

CH155




Date: 29.MAY.2019 10:25:38

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.46	3.48	3.94	27.89	Complies


CH155



Date: 29.MAY.2019 10:27:45

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.46	3.48	3.02	27.89	Complies



Date: 29.MAY.2019 10:27:17

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.97	3.48	2.51	27.89	Complies



Date: 29.MAY.2019 10:26:19

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.91	27.89	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9999
120	5180.0150
108	5180.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8982

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0000
10	5180.0000
20	5179.9999
30	5180.0000
40	5179.9999
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0241

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9750
120	5259.9750
108	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7505

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9597
10	5260.0000
20	5259.9750
30	5259.9950
40	5259.9950
Maximum Deviation (MHz)	0.0403
Maximum Deviation (ppm)	7.6663

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9750
120	5499.9597
108	5499.9599
Maximum Deviation (MHz)	0.0403
Maximum Deviation (ppm)	7.3318

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9799
10	5499.9600
20	5499.9800
30	5499.9599
40	5499.9902
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.2932

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0000
120	5744.9999
108	5744.9999
Maximum Deviation (MHz)	0.0001
Maximum Deviation (ppm)	0.0196

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9999
10	5744.9999
20	5745.0000
30	5745.0150
40	5745.0000
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.6131

End of Test Report