

## **TEST FACILITY AND EQUIPMENT LIST**

### FACILITIES:

Radiated: ANSI C63.4 (FCC OET/55) open field 3 metre test range. This test range is protected from the cold and moisture by a non-conductive enclosure.

Conducted: 2.5m Anechoic Chamber

### EQUIPMENT

Anritsu 2601A Spectrum Analyzer  
Advantest R3261A Spectrum Analyzer  
Hewlett-Packard RF generator # 8640 B with an 002 doubler  
A.H. Systems biconical antenna; ..... 20 MHz to 330 MHz  
A.H. Systems log periodic antenna; ..... 300 MHz to 1.8 GHz  
Eaton dipole antennas; T1, T2, T3 ..... 25 MHz to 1.0 GHz  
Roberts dipole antennas; T1, T2, T3 & T4 25 MHz to 1.0 GHz  
Compliance Design P950 Preamp (16 dB) ... 25 MHz to 1.0 GHz

### NOTE:

The Anritsu 2601A Spectrum Analyzer and the Advantest R3261A Spectrum Analyzer are calibrated annually, and that calibration is directly traceable to the National Research Council of Canada. (NRC)  
This equipment is only used by qualified technicians and only for the purpose of EMI measurements.  
The three metre test range has been carefully evaluated to the ANSI document C63.4 and will be remeasured for reflections and losses every three years.

**ADDITIONAL TEST EQUIPMENT LIST**

1. Spectrum Analyzer: HP 8591EM, S/N 3639A00995, Calibrated April 2003
2. Spectrum Analyzer: ANRITSU 2601A, S/N MT64544, Calibrated June 2003
3. Spectrum Analyzer: IFR AN940, S/N 635001039, Calibrated March 2003
4. Preamp: HP 8449B, S/N 3008A00378, Calibrated August 2002
5. Horn Antenna: Q-PAR 6878/24, S/N 1721, 1.5-18GHz
6. Line Impedance Stabilization Network.: Marstech, Cal. July 2003

THU, OCT-05-00 11:13AM

COM-SERVE

519 748 0155

P.01

FEDERAL COMMUNICATIONS COMMISSION

Laboratory Division  
7435 Oakland Mills Road  
Columbia, MD. 21046

September 20, 2000

Electrohome Electronics Ltd.  
809 Wellington St. N.  
Kitchener, Ontario N2G 4J6  
Canada  
Attention: Gerry Gallagher

Registration Number: 90578


Re: Measurement facility located at Roseville  
3 meter-site  
Date of Listing: September 20, 2000

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for Certification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years from the date of listing the data on file must be certified as current.

If requested, the above mentioned facility has been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list of such public test facilities is available on the Internet on the FCC Website at [WWW.FCC.GOV](http://WWW.FCC.GOV), E-Filing, OET Equipment Authorization Electronic Filing.

Sincerely,



Thomas W Phillips  
Electronics Engineer