


[illegible]

TER.


1. ALL REGISTERS ARE SMD 0603 UNLESS SPECIFIED, VALUE 0.0MM
2. ALL CHIP CAP ARE SMD 0603 UNLESS SPECIFIED
3. THE UNIT IS F
4. ALL DIODES ARE 1W018 UNLESS SPECIFIED
5. ALL RESISTORS ARE 1% UNLESS SPECIFIED
6. ALL PCB ARE 1.6MM THICK
7. ALL PCB ARE 1.6MM THICK
8. ALL PCB ARE 1.6MM THICK
9. ALL PCB ARE 1.6MM THICK
10. ALL PCB ARE 1.6MM THICK
11. ALL PCB ARE 1.6MM THICK
12. ALL PCB ARE 1.6MM THICK
13. ALL PCB ARE 1.6MM THICK
14. ALL PCB ARE 1.6MM THICK
15. ALL PCB ARE 1.6MM THICK
16. ALL PCB ARE 1.6MM THICK
17. ALL PCB ARE 1.6MM THICK
18. ALL PCB ARE 1.6MM THICK
19. ALL PCB ARE 1.6MM THICK
20. ALL PCB ARE 1.6MM THICK
21. ALL PCB ARE 1.6MM THICK
22. ALL PCB ARE 1.6MM THICK
23. ALL PCB ARE 1.6MM THICK
24. ALL PCB ARE 1.6MM THICK
25. ALL PCB ARE 1.6MM THICK
26. ALL PCB ARE 1.6MM THICK
27. ALL PCB ARE 1.6MM THICK
28. ALL PCB ARE 1.6MM THICK
29. ALL PCB ARE 1.6MM THICK
30. ALL PCB ARE 1.6MM THICK
31. ALL PCB ARE 1.6MM THICK
32. ALL PCB ARE 1.6MM THICK
33. ALL PCB ARE 1.6MM THICK
34. ALL PCB ARE 1.6MM THICK
35. ALL PCB ARE 1.6MM THICK
36. ALL PCB ARE 1.6MM THICK
37. ALL PCB ARE 1.6MM THICK
38. ALL PCB ARE 1.6MM THICK
39. ALL PCB ARE 1.6MM THICK
40. ALL PCB ARE 1.6MM THICK
41. ALL PCB ARE 1.6MM THICK
42. ALL PCB ARE 1.6MM THICK
43. ALL PCB ARE 1.6MM THICK
44. ALL PCB ARE 1.6MM THICK
45. ALL PCB ARE 1.6MM THICK
46. ALL PCB ARE 1.6MM THICK
47. ALL PCB ARE 1.6MM THICK
48. ALL PCB ARE 1.6MM THICK
49. ALL PCB ARE 1.6MM THICK
50. ALL PCB ARE 1.6MM THICK
51. ALL PCB ARE 1.6MM THICK
52. ALL PCB ARE 1.6MM THICK
53. ALL PCB ARE 1.6MM THICK
54. ALL PCB ARE 1.6MM THICK
55. ALL PCB ARE 1.6MM THICK
56. ALL PCB ARE 1.6MM THICK
57. ALL PCB ARE 1.6MM THICK
58. ALL PCB ARE 1.6MM THICK
59. ALL PCB ARE 1.6MM THICK
60. ALL PCB ARE 1.6MM THICK
61. ALL PCB ARE 1.6MM THICK
62. ALL PCB ARE 1.6MM THICK
63. ALL PCB ARE 1.6MM THICK
64. ALL PCB ARE 1.6MM THICK
65. ALL PCB ARE 1.6MM THICK
66. ALL PCB ARE 1.6MM THICK
67. ALL PCB ARE 1.6MM THICK
68. ALL PCB ARE 1.6MM THICK
69. ALL PCB ARE 1.6MM THICK
70. ALL PCB ARE 1.6MM THICK
71. ALL PCB ARE 1.6MM THICK
72. ALL PCB ARE 1.6MM THICK
73. ALL PCB ARE 1.6MM THICK
74. ALL PCB ARE 1.6MM THICK
75. ALL PCB ARE 1.6MM THICK
76. ALL PCB ARE 1.6MM THICK
77. ALL PCB ARE 1.6MM THICK
78. ALL PCB ARE 1.6MM THICK
79. ALL PCB ARE 1.6MM THICK
80. ALL PCB ARE 1.6MM THICK
81. ALL PCB ARE 1.6MM THICK
82. ALL PCB ARE 1.6MM THICK
83. ALL PCB ARE 1.6MM THICK
84. ALL PCB ARE 1.6MM THICK
85. ALL PCB ARE 1.6MM THICK
86. ALL PCB ARE 1.6MM THICK
87. ALL PCB ARE 1.6MM THICK
88. ALL PCB ARE 1.6MM THICK
89. ALL PCB ARE 1.6MM THICK
90. ALL PCB ARE 1.6MM THICK
91. ALL PCB ARE 1.6MM THICK
92. ALL PCB ARE 1.6MM THICK
93. ALL PCB ARE 1.6MM THICK
94. ALL PCB ARE 1.6MM THICK
95. ALL PCB ARE 1.6MM THICK
96. ALL PCB ARE 1.6MM THICK
97. ALL PCB ARE 1.6MM THICK
98. ALL PCB ARE 1.6MM THICK
99. ALL PCB ARE 1.6MM THICK
100. ALL PCB ARE 1.6MM THICK

COMPANY:	CCT TECH GROUP		TITLE	USA/CAN 40CH CORDLESS PHONE COCW. TAM CORDED SPEAKERPHONE (BASE Tel. Line)
	DESIGN BY:	LAW MAN MI	SHEET:	1 of 1
	CHECKED BY:	IVAN SO	DATE:	11/11/88
	APPROVED BY:	IVAN SO	DATE:	11/11/88



CCT TECH GROUP			
DRAWN BY:	LAW MAN MI	TITLE:	USA/CAN MOBILE CORDLESS PHONE CIRCUIT BOARD
CHECKED BY:	IVAN SO	DATE:	13 MAR 2002
APPROVED BY:	IVAN SO	REV:	01
FILE NAME:	7958A-0228	SHEET:	2 OF 8


KEY BOARD (27958)



CN2 FROM KEYBOARD TO LCD BOARD

CN1 FROM KEY BOARD TO MAIN BOARD

LCD BOARD (27958)



CN3 FROM LCD BOARD TO KEYBOARD

COMPANY:

CCT TECH GROUP

DATE: 23 NOV 2003

SHEET: 3 OF 8

CORDLESS PHONE WITH
CLOCK, TALK, RECORD,
SPEAKERPHONE (BASE, LCD/KEY)


DATE: 23 NOV 2003

SHEET: 3 OF 8

FILE NAME: 27958A1SCH

NOTES:

1. ALL RESISTOR ARE 500 OHM UNLESS SPECIFIED VALUE
2. ALL CAP. CAP. ARE 500 OHM UNLESS SPECIFIED
3. ALL CAP. CAP. ARE 500 OHM UNLESS SPECIFIED
4. PTE. ADJ. IN PRODUCTION
5. MARK FOR SAFETY COMPONENT -- A
6. R.M. NOT IMPLEMENT
7. COMPONENT VALUE TO BE ADJUSTED TO MEET SPEC



CONTENT	MODEL: 27958	TITLE: CCT TELECOM (R & D) LTD
	DATE: 23 NOV. 2002	
	DRAWN BY: LAM MAN MI	7958A TAD
	CHECKED BY: IVAN SO	REV: 08
	APPROVED BY: IVAN SO	DRAWING NO: 585-7958A-00408
	FILE NAME: 7958TAD	SHEET: 4 OF 8

