

MODEL:28871AALUSSRCG  
Customer Model:28871FE2-A  
TITLE:PACKING S/NO LABEL

|                         |          |              |     |
|-------------------------|----------|--------------|-----|
| GIANT N.T( )GTENG DEPT. |          |              |     |
| DOCUMENT NO.            |          | ENG-28871-09 |     |
| REV.#                   | B        | PAGE NO.     | 2/9 |
| PREP.BY                 | Mary lee |              |     |
| APPR.BY                 |          |              |     |



S/N LABEL  
Size: 56X15MM

Stock: Permanent pressure sensitive  
white label(mirror coated)

S/N LABEL  
Size: 56X15MM

Barcode Format: code 39  
Barcode content: Model no. + date code

### Date code format:

D=Day of week(E.g.: 1=Mon, 2=Tue 3=Wed, 4=Thu, etc.)

Y=last digital of year(E.g.: 5=2005, 6=2006, etc.)

WW=Fiscal week(E.g.:01=week 1, 02=Week 2, etc.)

WT=Factory ID(E.g.:WT=Wisetronics. GF= FY Giant)

### Serial number format:

E. g S/NO 70000001

Year manufacturer ( 7=2007 ) Line number (0000001-9999999)  
Repeating instrument

Line number(0000001-9999999)

a> For new model or new version letter, the serial number starts wit 0000001.

E.g.: Model 2-6920A last unit S/No 50333336

Model 2-6920B first unit S/No 50000001

b> For existing model, serial number will continue from where it stopped  
with exception that the first digit changed to represent the last digit of  
the year.

E.g.: In 2005 last unit S/No 50333336

In 2006 first unit S/No 60333337

Note: Serial number shall be 8 digital running sequentially (zero filled where necessary).  
No two units from the same product shall bear identical serial number.

### Barcode Content

Start/stop codes will not be included in barcode.

Barcode shall contain Model Number, Version Letter, Date Code and Factory ID Code.

Serial Number will **not** be inclrded in barcode,

Spaces and other field delimiters should **not** be included into barcode data string.


Barcode format: code 39

all alpha-number characters printed on label to be at least 1.9mm(0.075in.) In  
height. All alphabets shall be printed upper-case.

MODEL:28871AALUSSRCG  
Customer Model:28871FE2-A  
TITLE:PACKING INFORMATION FOR HANDSET LABEL

|                         |          |               |     |
|-------------------------|----------|---------------|-----|
| GIANT N.T( )GTENG DEPT. |          |               |     |
| DOCUMENT NO.            |          | ENG-28871- 09 |     |
| REV.#                   | B        | PAGE NO.      | 4/9 |
| PREP.BY                 | Mary lee |               |     |
| APPR.BY                 |          |               |     |

H/S back




Model:28871FE2-A  
S/N:7 0000001

HS Label  
P/N:KEM-PK28611  
SIZE 25X8mm  
USE BLANK LABEL PRINTING  
P/N :KEM -PK18460-99

ENGRAVE  
MARKING

H/S bottom



Batteries were separate  
wrapped with one polybag



\*Photo direction

Battery door and batteries  
were wrapped with  
one polybag



\*Photo direction




1:1

## PRIOR TO USE

### CONNECT BATTERY AND INSTALL COVER

PRESS DOWN  
FIRMLY



### CHARGE FOR 14 HOURS

XXXXXXXX (rev. 00)

Checked by our electron team


Bttery sheet

XXXXXXXX (rev. 0)

Pls provide the No. of battery prior to use sheet

MODEL:28871AALUSSRCG  
Customer Model:28871FE2-A  
TITLE:PACKING INFORMATION FOR BASE LABEL


|                         |          |               |     |
|-------------------------|----------|---------------|-----|
| GIANT N.T( )GTENG DEPT. |          |               |     |
| DOCUMENT NO.            |          | ENG-28871- 09 |     |
| REV.#                   | B        | PAGE NO.      | 5/9 |
| PREP.BY                 | Mary lee |               |     |
| APPR.BY                 |          |               |     |



MODEL:28871AALUSSRCG  
Customer Model:28871FE2-A  
TITLE:PACKING INFORMATION FORCHARGER LABEL


|                         |          |              |     |
|-------------------------|----------|--------------|-----|
| GIANT N.T( )GTENG DEPT. |          |              |     |
| DOCUMENT NO.            |          | ENG-28871-09 |     |
| REV.#                   | B        | PAGE NO.     | 6/8 |
| PREP.BY                 | Mary lee |              |     |
| APPR.BY                 |          |              |     |

Charger back



ENGRAVE MARKING  
checked by our mech team

Charger bottom



S/N LABEL  
SIZE: W56H15mm

MODEL:28861AALUSSRCG  
Customer Model:28861FE2-A  
TITLE:PACKING S/NO LABEL

|                         |          |                |     |
|-------------------------|----------|----------------|-----|
| GIANT N.T( )GTENG DEPT. |          |                |     |
| DOCUMENT NO.            |          | ENG- 28861- 09 |     |
| REV.#                   | B        | PAGE NO.       | 2/9 |
| PREP.BY                 | Mary lee |                |     |
| APPR.BY                 |          |                |     |



S/N LABEL  
Size: 56X15MM

Stock: Permanent pressure sensitive  
white label(mirror coated)

S/N LABEL  
SIZE: 50 X 15 MM

Barcode Format: code 39  
Barcode content: Model no. + date code

### Date code format:

D=Day of week(E.g.: 1=Mon, 2=Tue 3=Wed, 4=Thu, etc.)

Y=last digital of year(E.g.: 5=2005, 6=2006, etc.)

WW=Fiscal week(E.g.:01=week 1, 02=Week 2, etc.)

WT=Factory ID(E.g.:WT=Wisetronics. GF= FY Giant)

### Serial number format:

E. g S/NO 70000001

Year manufacturer ( 7=2007 )      Line number (0000001-9999999)  
Repeating instrument

Line number(0000001-9999999)

a> For new model or new version letter, the serial number starts with 0000001.

E.g.: Model 2-6920A last unit S/No 50333336

Model 2-6920B first unit S/No 50000001

b> For existing model, serial number will continue from where it stopped with exception that the first digit changed to represent the last digit of the year.

E.g.: In 2005 last unit S/No 50333336

In 2006 first unit S/No 60333337

Note: Serial number shall be 8 digital running sequentially (zero filled where necessary).  
No two units from the same product shall bear identical serial number.

### Barcode Content

Start/stop codes will not be included in barcode.

Barcode shall contain Model Number, Version Letter, Date Code and Factory ID Code.

Serial Number will **not** be included in barcode,

Spaces and other field delimiters should **not** be included into barcode data string.


Barcode format: code 39

all alpha-number characters printed on label to be at least 1.9mm(0.075in.) In height. All alphabets shall be printed upper-case.

MODEL:28861AALUSSRCG  
Customer Model:28861FE2-A  
TITLE:PACKING INFORMATION FOR HANDSET LABEL

|                         |          |               |      |
|-------------------------|----------|---------------|------|
| GIANT N.T( )GTENG DEPT. |          |               |      |
| DOCUMENT NO.            |          | ENG-28861- 09 |      |
| REV.#                   | B        | PAGE NO.      | 4 /9 |
| PREP.BY                 | Mary lee |               |      |
| APPR.BY                 |          |               |      |

H/S back




Model:28861FE2-A  
S/N:7 0000001

HS Label  
P/N:KEM-PK28611  
SIZE 25X8mm  
USE BLANK LABEL PRINTING  
P / N :KEM -PK18460-99

ENGRAVE  
MARKING

H/S bottom



Batteries were separate  
wrapped with one polybag



\*Photo direction




Battery door and batteries  
were wrapped with  
one polybag



\*Photo direction



1:1



Checked by our electron team



Bttery sheet





XXXXXXXX (rev. 0)

Pls provide the No. of prior to use sheet

MODEL:28861AALUSSRCG  
Customer Model:28861FE2-A  
TITLE:PACKING INFORMATION FOR BASE LABEL

|                         |          |               |     |
|-------------------------|----------|---------------|-----|
| GIANT N.T( )GTENG DEPT. |          |               |     |
| DOCUMENT NO.            |          | ENG-28861 -09 |     |
| REV.#                   | B        | PAGE NO.      | 5/9 |
| PREP.BY                 | Mary lee |               |     |
| APPR.BY                 |          |               |     |




Sensormatic security tag inside base rear cabin  
P/N:KEM-PK5967-01

MODEL:28861AALUSSRCG  
Customer Model:28861FE2-A  
TITLE:PACKING INFORMATION FORCHARGER LABEL


|                         |          |              |     |
|-------------------------|----------|--------------|-----|
| GIANT N.T( )GTENG DEPT. |          |              |     |
| DOCUMENT NO.            |          | ENG-28861-09 |     |
| REV.#                   | B        | PAGE NO.     | 6/8 |
| PREP.BY                 | Mary lee |              |     |
| APPR.BY                 |          |              |     |

Charger back



ENGRAVE MARKING  
checked by our mech team

Charger bottom



S/N LABEL  
SIZE : W56H15mm