



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Smart phone

Test Model: Smooth Note 6.8

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
Supervised by:	Li Huan








A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.023	0	Pass
NVNT	1-DH5	2441	Ant1	0.942	0	Pass
NVNT	1-DH5	2480	Ant1	0.953	0	Pass
NVNT	2-DH5	2402	Ant1	1.285	0	Pass
NVNT	2-DH5	2441	Ant1	1.285	0	Pass
NVNT	2-DH5	2480	Ant1	1.284	0	Pass
NVNT	3-DH5	2402	Ant1	1.298	0	Pass
NVNT	3-DH5	2441	Ant1	1.298	0	Pass
NVNT	3-DH5	2480	Ant1	1.296	0	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity







A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.68	0	-1.68	21	Pass
NVNT	1-DH5	2441	Ant1	-0.59	0	-0.59	21	Pass
NVNT	1-DH5	2480	Ant1	-2.11	0	-2.11	21	Pass
NVNT	2-DH5	2402	Ant1	0.47	0	0.47	21	Pass
NVNT	2-DH5	2441	Ant1	1.28	0	1.28	21	Pass
NVNT	2-DH5	2480	Ant1	-0.32	0	-0.32	21	Pass
NVNT	3-DH5	2402	Ant1	0.9	0	0.9	21	Pass
NVNT	3-DH5	2441	Ant1	1.64	0	1.64	21	Pass
NVNT	3-DH5	2480	Ant1	0.01	0	0.01	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1







Power NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2441.012	2441.836	0.824	0.628	Pass
NVNT	2-DH5	Ant1	2440.864	2441.868	1.004	0.857	Pass
NVNT	3-DH5	Ant1	2441.004	2442.04	1.036	0.865	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

CFS NVNT 1-DH5 2441MHz Ant1




CFS NVNT 2-DH5 2441MHz Ant1







CFS NVNT 3-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2441	Ant1	2.91	314.28	108	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.882	319.902	111	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.885	305.81	106	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2441MHz Ant1 One Burst




Dwell NVNT 1-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2441MHz Ant1 One Burst




Dwell NVNT 2-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2441MHz Ant1 One Burst



Dwell NVNT 3-DH5 2441MHz Ant1 Accumulated







A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Hopping No. NVNT 1-DH5 2441MHz Ant1




Hopping No. NVNT 2-DH5 2441MHz Ant1







Hopping No. NVNT 3-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.09	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.5	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-49.8	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.73	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-49.28	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.96	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission







(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.23	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.52	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.98	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.03	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.67	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.96	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission







A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.44	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.01	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.12	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.56	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.55	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.35	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.72	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.88	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.69	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.3	2	45.96	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.65	2	36.61	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2356.848	-46.61	2	50.65	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.392	-60.13	2	37.13	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.36	2	46.9	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.25	2	37.01	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.81	2	47.45	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.75	2	37.51	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.77	-47.77	2	49.49	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.362	-59.65	2	37.61	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.7	2	46.56	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-59.85	2	37.41	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-52.1	2	45.16	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.59	2	36.67	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2353.424	-47.91	2	49.35	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2386.708	-60.07	2	37.19	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.51	2	46.75	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.32	2	36.94	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.41	2	47.85	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.81	2	38.45	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2491.762	-47.61	2	49.65	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2488.506	-53.01	2	44.25	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.87	2	47.39	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.95	2	37.31	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50	2	47.26	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.49	2	36.77	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2380.242	-47.07	2	50.19	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2382.786	-60.16	2	37.1	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.09	2	49.17	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.21	2	37.05	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-45.15	2	52.11	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.68	2	38.58	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.548	-45.15	2	52.11	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.548	-58.68	2	38.58	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.38	2	46.88	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.94	2	37.32	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

