



XC-101

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.557 mW/g, SAR (10g): 0.355 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.17 dB
Comment:
MODEL : XC-101
Single Mode CDMA Phone
Test Position: Tilt 15 ° / Right / Antenna: Fixed
Mode: CDMA / Channel: 363 (835.89MHz)
Conducted Power: 24.5 dBm
Liquid Temperature: 21.7 °C
Date Tested : January 26, 2004



XC-101

SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
 $\text{mho/m } \epsilon_r = 42.7$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7; SAR (1g): 1.10 mW/g, SAR (10g): 0.672 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
MODEL : XC-101
Single Mode CDMA Phone
Test Position: Right Tilt 15° / Antenna: Fixed
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 24.5 dBm
Liquid Temperature: 21.7 °C
Date Tested : January 26, 2004



XC-101 (Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.231 mW/g, SAR (10g): 0.163 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.09 dB

Comment:

MODEL : XC-101

Single Mode CDMA Phone


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel: 1013 (824.70 MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004



XC-101 (Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.223 mW/g, SAR (10g): 0.157 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.01 dB

Comment:

MODEL : XC-101

Single Mode CDMA Phone


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004



XC-101 (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.232 mW/g, SAR (10g): 0.163 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.09 dB

Comment:

MODEL : XC-101

Single Mode CDMA Phone


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel: 777 (848.31 MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004




XC-101

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.01 mW/g, SAR (10g): 0.692 mW/g
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

MODEL : XC-101
Single Mode CDMA Phone
Test Position: Left / touch / Antenna: Fixed
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 24.5 dBm
Liquid Temperature: 21.7 °C
Date Tested : January 26, 2004



XC-101

SAM I Phantom; Right Hand (CRP) Section; Position: (90°,59°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
 $\text{mho/m } \epsilon_r = 42.7$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.01 mW/g, SAR (10g): 0.705 mW/g
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

MODEL : XC-101

Single Mode CDMA Phone


Test Position: Right / touch / Antenna: Fixed

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004




XC-101

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.26 mW/g, SAR (10g): 0.736 mW/g
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

MODEL : XC-101
Single Mode CDMA Phone
Test Position: Tilt 15 ° / left / Antenna: Fixed
Mode: CDMA / Channel: 777 (848.89MHz)
Conducted Power: 24.5 dBm
Liquid Temperature: 21.7 °C
Date Tested : January 26, 2004



XC-101

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,59°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.88$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.10 mW/g, SAR (10g): 0.672 mW/g
Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

MODEL : XC-101

Single Mode CDMA Phone


Test Position: Right Tilt 15° / Antenna: Fixed

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004



XC-101 (Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.232 mW/g, SAR (10g): 0.163 mW/g

Cube 5x5x7: Dx = 8.0, Dy = 8.0, Dz = 5.0

Comment:

MODEL : XC-101

Single Mode CDMA Phone

Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel: 777 (848.31 MHz)

Conducted Power: 24.5 dBm

Liquid Temperature: 21.7 °C

Date Tested : January 26, 2004

