




ANT 6+4

Part 27Q Mode 25


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-43.88	RMS	36.00	-21.30	0.90	-95.23	35.75	-13.00	-30.88	Horizontal
2	10385.00	-38.45	RMS	39.03	-18.30	0.25	-95.23	35.80	-13.00	-25.45	Horizontal
3	13847.00	-33.18	RMS	40.40	-13.20	0.45	-95.23	34.40	-13.00	-20.18	Horizontal
4	20770.00	-68.30	RMS	37.86	-30.18	-9.54	-95.23	28.79	-13.00	-55.30	Horizontal
5	24232.00	-66.72	RMS	38.60	-27.65	-9.54	-95.23	27.10	-13.00	-53.72	Horizontal
6	27694.00	-61.53	RMS	39.69	-25.04	-9.54	-95.23	28.59	-13.00	-48.53	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.02	RMS	36.00	-21.30	0.90	-95.23	35.61	-13.00	-31.02	Vertical
2	10385.00	-36.18	RMS	39.03	-18.30	0.25	-95.23	38.07	-13.00	-23.18	Vertical
3	13847.00	-33.18	RMS	40.40	-13.20	0.45	-95.23	34.40	-13.00	-20.18	Vertical
4	20770.00	-68.04	RMS	37.86	-30.18	-9.54	-95.23	29.05	-13.00	-55.04	Vertical
5	24232.00	-66.66	RMS	38.60	-27.65	-9.54	-95.23	27.16	-13.00	-53.66	Vertical
6	27694.00	-61.47	RMS	39.69	-25.04	-9.54	-95.23	28.65	-13.00	-48.47	Vertical




ANT 6+2

Part 27Q Mode 26


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 6903.00	-42.93	RMS	36.00	-21.31	0.90	-95.23	36.71	-13.00	-29.93	Horizontal
2 10355.00	-38.64	RMS	39.09	-18.31	0.25	-95.23	35.56	-13.00	-25.64	Horizontal
3 13807.00	-32.95	RMS	40.40	-13.14	0.45	-95.23	34.57	-13.00	-19.95	Horizontal
4 20710.00	-67.66	RMS	37.98	-30.14	-9.54	-95.23	29.27	-13.00	-54.66	Horizontal
5 24162.00	-65.89	RMS	38.68	-27.76	-9.54	-95.23	27.96	-13.00	-52.89	Horizontal
6 27614.00	-61.96	RMS	39.74	-24.91	-9.54	-95.23	27.98	-13.00	-48.96	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 6903.00	-44.28	RMS	36.00	-21.31	0.90	-95.23	35.36	-13.00	-31.28	Vertical
2 10355.00	-34.68	RMS	39.09	-18.31	0.25	-95.23	39.52	-13.00	-21.68	Vertical
3 13807.00	-32.94	RMS	40.40	-13.14	0.45	-95.23	34.58	-13.00	-19.94	Vertical
4 20710.00	-63.08	RMS	37.98	-30.14	-9.54	-95.23	33.85	-13.00	-50.08	Vertical
5 24162.00	-65.91	RMS	38.68	-27.76	-9.54	-95.23	27.94	-13.00	-52.91	Vertical
6 27614.00	-61.64	RMS	39.74	-24.91	-9.54	-95.23	28.30	-13.00	-48.64	Vertical




ANT 6+2

Part 27Q Mode 26


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.08 RMS	36.00	-21.31	0.90	-95.23	35.56	-13.00	-31.08	Horizontal
2	10370.00	-38.51 RMS	39.06	-18.31	0.25	-95.23	35.72	-13.00	-25.51	Horizontal
3	13827.00	-32.81 RMS	40.40	-13.17	0.45	-95.23	34.74	-13.00	-19.81	Horizontal
4	20740.00	-67.22 RMS	37.92	-30.16	-9.54	-95.23	29.79	-13.00	-54.22	Horizontal
5	24197.00	-65.15 RMS	38.61	-27.71	-9.54	-95.23	28.72	-13.00	-52.15	Horizontal
6	27654.00	-61.91 RMS	39.61	-24.97	-9.54	-95.23	28.22	-13.00	-48.91	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.17 RMS	36.00	-21.31	0.90	-95.23	35.47	-13.00	-31.17	Vertical
2	10370.00	-34.80 RMS	39.06	-18.31	0.25	-95.23	39.43	-13.00	-21.80	Vertical
3	13827.00	-33.14 RMS	40.40	-13.17	0.45	-95.23	34.41	-13.00	-20.14	Vertical
4	20740.00	-67.17 RMS	37.92	-30.16	-9.54	-95.23	29.84	-13.00	-54.17	Vertical
5	24197.00	-65.40 RMS	38.61	-27.71	-9.54	-95.23	28.47	-13.00	-52.40	Vertical
6	27654.00	-61.98 RMS	39.61	-24.97	-9.54	-95.23	28.15	-13.00	-48.98	Vertical




ANT 6+2

Part 27Q Mode 26


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 6923.00	-44.23	RMS	36.00	-21.30	0.90	-95.23	35.40	-13.00	-31.23	Horizontal
2 10385.00	-38.46	RMS	39.03	-18.30	0.25	-95.23	35.79	-13.00	-25.46	Horizontal
3 13847.00	-33.00	RMS	40.40	-13.20	0.45	-95.23	34.58	-13.00	-20.00	Horizontal
4 20770.00	-67.75	RMS	37.86	-30.18	-9.54	-95.23	29.34	-13.00	-54.75	Horizontal
5 24232.00	-65.77	RMS	38.60	-27.65	-9.54	-95.23	28.05	-13.00	-52.77	Horizontal
6 27694.00	-61.05	RMS	39.69	-25.04	-9.54	-95.23	29.07	-13.00	-48.05	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 6923.00	-43.74	RMS	36.00	-21.30	0.90	-95.23	35.89	-13.00	-30.74	Vertical
2 10385.00	-38.50	RMS	39.03	-18.30	0.25	-95.23	35.75	-13.00	-25.50	Vertical
3 13847.00	-33.03	RMS	40.40	-13.20	0.45	-95.23	34.55	-13.00	-20.03	Vertical
4 20770.00	-67.92	RMS	37.86	-30.18	-9.54	-95.23	29.17	-13.00	-54.92	Vertical
5 24232.00	-65.92	RMS	38.60	-27.65	-9.54	-95.23	27.90	-13.00	-52.92	Vertical
6 27694.00	-61.55	RMS	39.69	-25.04	-9.54	-95.23	28.57	-13.00	-48.55	Vertical




ANT 4

Part 27Q Mode 20


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 6903.00	-44.55	RMS	36.00	-21.31	0.90	-95.23	35.09	-13.00	-31.55	Horizontal
2 10355.00	-38.83	RMS	39.09	-18.31	0.25	-95.23	35.37	-13.00	-25.83	Horizontal
3 13807.00	-33.39	RMS	40.40	-13.14	0.45	-95.23	34.13	-13.00	-20.39	Horizontal
4 20710.00	-68.17	RMS	37.98	-30.14	-9.54	-95.23	28.76	-13.00	-55.17	Horizontal
5 24162.00	-66.02	RMS	38.68	-27.76	-9.54	-95.23	27.83	-13.00	-53.02	Horizontal
6 27614.00	-61.72	RMS	39.74	-24.91	-9.54	-95.23	28.22	-13.00	-48.72	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 6903.00	-45.02	RMS	36.00	-21.31	0.90	-95.23	34.62	-13.00	-32.02	Vertical
2 10355.00	-38.86	RMS	39.09	-18.31	0.25	-95.23	35.34	-13.00	-25.86	Vertical
3 13807.00	-33.32	RMS	40.40	-13.14	0.45	-95.23	34.20	-13.00	-20.32	Vertical
4 20710.00	-66.78	RMS	37.98	-30.14	-9.54	-95.23	30.15	-13.00	-53.78	Vertical
5 24162.00	-66.24	RMS	38.68	-27.76	-9.54	-95.23	27.61	-13.00	-53.24	Vertical
6 27614.00	-61.69	RMS	39.74	-24.91	-9.54	-95.23	28.25	-13.00	-48.69	Vertical




ANT 4

Part 27Q Mode 20


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.48	RMS	36.00	-21.31	0.90	-95.23	35.16	-13.00	-31.48	Horizontal
2	10370.00	-38.63	RMS	39.06	-18.31	0.25	-95.23	35.60	-13.00	-25.63	Horizontal
3	13827.00	-33.42	RMS	40.40	-13.17	0.45	-95.23	34.13	-13.00	-20.42	Horizontal
4	20740.00	-67.90	RMS	37.92	-30.16	-9.54	-95.23	29.11	-13.00	-54.90	Horizontal
5	24197.00	-65.83	RMS	38.61	-27.71	-9.54	-95.23	28.04	-13.00	-52.83	Horizontal
6	27654.00	-62.17	RMS	39.61	-24.97	-9.54	-95.23	27.96	-13.00	-49.17	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.65	RMS	36.00	-21.31	0.90	-95.23	34.99	-13.00	-31.65	Vertical
2	10370.00	-39.04	RMS	39.06	-18.31	0.25	-95.23	35.19	-13.00	-26.04	Vertical
3	13827.00	-32.97	RMS	40.40	-13.17	0.45	-95.23	34.58	-13.00	-19.97	Vertical
4	20740.00	-66.53	RMS	37.92	-30.16	-9.54	-95.23	30.48	-13.00	-53.53	Vertical
5	24197.00	-65.74	RMS	38.61	-27.71	-9.54	-95.23	28.13	-13.00	-52.74	Vertical
6	27654.00	-62.75	RMS	39.61	-24.97	-9.54	-95.23	27.38	-13.00	-49.75	Vertical






ANT 4

Part 27Q Mode 20


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-44.42	RMS	36.00	-21.30	0.90	-95.23	35.21	-13.00	-31.42	Horizontal
2	10385.00	-38.66	RMS	39.03	-18.30	0.25	-95.23	35.59	-13.00	-25.66	Horizontal
3	13847.00	-33.26	RMS	40.40	-13.20	0.45	-95.23	34.32	-13.00	-20.26	Horizontal
4	20770.00	-68.27	RMS	37.86	-30.18	-9.54	-95.23	28.82	-13.00	-55.27	Horizontal
5	24232.00	-65.97	RMS	38.60	-27.65	-9.54	-95.23	27.85	-13.00	-52.97	Horizontal
6	27694.00	-61.82	RMS	39.69	-25.04	-9.54	-95.23	28.30	-13.00	-48.82	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-44.48	RMS	36.00	-21.30	0.90	-95.23	35.15	-13.00	-31.48	Vertical
2	10385.00	-38.85	RMS	39.03	-18.30	0.25	-95.23	35.40	-13.00	-25.85	Vertical
3	13847.00	-33.45	RMS	40.40	-13.20	0.45	-95.23	34.13	-13.00	-20.45	Vertical
4	20770.00	-66.09	RMS	37.86	-30.18	-9.54	-95.23	31.00	-13.00	-53.09	Vertical
5	24232.00	-66.04	RMS	38.60	-27.65	-9.54	-95.23	27.78	-13.00	-53.04	Vertical
6	27694.00	-61.32	RMS	39.69	-25.04	-9.54	-95.23	28.80	-13.00	-48.32	Vertical




ANT 4+2

Part 27Q Mode 27


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
6903.00	-44.94	RMS	36.00	-21.31	0.90	-95.23	34.70	-13.00	-31.94	Horizontal
10355.00	-39.33	RMS	39.09	-18.31	0.25	-95.23	34.87	-13.00	-26.33	Horizontal
13807.00	-33.96	RMS	40.40	-13.14	0.45	-95.23	33.56	-13.00	-20.96	Horizontal
20710.00	-68.07	RMS	37.98	-30.14	-9.54	-95.23	28.86	-13.00	-55.07	Horizontal
24162.00	-65.39	RMS	38.68	-27.76	-9.54	-95.23	28.46	-13.00	-52.39	Horizontal
27614.00	-61.48	RMS	39.74	-24.91	-9.54	-95.23	28.46	-13.00	-48.48	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
6903.00	-45.14	RMS	36.00	-21.31	0.90	-95.23	34.50	-13.00	-32.14	Vertical
10355.00	-39.45	RMS	39.09	-18.31	0.25	-95.23	34.75	-13.00	-26.45	Vertical
13807.00	-33.52	RMS	40.40	-13.14	0.45	-95.23	34.00	-13.00	-20.52	Vertical
20710.00	-67.49	RMS	37.98	-30.14	-9.54	-95.23	29.44	-13.00	-54.49	Vertical
24162.00	-65.95	RMS	38.68	-27.76	-9.54	-95.23	27.90	-13.00	-52.95	Vertical
27614.00	-62.03	RMS	39.74	-24.91	-9.54	-95.23	27.91	-13.00	-49.03	Vertical






ANT 4+2

Part 27Q Mode 27


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-45.03	RMS	36.00	-21.31	0.90	-95.23	34.61	-13.00	-32.03	Horizontal
2	10370.00	-39.10	RMS	39.06	-18.31	0.25	-95.23	35.13	-13.00	-26.10	Horizontal
3	13827.00	-33.67	RMS	40.40	-13.17	0.45	-95.23	33.88	-13.00	-20.67	Horizontal
4	20740.00	-67.69	RMS	37.92	-30.16	-9.54	-95.23	29.32	-13.00	-54.69	Horizontal
5	24197.00	-65.76	RMS	38.61	-27.71	-9.54	-95.23	28.11	-13.00	-52.76	Horizontal
6	27654.00	-62.10	RMS	39.61	-24.97	-9.54	-95.23	28.03	-13.00	-49.10	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-44.99	RMS	36.00	-21.31	0.90	-95.23	34.65	-13.00	-31.99	Vertical
2	10370.00	-39.34	RMS	39.06	-18.31	0.25	-95.23	34.89	-13.00	-26.34	Vertical
3	13827.00	-34.08	RMS	40.40	-13.17	0.45	-95.23	33.47	-13.00	-21.08	Vertical
4	20740.00	-67.42	RMS	37.92	-30.16	-9.54	-95.23	29.59	-13.00	-54.42	Vertical
5	24197.00	-65.60	RMS	38.61	-27.71	-9.54	-95.23	28.27	-13.00	-52.60	Vertical
6	27654.00	-62.46	RMS	39.61	-24.97	-9.54	-95.23	27.67	-13.00	-49.46	Vertical




ANT 4+2

Part 27Q Mode 27


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-45.13	RMS	36.00	-21.30	0.90	-95.23	34.50	-13.00	-32.13	Horizontal
2	10385.00	-39.28	RMS	39.03	-18.30	0.25	-95.23	34.97	-13.00	-26.28	Horizontal
3	13847.00	-33.98	RMS	40.40	-13.20	0.45	-95.23	33.60	-13.00	-20.98	Horizontal
4	20770.00	-67.91	RMS	37.86	-30.18	-9.54	-95.23	29.18	-13.00	-54.91	Horizontal
5	24232.00	-65.46	RMS	38.60	-27.65	-9.54	-95.23	28.36	-13.00	-52.46	Horizontal
6	27694.00	-62.00	RMS	39.69	-25.04	-9.54	-95.23	28.12	-13.00	-49.00	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-45.01	RMS	36.00	-21.30	0.90	-95.23	34.62	-13.00	-32.01	Vertical
2	10385.00	-39.38	RMS	39.03	-18.30	0.25	-95.23	34.87	-13.00	-26.38	Vertical
3	13847.00	-33.86	RMS	40.40	-13.20	0.45	-95.23	33.72	-13.00	-20.86	Vertical
4	20770.00	-67.55	RMS	37.86	-30.18	-9.54	-95.23	29.54	-13.00	-54.55	Vertical
5	24232.00	-65.85	RMS	38.60	-27.65	-9.54	-95.23	27.97	-13.00	-52.85	Vertical
6	27694.00	-61.70	RMS	39.69	-25.04	-9.54	-95.23	28.42	-13.00	-48.70	Vertical




ANT 2

Part 27Q Mode 21


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.88 RMS	36.00	-21.31	0.90	-95.23	34.76	-13.00	-31.88	Horizontal
2	10355.00	-38.16 RMS	39.08	-18.31	0.25	-95.23	36.05	-13.00	-25.16	Horizontal
3	13807.00	-33.52 RMS	40.43	-13.12	0.45	-95.23	33.95	-13.00	-20.52	Horizontal
4	20710.00	-65.19 RMS	37.98	-30.14	-9.54	-95.23	31.74	-13.00	-52.19	Horizontal
5	24162.00	-62.09 RMS	38.68	-27.76	-9.54	-95.23	31.76	-13.00	-49.09	Horizontal
6	27614.00	-59.11 RMS	39.74	-24.91	-9.54	-95.23	30.83	-13.00	-46.11	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.97 RMS	36.00	-21.31	0.90	-95.23	34.67	-13.00	-31.97	Vertical
2	10355.00	-38.57 RMS	39.08	-18.31	0.25	-95.23	35.64	-13.00	-25.57	Vertical
3	13807.00	-33.33 RMS	40.40	-13.16	0.45	-95.23	34.21	-13.00	-20.33	Vertical
4	20710.00	-64.36 RMS	37.98	-30.14	-9.54	-95.23	32.57	-13.00	-51.36	Vertical
5	24162.00	-61.73 RMS	38.68	-27.76	-9.54	-95.23	32.12	-13.00	-48.73	Vertical
6	27614.00	-62.35 RMS	39.74	-24.91	-9.54	-95.23	27.59	-13.00	-49.35	Vertical




ANT 2

Part 27Q Mode 21


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							
1	6913.00	-44.57	RMS	36.00	-21.30	0.90	-95.23	35.06	-13.00	-31.57	Horizontal
2	10370.00	-37.23	RMS	39.06	-18.31	0.25	-95.23	37.00	-13.00	-24.23	Horizontal
3	13827.00	-33.27	RMS	40.40	-13.17	0.45	-95.23	34.28	-13.00	-20.27	Horizontal
4	20740.00	-66.29	RMS	37.92	-30.16	-9.54	-95.23	30.72	-13.00	-53.29	Horizontal
5	24197.00	-59.33	RMS	38.61	-27.71	-9.54	-95.23	34.54	-13.00	-46.33	Horizontal
6	27654.00	-61.34	RMS	39.61	-24.97	-9.54	-95.23	28.79	-13.00	-48.34	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							
1	6913.00	-44.46	RMS	36.00	-21.30	0.90	-95.23	35.17	-13.00	-31.46	Vertical
2	10370.00	-38.32	RMS	39.06	-18.31	0.25	-95.23	35.91	-13.00	-25.32	Vertical
3	13827.00	-33.27	RMS	40.40	-13.17	0.45	-95.23	34.28	-13.00	-20.27	Vertical
4	20740.00	-62.15	RMS	37.92	-30.16	-9.54	-95.23	34.86	-13.00	-49.15	Vertical
5	24197.00	-61.92	RMS	38.61	-27.71	-9.54	-95.23	31.95	-13.00	-48.92	Vertical
6	27654.00	-62.56	RMS	39.61	-24.97	-9.54	-95.23	27.57	-13.00	-49.56	Vertical




ANT 2

Part 27Q Mode 21


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 90M Ch633666 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB						
1	6923.00	-44.39	RMS	36.00	-21.30	0.90	-95.23	35.24	-13.00	-31.39	Horizontal
2	10385.00	-36.42	RMS	39.01	-18.30	0.25	-95.23	37.85	-13.00	-23.42	Horizontal
3	13847.00	-33.34	RMS	40.44	-13.22	0.45	-95.23	34.22	-13.00	-20.34	Horizontal
4	20770.00	-62.68	RMS	37.86	-30.18	-9.54	-95.23	34.41	-13.00	-49.68	Horizontal
5	24232.00	-63.78	RMS	38.60	-27.65	-9.54	-95.23	30.04	-13.00	-50.78	Horizontal
6	27694.00	-59.31	RMS	39.69	-25.04	-9.54	-95.23	30.81	-13.00	-46.31	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 90M Ch633666 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB						
1	6923.00	-44.52	RMS	36.00	-21.30	0.90	-95.23	35.11	-13.00	-31.52	Vertical
2	10385.00	-36.89	RMS	39.01	-18.30	0.25	-95.23	37.38	-13.00	-23.89	Vertical
3	13847.00	-33.33	RMS	40.40	-13.19	0.45	-95.23	34.24	-13.00	-20.33	Vertical
4	20770.00	-65.33	RMS	37.86	-30.18	-9.54	-95.23	31.76	-13.00	-52.33	Vertical
5	24232.00	-57.04	RMS	38.60	-27.65	-9.54	-95.23	36.78	-13.00	-44.04	Vertical
6	27694.00	-61.55	RMS	39.69	-25.04	-9.54	-95.23	28.57	-13.00	-48.55	Vertical




ANT 5

Part 270 Mode 38


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 70M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-42.48	RMS	36.70	-20.78	0.82	-95.23	36.01	-13.00	-29.48	Horizontal
11103.00	-38.39	RMS	39.01	-17.36	0.28	-95.23	34.91	-13.00	-25.39	Horizontal
14805.00	-31.94	RMS	40.59	-13.59	0.42	-95.23	35.87	-13.00	-18.94	Horizontal
18506.00	-65.15	RMS	37.72	-32.25	-9.54	-95.23	34.15	-13.00	-52.15	Horizontal
22208.00	-57.01	RMS	38.20	-29.30	-9.54	-95.23	38.86	-13.00	-44.01	Horizontal
25909.00	-62.77	RMS	38.98	-25.78	-9.54	-95.23	28.80	-13.00	-49.77	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 70M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.02	RMS	36.70	-20.78	0.82	-95.23	35.47	-13.00	-30.02	Vertical
11103.00	-38.16	RMS	39.01	-17.36	0.28	-95.23	35.14	-13.00	-25.16	Vertical
14805.00	-32.21	RMS	40.59	-13.59	0.42	-95.23	35.60	-13.00	-19.21	Vertical
18506.00	-66.95	RMS	37.72	-32.25	-9.54	-95.23	32.35	-13.00	-53.95	Vertical
22208.00	-62.13	RMS	38.20	-29.30	-9.54	-95.23	33.74	-13.00	-49.13	Vertical
25909.00	-60.64	RMS	38.98	-25.78	-9.54	-95.23	30.93	-13.00	-47.64	Vertical






ANT 5

Part 270 Mode 38


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 70M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-43.70	RMS	36.40	-20.91	0.57	-95.23	35.47	-13.00	-30.70	Horizontal
2 11373.00	-37.37	RMS	39.25	-16.95	0.29	-95.23	35.27	-13.00	-24.37	Horizontal
3 15165.00	-33.01	RMS	39.47	-13.81	0.40	-95.23	36.16	-13.00	-20.01	Horizontal
4 18956.00	-61.19	RMS	37.80	-31.69	-9.54	-95.23	37.47	-13.00	-48.19	Horizontal
5 22748.00	-59.89	RMS	38.50	-28.77	-9.54	-95.23	35.15	-13.00	-46.89	Horizontal
6 26539.00	-57.75	RMS	39.68	-26.09	-9.54	-95.23	33.43	-13.00	-44.75	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 70M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-43.53	RMS	36.40	-20.91	0.57	-95.23	35.64	-13.00	-30.53	Vertical
2 11373.00	-37.44	RMS	39.25	-16.95	0.29	-95.23	35.20	-13.00	-24.44	Vertical
3 15165.00	-33.02	RMS	39.47	-13.81	0.40	-95.23	36.15	-13.00	-20.02	Vertical
4 18956.00	-63.74	RMS	37.80	-31.69	-9.54	-95.23	34.92	-13.00	-50.74	Vertical
5 22748.00	-64.07	RMS	38.50	-28.77	-9.54	-95.23	30.97	-13.00	-51.07	Vertical
6 26539.00	-56.62	RMS	39.68	-26.09	-9.54	-95.23	34.56	-13.00	-43.62	Vertical




ANT 5

Part 270 Mode 38


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 70M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.36	RMS	36.85	-20.95	0.56	-95.23	35.41	-13.00	-30.36	Horizontal
11643.00	-37.72	RMS	38.73	-16.51	0.30	-95.23	34.99	-13.00	-24.72	Horizontal
15525.00	-33.81	RMS	38.50	-13.71	0.38	-95.23	36.25	-13.00	-20.81	Horizontal
19406.00	-61.43	RMS	37.90	-31.16	-9.54	-95.23	36.60	-13.00	-48.43	Horizontal
23288.00	-59.27	RMS	38.75	-28.32	-9.54	-95.23	35.07	-13.00	-46.27	Horizontal
27169.00	-53.92	RMS	39.70	-25.06	-9.54	-95.23	36.21	-13.00	-40.92	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 70M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.46	RMS	36.85	-20.95	0.56	-95.23	35.31	-13.00	-30.46	Vertical
11643.00	-37.74	RMS	38.73	-16.51	0.30	-95.23	34.97	-13.00	-24.74	Vertical
15525.00	-33.67	RMS	38.50	-13.71	0.38	-95.23	36.39	-13.00	-20.67	Vertical
19406.00	-61.16	RMS	37.90	-31.16	-9.54	-95.23	36.87	-13.00	-48.16	Vertical
23288.00	-59.43	RMS	38.75	-28.32	-9.54	-95.23	34.91	-13.00	-46.43	Vertical
27169.00	-60.54	RMS	39.70	-25.06	-9.54	-95.23	29.59	-13.00	-47.54	Vertical




ANT 5+6

Part 270 Mode 42


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-42.43	RMS	36.70	-20.78	0.82	-95.23	36.06	-13.00	-29.43	Horizontal
11103.00	-38.49	RMS	39.01	-17.36	0.28	-95.23	34.81	-13.00	-25.49	Horizontal
14805.00	-32.21	RMS	40.59	-13.59	0.42	-95.23	35.60	-13.00	-19.21	Horizontal
18506.00	-66.46	RMS	37.72	-32.25	-9.54	-95.23	32.84	-13.00	-53.46	Horizontal
22208.00	-64.78	RMS	38.20	-29.30	-9.54	-95.23	31.09	-13.00	-51.78	Horizontal
25909.00	-62.35	RMS	38.98	-25.78	-9.54	-95.23	29.22	-13.00	-49.35	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-42.89	RMS	36.70	-20.78	0.82	-95.23	35.60	-13.00	-29.89	Vertical
11103.00	-38.70	RMS	39.01	-17.36	0.28	-95.23	34.60	-13.00	-25.70	Vertical
14805.00	-32.20	RMS	40.59	-13.59	0.42	-95.23	35.61	-13.00	-19.20	Vertical
18506.00	-67.25	RMS	37.72	-32.25	-9.54	-95.23	32.05	-13.00	-54.25	Vertical
22208.00	-64.90	RMS	38.20	-29.30	-9.54	-95.23	30.97	-13.00	-51.90	Vertical
25909.00	-62.78	RMS	38.98	-25.78	-9.54	-95.23	28.79	-13.00	-49.78	Vertical




ANT 5+6

Part 270 Mode 42


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.70	RMS	36.40	-20.91	0.57	-95.23	35.47	-13.00	-30.70	Horizontal
11373.00	-38.01	RMS	39.25	-16.95	0.29	-95.23	34.63	-13.00	-25.01	Horizontal
15165.00	-33.46	RMS	39.47	-13.81	0.40	-95.23	35.71	-13.00	-20.46	Horizontal
18956.00	-67.40	RMS	37.80	-31.69	-9.54	-95.23	31.26	-13.00	-54.40	Horizontal
22748.00	-62.40	RMS	38.50	-28.77	-9.54	-95.23	32.64	-13.00	-49.40	Horizontal
26539.00	-62.18	RMS	39.68	-26.09	-9.54	-95.23	29.00	-13.00	-49.18	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.85	RMS	36.40	-20.91	0.57	-95.23	35.32	-13.00	-30.85	Vertical
11373.00	-37.32	RMS	39.25	-16.95	0.29	-95.23	35.32	-13.00	-24.32	Vertical
15165.00	-33.48	RMS	39.47	-13.81	0.40	-95.23	35.69	-13.00	-20.48	Vertical
18956.00	-67.46	RMS	37.80	-31.69	-9.54	-95.23	31.20	-13.00	-54.46	Vertical
22748.00	-61.86	RMS	38.50	-28.77	-9.54	-95.23	33.18	-13.00	-48.86	Vertical
26539.00	-62.43	RMS	39.68	-26.09	-9.54	-95.23	28.75	-13.00	-49.43	Vertical




ANT 5+6

Part 270 Mode 42


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.60	RMS	36.85	-20.95	0.56	-95.23	35.17	-13.00	-30.60	Horizontal
11643.00	-37.59	RMS	38.73	-16.51	0.30	-95.23	35.12	-13.00	-24.59	Horizontal
15525.00	-33.56	RMS	38.50	-13.71	0.38	-95.23	36.50	-13.00	-20.56	Horizontal
19406.00	-65.12	RMS	37.90	-31.16	-9.54	-95.23	32.91	-13.00	-52.12	Horizontal
23288.00	-60.11	RMS	38.75	-28.32	-9.54	-95.23	34.23	-13.00	-47.11	Horizontal
27169.00	-56.31	RMS	39.70	-25.06	-9.54	-95.23	33.82	-13.00	-43.31	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.35	RMS	36.85	-20.95	0.56	-95.23	35.42	-13.00	-30.35	Vertical
11643.00	-37.26	RMS	38.73	-16.51	0.30	-95.23	35.45	-13.00	-24.26	Vertical
15525.00	-33.96	RMS	38.50	-13.71	0.38	-95.23	36.10	-13.00	-20.96	Vertical
19406.00	-66.80	RMS	37.90	-31.16	-9.54	-95.23	31.23	-13.00	-53.80	Vertical
23288.00	-60.55	RMS	38.75	-28.32	-9.54	-95.23	33.79	-13.00	-47.55	Vertical
27169.00	-58.89	RMS	39.70	-25.06	-9.54	-95.23	31.24	-13.00	-45.89	Vertical




ANT 5+4

Part 270 Mode 43


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.18	RMS	36.70	-20.78	0.82	-95.23	35.31	-13.00	-30.18	Horizontal
11103.00	-38.81	RMS	39.01	-17.36	0.28	-95.23	34.49	-13.00	-25.81	Horizontal
14805.00	-32.38	RMS	40.59	-13.59	0.42	-95.23	35.43	-13.00	-19.38	Horizontal
18506.00	-65.44	RMS	37.72	-32.25	-9.54	-95.23	33.86	-13.00	-52.44	Horizontal
22208.00	-62.13	RMS	38.20	-29.30	-9.54	-95.23	33.74	-13.00	-49.13	Horizontal
25909.00	-62.76	RMS	38.98	-25.78	-9.54	-95.23	28.81	-13.00	-49.76	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.42	RMS	36.70	-20.78	0.82	-95.23	35.07	-13.00	-30.42	Vertical
11103.00	-38.95	RMS	39.01	-17.36	0.28	-95.23	34.35	-13.00	-25.95	Vertical
14805.00	-32.72	RMS	40.59	-13.59	0.42	-95.23	35.09	-13.00	-19.72	Vertical
18506.00	-66.10	RMS	37.72	-32.25	-9.54	-95.23	33.20	-13.00	-53.10	Vertical
22208.00	-63.64	RMS	38.20	-29.30	-9.54	-95.23	32.23	-13.00	-50.64	Vertical
25909.00	-62.55	RMS	38.98	-25.78	-9.54	-95.23	29.02	-13.00	-49.55	Vertical






ANT 5+4

Part 270 Mode 43


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-44.28	RMS	36.40	-20.91	0.57	-95.23	34.89	-13.00	-31.28	Horizontal
11373.00	-37.96	RMS	39.25	-16.95	0.29	-95.23	34.68	-13.00	-24.96	Horizontal
15165.00	-33.44	RMS	39.47	-13.81	0.40	-95.23	35.73	-13.00	-20.44	Horizontal
18956.00	-67.22	RMS	37.80	-31.69	-9.54	-95.23	31.44	-13.00	-54.22	Horizontal
22748.00	-65.63	RMS	38.50	-28.77	-9.54	-95.23	29.41	-13.00	-52.63	Horizontal
26539.00	-62.35	RMS	39.68	-26.09	-9.54	-95.23	28.83	-13.00	-49.35	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.84	RMS	36.40	-20.91	0.57	-95.23	35.33	-13.00	-30.84	Vertical
11373.00	-38.20	RMS	39.25	-16.95	0.29	-95.23	34.44	-13.00	-25.20	Vertical
15165.00	-33.40	RMS	39.47	-13.81	0.40	-95.23	35.77	-13.00	-20.40	Vertical
18956.00	-68.39	RMS	37.80	-31.69	-9.54	-95.23	30.27	-13.00	-55.39	Vertical
22748.00	-64.50	RMS	38.50	-28.77	-9.54	-95.23	30.54	-13.00	-51.50	Vertical
26539.00	-62.25	RMS	39.68	-26.09	-9.54	-95.23	28.93	-13.00	-49.25	Vertical




ANT 5+4

Part 270 Mode 43


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.09	RMS	36.85	-20.95	0.56	-95.23	35.68	-13.00	-30.09	Horizontal
11643.00	-37.48	RMS	38.73	-16.51	0.30	-95.23	35.23	-13.00	-24.48	Horizontal
15525.00	-33.81	RMS	38.50	-13.71	0.38	-95.23	36.25	-13.00	-20.81	Horizontal
19406.00	-66.45	RMS	37.90	-31.16	-9.54	-95.23	31.58	-13.00	-53.45	Horizontal
23288.00	-59.28	RMS	38.75	-28.32	-9.54	-95.23	35.06	-13.00	-46.28	Horizontal
27169.00	-58.02	RMS	39.70	-25.06	-9.54	-95.23	32.11	-13.00	-45.02	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.44	RMS	36.85	-20.95	0.56	-95.23	35.33	-13.00	-30.44	Vertical
11643.00	-37.46	RMS	38.73	-16.51	0.30	-95.23	35.25	-13.00	-24.46	Vertical
15525.00	-34.18	RMS	38.50	-13.71	0.38	-95.23	35.88	-13.00	-21.18	Vertical
19406.00	-66.07	RMS	37.90	-31.16	-9.54	-95.23	31.96	-13.00	-53.07	Vertical
23288.00	-60.93	RMS	38.75	-28.32	-9.54	-95.23	33.41	-13.00	-47.93	Vertical
27169.00	-61.59	RMS	39.70	-25.06	-9.54	-95.23	28.54	-13.00	-48.59	Vertical




ANT 5+2

Part 270 Mode 44


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.29	RMS	36.70	-20.78	0.82	-95.23	35.20	-13.00	-30.29	Horizontal
11103.00	-38.70	RMS	39.01	-17.36	0.28	-95.23	34.60	-13.00	-25.70	Horizontal
14805.00	-32.64	RMS	40.59	-13.59	0.42	-95.23	35.17	-13.00	-19.64	Horizontal
18506.00	-61.62	RMS	37.72	-32.25	-9.54	-95.23	37.68	-13.00	-48.62	Horizontal
22208.00	-66.20	RMS	38.20	-29.30	-9.54	-95.23	29.67	-13.00	-53.20	Horizontal
25909.00	-61.55	RMS	38.98	-25.78	-9.54	-95.23	30.02	-13.00	-48.55	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.56	RMS	36.70	-20.78	0.82	-95.23	34.93	-13.00	-30.56	Vertical
11103.00	-38.91	RMS	39.01	-17.36	0.28	-95.23	34.39	-13.00	-25.91	Vertical
14805.00	-32.73	RMS	40.59	-13.59	0.42	-95.23	35.08	-13.00	-19.73	Vertical
18506.00	-62.23	RMS	37.72	-32.25	-9.54	-95.23	37.07	-13.00	-49.23	Vertical
22208.00	-61.77	RMS	38.20	-29.30	-9.54	-95.23	34.10	-13.00	-48.77	Vertical
25909.00	-63.32	RMS	38.98	-25.78	-9.54	-95.23	28.25	-13.00	-50.32	Vertical




ANT 5+2

Part 270 Mode 44


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-43.81	RMS	36.40	-20.91	0.57	-95.23	35.36	-13.00	-30.81	Horizontal
2 11373.00	-37.99	RMS	39.25	-16.95	0.29	-95.23	34.65	-13.00	-24.99	Horizontal
3 15165.00	-33.63	RMS	39.47	-13.81	0.40	-95.23	35.54	-13.00	-20.63	Horizontal
4 18956.00	-68.60	RMS	37.80	-31.69	-9.54	-95.23	30.06	-13.00	-55.60	Horizontal
5 22748.00	-61.79	RMS	38.50	-28.77	-9.54	-95.23	33.25	-13.00	-48.79	Horizontal
6 26539.00	-62.38	RMS	39.68	-26.09	-9.54	-95.23	28.80	-13.00	-49.38	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.01	RMS	36.40	-20.91	0.57	-95.23	35.16	-13.00	-31.01	Vertical
2 11373.00	-38.21	RMS	39.25	-16.95	0.29	-95.23	34.43	-13.00	-25.21	Vertical
3 15165.00	-33.60	RMS	39.47	-13.81	0.40	-95.23	35.57	-13.00	-20.60	Vertical
4 18956.00	-66.00	RMS	37.80	-31.69	-9.54	-95.23	32.66	-13.00	-53.00	Vertical
5 22748.00	-63.83	RMS	38.50	-28.77	-9.54	-95.23	31.21	-13.00	-50.83	Vertical
6 26539.00	-62.00	RMS	39.68	-26.09	-9.54	-95.23	29.18	-13.00	-49.00	Vertical




ANT 5+2

Part 270 Mode 44


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.19	RMS	36.85	-20.95	0.56	-95.23	35.58	-13.00	-30.19	Horizontal
11643.00	-37.63	RMS	38.73	-16.51	0.30	-95.23	35.08	-13.00	-24.63	Horizontal
15525.00	-33.81	RMS	38.50	-13.71	0.38	-95.23	36.25	-13.00	-20.81	Horizontal
19406.00	-67.10	RMS	37.90	-31.16	-9.54	-95.23	30.93	-13.00	-54.10	Horizontal
23288.00	-60.31	RMS	38.75	-28.32	-9.54	-95.23	34.03	-13.00	-47.31	Horizontal
27169.00	-60.86	RMS	39.70	-25.06	-9.54	-95.23	29.27	-13.00	-47.86	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.65	RMS	36.85	-20.95	0.56	-95.23	35.12	-13.00	-30.65	Vertical
11643.00	-37.84	RMS	38.73	-16.51	0.30	-95.23	34.87	-13.00	-24.84	Vertical
15525.00	-33.87	RMS	38.50	-13.71	0.38	-95.23	36.19	-13.00	-20.87	Vertical
19406.00	-67.53	RMS	37.90	-31.16	-9.54	-95.23	30.50	-13.00	-54.53	Vertical
23288.00	-60.65	RMS	38.75	-28.32	-9.54	-95.23	33.69	-13.00	-47.65	Vertical
27169.00	-58.77	RMS	39.70	-25.06	-9.54	-95.23	31.36	-13.00	-45.77	Vertical




ANT 6

Part 270 Mode 39


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.37	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-30.37	Horizontal
11103.00	-38.78	RMS	39.01	-17.36	0.28	-95.23	34.52	-13.00	-25.78	Horizontal
14805.00	-32.53	RMS	40.59	-13.59	0.42	-95.23	35.28	-13.00	-19.53	Horizontal
18506.00	-62.65	RMS	37.72	-32.25	-9.54	-95.23	36.65	-13.00	-49.65	Horizontal
22207.00	-62.45	RMS	38.20	-29.30	-9.54	-95.23	33.42	-13.00	-49.45	Horizontal
25908.00	-58.82	RMS	38.98	-25.78	-9.54	-95.23	32.75	-13.00	-45.82	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.37	RMS	36.70	-20.78	0.82	-95.23	35.12	-13.00	-30.37	Vertical
11103.00	-38.94	RMS	39.01	-17.36	0.28	-95.23	34.36	-13.00	-25.94	Vertical
14805.00	-32.40	RMS	40.59	-13.59	0.42	-95.23	35.41	-13.00	-19.40	Vertical
18506.00	-64.44	RMS	37.72	-32.25	-9.54	-95.23	34.86	-13.00	-51.44	Vertical
22207.00	-57.45	RMS	38.20	-29.30	-9.54	-95.23	38.42	-13.00	-44.45	Vertical
25908.00	-63.53	RMS	38.98	-25.78	-9.54	-95.23	28.04	-13.00	-50.53	Vertical






ANT 6

Part 270 Mode 39


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.93	RMS	36.40	-20.91	0.57	-95.23	35.24	-13.00	-30.93	Horizontal
11373.00	-37.84	RMS	39.25	-16.95	0.29	-95.23	34.80	-13.00	-24.84	Horizontal
15165.00	-33.24	RMS	39.47	-13.81	0.40	-95.23	35.93	-13.00	-20.24	Horizontal
18956.00	-62.02	RMS	37.80	-31.69	-9.54	-95.23	36.64	-13.00	-49.02	Horizontal
22747.00	-60.82	RMS	38.50	-28.77	-9.54	-95.23	34.22	-13.00	-47.82	Horizontal
26538.00	-59.63	RMS	39.68	-26.09	-9.54	-95.23	31.55	-13.00	-46.63	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.92	RMS	36.40	-20.91	0.57	-95.23	35.25	-13.00	-30.92	Vertical
11373.00	-37.92	RMS	39.25	-16.95	0.29	-95.23	34.72	-13.00	-24.92	Vertical
15165.00	-33.39	RMS	39.47	-13.81	0.40	-95.23	35.78	-13.00	-20.39	Vertical
18956.00	-66.21	RMS	37.80	-31.69	-9.54	-95.23	32.45	-13.00	-53.21	Vertical
22747.00	-62.97	RMS	38.50	-28.77	-9.54	-95.23	32.07	-13.00	-49.97	Vertical
26538.00	-57.78	RMS	39.68	-26.09	-9.54	-95.23	33.40	-13.00	-44.78	Vertical




ANT 6

Part 270 Mode 39


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.57	RMS	36.85	-20.95	0.56	-95.23	35.20	-13.00	-30.57	Horizontal
11643.00	-37.54	RMS	38.73	-16.51	0.30	-95.23	35.17	-13.00	-24.54	Horizontal
15525.00	-34.17	RMS	38.50	-13.71	0.38	-95.23	35.89	-13.00	-21.17	Horizontal
19406.00	-58.43	RMS	37.90	-31.16	-9.54	-95.23	39.60	-13.00	-45.43	Horizontal
23287.00	-57.51	RMS	38.75	-28.32	-9.54	-95.23	36.83	-13.00	-44.51	Horizontal
27168.00	-53.81	RMS	39.70	-25.06	-9.54	-95.23	36.32	-13.00	-40.81	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.61	RMS	36.85	-20.95	0.56	-95.23	35.16	-13.00	-30.61	Vertical
11643.00	-37.92	RMS	38.73	-16.51	0.30	-95.23	34.79	-13.00	-24.92	Vertical
15525.00	-34.11	RMS	38.50	-13.71	0.38	-95.23	35.95	-13.00	-21.11	Vertical
19406.00	-62.46	RMS	37.90	-31.16	-9.54	-95.23	35.57	-13.00	-49.46	Vertical
23287.00	-58.21	RMS	38.75	-28.32	-9.54	-95.23	36.13	-13.00	-45.21	Vertical
27168.00	-56.84	RMS	39.70	-25.06	-9.54	-95.23	33.29	-13.00	-43.84	Vertical




ANT 6+4

Part 270 Mode 45


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.44	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-30.44	Horizontal
11103.00	-38.70	RMS	39.01	-17.36	0.28	-95.23	34.60	-13.00	-25.70	Horizontal
14805.00	-32.52	RMS	40.59	-13.59	0.42	-95.23	35.29	-13.00	-19.52	Horizontal
18506.00	-68.63	RMS	37.72	-32.25	-9.54	-95.23	30.67	-13.00	-55.63	Horizontal
22207.00	-63.30	RMS	38.20	-29.30	-9.54	-95.23	32.57	-13.00	-50.30	Horizontal
25908.00	-64.20	RMS	38.98	-25.78	-9.54	-95.23	27.37	-13.00	-51.20	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.15	RMS	36.70	-20.78	0.82	-95.23	35.34	-13.00	-30.15	Vertical
11103.00	-38.68	RMS	39.01	-17.36	0.28	-95.23	34.62	-13.00	-25.68	Vertical
14805.00	-32.36	RMS	40.59	-13.59	0.42	-95.23	35.45	-13.00	-19.36	Vertical
18506.00	-68.75	RMS	37.72	-32.25	-9.54	-95.23	30.55	-13.00	-55.75	Vertical
22207.00	-63.02	RMS	38.20	-29.30	-9.54	-95.23	32.85	-13.00	-50.02	Vertical
25908.00	-64.55	RMS	38.98	-25.78	-9.54	-95.23	27.02	-13.00	-51.55	Vertical




ANT 6+4

Part 270 Mode 45


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-44.16	RMS	36.40	-20.91	0.57	-95.23	35.01	-13.00	-31.16	Horizontal
2 11373.00	-38.14	RMS	39.25	-16.95	0.29	-95.23	34.50	-13.00	-25.14	Horizontal
3 15165.00	-33.18	RMS	39.47	-13.81	0.40	-95.23	35.99	-13.00	-20.18	Horizontal
4 18956.00	-68.28	RMS	37.80	-31.69	-9.54	-95.23	30.38	-13.00	-55.28	Horizontal
5 22747.00	-64.32	RMS	38.50	-28.77	-9.54	-95.23	30.72	-13.00	-51.32	Horizontal
6 26538.00	-63.21	RMS	39.68	-26.09	-9.54	-95.23	27.97	-13.00	-50.21	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-44.03	RMS	36.40	-20.91	0.57	-95.23	35.14	-13.00	-31.03	Vertical
2 11373.00	-37.66	RMS	39.25	-16.95	0.29	-95.23	34.98	-13.00	-24.66	Vertical
3 15165.00	-33.49	RMS	39.47	-13.81	0.40	-95.23	35.68	-13.00	-20.49	Vertical
4 18956.00	-68.61	RMS	37.80	-31.69	-9.54	-95.23	30.05	-13.00	-55.61	Vertical
5 22747.00	-63.13	RMS	38.50	-28.77	-9.54	-95.23	31.91	-13.00	-50.13	Vertical
6 26538.00	-63.12	RMS	39.68	-26.09	-9.54	-95.23	28.06	-13.00	-50.12	Vertical




ANT 6+4

Part 270 Mode 45


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.61	RMS	36.85	-20.95	0.56	-95.23	35.16	-13.00	-30.61	Horizontal
11643.00	-37.75	RMS	38.73	-16.51	0.30	-95.23	34.96	-13.00	-24.75	Horizontal
15525.00	-33.80	RMS	38.50	-13.71	0.38	-95.23	36.26	-13.00	-20.80	Horizontal
19406.00	-65.38	RMS	37.90	-31.16	-9.54	-95.23	32.65	-13.00	-52.38	Horizontal
23287.00	-59.42	RMS	38.75	-28.32	-9.54	-95.23	34.92	-13.00	-46.42	Horizontal
27168.00	-59.25	RMS	39.70	-25.06	-9.54	-95.23	30.88	-13.00	-46.25	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.53	RMS	36.85	-20.95	0.56	-95.23	35.24	-13.00	-30.53	Vertical
11643.00	-37.32	RMS	38.73	-16.51	0.30	-95.23	35.39	-13.00	-24.32	Vertical
15525.00	-33.92	RMS	38.50	-13.71	0.38	-95.23	36.14	-13.00	-20.92	Vertical
19406.00	-63.58	RMS	37.90	-31.16	-9.54	-95.23	34.45	-13.00	-50.58	Vertical
23287.00	-60.79	RMS	38.75	-28.32	-9.54	-95.23	33.55	-13.00	-47.79	Vertical
27168.00	-62.21	RMS	39.70	-25.06	-9.54	-95.23	27.92	-13.00	-49.21	Vertical




ANT 6+2

Part 270 Mode 46


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-43.60	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-30.60	Horizontal
2 11103.00	-37.29	RMS	39.01	-17.36	0.28	-95.23	36.01	-13.00	-24.29	Horizontal
3 14805.00	-32.22	RMS	40.59	-13.59	0.42	-95.23	35.59	-13.00	-19.22	Horizontal
4 18506.00	-68.74	RMS	37.72	-32.25	-9.54	-95.23	30.56	-13.00	-55.74	Horizontal
5 22207.00	-66.60	RMS	38.20	-29.30	-9.54	-95.23	29.27	-13.00	-53.60	Horizontal
6 25908.00	-64.40	RMS	38.98	-25.78	-9.54	-95.23	27.17	-13.00	-51.40	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-43.23	RMS	36.70	-20.78	0.82	-95.23	35.26	-13.00	-30.23	Vertical
2 11103.00	-36.03	RMS	39.01	-17.36	0.28	-95.23	37.27	-13.00	-23.03	Vertical
3 14805.00	-32.68	RMS	40.59	-13.59	0.42	-95.23	35.13	-13.00	-19.68	Vertical
4 18506.00	-66.81	RMS	37.72	-32.25	-9.54	-95.23	32.49	-13.00	-53.81	Vertical
5 22207.00	-65.52	RMS	38.20	-29.30	-9.54	-95.23	30.35	-13.00	-52.52	Vertical
6 25908.00	-64.24	RMS	38.98	-25.78	-9.54	-95.23	27.33	-13.00	-51.24	Vertical






ANT 6+2

Part 270 Mode 46


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-43.97	RMS	36.40	-20.91	0.57	-95.23	35.20	-13.00	-30.97	Horizontal
2 11373.00	-38.27	RMS	39.25	-16.95	0.29	-95.23	34.37	-13.00	-25.27	Horizontal
3 15165.00	-33.69	RMS	39.47	-13.81	0.40	-95.23	35.48	-13.00	-20.69	Horizontal
4 18956.00	-68.54	RMS	37.80	-31.69	-9.54	-95.23	30.12	-13.00	-55.54	Horizontal
5 22747.00	-66.03	RMS	38.50	-28.77	-9.54	-95.23	29.01	-13.00	-53.03	Horizontal
6 26538.00	-63.17	RMS	39.68	-26.09	-9.54	-95.23	28.01	-13.00	-50.17	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.16	RMS	36.40	-20.91	0.57	-95.23	35.01	-13.00	-31.16	Vertical
2 11373.00	-34.26	RMS	39.25	-16.95	0.29	-95.23	38.38	-13.00	-21.26	Vertical
3 15165.00	-33.92	RMS	39.47	-13.81	0.40	-95.23	35.25	-13.00	-20.92	Vertical
4 18956.00	-67.40	RMS	37.80	-31.69	-9.54	-95.23	31.26	-13.00	-54.40	Vertical
5 22747.00	-64.82	RMS	38.50	-28.77	-9.54	-95.23	30.22	-13.00	-51.82	Vertical
6 26538.00	-63.22	RMS	39.68	-26.09	-9.54	-95.23	27.96	-13.00	-50.22	Vertical




ANT 6+2

Part 270 Mode 46


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.49	RMS	36.85	-20.95	0.56	-95.23	35.28	-13.00	-30.49	Horizontal
11643.00	-37.84	RMS	38.73	-16.51	0.30	-95.23	34.87	-13.00	-24.84	Horizontal
15525.00	-34.06	RMS	38.50	-13.71	0.38	-95.23	36.00	-13.00	-21.06	Horizontal
19406.00	-68.54	RMS	37.90	-31.16	-9.54	-95.23	29.49	-13.00	-55.54	Horizontal
23287.00	-65.65	RMS	38.75	-28.32	-9.54	-95.23	28.69	-13.00	-52.65	Horizontal
27168.00	-61.68	RMS	39.70	-25.06	-9.54	-95.23	28.45	-13.00	-48.68	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.41	RMS	36.85	-20.95	0.56	-95.23	35.36	-13.00	-30.41	Vertical
11643.00	-37.86	RMS	38.73	-16.51	0.30	-95.23	34.85	-13.00	-24.86	Vertical
15525.00	-33.88	RMS	38.50	-13.71	0.38	-95.23	36.18	-13.00	-20.88	Vertical
19406.00	-66.92	RMS	37.90	-31.16	-9.54	-95.23	31.11	-13.00	-53.92	Vertical
23287.00	-63.05	RMS	38.75	-28.32	-9.54	-95.23	31.29	-13.00	-50.05	Vertical
27168.00	-62.20	RMS	39.70	-25.06	-9.54	-95.23	27.93	-13.00	-49.20	Vertical




ANT 4

Part 270 Mode 40


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.53	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-30.53	Horizontal
11103.00	-39.37	RMS	39.01	-17.36	0.28	-95.23	33.93	-13.00	-26.37	Horizontal
14805.00	-32.72	RMS	40.59	-13.59	0.42	-95.23	35.09	-13.00	-19.72	Horizontal
18506.00	-66.63	RMS	37.72	-32.25	-9.54	-95.23	32.67	-13.00	-53.63	Horizontal
22207.00	-61.90	RMS	38.20	-29.30	-9.54	-95.23	33.97	-13.00	-48.90	Horizontal
25908.00	-64.35	RMS	38.98	-25.78	-9.54	-95.23	27.22	-13.00	-51.35	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.65	RMS	36.70	-20.78	0.82	-95.23	34.84	-13.00	-30.65	Vertical
11103.00	-39.36	RMS	39.01	-17.36	0.28	-95.23	33.94	-13.00	-26.36	Vertical
14805.00	-32.82	RMS	40.59	-13.59	0.42	-95.23	34.99	-13.00	-19.82	Vertical
18506.00	-69.46	RMS	37.72	-32.25	-9.54	-95.23	29.84	-13.00	-56.46	Vertical
22207.00	-56.97	RMS	38.20	-29.30	-9.54	-95.23	38.90	-13.00	-43.97	Vertical
25908.00	-64.31	RMS	38.98	-25.78	-9.54	-95.23	27.26	-13.00	-51.31	Vertical




ANT 4

Part 270 Mode 40


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-44.52	RMS	36.40	-20.91	0.57	-95.23	34.65	-13.00	-31.52	Horizontal
11373.00	-38.79	RMS	39.25	-16.95	0.29	-95.23	33.85	-13.00	-25.79	Horizontal
15165.00	-33.99	RMS	39.47	-13.81	0.40	-95.23	35.18	-13.00	-20.99	Horizontal
18956.00	-66.55	RMS	37.80	-31.69	-9.54	-95.23	32.11	-13.00	-53.55	Horizontal
22747.00	-61.86	RMS	38.50	-28.77	-9.54	-95.23	33.18	-13.00	-48.86	Horizontal
26538.00	-63.47	RMS	39.68	-26.09	-9.54	-95.23	27.71	-13.00	-50.47	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-44.71	RMS	36.40	-20.91	0.57	-95.23	34.46	-13.00	-31.71	Vertical
11373.00	-38.57	RMS	39.25	-16.95	0.29	-95.23	34.07	-13.00	-25.57	Vertical
15165.00	-33.86	RMS	39.47	-13.81	0.40	-95.23	35.31	-13.00	-20.86	Vertical
18956.00	-67.21	RMS	37.80	-31.69	-9.54	-95.23	31.45	-13.00	-54.21	Vertical
22747.00	-64.08	RMS	38.50	-28.77	-9.54	-95.23	30.96	-13.00	-51.08	Vertical
26538.00	-55.48	RMS	39.68	-26.09	-9.54	-95.23	35.70	-13.00	-42.48	Vertical




ANT 4

Part 270 Mode 40


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.81	RMS	36.85	-20.95	0.56	-95.23	34.96	-13.00	-30.81	Horizontal
11643.00	-38.20	RMS	38.73	-16.51	0.30	-95.23	34.51	-13.00	-25.20	Horizontal
15525.00	-34.36	RMS	38.50	-13.71	0.38	-95.23	35.70	-13.00	-21.36	Horizontal
19406.00	-67.45	RMS	37.90	-31.16	-9.54	-95.23	30.58	-13.00	-54.45	Horizontal
23287.00	-61.45	RMS	38.75	-28.32	-9.54	-95.23	32.89	-13.00	-48.45	Horizontal
27168.00	-61.98	RMS	39.70	-25.06	-9.54	-95.23	28.15	-13.00	-48.98	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-43.96	RMS	36.85	-20.95	0.56	-95.23	34.81	-13.00	-30.96	Vertical
11643.00	-37.88	RMS	38.73	-16.51	0.30	-95.23	34.83	-13.00	-24.88	Vertical
15525.00	-34.46	RMS	38.50	-13.71	0.38	-95.23	35.60	-13.00	-21.46	Vertical
19406.00	-67.53	RMS	37.90	-31.16	-9.54	-95.23	30.50	-13.00	-54.53	Vertical
23287.00	-64.29	RMS	38.75	-28.32	-9.54	-95.23	30.05	-13.00	-51.29	Vertical
27168.00	-62.20	RMS	39.70	-25.06	-9.54	-95.23	27.93	-13.00	-49.20	Vertical




ANT 4+2

Part 270 Mode 47


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-44.05	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-31.05	Horizontal
11103.00	-39.49	RMS	39.01	-17.36	0.28	-95.23	33.81	-13.00	-26.49	Horizontal
14805.00	-32.86	RMS	40.59	-13.59	0.42	-95.23	34.95	-13.00	-19.86	Horizontal
18506.00	-60.49	RMS	37.72	-32.25	-9.54	-95.23	38.81	-13.00	-47.49	Horizontal
22207.00	-61.32	RMS	38.20	-29.30	-9.54	-95.23	34.55	-13.00	-48.32	Horizontal
25908.00	-64.41	RMS	38.98	-25.78	-9.54	-95.23	27.16	-13.00	-51.41	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.50	RMS	36.70	-20.78	0.82	-95.23	34.99	-13.00	-30.50	Vertical
11103.00	-39.33	RMS	39.01	-17.36	0.28	-95.23	33.97	-13.00	-26.33	Vertical
14805.00	-33.12	RMS	40.59	-13.59	0.42	-95.23	34.69	-13.00	-20.12	Vertical
18506.00	-66.11	RMS	37.72	-32.25	-9.54	-95.23	33.19	-13.00	-53.11	Vertical
22207.00	-66.94	RMS	38.20	-29.30	-9.54	-95.23	28.93	-13.00	-53.94	Vertical
25908.00	-64.25	RMS	38.98	-25.78	-9.54	-95.23	27.32	-13.00	-51.25	Vertical






ANT 4+2

Part 270 Mode 47


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.62	RMS	36.40	-20.91	0.57	-95.23	34.55	-13.00	-31.62	Horizontal
2 11373.00	-31.85	RMS	39.25	-16.95	0.29	-95.23	40.79	-13.00	-18.85	Horizontal
3 15165.00	-34.30	RMS	39.47	-13.81	0.40	-95.23	34.87	-13.00	-21.30	Horizontal
4 18956.00	-61.95	RMS	37.80	-31.69	-9.54	-95.23	36.71	-13.00	-48.95	Horizontal
5 22747.00	-61.45	RMS	38.50	-28.77	-9.54	-95.23	33.59	-13.00	-48.45	Horizontal
6 26538.00	-62.93	RMS	39.68	-26.09	-9.54	-95.23	28.25	-13.00	-49.93	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.27	RMS	36.40	-20.91	0.57	-95.23	34.90	-13.00	-31.27	Vertical
2 11373.00	-31.80	RMS	39.25	-16.95	0.29	-95.23	40.84	-13.00	-18.80	Vertical
3 15165.00	-34.18	RMS	39.47	-13.81	0.40	-95.23	34.99	-13.00	-21.18	Vertical
4 18956.00	-64.19	RMS	37.80	-31.69	-9.54	-95.23	34.47	-13.00	-51.19	Vertical
5 22747.00	-59.86	RMS	38.50	-28.77	-9.54	-95.23	35.18	-13.00	-46.86	Vertical
6 26538.00	-63.35	RMS	39.68	-26.09	-9.54	-95.23	27.83	-13.00	-50.35	Vertical




ANT 4+2

Part 270 Mode 47


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-44.27	RMS	36.85	-20.95	0.56	-95.23	34.50	-13.00	-31.27	Horizontal
11643.00	-38.00	RMS	38.73	-16.51	0.30	-95.23	34.71	-13.00	-25.00	Horizontal
15525.00	-34.11	RMS	38.50	-13.71	0.38	-95.23	35.95	-13.00	-21.11	Horizontal
19406.00	-66.62	RMS	37.90	-31.16	-9.54	-95.23	31.41	-13.00	-53.62	Horizontal
23287.00	-61.59	RMS	38.75	-28.32	-9.54	-95.23	32.75	-13.00	-48.59	Horizontal
27168.00	-62.52	RMS	39.70	-25.06	-9.54	-95.23	27.61	-13.00	-49.52	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.00	-44.20	RMS	36.85	-20.95	0.56	-95.23	34.57	-13.00	-31.20	Vertical
11643.00	-38.38	RMS	38.73	-16.51	0.30	-95.23	34.33	-13.00	-25.38	Vertical
15525.00	-34.12	RMS	38.50	-13.71	0.38	-95.23	35.94	-13.00	-21.12	Vertical
19406.00	-63.35	RMS	37.90	-31.16	-9.54	-95.23	34.68	-13.00	-50.35	Vertical
23287.00	-63.15	RMS	38.75	-28.32	-9.54	-95.23	31.19	-13.00	-50.15	Vertical
27168.00	-61.49	RMS	39.70	-25.06	-9.54	-95.23	28.64	-13.00	-48.49	Vertical




ANT 2

Part 270 Mode 41


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.28	RMS	36.70	-20.78	0.82	-95.23	0.00	-13.00	-30.28	Horizontal
11103.00	-32.54	RMS	39.01	-17.36	0.28	-95.23	40.76	-13.00	-19.54	Horizontal
14805.00	-33.14	RMS	40.59	-13.59	0.42	-95.23	34.67	-13.00	-20.14	Horizontal
18506.00	-58.28	RMS	37.72	-32.25	-9.54	-95.23	41.02	-13.00	-45.28	Horizontal
22207.00	-57.90	RMS	38.20	-29.30	-9.54	-95.23	37.97	-13.00	-44.90	Horizontal
25908.00	-64.57	RMS	38.98	-25.78	-9.54	-95.23	27.00	-13.00	-51.57	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.86	RMS	36.70	-20.78	0.82	-95.23	34.63	-13.00	-30.86	Vertical
11103.00	-29.97	RMS	39.01	-17.36	0.28	-95.23	43.33	-13.00	-16.97	Vertical
14805.00	-32.93	RMS	40.59	-13.59	0.42	-95.23	34.88	-13.00	-19.93	Vertical
18506.00	-58.00	RMS	37.72	-32.25	-9.54	-95.23	41.30	-13.00	-45.00	Vertical
22207.00	-59.18	RMS	38.20	-29.30	-9.54	-95.23	36.69	-13.00	-46.18	Vertical
25908.00	-64.63	RMS	38.98	-25.78	-9.54	-95.23	26.94	-13.00	-51.63	Vertical




ANT 2

Part 270 Mode 41


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.57	RMS	36.40	-20.91	0.57	-95.23	34.60	-13.00	-31.57	Horizontal
2 11373.00	-32.78	RMS	39.25	-16.95	0.29	-95.23	39.86	-13.00	-19.78	Horizontal
3 15165.00	-34.16	RMS	39.47	-13.81	0.40	-95.23	35.01	-13.00	-21.16	Horizontal
4 18956.00	-67.29	RMS	37.80	-31.69	-9.54	-95.23	31.37	-13.00	-54.29	Horizontal
5 22747.00	-59.93	RMS	38.50	-28.77	-9.54	-95.23	35.11	-13.00	-46.93	Horizontal
6 26538.00	-55.61	RMS	39.68	-26.09	-9.54	-95.23	35.57	-13.00	-42.61	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7582.00	-44.52	RMS	36.40	-20.91	0.57	-95.23	34.65	-13.00	-31.52	Vertical
2 11373.00	-28.40	RMS	39.25	-16.95	0.29	-95.23	44.24	-13.00	-15.40	Vertical
3 15165.00	-33.82	RMS	39.47	-13.81	0.40	-95.23	35.35	-13.00	-20.82	Vertical
4 18956.00	-67.34	RMS	37.80	-31.69	-9.54	-95.23	31.32	-13.00	-54.34	Vertical
5 22747.00	-55.72	RMS	38.50	-28.77	-9.54	-95.23	39.32	-13.00	-42.72	Vertical
6 26538.00	-52.02	RMS	39.68	-26.09	-9.54	-95.23	39.16	-13.00	-39.02	Vertical




ANT 2

Part 270 Mode 41


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.50	-43.53	RMS	36.85	-20.95	0.56	-95.23	35.24	-13.00	-30.53	Horizontal
11643.00	-34.65	RMS	38.73	-16.51	0.30	-95.23	38.06	-13.00	-21.65	Horizontal
15525.00	-34.51	RMS	38.50	-13.71	0.38	-95.23	35.55	-13.00	-21.51	Horizontal
19406.00	-66.87	RMS	37.90	-31.16	-9.54	-95.23	31.16	-13.00	-53.87	Horizontal
23287.00	-59.90	RMS	38.75	-28.32	-9.54	-95.23	34.44	-13.00	-46.90	Horizontal
27168.00	-58.54	RMS	39.70	-25.06	-9.54	-95.23	31.59	-13.00	-45.54	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7762.50	-43.80	RMS	36.85	-20.95	0.56	-95.23	34.97	-13.00	-30.80	Vertical
11643.00	-31.51	RMS	38.73	-16.51	0.30	-95.23	41.20	-13.00	-18.51	Vertical
15525.00	-34.23	RMS	38.50	-13.71	0.38	-95.23	35.83	-13.00	-21.23	Vertical
19406.00	-63.89	RMS	37.90	-31.16	-9.54	-95.23	34.14	-13.00	-50.89	Vertical
23287.00	-59.13	RMS	38.75	-28.32	-9.54	-95.23	35.21	-13.00	-46.13	Vertical
27168.00	-59.28	RMS	39.70	-25.06	-9.54	-95.23	30.85	-13.00	-46.28	Vertical




ANT 2

Part 270 Mode 41


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m Bilog\_37059\_20231103 Horizontal  
 : SA n77 100M Ch656000 1RB1 BPSK

1	Freq	Level	Detector	Ant	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1		dB		dB	dB		
1	3791.00	18.76	RMS	30.15	8.98	0.00	-95.23	74.86	-----	-----	Horizontal	



Site : 03CH12-HY  
 Condition: -13 3m Bilog\_37059\_20231103 Vertical  
 : SA n77 100M Ch656000 1RB1 BPSK

1	Freq	Level	Detector	Ant	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1		dB		dB	dB		
1	3791.00	24.17	RMS	30.15	8.98	0.00	-95.23	80.27	-----	-----	Vertical	

Remark: #1 is fundamental signal which can be ignored.