





LTE Band 66C / 20MHz+5MHz

QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 07:48:10

Date: 1.FEB.2022 07:57:21





LTE Band 66C / 20MHz+10MHz

QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB99 and 1RB0





Date: 1.FEB.2022 09:08:30

Date: 1.FEB.2022 09:15:20

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 09:21:17

Date: 1.FEB.2022 09:20:01





LTE Band 66C / 20MHz+10MHz

QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 08:52:24

Date: 1.FEB.2022 08:59:14





LTE Band 66C / 20MHz+15MHz

QPSK

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB99 and 1RB0





Date: 1.FEB.2022 09:48:18

Date: 1.FEB.2022 09:55:09

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 10:01:05

Date: 1.FEB.2022 09:59:48





LTE Band 66C / 20MHz+15MHz

QPSK

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 09:32:17

Date: 1.FEB.2022 09:39:08





LTE Band 66C / 20MHz+20MHz

QPSK

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB99 and 1RB0





Date: 1.FEB.2022 10:29:58

Date: 1.FEB.2022 10:36:49

MiddleChannel / 1RB0 and 1RB99

Middle Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 10:42:45

Date: 1.FEB.2022 10:41:29





LTE Band 66C / 20MHz+20MHz

QPSK

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB99 and 1RB0



Date: 1.FEB.2022 10:13:56

Date: 1.FEB.2022 10:20:48



Appendix B. Test Results of Radiated Test

<Ant. 0>

LTE Band 5

LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-58.76	-13	-45.76	-74.37	-62.22	3.88	9.49	H
	2473	-55.99	-13	-42.99	-75.38	-59.59	4.80	10.55	H
	3298	-53.60	-13	-40.60	-75.78	-58.08	5.55	12.19	H
									H
									H
	1649	-59.18	-13	-46.18	-74.68	-62.64	3.88	9.49	V
	2473	-56.23	-13	-43.23	-75.59	-59.83	4.80	10.55	V
	3298	-54.14	-13	-41.14	-76.22	-58.62	5.55	12.19	V
									V
									V
Middle	1664	-58.85	-13	-45.85	-74.5	-62.38	3.90	9.58	H
	2496	-55.92	-13	-42.92	-75.21	-59.54	4.83	10.59	H
	3328	-53.88	-13	-40.88	-76	-58.46	5.58	12.31	H
									H
									H
	1664	-58.93	-13	-45.93	-74.49	-62.46	3.90	9.58	V
	2496	-55.93	-13	-42.93	-75.26	-59.55	4.83	10.59	V
	3328	-53.80	-13	-40.80	-75.84	-58.38	5.58	12.31	V
									V
									V



Highest	1679	-56.60	-13	-43.60	-72.28	-60.21	3.92	9.67	H
	2518	-56.07	-13	-43.07	-75.49	-59.78	4.85	10.71	H
	3358	-53.45	-13	-40.45	-75.54	-58.11	5.61	12.42	H
									H
									H
									H
									H
	1679	-58.32	-13	-45.32	-73.94	-61.93	3.92	9.67	V
	2518	-55.57	-13	-42.57	-74.92	-59.28	4.85	10.71	V
	3358	-53.83	-13	-40.83	-75.85	-58.49	5.61	12.42	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-58.84	-13	-45.84	-74.08	-60.51	3.57	7.39	H
	2098	-56.19	-13	-43.19	-74.69	-59.36	4.40	9.72	H
	2798	-53.97	-13	-40.97	-75.05	-57.72	5.10	11.00	H
									H
									H
									H
									H
	1399	-58.43	-13	-45.43	-73.89	-60.10	3.57	7.39	V
	2098	-53.88	-13	-40.88	-72.96	-57.05	4.40	9.72	V
	2798	-53.93	-13	-40.93	-75.02	-57.68	5.10	11.00	V
									V
									V
									V
									V
Middle	1408	-59.07	-13	-46.07	-74.29	-60.77	3.58	7.43	H
	2112	-56.59	-13	-43.59	-75.19	-59.63	4.41	9.60	H
	2812	-53.61	-13	-40.61	-74.95	-57.35	5.11	11.00	H
									H
									H
									H
									H
	1408	-58.54	-13	-45.54	-74.15	-60.24	3.58	7.43	V
	2112	-54.97	-13	-41.97	-73.88	-58.01	4.41	9.60	V
	2812	-54.30	-13	-41.30	-75.38	-58.04	5.11	11.00	V
									V
									V
									V
									V



Highest	1413	-58.82	-13	-45.82	-74.10	-60.53	3.59	7.45	H
	2120	-56.03	-13	-43.03	-74.65	-59.00	4.42	9.54	H
	2826	-54.13	-13	-41.13	-75.26	-57.86	5.12	11.00	H
									H
									H
									H
									H
	1413	-58.60	-13	-45.60	-74.23	-60.31	3.59	7.45	V
	2120	-50.59	-13	-37.59	-69.77	-53.56	4.42	9.54	V
	2824	-54.28	-13	-41.28	-75.12	-58.01	5.12	11.00	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-59.78	-13	-46.78	-75.22	-62.69	3.77	8.83	H
	2332	-50.65	-13	-37.65	-70.19	-53.58	4.65	9.73	H
	3109	-53.68	-13	-40.68	-75.71	-57.45	5.38	11.30	H
									H
									H
									H
									H
	1554	-58.69	-13	-45.69	-74.07	-61.60	3.77	8.83	V
	2332	-55.24	-13	-42.24	-74.83	-58.17	4.65	9.73	V
	3109	-53.15	-13	-40.15	-75.11	-56.92	5.38	11.30	V
									V
									V
									V
									V
Middle	1560	-59.68	-42.15	-17.53	-75.14	-62.63	3.78	8.88	H
	2339	-54.98	-13	-41.98	-74.54	-57.93	4.66	9.76	H
	3120	-53.97	-13	-40.97	-76.04	-57.73	5.39	11.30	H
									H
									H
									H
									H
	1560	-59.23	-42.15	-17.08	-74.61	-62.18	3.78	8.88	V
	2339	-54.83	-13	-41.83	-74.41	-57.78	4.66	9.76	V
	3120	-53.60	-13	-40.60	-75.59	-57.36	5.39	11.30	V
									V
									V
									V
									V
								V	



Highest	1568	-59.44	-42.15	-17.29	-74.90	-62.45	3.79	8.94	H
	2344	-55.68	-13	-42.68	-75.25	-58.64	4.66	9.78	H
	3128	-54.04	-13	-41.04	-76.15	-57.79	5.40	11.30	H
									H
									H
									H
									H
	1568	-59.51	-42.15	-17.36	-74.87	-62.52	3.79	8.94	V
	2344	-55.59	-13	-42.59	-75.16	-58.55	4.66	9.78	V
	3128	-53.25	-13	-40.25	-75.27	-57.00	5.40	11.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1555	-59.56	-13	-46.56	-75.01	-62.48	3.77	8.84	H
	2332	-56.33	-13	-43.33	-75.87	-59.26	4.65	9.73	H
	3112	-53.82	-13	-40.82	-75.86	-57.59	5.38	11.30	H
									H
									H
									H
									H
	1555	-59.60	-13	-46.60	-74.98	-62.52	3.77	8.84	V
	2332	-56.60	-13	-43.60	-76.19	-59.53	4.65	9.73	V
	3112	-53.81	-13	-40.81	-75.78	-57.58	5.38	11.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5B

LTE Band 5B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1668	-58.64	-13	-45.64	-74.29	-62.19	3.90	9.61	H
	2503	-54.33	-13	-41.33	-73.64	-57.97	4.83	10.62	H
	3337	-53.54	-13	-40.54	-75.66	-58.15	5.59	12.35	H
									H
									H
									H
									H
	1668	-58.84	-13	-45.84	-74.41	-62.39	3.90	9.61	V
	2503	-55.76	-13	-42.76	-75.09	-59.4	4.83	10.62	V
	3337	-53.96	-13	-40.96	-76	-58.57	5.59	12.35	V
									V
									V
									V
									V
Middle	1674	-58.54	-13	-45.54	-74.21	-62.12216	3.91	9.64	H
	2511	-53.09	-13	-40.09	-72.45	-56.7661	4.84	10.67	H
	3348	-53.84	-13	-40.84	-75.93	-58.48184	5.60	12.39	H
									H
									H
									H
									H
	1674	-58.72	-13	-45.72	-74.32	-62.30216	3.91	9.64	V
	2511	-55.88	-13	-42.88	-75.22	-59.5561	4.84	10.67	V
	3348	-53.51	-13	-40.51	-75.53	-58.15184	5.60	12.39	V
									V
									V
									V
									V
								V	



Highest	1679	-57.95	-13	-44.95	-73.63	-61.56	3.92	9.67	H
	2518	-55.41	-13	-42.41	-74.83	-59.12	4.85	10.71	H
	3358	-53.57	-13	-40.57	-75.66	-58.23	5.61	12.42	H
									H
									H
									H
									H
	1679	-58.85	-13	-45.85	-74.47	-62.46	3.92	9.67	V
	2518	-55.81	-13	-42.81	-75.16	-59.52	4.85	10.71	V
	3358	-53.59	-13	-40.59	-75.61	-58.25	5.61	12.42	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 2>

LTE Band 66

LTE Band CA_13A-66A / 10MHz+20MHz /QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-45.35	-13	-32.35	-68.14	-52.18	5.67	12.50	H
	5133	-49.10	-13	-36.10	-77.73	-54.02	7.55	12.47	H
	6844	-42.26	-13	-29.26	-75.57	-46.03	8.44	12.21	H
									H
									H
									H
									H
	3422	-48.98	-13	-35.98	-71.71	-55.81	5.67	12.50	V
	5133	-49.17	-13	-36.17	-77.61	-54.09	7.55	12.47	V
	6844	-43.46	-13	-30.46	-76.58	-47.23	8.44	12.21	V
									V
									V
									V
									V
Middle	3469	-46.97	-13	-33.97	-70.21	-53.72	5.71	12.46	H
	5208	-49.28	-13	-36.28	-77.67	-54.65	7.58	12.95	H
	6944	-42.58	-13	-29.58	-76.51	-45.98	8.51	11.91	H
									H
									H
									H
									H
	3469	-51.06	-13	-38.06	-74.22	-57.81	5.71	12.46	V
	5208	-49.20	-13	-36.20	-77.54	-54.57	7.58	12.95	V
	6944	-42.69	-13	-29.69	-76.7	-46.09	8.51	11.91	V
									V
									V
									V
									V



Highest	3525	-48.38	-13	-35.38	-71.84	-54.87	5.76	12.25	H
	5283	-48.49	-13	-35.49	-77.13	-54.21	7.61	13.33	H
	7046	-42.12	-13	-29.12	-76.54	-45.17	8.57	11.62	H
									H
									H
									H
									H
	3525	-51.66	-13	-38.66	-75.01	-58.15	5.76	12.25	V
	5283	-48.87	-13	-35.87	-77.4	-54.59	7.61	13.33	V
	7046	-41.61	-13	-28.61	-76.32	-44.66	8.57	11.62	V
									V
									V
									V
									V

Remark1: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Remark2: The Ant. 2 test combination is LTE Band CA_13A-66A



LTE Band 2

LTE Band CA_2A-13A / 20MHz+10MHz /QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-46.29	-13	-33.29	-70.09	-52.66	5.93	12.30	H
	5553	-48.44	-13	-35.44	-77.69	-54	7.74	13.31	H
	7404	-41.27	-13	-28.27	-76.85	-43.75	8.72	11.20	H
									H
									H
									H
									H
	3702	-47.44	-13	-34.44	-71.24	-53.81	5.93	12.30	V
	5553	-47.55	-13	-34.55	-76.92	-53.11	7.74	13.31	V
	7404	-40.70	-13	-27.70	-76.51	-43.18	8.72	11.20	V
									V
									V
									V
									V
Middle	3742	-45.83	-13	-32.83	-69.82	-52.17	5.96	12.30	H
	5613	-48.14	-13	-35.14	-77.37	-53.77	7.79	13.43	H
	7484	-41.07	-13	-28.07	-76.82	-43.52	8.75	11.20	H
									H
									H
									H
									H
	3742	-46.73	-13	-33.73	-70.67	-53.07	5.96	12.30	V
	5613	-48.29	-13	-35.29	-77.52	-53.92	7.79	13.43	V
	7484	-40.34	-13	-27.34	-76.43	-42.79	8.75	11.20	V
									V
									V
									V
									V



Highest	3782	-47.91	-13	-34.91	-72.2	-54.21	6.00	12.30	H
	5673	-48.38	-13	-35.38	-77.88	-54.04	7.84	13.50	H
	7564	-39.90	-13	-26.90	-76.24	-42.57	8.79	11.46	H
									H
									H
									H
									H
	3782	-48.13	-13	-35.13	-72.44	-54.43	6.00	12.30	V
	5673	-47.74	-13	-34.74	-77.3	-53.4	7.84	13.50	V
	7564	-39.61	-13	-26.61	-76.26	-42.28	8.79	11.46	V
									V
									V
									V
									V

Remark1: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Remark2: The Ant. 2 test combination is LTE Band CA_2A-13A



<Ant. 3>

LTE Band 13

ENDC 13A-n5 / 5M+20MHz / BPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-58.19	-13	-45.19	-73.63	-61.10	3.77	8.83	H
	2332	-54.20	-13	-41.20	-73.74	-57.13	4.65	9.73	H
	3109	-53.00	-13	-40.00	-75.03	-56.77	5.38	11.30	H
									H
									H
									H
									H
	1554	-59.19	-13	-46.19	-74.57	-62.10	3.77	8.83	V
	2332	-54.41	-13	-41.41	-74.00	-57.34	4.65	9.73	V
	3109	-53.20	-13	-40.20	-75.16	-56.97	5.38	11.30	V
									V
									V
									V
									V
Middle	1560	-58.22	-42.15	-16.07	-73.90	-61.17	3.78	8.88	H
	2339	-53.74	-13	-40.74	-73.75	-56.69	4.66	9.76	H
	3120	-52.07	-13	-39.07	-74.16	-55.83	5.39	11.30	H
									H
									H
									H
									H
	1560	-58.86	-42.15	-16.71	-74.25	-61.81	3.78	8.88	V
	2339	-53.39	-13	-40.39	-73.04	-56.34	4.66	9.76	V
	3120	-53.52	-13	-40.52	-75.67	-57.28	5.39	11.30	V
									V
									V
									V
									V



Highest	1568	-58.78	-42.15	-16.63	-74.43	-61.79	3.79	8.94	H
	2344	-54.80	-13	-41.80	-74.54	-57.76	4.66	9.78	H
	3128	-52.36	-13	-39.36	-74.59	-56.11	5.40	11.30	H
									H
									H
									H
									H
	1568	-59.46	-42.15	-17.31	-74.87	-62.47	3.79	8.94	V
	2344	-54.52	-13	-41.52	-74.16	-57.48	4.66	9.78	V
	3128	-53.74	-13	-40.74	-75.82	-57.49	5.40	11.30	V
									V
									V
									V
									V

Remark1: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Remark2: The Ant. 3 test combination is ENDC 13A-n5A



ENDC 13A-n5 / 10M+20MHz / BPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1555	-58.39	-13	-45.39	-74.07	-61.31	3.77	8.84	H
	2332	-56.02	-13	-43.02	-75.74	-58.95	4.65	9.73	H
	3112	-53.36	-13	-40.36	-75.41	-57.13	5.38	11.30	H
									H
									H
									H
									H
	1555	-59.22	-13	-46.22	-74.63	-62.14	3.77	8.84	V
	2332	-56.96	-13	-43.96	-73.66	-59.89	4.65	9.73	V
	3112	-53.24	-13	-40.24	-75.27	-57.01	5.38	11.30	V
									V
									V
									V
									V

Remark1: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Remark2: The Ant. 3 test combination is ENDC 13A-n5A



<Ant. 4>

LTE Band 66

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-44.55	-13	-31.55	-67.45	-51.38	5.67	12.50	H
	5133	-48.12	-13	-35.12	-76.85	-53.04	7.55	12.47	H
	6844	-42.82	-13	-29.82	-76.14	-46.59	8.44	12.21	H
									H
									H
									H
									H
	3422	-46.05	-13	-33.05	-68.84	-52.88	5.67	12.50	V
	5133	-49.08	-13	-36.08	-77.6	-54.00	7.55	12.47	V
	6844	-43.41	-13	-30.41	-76.57	-47.18	8.44	12.21	V
									V
									V
									V
									V
Middle	3472	-41.05	-13	-28.05	-64.32	-47.79	5.71	12.46	H
	5208	-48.51	-13	-35.51	-76.97	-53.88	7.58	12.95	H
	6944	-42.65	-13	-29.65	-76.58	-46.05	8.51	11.91	H
									H
									H
									H
									H
	3472	-47.33	-13	-34.33	-70.53	-54.07	5.71	12.46	V
	5208	-48.74	-13	-35.74	-77.22	-54.11	7.58	12.95	V
	6944	-42.29	-13	-29.29	-76.33	-45.69	8.51	11.91	V
									V
									V
									V
									V



Highest	3522	-42.77	-13	-29.77	-66.29	-49.28	5.76	12.27	H
	5283	-47.85	-13	-34.85	-76.57	-53.57	7.61	13.33	H
	7044	-41.93	-13	-28.93	-76.39	-45.00	8.57	11.64	H
									H
									H
									H
									H
	3522	-44.71	-13	-31.71	-68.12	-51.22	5.76	12.27	V
	5283	-48.45	-13	-35.45	-77.08	-54.17	7.61	13.33	V
	7044	-41.72	-13	-28.72	-76.48	-44.79	8.57	11.64	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2

LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-41.64	-13	-28.64	-74.7	-48.01	5.93	12.30	H
	5553	-48.03	-13	-35.03	-76.76	-53.59	7.74	13.31	H
	7404	-40.77	-13	-27.77	-76.47	-43.25	8.72	11.20	H
									H
									H
									H
									H
	3702	-47.63	-13	-34.63	-74.2	-54	5.93	12.30	V
	5553	-48.22	-13	-35.22	-76.19	-53.78	7.74	13.31	V
	7404	-40.57	-13	-27.57	-76.38	-43.05	8.72	11.20	V
									V
									V
									V
									V
Middle	3742	-42.87	-13	-29.87	-66.89	-49.21	5.96	12.30	H
	5613	-48.37	-13	-35.37	-77.6	-54	7.79	13.43	H
	7484	-40.43	-13	-27.43	-76.24	-42.88	8.75	11.20	H
									H
									H
									H
									H
	3742	-53.55	-13	-40.55	-72.6	-59.89	5.96	12.30	V
	5613	-47.84	-13	-34.84	-77.18	-53.47	7.79	13.43	V
	7484	-39.66	-13	-26.66	-75.86	-42.11	8.75	11.20	V
									V
									V
									V
									V
								V	



Highest	3762	-41.36	-13	-28.36	-65.53	-47.68	5.98	12.30	H
	5643	-47.88	-13	-34.88	-77.34	-53.55	7.82	13.49	H
	7524	-40.87	-13	-27.87	-76.89	-43.39	8.77	11.30	H
									H
									H
									H
									H
	3762	-46.86	-13	-33.86	-70.93	-53.18	5.98	12.30	V
	5643	-48.21	-13	-35.21	-77.65	-53.88	7.82	13.49	V
	7524	-40.39	-13	-27.39	-76.77	-42.91	8.77	11.30	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66B

LTE Band 66B / 10+10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3438	-43.67	-13	-30.67	-66.69	-50.49	5.68	12.50	H
	5158	-48.65	-13	-35.65	-77.24	-53.66	7.56	12.56	H
	6877	-42.58	-13	-29.58	-76.18	-46.21	8.46	12.09	H
									H
									H
									H
									H
	3438	-45.84	-13	-32.84	-68.85	-52.66	5.68	12.50	V
	5158	-48.86	-13	-35.86	-77.32	-53.87	7.56	12.56	V
	6877	-42.86	-13	-29.86	-76.31	-46.49	8.46	12.09	V
									V
									V
									V
									V
Middle	3509	-40.09	-13	-27.09	-75.46	-46.69	5.75	12.35	H
	5263	-48.13	-13	-35.13	-68.46	-53.78	7.60	13.25	H
	7018	-42.06	-13	-29.06	-76.38	-45.29	8.56	11.79	H
									H
									H
									H
									H
	3509	-43.95	-13	-30.95	-74.37	-50.55	5.75	12.35	V
	5263	-48.24	-13	-35.24	-72.63	-53.89	7.60	13.25	V
	7018	-41.99	-13	-28.99	-75.06	-45.22	8.56	11.79	V
									V
									V
									V
									V



Highest	3539	-42.89	-13	-29.89	-66.38	-49.28	5.78	12.17	H
	5308	-48.50	-13	-35.50	-77.29	-54.31	7.62	13.43	H
	7078	-41.97	-13	-28.97	-76.56	-44.88	8.58	11.49	H
									H
									H
									H
									H
	3539	-46.40	-13	-33.40	-69.83	-52.79	5.78	12.17	V
	5308	-48.47	-13	-35.47	-77.09	-54.28	7.62	13.43	V
	7078	-42.09	-13	-29.09	-77.04	-45.00	8.58	11.49	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66C CA

LTE Band 66C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3455	-45.91	-13	-32.91	-69.02	-52.70	5.70	12.49	H
	5186	-49.24	-13	-36.24	-77.66	-54.46	7.57	12.79	H
	6915	-42.75	-13	-29.75	-76.49	-46.23	8.49	11.97	H
									H
									H
									H
									H
	3455	-43.87	-13	-30.87	-66.91	-50.66	5.70	12.49	V
	5186	-49.20	-13	-36.20	-77.55	-54.42	7.57	12.79	V
	6915	-42.66	-13	-29.66	-76.41	-46.14	8.49	11.97	V
									V
									V
									V
									V
Middle	3511	-44.13	-13	-31.13	-67.63	-50.71	5.75	12.33	H
	5262	-48.82	-13	-35.82	-77.39	-54.47	7.60	13.25	H
	7016	-42.63	-13	-29.63	-76.95	-45.88	8.56	11.80	H
									H
									H
									H
									H
	3511	-41.13	-13	-28.13	-64.53	-47.71	5.75	12.33	V
	5262	-48.92	-13	-35.92	-77.4	-54.57	7.60	13.25	V
	7016	-41.92	-13	-28.92	-76.49	-45.17	8.56	11.80	V
									V
									V
									V
									V



Highest	3518	-45.93	-13	-32.93	-69.42	-52.47	5.76	12.29	H
	5277	-48.89	-13	-35.89	-77.51	-54.59	7.61	13.31	H
	7036	-42.24	-13	-29.24	-76.62	-45.36	8.57	11.68	H
									H
									H
									H
									H
	3518	-42.98	-13	-29.98	-66.37	-49.52	5.76	12.29	V
	5277	-48.84	-13	-35.84	-77.35	-54.54	7.61	13.31	V
	7036	-41.74	-13	-28.74	-76.39	-44.86	8.57	11.68	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.