





Ant 0

Part 27N Mode 1
LTE B71 20M Ch133297 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 71 20M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
				Factor	1					dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1343.00	-42.53	RMS	25.60	-25.48	0.82	-95.23	51.76	-13.00	-29.53	Horizontal	
2	2015.00	-51.05	RMS	26.60	-22.95	0.38	-95.23	40.15	-13.00	-38.05	Horizontal	
3	2686.00	-56.40	RMS	28.18	-21.89	0.33	-95.23	32.21	-13.00	-43.40	Horizontal	




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 71 20M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
				Factor	1					dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1343.00	-43.81	RMS	25.60	-25.48	0.82	-95.23	50.48	-13.00	-30.81	Vertical	
2	2015.00	-50.31	RMS	26.60	-22.95	0.38	-95.23	40.89	-13.00	-37.31	Vertical	
3	2686.00	-57.17	RMS	28.18	-21.89	0.33	-95.23	31.44	-13.00	-44.17	Vertical	




Ant 0

Part 27N Mode 1
LTE B71 20M Ch133372 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-39.43	RMS	25.52	-25.38	0.79	-95.23	54.87	-13.00	-26.43	Horizontal
2	2037.00	-48.27	RMS	26.97	-22.91	0.38	-95.23	42.52	-13.00	-35.27	Horizontal
3	2716.00	-57.12	RMS	28.26	-21.83	0.33	-95.23	31.35	-13.00	-44.12	Horizontal




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-43.72	RMS	25.52	-25.38	0.79	-95.23	50.58	-13.00	-30.72	Vertical
2	2037.00	-44.70	RMS	26.97	-22.91	0.38	-95.23	46.09	-13.00	-31.70	Vertical
3	2716.00	-53.41	RMS	28.26	-21.83	0.33	-95.23	35.06	-13.00	-40.41	Vertical




Ant 0

Part 27H Mode 1
LTE B12 10M Ch23060 1RB0 QPSK
L



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1400.00	-60.33	RMS	25.40	-25.10	1.11	-95.23	33.49	-13.00	-47.33	Horizontal
			2096.00	-58.05	RMS	27.10	-22.80	0.65	-95.23	32.23	-13.00	-45.05	Horizontal
			2792.00	-56.34	RMS	28.40	-21.70	0.41	-95.23	31.78	-13.00	-43.34	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1400.00	-60.19	RMS	25.40	-25.10	1.11	-95.23	33.63	-13.00	-47.19	Vertical
			2096.00	-58.15	RMS	27.10	-22.80	0.65	-95.23	32.13	-13.00	-45.15	Vertical
			2792.00	-56.75	RMS	28.40	-21.70	0.41	-95.23	31.37	-13.00	-43.75	Vertical




Ant 0

Part 27H Mode 1
LTE B12 10M Ch23095 1RB0 QPSK
M



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1408.00	-60.55	RMS	25.32	-25.05	1.10	-95.23	33.31	-13.00	-47.55	Horizontal
2	2112.00	-58.32	RMS	27.32	-22.77	0.65	-95.23	31.71	-13.00	-45.32	Horizontal
3	2808.00	-56.33	RMS	28.40	-21.67	0.41	-95.23	31.76	-13.00	-43.33	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1408.00	-60.25	RMS	25.32	-25.05	1.10	-95.23	33.61	-13.00	-47.25	Vertical
2	2112.00	-58.09	RMS	27.32	-22.77	0.65	-95.23	31.94	-13.00	-45.09	Vertical
3	2808.00	-56.35	RMS	28.40	-21.67	0.41	-95.23	31.74	-13.00	-43.35	Vertical




Ant 0

Part 27H Mode 1
LTE B12 10M Ch23130 1RB0 QPSK
H



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	1416.00	-60.49	RMS	25.30	-25.00	1.08	-95.23	33.36	-13.00	-47.49	Horizontal
2	2120.00	-57.71	RMS	27.40	-22.76	0.65	-95.23	32.23	-13.00	-44.71	Horizontal
3	2824.00	-56.34	RMS	28.40	-21.64	0.41	-95.23	31.72	-13.00	-43.34	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	1416.00	-60.52	RMS	25.30	-25.00	1.08	-95.23	33.33	-13.00	-47.52	Vertical
2	2120.00	-57.99	RMS	27.40	-22.76	0.65	-95.23	31.95	-13.00	-44.99	Vertical
3	2824.00	-56.12	RMS	28.40	-21.64	0.41	-95.23	31.94	-13.00	-43.12	Vertical




Ant 0

Part 27F Mode 1
LTE B13 5M Ch23205 1RB0 QPSK
L



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23205 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1552.00	-60.76	RMS	25.30	-24.27	0.86	-95.23	32.58	-13.00	-47.76	Horizontal
2 2328.00	-57.64	RMS	27.10	-22.35	0.59	-95.23	32.25	-13.00	-44.64	Horizontal
3 3112.00	-54.89	RMS	29.62	-21.09	0.39	-95.23	31.42	-13.00	-41.89	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23205 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1552.00	-60.54	RMS	25.30	-24.27	0.86	-95.23	32.80	-13.00	-47.54	Vertical
2 2328.00	-57.73	RMS	27.10	-22.35	0.59	-95.23	32.16	-13.00	-44.73	Vertical
3 3112.00	-54.74	RMS	29.62	-21.09	0.39	-95.23	31.57	-13.00	-41.74	Vertical




Ant 0

Part 27F Mode 1
LTE B13 5M Ch23230 1RB0 QPSK
M



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1560.00	-60.30	RMS	25.30	-24.23	0.85	-95.23	33.01	-42.15	-18.15	Horizontal
2	2336.00	-58.05	RMS	27.10	-22.33	0.58	-95.23	31.83	-13.00	-45.05	Horizontal
3	3120.00	-54.72	RMS	29.64	-21.07	0.39	-95.23	31.55	-13.00	-41.72	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1560.00	-59.88	RMS	25.30	-24.23	0.85	-95.23	33.43	-42.15	-17.73	Vertical
2	2336.00	-58.06	RMS	27.10	-22.33	0.58	-95.23	31.82	-13.00	-45.06	Vertical
3	3120.00	-54.74	RMS	29.64	-21.07	0.39	-95.23	31.53	-13.00	-41.74	Vertical




Ant 0

Part 27F Mode 1
LTE B13 5M Ch23255 1RB0 QPSK
H



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1560.00	-60.19	RMS	25.30	-24.23	0.85	-95.23	33.12	-42.15	-18.04	Horizontal
			2344.00	-58.16	RMS	27.10	-22.31	0.58	-95.23	31.70	-13.00	-45.16	Horizontal
			3128.00	-54.42	RMS	29.66	-21.06	0.39	-95.23	31.82	-13.00	-41.42	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1560.00	-60.30	RMS	25.30	-24.23	0.85	-95.23	33.01	-42.15	-18.15	Vertical
			2344.00	-57.80	RMS	27.10	-22.31	0.58	-95.23	32.06	-13.00	-44.80	Vertical
			3128.00	-54.28	RMS	29.66	-21.06	0.39	-95.23	31.96	-13.00	-41.28	Vertical




Ant 0

Part 27F Mode 2
LTE B13 10M Ch23230 1RB0 QPSK
M



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 13 10M Ch23230 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1552.00	-60.63 RMS	25.30	-24.27	0.86	-95.23	32.71	-13.00	-47.63	Horizontal
2	2336.00	-54.54 RMS	27.10	-22.33	0.58	-95.23	35.34	-13.00	-41.54	Horizontal
3	3112.00	-54.47 RMS	29.62	-21.09	0.39	-95.23	31.84	-13.00	-41.47	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 13 10M Ch23230 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1552.00	-60.72 RMS	25.30	-24.27	0.86	-95.23	32.62	-13.00	-47.72	Vertical
2	2336.00	-57.99 RMS	27.10	-22.33	0.58	-95.23	31.89	-13.00	-44.99	Vertical
3	3112.00	-55.14 RMS	29.62	-21.09	0.39	-95.23	31.17	-13.00	-42.14	Vertical




Ant 0

Part 27D Mode 1
 LTE B30 5M Ch27685 1RB0 QPSK
 L



Site : 03CH16-HY
 Condition: -40 1m SHF_00993_231124 Horizontal
 : LTE Band 30 5M Ch27685 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	4610.00	-64.55	RMS	31.64	-55.82	0.51	-95.23	54.35	-40.00	-24.55	Horizontal
2	6920.00	-58.13	RMS	35.80	-52.39	0.39	-95.23	53.30	-40.00	-18.13	Horizontal
3	9225.00	-57.41	RMS	37.80	-50.91	0.57	-95.23	50.36	-40.00	-17.41	Horizontal




Site : 03CH16-HY
 Condition: -40 1m SHF_00993_231124 Vertical
 : LTE Band 30 5M Ch27685 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	4610.00	-62.66	RMS	31.64	-55.82	0.51	-95.23	56.24	-40.00	-22.66	Vertical
2	6920.00	-55.51	RMS	35.80	-52.39	0.39	-95.23	55.92	-40.00	-15.51	Vertical
3	9225.00	-57.82	RMS	37.80	-50.91	0.57	-95.23	49.95	-40.00	-17.82	Vertical




Ant 0

Part 27D Mode 1
LTE B30 5M Ch27710 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Horizontal
: LTE Band 30 5M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	4620.00	-64.10 RMS	31.68	-55.80	0.50	-95.23	54.75	-40.00	-24.10 Horizontal
2	6930.00	-56.95 RMS	35.80	-52.39	0.38	-95.23	54.49	-40.00	-16.95 Horizontal
3	9240.00	-57.54 RMS	37.80	-50.91	0.56	-95.23	50.24	-40.00	-17.54 Horizontal




Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Vertical
: LTE Band 30 5M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	4620.00	-63.30 RMS	31.68	-55.80	0.50	-95.23	55.55	-40.00	-23.30 Vertical
2	6930.00	-53.47 RMS	35.80	-52.39	0.38	-95.23	57.97	-40.00	-13.47 Vertical
3	9240.00	-57.32 RMS	37.80	-50.91	0.56	-95.23	50.46	-40.00	-17.32 Vertical




Ant 0

Part 27D Mode 1
LTE B30 5M Ch27735 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Horizontal
: LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB		
1	4630.00	-64.70	RMS	31.72	-55.78	0.50	-95.23	54.09	-40.00	-24.70	Horizontal
2	6945.00	-58.98	RMS	35.80	-52.40	0.38	-95.23	52.47	-40.00	-18.98	Horizontal
3	9260.00	-57.39	RMS	37.82	-50.92	0.54	-95.23	50.40	-40.00	-17.39	Horizontal




Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Vertical
: LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB		
1	4630.00	-63.41	RMS	31.72	-55.78	0.50	-95.23	55.38	-40.00	-23.41	Vertical
2	6945.00	-58.43	RMS	35.80	-52.40	0.38	-95.23	53.02	-40.00	-18.43	Vertical
3	9260.00	-57.35	RMS	37.82	-50.92	0.54	-95.23	50.44	-40.00	-17.35	Vertical




Ant 0

Part 27M Mode 1
LTE B7 20M Ch20850 1RB0 QPSK
L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE Band 7 20M Ch20850 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5002.00	-63.37	RMS	33.09	-54.61	0.45	-95.23	0.00	-25.00	-38.37	Horizontal
2	7503.00	-59.30	RMS	36.19	-51.97	0.46	-95.23	51.25	-25.00	-34.30	Horizontal
3	10004.00	-57.05	RMS	38.12	-51.01	0.34	-95.23	50.73	-25.00	-32.05	Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE Band 7 20M Ch20850 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5002.00	-63.05	RMS	33.09	-54.61	0.45	-95.23	53.25	-25.00	-38.05	Vertical
2	7503.00	-59.89	RMS	36.19	-51.97	0.46	-95.23	50.66	-25.00	-34.89	Vertical
3	10004.00	-57.20	RMS	38.12	-51.01	0.34	-95.23	50.58	-25.00	-32.20	Vertical




Ant 0

Part 27M Mode 1
LTE B7 20M Ch21100 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE Band 7 20M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	5052.00	-63.06 RMS	32.90	-54.53	0.45	-95.23	53.35	-25.00	-38.06 Horizontal
2	7578.00	-59.61 RMS	36.06	-51.86	0.52	-95.23	50.90	-25.00	-34.61 Horizontal
3	10104.00	-56.33 RMS	38.22	-50.85	0.34	-95.23	51.19	-25.00	-31.33 Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE Band 7 20M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	5052.00	-62.96 RMS	32.90	-54.53	0.45	-95.23	53.45	-25.00	-37.96 Vertical
2	7578.00	-59.85 RMS	36.06	-51.86	0.52	-95.23	50.66	-25.00	-34.85 Vertical
3	10104.00	-56.44 RMS	38.22	-50.85	0.34	-95.23	51.08	-25.00	-31.44 Vertical




Ant 0

Part 27M Mode 1
LTE B7 20M Ch21350 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB		
1	5102.00	-63.50	RMS	32.90	-54.45	0.46	-95.23	52.82	-25.00	-38.50	Horizontal
2	7653.00	-58.84	RMS	36.21	-51.80	0.51	-95.23	51.47	-25.00	-33.84	Horizontal
3	10204.00	-56.08	RMS	38.51	-50.68	0.34	-95.23	50.98	-25.00	-31.08	Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol			
			Factor	1				dB	dB		
1	5102.00	-63.35	RMS	32.90	-54.45	0.46	-95.23	52.97	-25.00	-38.35	Vertical
2	7653.00	-58.94	RMS	36.21	-51.80	0.51	-95.23	51.37	-25.00	-33.94	Vertical
3	10204.00	-56.16	RMS	38.51	-50.68	0.34	-95.23	50.90	-25.00	-31.16	Vertical




Ant 0

Part 27M Mode 3
LTE B38 20M Ch37850 1RB0 QPSK
L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE B38 20M Ch37850 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	5142.00	-63.22	RMS	32.98	-54.39	0.46	-95.23	0.00	-25.00	-38.22	Horizontal
2	7713.00	-58.90	RMS	36.33	-51.77	0.48	-95.23	51.29	-25.00	-33.90	Horizontal
3	10284.00	-56.91	RMS	38.53	-50.55	0.35	-95.23	49.99	-25.00	-31.91	Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE B38 20M Ch37850 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	5142.00	-63.10	RMS	32.98	-54.39	0.46	-95.23	53.08	-25.00	-38.10	Vertical
2	7713.00	-58.56	RMS	36.33	-51.77	0.48	-95.23	51.63	-25.00	-33.56	Vertical
3	10284.00	-56.69	RMS	38.53	-50.55	0.35	-95.23	50.21	-25.00	-31.69	Vertical




Ant 0

Part 27M Mode 3
LTE B38 20M Ch38000 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE B38 20M Ch38000 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	5172.00	-63.30 RMS	33.00	-54.34	0.46	-95.23	52.81	-25.00	-38.30 Horizontal
2	7758.00	-58.93 RMS	36.45	-51.74	0.45	-95.23	51.14	-25.00	-33.93 Horizontal
3	10344.00	-56.13 RMS	38.59	-50.45	0.35	-95.23	50.61	-25.00	-31.13 Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE B38 20M Ch38000 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	5172.00	-63.46 RMS	33.00	-54.34	0.46	-95.23	52.65	-25.00	-38.46 Vertical
2	7758.00	-58.72 RMS	36.45	-51.74	0.45	-95.23	51.35	-25.00	-33.72 Vertical
3	10344.00	-55.96 RMS	38.59	-50.45	0.35	-95.23	50.78	-25.00	-30.96 Vertical




Ant 0

Part 27M Mode 3
LTE B38 20M Ch38150 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE B38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5202.00	-63.71	RMS	33.00	-54.30	0.46	-95.23	52.36	-25.00	-38.71	Horizontal
2 7803.00	-58.81	RMS	36.71	-51.72	0.43	-95.23	51.00	-25.00	-33.81	Horizontal
3 10404.00	-56.29	RMS	38.59	-50.35	0.35	-95.23	50.35	-25.00	-31.29	Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE B38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5202.00	-63.70	RMS	33.00	-54.30	0.46	-95.23	52.37	-25.00	-38.70	Vertical
2 7803.00	-58.85	RMS	36.71	-51.72	0.43	-95.23	50.96	-25.00	-33.85	Vertical
3 10404.00	-56.11	RMS	38.59	-50.35	0.35	-95.23	50.53	-25.00	-31.11	Vertical




Ant 0

Part 27M Mode 4
LTE B41 20M Ch39750 1RB0 QPSK
L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE Band 41 20M Ch39750 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	4994.00	-63.39 RMS	33.09	-54.64	0.45	-95.23	52.94	-25.00	-38.39 Horizontal
2	7491.00	-60.03 RMS	36.22	-51.97	0.45	-95.23	50.50	-25.00	-35.03 Horizontal
3	9988.00	-57.08 RMS	38.05	-51.01	0.35	-95.23	50.76	-25.00	-32.08 Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE Band 41 20M Ch39750 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	4994.00	-61.27 RMS	33.09	-54.64	0.45	-95.23	55.06	-25.00	-36.27 Vertical
2	7491.00	-59.86 RMS	36.22	-51.97	0.45	-95.23	50.67	-25.00	-34.86 Vertical
3	9988.00	-57.31 RMS	38.05	-51.01	0.35	-95.23	50.53	-25.00	-32.31 Vertical




Ant 0

Part 27M Mode 4
LTE B41 20M Ch40620 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE B41 20M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	5168.00	-63.90 RMS	33.00	-54.35	0.46	-95.23	52.22	-25.00	-38.90 Horizontal
2	7752.00	-58.78 RMS	36.41	-51.75	0.46	-95.23	51.33	-25.00	-33.78 Horizontal
3	10336.00	-56.31 RMS	38.57	-50.46	0.35	-95.23	50.46	-25.00	-31.31 Horizontal




Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE B41 20M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	5168.00	-61.85 RMS	33.00	-54.35	0.46	-95.23	54.27	-25.00	-36.85 Vertical
2	7752.00	-59.10 RMS	36.41	-51.75	0.46	-95.23	51.01	-25.00	-34.10 Vertical
3	10336.00	-56.20 RMS	38.57	-50.46	0.35	-95.23	50.57	-25.00	-31.20 Vertical




Ant 0

Part 27M Mode 4
LTE B41 20M Ch41490 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: LTE B41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5342.00	-63.90	RMS	32.80	-54.13	0.41	-95.23	52.25	-25.00	-38.90	Horizontal
2 8013.00	-58.65	RMS	36.80	-51.84	0.56	-95.23	51.06	-25.00	-33.65	Horizontal
3 10684.00	-55.62	RMS	39.03	-49.74	0.35	-95.23	49.97	-25.00	-30.62	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: LTE B41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5342.00	-64.17	RMS	32.80	-54.13	0.41	-95.23	51.98	-25.00	-39.17	Vertical
2 8013.00	-58.43	RMS	36.80	-51.84	0.56	-95.23	51.28	-25.00	-33.43	Vertical
3 10684.00	-55.63	RMS	39.03	-49.74	0.35	-95.23	49.96	-25.00	-30.63	Vertical




Ant 0

Part 27M Mode 5


LTE CA 7C 20M + 20M Ch20850 1RB99 QPSK + Ch21048 1RB0 QPSK

L



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 7 20M Ch20850 1RB99 QPSK
 : LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5040.00	-62.95	RMS	32.94	-54.55	0.45	-95.23	53.44	-25.00	-37.95	Horizontal
2	7560.00	-59.90	RMS	36.02	-51.88	0.51	-95.23	50.68	-25.00	-34.90	Horizontal
3	10080.00	-56.66	RMS	38.24	-50.89	0.34	-95.23	50.88	-25.00	-31.66	Horizontal




Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 7 20M Ch20850 1RB99 QPSK
 : LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5040.00	-63.17	RMS	32.94	-54.55	0.45	-95.23	53.22	-25.00	-38.17	Vertical
2	7560.00	-59.76	RMS	36.02	-51.88	0.51	-95.23	50.82	-25.00	-34.76	Vertical
3	10080.00	-56.69	RMS	38.24	-50.89	0.34	-95.23	50.85	-25.00	-31.69	Vertical




Ant 0

Part 27M Mode 5
LTE CA 7C 20M + 20M Ch21001 1RB99 QPSK + Ch21199 1RB0 QPSK
M



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-63.38 RMS	32.90	-54.50	0.45	-95.23	53.00	-25.00	-38.38	Horizontal
2	7605.00	-59.21 RMS	36.11	-51.82	0.54	-95.23	51.19	-25.00	-34.21	Horizontal
3	10140.00	-56.37 RMS	38.36	-50.79	0.34	-95.23	50.96	-25.00	-31.37	Horizontal




Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-63.33 RMS	32.90	-54.50	0.45	-95.23	53.05	-25.00	-38.33	Vertical
2	7605.00	-59.64 RMS	36.11	-51.82	0.54	-95.23	50.76	-25.00	-34.64	Vertical
3	10140.00	-56.16 RMS	38.36	-50.79	0.34	-95.23	51.16	-25.00	-31.16	Vertical




Ant 0

Part 27M Mode 5
LTE CA 7C 20M + 20M Ch21152 1RB99 QPSK + Ch21350 1RB0 QPSK
H



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 7 20M Ch21152 1RB99 QPSK
 : LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5100.00	-63.31	RMS	32.90	-54.46	0.46	-95.23	53.02	-25.00	-38.31	Horizontal
2 7650.00	-58.90	RMS	36.20	-51.80	0.51	-95.23	51.42	-25.00	-33.90	Horizontal
3 10200.00	-56.12	RMS	38.50	-50.69	0.34	-95.23	50.96	-25.00	-31.12	Horizontal



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 7 20M Ch21152 1RB99 QPSK
 : LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5100.00	-63.64	RMS	32.90	-54.46	0.46	-95.23	52.69	-25.00	-38.64	Vertical
2 7650.00	-58.70	RMS	36.20	-51.80	0.51	-95.23	51.62	-25.00	-33.70	Vertical
3 10200.00	-56.27	RMS	38.50	-50.69	0.34	-95.23	50.81	-25.00	-31.27	Vertical




Ant 0

Part 27M Mode 6


LTE CA 41C 20M + 20M Ch39750 1RB99 QPSK + Ch39948 1RB0 QPSK

L



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							g
1	5029.00	-62.59	RMS	32.98	-54.57	0.45	-95.23	53.78	-25.00	-37.59	Horizontal
2	7544.00	-59.77	RMS	36.02	-51.91	0.49	-95.23	50.86	-25.00	-34.77	Horizontal
3	10059.00	-56.52	RMS	38.28	-50.92	0.34	-95.23	51.01	-25.00	-31.52	Horizontal



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							g
1	5029.00	-62.84	RMS	32.98	-54.57	0.45	-95.23	53.53	-25.00	-37.84	Vertical
2	7544.00	-59.69	RMS	36.02	-51.91	0.49	-95.23	50.94	-25.00	-34.69	Vertical
3	10059.00	-56.79	RMS	38.28	-50.92	0.34	-95.23	50.74	-25.00	-31.79	Vertical




Ant 0

Part 27M Mode 6


LTE CA 41C 20M + 20M Ch40521 1RB99 QPSK + Ch40719 1RB0 QPSK

M



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5180.00	-63.53	RMS	33.00	-54.33	0.46	-95.23	52.57	-25.00	-38.53	Horizontal
2 7770.00	-58.88	RMS	36.52	-51.74	0.45	-95.23	51.12	-25.00	-33.88	Horizontal
3 10360.00	-56.73	RMS	38.60	-50.42	0.35	-95.23	49.97	-25.00	-31.73	Horizontal



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5180.00	-63.34	RMS	33.00	-54.33	0.46	-95.23	52.76	-25.00	-38.34	Vertical
2 7770.00	-59.13	RMS	36.52	-51.74	0.45	-95.23	50.87	-25.00	-34.13	Vertical
3 10360.00	-56.92	RMS	38.60	-50.42	0.35	-95.23	49.78	-25.00	-31.92	Vertical




Ant 0

Part 27M Mode 6


LTE CA 41C 20M + 20M Ch41292 1RB99 QPSK + Ch41490 1RB0 QPSK

H



Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Horizontal
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5338.00	-63.92	RMS	32.80	-54.13	0.41	-95.23	52.23	-25.00	-38.92	Horizontal
2	8007.00	-58.70	RMS	36.80	-51.85	0.56	-95.23	51.02	-25.00	-33.70	Horizontal
3	10676.00	-55.60	RMS	39.05	-49.76	0.35	-95.23	49.99	-25.00	-30.60	Horizontal




Site : 03CH16-HY
 Condition: -25 1m SHF_00993_231124 Vertical
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5338.00	-63.95	RMS	32.80	-54.13	0.41	-95.23	52.20	-25.00	-38.95	Vertical
2	8007.00	-58.50	RMS	36.80	-51.85	0.56	-95.23	51.22	-25.00	-33.50	Vertical
3	10676.00	-56.04	RMS	39.05	-49.76	0.35	-95.23	49.55	-25.00	-31.04	Vertical




Ant 0

Part 27L Mode 2
LTE B66 20M Ch132072 1RB0 QPSK
L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3422.00	-53.58 RMS	29.46	-20.58	0.91	-95.23	31.86	-13.00	-40.58	Horizontal	
2	5133.00	-49.42 RMS	32.97	-18.06	0.46	-95.23	30.44	-13.00	-36.42	Horizontal	
3	6845.00	-45.49 RMS	35.72	-17.01	0.40	-95.23	30.63	-13.00	-32.49	Horizontal	




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3422.00	-54.00 RMS	29.46	-20.58	0.91	-95.23	31.44	-13.00	-41.00	Vertical	
2	5133.00	-49.24 RMS	32.97	-18.06	0.46	-95.23	30.62	-13.00	-36.24	Vertical	
3	6845.00	-45.57 RMS	35.72	-17.01	0.40	-95.23	30.55	-13.00	-32.57	Vertical	




Ant 0

Part 27L Mode 2
LTE B66 20M Ch132322 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3472.00	-53.92	RMS	29.40	-20.49	0.91	-95.23	31.49	-13.00	-40.92	Horizontal	
2 5208.00	-49.27	RMS	32.98	-17.98	0.46	-95.23	30.50	-13.00	-36.27	Horizontal	
3 6944.00	-44.93	RMS	35.80	-17.10	0.38	-95.23	31.22	-13.00	-31.93	Horizontal	




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3472.00	-53.83	RMS	29.40	-20.49	0.91	-95.23	31.58	-13.00	-40.83	Vertical	
2 5208.00	-49.54	RMS	32.98	-17.98	0.46	-95.23	30.23	-13.00	-36.54	Vertical	
3 6944.00	-45.03	RMS	35.80	-17.10	0.38	-95.23	31.12	-13.00	-32.03	Vertical	




Ant 0

Part 27L Mode 2
LTE B66 20M Ch132572 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3522.00	-54.03	RMS	29.44	-20.44	0.90	-95.23	31.30	-13.00	-41.03	Horizontal
2	5283.00	-50.00	RMS	32.83	-17.92	0.43	-95.23	29.89	-13.00	-37.00	Horizontal
3	7045.00	-45.05	RMS	35.98	-17.12	0.41	-95.23	30.91	-13.00	-32.05	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3522.00	-54.12	Average	29.44	-20.44	0.90	-95.23	31.21	-13.00	-41.12	Vertical
2	5283.00	-50.53	Average	32.83	-17.92	0.43	-95.23	29.36	-13.00	-37.53	Vertical
3	7045.00	-45.17	RMS	35.98	-17.12	0.41	-95.23	30.79	-13.00	-32.17	Vertical




Ant 0

Part 27L Mode 6


LTE CA 66B 10M + 10M Ch132022 1RB49 QPSK + Ch132121 1RB0 QPSK

L



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3439.00	-54.30	RMS	29.42	-20.55	0.91	-95.23	31.15	-13.00	-41.30	Horizontal
2	5158.00	-50.09	RMS	33.00	-18.04	0.46	-95.23	29.72	-13.00	-37.09	Horizontal
3	6878.00	-46.27	RMS	35.76	-17.04	0.39	-95.23	29.85	-13.00	-33.27	Horizontal



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3439.00	-54.44	RMS	29.42	-20.55	0.91	-95.23	31.01	-13.00	-41.44	Vertical
2	5158.00	-49.91	RMS	33.00	-18.04	0.46	-95.23	29.90	-13.00	-36.91	Vertical
3	6878.00	-45.75	RMS	35.76	-17.04	0.39	-95.23	30.37	-13.00	-32.75	Vertical



Ant 0


Part 27L Mode 6
LTE CA 66B 10M + 10M Ch132373 1RB49 QPSK + Ch132472 1RB0 QPSK

M



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3509.00	-54.46	RMS	29.42	-20.44	0.90	-95.23	30.89	-13.00	-41.46	Horizontal
2	5264.00	-49.98	RMS	32.87	-17.93	0.44	-95.23	29.87	-13.00	-36.98	Horizontal
3	7018.00	-45.29	RMS	35.87	-17.14	0.39	-95.23	30.82	-13.00	-32.29	Horizontal



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3509.00	-54.27	RMS	29.42	-20.44	0.90	-95.23	31.08	-13.00	-41.27	Vertical
2	5264.00	-50.25	RMS	32.87	-17.93	0.44	-95.23	29.60	-13.00	-37.25	Vertical
3	7018.00	-45.39	RMS	35.87	-17.14	0.39	-95.23	30.72	-13.00	-32.39	Vertical




Ant 0

Part 27L Mode 6


LTE CA 66B 10M + 10M Ch132523 1RB49 QPSK + Ch132622 1RB0 QPSK

H



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3539.00	-54.48	RMS	29.48	-20.44	0.90	-95.23	30.81	-13.00	-41.48	Horizontal
2	5309.00	-50.49	RMS	32.80	-17.90	0.42	-95.23	29.42	-13.00	-37.49	Horizontal
3	7078.00	-44.78	RMS	36.17	-17.09	0.44	-95.23	30.93	-13.00	-31.78	Horizontal



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3539.00	-54.68	RMS	29.48	-20.44	0.90	-95.23	30.61	-13.00	-41.68	Vertical
2	5309.00	-50.32	RMS	32.80	-17.90	0.42	-95.23	29.59	-13.00	-37.32	Vertical
3	7078.00	-44.86	RMS	36.17	-17.09	0.44	-95.23	30.85	-13.00	-31.86	Vertical




Ant 0

Part 27L Mode 7


LTE CA 66C 20M + 20M Ch132072 1RB99 QPSK + Ch132270 1RB0 QPSK

L



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 66 20M Ch132270 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit		Margin	Pol
			Factor	1				g			
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3458.00	-54.59 RMS	29.40	-20.51	0.91	-95.23	30.84	-13.00	-41.59	Horizontal	
2	5187.00	-49.69 RMS	33.00	-18.00	0.46	-95.23	30.08	-13.00	-36.69	Horizontal	
3	6916.00	-45.40 RMS	35.80	-17.08	0.39	-95.23	30.72	-13.00	-32.40	Horizontal	



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 66 20M Ch132270 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit		Margin	Pol
			Factor	1				g			
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3458.00	-54.51 RMS	29.40	-20.51	0.91	-95.23	30.92	-13.00	-41.51	Vertical	
2	5187.00	-49.78 RMS	33.00	-18.00	0.46	-95.23	29.99	-13.00	-36.78	Vertical	
3	6916.00	-45.72 RMS	35.80	-17.08	0.39	-95.23	30.40	-13.00	-32.72	Vertical	




Ant 0

Part 27L Mode 7


LTE CA 66C 20M + 20M Ch132323 1RB99 QPSK + Ch132521 1RB0 QPSK

M



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132323 1RB99 QPSK
 : LTE Band 66 20M Ch132521 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3508.00	-54.50 RMS	29.42	-20.44	0.90	-95.23	30.85	-13.00	-41.50	Horizontal	
2	5262.00	-50.01 RMS	32.88	-17.94	0.44	-95.23	29.84	-13.00	-37.01	Horizontal	
3	7016.00	-45.43 RMS	35.86	-17.14	0.38	-95.23	30.70	-13.00	-32.43	Horizontal	



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132323 1RB99 QPSK
 : LTE Band 66 20M Ch132521 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3508.00	-54.41 RMS	29.42	-20.44	0.90	-95.23	30.94	-13.00	-41.41	Vertical	
2	5262.00	-50.03 RMS	32.88	-17.94	0.44	-95.23	29.82	-13.00	-37.03	Vertical	
3	7016.00	-45.31 RMS	35.86	-17.14	0.38	-95.23	30.82	-13.00	-32.31	Vertical	




Ant 0

Part 27L Mode 7


LTE CA 66C 20M + 20M Ch132374 1RB99 QPSK + Ch132572 1RB0 QPSK

H



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132374 1RB99 QPSK
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3518.00	-54.41	RMS	29.44	-20.44	0.90	-95.23	30.92	-13.00	-41.41	Horizontal
2	5277.00	-50.36	RMS	32.85	-17.92	0.43	-95.23	29.51	-13.00	-37.36	Horizontal
3	7036.00	-45.30	RMS	35.94	-17.12	0.40	-95.23	30.71	-13.00	-32.30	Horizontal



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132374 1RB99 QPSK
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3518.00	-54.30	RMS	29.44	-20.44	0.90	-95.23	31.03	-13.00	-41.30	Vertical
2	5277.00	-50.39	RMS	32.85	-17.92	0.43	-95.23	29.48	-13.00	-37.39	Vertical
3	7036.00	-45.16	RMS	35.94	-17.12	0.40	-95.23	30.85	-13.00	-32.16	Vertical




Ant 2+0

Part 27L Mode 3


LTE CA B66+B5 20M + 10M Ch132072 1RB99 QPSK + Ch20450 1RB0 QPSK

L



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 5 10M Ch20450 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3422.00	-53.85	RMS	29.46	-20.58	0.91	-95.23	0.00	-13.00	-40.85	Horizontal	
2 5133.00	-49.48	RMS	32.97	-18.06	0.46	-95.23	30.38	-13.00	-36.48	Horizontal	
3 6844.00	-45.13	RMS	35.72	-17.01	0.40	-95.23	30.99	-13.00	-32.13	Horizontal	



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 5 10M Ch20450 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3422.00	-53.25	RMS	29.46	-20.58	0.91	-95.23	32.19	-13.00	-40.25	Vertical	
2 5133.00	-49.56	RMS	32.97	-18.06	0.46	-95.23	30.30	-13.00	-36.56	Vertical	
3 6844.00	-45.48	RMS	35.72	-17.01	0.40	-95.23	30.64	-13.00	-32.48	Vertical	




Ant 2+0

Part 27L Mode 3


LTE CA B66+B5 20M + 10M Ch132322 1RB99 QPSK + Ch20525 1RB0 QPSK

M



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132322 1RB99 QPSK
 : LTE Band 5 10M Ch20525 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3472.00	-54.00	RMS	29.40	-20.49	0.91	-95.23	31.41	-13.00	-41.00	Horizontal
2	5208.00	-49.38	RMS	32.98	-17.98	0.46	-95.23	30.39	-13.00	-36.38	Horizontal
3	6944.00	-45.20	RMS	35.80	-17.10	0.38	-95.23	30.95	-13.00	-32.20	Horizontal



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132322 1RB99 QPSK
 : LTE Band 5 10M Ch20525 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3472.00	-54.36	RMS	29.40	-20.49	0.91	-95.23	31.05	-13.00	-41.36	Vertical
2	5208.00	-49.43	RMS	32.98	-17.98	0.46	-95.23	30.34	-13.00	-36.43	Vertical
3	6944.00	-45.14	RMS	35.80	-17.10	0.38	-95.23	31.01	-13.00	-32.14	Vertical




Ant 2+0

Part 27L Mode 3


LTE CA B66+B5 20M + 10M Ch132572 1RB99 QPSK + Ch20600 1RB0 QPSK

H



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 66 20M Ch132572 1RB99 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							g
1	3522.00	-54.17	RMS	29.44	-20.44	0.90	-95.23	31.16	-13.00	-41.17	Horizontal
2	5283.00	-49.84	RMS	32.83	-17.92	0.43	-95.23	30.05	-13.00	-36.84	Horizontal
3	7044.00	-45.16	RMS	35.98	-17.12	0.41	-95.23	30.80	-13.00	-32.16	Horizontal




Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 66 20M Ch132572 1RB99 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							g
1	3522.00	-54.09	RMS	29.44	-20.44	0.90	-95.23	31.24	-13.00	-41.09	Vertical
2	5283.00	-50.07	RMS	32.83	-17.92	0.43	-95.23	29.82	-13.00	-37.07	Vertical
3	7044.00	-44.97	RMS	35.98	-17.12	0.41	-95.23	30.99	-13.00	-31.97	Vertical




Ant 0

Part 90R Mode 1
 LTE B14 5M Ch23305 1RB0 QPSK
 L



Site : 03CH16-HY
 Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
 : LTE Band 14 5M Ch23305 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1576.00	-59.77	RMS	25.36	-24.17	0.82	-95.23	33.45	-42.15	-17.62	Horizontal
2 2368.00	-57.71	RMS	27.20	-22.27	0.56	-95.23	32.03	-13.00	-44.71	Horizontal
3 3152.00	-54.55	RMS	29.70	-21.02	0.38	-95.23	31.62	-13.00	-41.55	Horizontal




Site : 03CH16-HY
 Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
 : LTE Band 14 5M Ch23305 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1576.00	-60.15	RMS	25.36	-24.17	0.82	-95.23	33.07	-42.15	-18.00	Vertical
2 2368.00	-57.75	RMS	27.20	-22.27	0.56	-95.23	31.99	-13.00	-44.75	Vertical
3 3152.00	-54.73	RMS	29.70	-21.02	0.38	-95.23	31.44	-13.00	-41.73	Vertical




Ant 0

Part 90R Mode 1
LTE B14 5M Ch23330 1RB0 QPSK
M



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1584.00	-60.08	RMS	25.40	-24.14	0.81	-95.23	33.08	-42.15	-17.93	Horizontal
2	2376.00	-57.84	RMS	27.20	-22.25	0.56	-95.23	31.88	-13.00	-44.84	Horizontal
3	3160.00	-54.71	RMS	29.68	-21.01	0.38	-95.23	31.47	-13.00	-41.71	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1584.00	-59.98	RMS	25.40	-24.14	0.81	-95.23	33.18	-42.15	-17.83	Vertical
2	2376.00	-57.72	RMS	27.20	-22.25	0.56	-95.23	32.00	-13.00	-44.72	Vertical
3	3160.00	-54.50	RMS	29.68	-21.01	0.38	-95.23	31.68	-13.00	-41.50	Vertical




Ant 0

Part 90R Mode 1
LTE B14 5M Ch23335 1RB0 QPSK
H



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 14 5M Ch23355 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1584.00	-60.11	RMS	25.40	-24.14	0.81	-95.23	33.05	-42.15	-17.96	Horizontal
2	2376.00	-57.82	RMS	27.20	-22.25	0.56	-95.23	31.90	-13.00	-44.82	Horizontal
3	3176.00	-54.16	RMS	29.65	-20.98	0.38	-95.23	32.02	-13.00	-41.16	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 14 5M Ch23355 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1584.00	-60.24	RMS	25.40	-24.14	0.81	-95.23	32.92	-42.15	-18.09	Vertical
2	2376.00	-57.15	RMS	27.20	-22.25	0.56	-95.23	32.57	-13.00	-44.15	Vertical
3	3176.00	-54.33	RMS	29.65	-20.98	0.38	-95.23	31.85	-13.00	-41.33	Vertical




Ant 0

Part 90R Mode 2
LTE B14 10M Ch23330 1RB0 QPSK
M



Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Horizontal
: LTE Band 14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1576.00	-60.11	RMS	25.36	-24.17	0.82	-95.23	33.11	-42.15	-17.96	Horizontal
2	2368.00	-57.58	RMS	27.20	-22.27	0.56	-95.23	32.16	-13.00	-44.58	Horizontal
3	3152.00	-54.84	RMS	29.70	-21.02	0.38	-95.23	31.33	-13.00	-41.84	Horizontal




Site : 03CH16-HY
Condition: 700 AC BAND 3m 9120D-1522_240328 Vertical
: LTE Band 14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1576.00	-60.12	RMS	25.36	-24.17	0.82	-95.23	33.10	-42.15	-17.97	Vertical
2	2368.00	-57.80	RMS	27.20	-22.27	0.56	-95.23	31.94	-13.00	-44.80	Vertical
3	3152.00	-54.55	RMS	29.70	-21.02	0.38	-95.23	31.62	-13.00	-41.55	Vertical




Ant 0

Part 90S Mode 1
LTE B26 5M Ch26715 1RB0 QPSK
L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1624.00	-61.60	RMS	25.30	-24.01	0.53	-95.23	31.81	-13.00	-48.60	Horizontal
2 2448.00	-57.29	RMS	27.60	-22.22	0.34	-95.23	32.22	-13.00	-44.29	Horizontal
3 3256.00	-55.23	RMS	29.60	-20.85	0.26	-95.23	30.99	-13.00	-42.23	Horizontal




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1624.00	-61.70	RMS	25.30	-24.01	0.53	-95.23	31.71	-13.00	-48.70	Vertical
2 2448.00	-57.92	RMS	27.60	-22.22	0.34	-95.23	31.59	-13.00	-44.92	Vertical
3 3256.00	-55.22	RMS	29.60	-20.85	0.26	-95.23	31.00	-13.00	-42.22	Vertical




Ant 0

Part 90S Mode 1
LTE B26 5M Ch26765 1RB0 QPSK
H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1640.00	-61.12	RMS	25.10	-23.97	0.53	-95.23	32.45	-13.00	-48.12	Horizontal
2	2456.00	-58.72	RMS	27.54	-22.23	0.33	-95.23	30.87	-13.00	-45.72	Horizontal
3	3280.00	-55.31	RMS	29.60	-20.81	0.26	-95.23	30.87	-13.00	-42.31	Horizontal




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1640.00	-61.92	RMS	25.10	-23.97	0.53	-95.23	31.65	-13.00	-48.92	Vertical
2	2456.00	-58.55	RMS	27.54	-22.23	0.33	-95.23	31.04	-13.00	-45.55	Vertical
3	3280.00	-55.42	RMS	29.60	-20.81	0.26	-95.23	30.76	-13.00	-42.42	Vertical




Ant 0

Part 90S Mode 2
LTE B26 10M Ch26740 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1632.00	-61.68	RMS	25.26	-23.99	0.53	-95.23	31.75	-13.00	-48.68	Horizontal
2	2448.00	-57.16	RMS	27.60	-22.22	0.34	-95.23	32.35	-13.00	-44.16	Horizontal
3	3256.00	-55.19	RMS	29.60	-20.85	0.26	-95.23	31.03	-13.00	-42.19	Horizontal




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1632.00	-61.76	RMS	25.26	-23.99	0.53	-95.23	31.67	-13.00	-48.76	Vertical
2	2448.00	-54.70	RMS	27.60	-22.22	0.34	-95.23	34.81	-13.00	-41.70	Vertical
3	3256.00	-55.47	RMS	29.60	-20.85	0.26	-95.23	30.75	-13.00	-42.47	Vertical




Ant 0

Part 90S Mode 3
 LTE B26 15M Ch26765 1RB0 QPSK
 L



Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Horizontal
 : LTE Band 26 15M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	1632.00	-61.69	RMS	25.26	-23.99	0.53	-95.23	31.74	-13.00	-48.69	Horizontal
2	2448.00	-56.71	RMS	27.60	-22.22	0.34	-95.23	32.80	-13.00	-43.71	Horizontal
3	3256.00	-55.23	RMS	29.60	-20.85	0.26	-95.23	30.99	-13.00	-42.23	Horizontal




Site : 03CH16-HY
 Condition: -13 3m 9120D-1522_240328 Vertical
 : LTE Band 26 15M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	1632.00	-61.73	RMS	25.26	-23.99	0.53	-95.23	31.70	-13.00	-48.73	Vertical
2	2448.00	-57.19	RMS	27.60	-22.22	0.34	-95.23	32.32	-13.00	-44.19	Vertical
3	3256.00	-55.37	RMS	29.60	-20.85	0.26	-95.23	30.85	-13.00	-42.37	Vertical




Ant 0

Part 90S Mode 4
LTE B26 15M Ch26790 1RB0 QPSK
M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 26 15M Ch26790 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	1632.00	-61.70	RMS	25.26	-23.99	0.53	-95.23	31.73	-13.00	-48.70	Horizontal
2	2456.00	-56.36	RMS	27.54	-22.23	0.33	-95.23	33.23	-13.00	-43.36	Horizontal
3	3272.00	-55.41	RMS	29.60	-20.82	0.26	-95.23	30.78	-13.00	-42.41	Horizontal




Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 26 15M Ch26790 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	1632.00	-61.70	RMS	25.26	-23.99	0.53	-95.23	31.73	-13.00	-48.70	Vertical
2	2456.00	-57.58	RMS	27.54	-22.23	0.33	-95.23	32.01	-13.00	-44.58	Vertical
3	3272.00	-55.51	RMS	29.60	-20.82	0.26	-95.23	30.68	-13.00	-42.51	Vertical




Ant 0

Part 27D Mode 1
 LTE B30 5M Ch27710 1RB0 QPSK
 M



Site : 03CH16-HY
 Condition: -40 3m CBL6111D&00802N1D01N-06 _47020 & 06 Horizontal
 : LTE Band 30 5M Ch27710 1RB0 QPSK
 : #1 is fundamental signal which can be ignored.

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 2308.00	-32.46	RMS	27.10	-60.08	0.51	-95.23	95.24	-40.00	7.54	Horizontal	



Site : 03CH16-HY
 Condition: -40 3m CBL6111D&00802N1D01N-06 _47020 & 06 Vertical
 : LTE Band 30 5M Ch27710 1RB0 QPSK
 : #1 is fundamental signal which can be ignored.

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 2308.00	-32.56	RMS	27.10	-60.08	0.51	-95.23	95.14	-40.00	7.44	Vertical	

Remark: The over limit signal #1 is fundamental signal which can be ignored.