




MIMO <Ant. 0+2>

Part 27M Mode 12


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5100.00	-63.19	RMS	32.90	-54.46	0.46	-95.23	53.14	-25.00	-38.19	Horizontal
2 7635.00	-58.67	RMS	36.17	-51.81	0.52	-95.23	51.68	-25.00	-33.67	Horizontal
3 10170.00	-56.41	RMS	38.44	-50.74	0.34	-95.23	50.78	-25.00	-31.41	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5100.00	-61.17	RMS	32.90	-54.46	0.46	-95.23	55.16	-25.00	-36.17	Vertical
2 7635.00	-58.46	RMS	36.17	-51.81	0.52	-95.23	51.89	-25.00	-33.46	Vertical
3 10170.00	-56.38	RMS	38.44	-50.74	0.34	-95.23	50.81	-25.00	-31.38	Vertical




MIMO <Ant. 0+2>

Part 27M Mode 12


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5175.00	-63.74	RMS	33.00	-54.34	0.46	-95.23	52.37	-25.00	-38.74	Horizontal	
2 7770.00	-59.04	RMS	36.52	-51.74	0.45	-95.23	50.96	-25.00	-34.04	Horizontal	
3 10365.00	-56.35	RMS	38.60	-50.41	0.35	-95.23	50.34	-25.00	-31.35	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5175.00	-63.53	RMS	33.00	-54.34	0.46	-95.23	52.58	-25.00	-38.53	Vertical	
2 7770.00	-58.95	RMS	36.52	-51.74	0.45	-95.23	51.05	-25.00	-33.95	Vertical	
3 10365.00	-56.46	RMS	38.60	-50.41	0.35	-95.23	50.23	-25.00	-31.46	Vertical	




MIMO <Ant. 0+1>

Part 27M Mode 13


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.93	RMS	33.09	-54.63	0.45	-95.23	53.39	-25.00	-37.93	Horizontal
2	7492.00	-59.76	RMS	36.22	-51.97	0.45	-95.23	50.77	-25.00	-34.76	Horizontal
3	9989.00	-56.98	RMS	38.06	-51.01	0.35	-95.23	50.85	-25.00	-31.98	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.06	RMS	33.09	-54.63	0.45	-95.23	53.26	-25.00	-38.06	Vertical
2	7492.00	-59.68	RMS	36.22	-51.97	0.45	-95.23	50.85	-25.00	-34.68	Vertical
3	9989.00	-57.18	RMS	38.06	-51.01	0.35	-95.23	50.65	-25.00	-32.18	Vertical




MIMO <Ant. 0+1>

Part 27M Mode 13


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-63.08	RMS	32.90	-54.47	0.45	-95.23	53.27	-25.00	-38.08	Horizontal
2 7632.00	-58.97	RMS	36.16	-51.81	0.52	-95.23	51.39	-25.00	-33.97	Horizontal
3 10177.00	-56.17	RMS	38.45	-50.73	0.34	-95.23	51.00	-25.00	-31.17	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-63.12	RMS	32.90	-54.47	0.45	-95.23	53.23	-25.00	-38.12	Vertical
2 7632.00	-58.63	RMS	36.16	-51.81	0.52	-95.23	51.73	-25.00	-33.63	Vertical
3 10177.00	-56.24	RMS	38.45	-50.73	0.34	-95.23	50.93	-25.00	-31.24	Vertical




MIMO <Ant. 0+1>

Part 27M Mode 13


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-63.16	RMS	33.00	-54.33	0.46	-95.23	52.94	-25.00	-38.16	Horizontal
2 7773.00	-58.78	RMS	36.54	-51.74	0.44	-95.23	51.21	-25.00	-33.78	Horizontal
3 10365.00	-56.22	RMS	38.60	-50.41	0.35	-95.23	50.47	-25.00	-31.22	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-62.96	RMS	33.00	-54.33	0.46	-95.23	53.14	-25.00	-37.96	Vertical
2 7773.00	-58.80	RMS	36.54	-51.74	0.44	-95.23	51.19	-25.00	-33.80	Vertical
3 10365.00	-56.02	RMS	38.60	-50.41	0.35	-95.23	50.67	-25.00	-31.02	Vertical




MIMO <Ant. 0+3>

Part 27M Mode 14


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.02	RMS	33.09	-54.63	0.45	-95.23	53.30	-25.00	-38.02	Horizontal
2	7492.00	-59.77	RMS	36.22	-51.97	0.45	-95.23	50.76	-25.00	-34.77	Horizontal
3	9989.00	-57.08	RMS	38.06	-51.01	0.35	-95.23	50.75	-25.00	-32.08	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.84	RMS	33.09	-54.63	0.45	-95.23	53.48	-25.00	-37.84	Vertical
2	7492.00	-59.64	RMS	36.22	-51.97	0.45	-95.23	50.89	-25.00	-34.64	Vertical
3	9989.00	-56.94	RMS	38.06	-51.01	0.35	-95.23	50.89	-25.00	-31.94	Vertical




MIMO <Ant. 0+3>

Part 27M Mode 14


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-63.38	RMS	32.90	-54.47	0.45	-95.23	52.97	-25.00	-38.38	Horizontal	
2	7632.00	-58.91	RMS	36.16	-51.81	0.52	-95.23	51.45	-25.00	-33.91	Horizontal	
3	10177.00	-56.28	RMS	38.45	-50.73	0.34	-95.23	50.89	-25.00	-31.28	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-63.08	RMS	32.90	-54.47	0.45	-95.23	53.27	-25.00	-38.08	Vertical	
2	7632.00	-58.75	RMS	36.16	-51.81	0.52	-95.23	51.61	-25.00	-33.75	Vertical	
3	10177.00	-56.15	RMS	38.45	-50.73	0.34	-95.23	51.02	-25.00	-31.15	Vertical	




MIMO <Ant. 0+3>

Part 27M Mode 14


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-63.05	RMS	33.00	-54.33	0.46	-95.23	53.05	-25.00	-38.05	Horizontal
2 7773.00	-58.91	RMS	36.54	-51.74	0.44	-95.23	51.08	-25.00	-33.91	Horizontal
3 10365.00	-56.36	RMS	38.60	-50.41	0.35	-95.23	50.33	-25.00	-31.36	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-63.43	RMS	33.00	-54.33	0.46	-95.23	52.67	-25.00	-38.43	Vertical
2 7773.00	-58.95	RMS	36.54	-51.74	0.44	-95.23	51.04	-25.00	-33.95	Vertical
3 10365.00	-56.34	RMS	38.60	-50.41	0.35	-95.23	50.35	-25.00	-31.34	Vertical






MIMO <Ant. 1+2>

Part 27M Mode 15


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch509202 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 4995.00	-62.54	RMS	33.09	-54.63	0.45	-95.23	53.78	-25.00	-37.54	Horizontal
2 7492.00	-59.47	RMS	36.22	-51.97	0.45	-95.23	51.06	-25.00	-34.47	Horizontal
3 9989.00	-56.48	RMS	38.06	-51.01	0.35	-95.23	51.35	-25.00	-31.48	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch509202 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 4995.00	-61.93	RMS	33.09	-54.63	0.45	-95.23	54.39	-25.00	-36.93	Vertical
2 7492.00	-59.31	RMS	36.22	-51.97	0.45	-95.23	51.22	-25.00	-34.31	Vertical
3 9989.00	-56.63	RMS	38.06	-51.01	0.35	-95.23	51.20	-25.00	-31.63	Vertical




MIMO <Ant. 1+2>

Part 27M Mode 15


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-62.77	RMS	32.90	-54.47	0.45	-95.23	53.58	-25.00	-37.77	Horizontal
2	7632.00	-58.32	RMS	36.16	-51.81	0.52	-95.23	52.04	-25.00	-33.32	Horizontal
3	10177.00	-55.34	RMS	38.45	-50.73	0.34	-95.23	51.83	-25.00	-30.34	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-62.20	RMS	32.90	-54.47	0.45	-95.23	54.15	-25.00	-37.20	Vertical
2	7632.00	-58.38	RMS	36.16	-51.81	0.52	-95.23	51.98	-25.00	-33.38	Vertical
3	10177.00	-55.78	RMS	38.45	-50.73	0.34	-95.23	51.39	-25.00	-30.78	Vertical




MIMO <Ant. 1+2>

Part 27M Mode 15


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-62.97	RMS	33.00	-54.33	0.46	-95.23	53.13	-25.00	-37.97	Horizontal
2 7773.00	-58.18	RMS	36.54	-51.74	0.44	-95.23	51.81	-25.00	-33.18	Horizontal
3 10365.00	-56.10	RMS	38.60	-50.41	0.35	-95.23	50.59	-25.00	-31.10	Horizontal



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-62.90	RMS	33.00	-54.33	0.46	-95.23	53.20	-25.00	-37.90	Vertical
2 7773.00	-58.72	RMS	36.54	-51.74	0.44	-95.23	51.27	-25.00	-33.72	Vertical
3 10365.00	-56.02	RMS	38.60	-50.41	0.35	-95.23	50.67	-25.00	-31.02	Vertical




MIMO <Ant. 2+0>

Part 27M Mode 16


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.76	RMS	33.09	-54.63	0.45	-95.23	53.56	-25.00	-37.76	Horizontal	
2	7492.00	-59.96	RMS	36.22	-51.97	0.45	-95.23	50.57	-25.00	-34.96	Horizontal	
3	9989.00	-56.81	RMS	38.06	-51.01	0.35	-95.23	51.02	-25.00	-31.81	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.00	RMS	33.09	-54.63	0.45	-95.23	53.32	-25.00	-38.00	Vertical	
2	7492.00	-59.25	RMS	36.22	-51.97	0.45	-95.23	51.28	-25.00	-34.25	Vertical	
3	9989.00	-57.23	RMS	38.06	-51.01	0.35	-95.23	50.60	-25.00	-32.23	Vertical	




MIMO <Ant. 2+0>

Part 27M Mode 16


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-63.32	RMS	32.90	-54.47	0.45	-95.23	53.03	-25.00	-38.32	Horizontal	
2 7632.00	-58.91	RMS	36.16	-51.81	0.52	-95.23	51.45	-25.00	-33.91	Horizontal	
3 10177.00	-56.04	RMS	38.45	-50.73	0.34	-95.23	51.13	-25.00	-31.04	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-62.89	RMS	32.90	-54.47	0.45	-95.23	53.46	-25.00	-37.89	Vertical	
2 7632.00	-58.32	RMS	36.16	-51.81	0.52	-95.23	52.04	-25.00	-33.32	Vertical	
3 10177.00	-55.98	RMS	38.45	-50.73	0.34	-95.23	51.19	-25.00	-30.98	Vertical	




MIMO <Ant. 2+0>

Part 27M Mode 16


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-63.24	RMS	33.00	-54.33	0.46	-95.23	52.86	-25.00	-38.24	Horizontal	
2 7773.00	-58.94	RMS	36.54	-51.74	0.44	-95.23	51.05	-25.00	-33.94	Horizontal	
3 10365.00	-56.02	RMS	38.60	-50.41	0.35	-95.23	50.67	-25.00	-31.02	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5182.00	-63.14	RMS	33.00	-54.33	0.46	-95.23	52.96	-25.00	-38.14	Vertical	
2 7773.00	-58.70	RMS	36.54	-51.74	0.44	-95.23	51.29	-25.00	-33.70	Vertical	
3 10365.00	-56.15	RMS	38.60	-50.41	0.35	-95.23	50.54	-25.00	-31.15	Vertical	




MIMO <Ant. 3+2>

Part 27M Mode 17


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.35	RMS	33.09	-54.63	0.45	-95.23	52.97	-25.00	-38.35	Horizontal	
2	7492.00	-60.13	RMS	36.22	-51.97	0.45	-95.23	50.40	-25.00	-35.13	Horizontal	
3	9989.00	-57.48	RMS	38.06	-51.01	0.35	-95.23	50.35	-25.00	-32.48	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.37	RMS	33.09	-54.63	0.45	-95.23	52.95	-25.00	-38.37	Vertical	
2	7492.00	-59.90	RMS	36.22	-51.97	0.45	-95.23	50.63	-25.00	-34.90	Vertical	
3	9989.00	-57.27	RMS	38.06	-51.01	0.35	-95.23	50.56	-25.00	-32.27	Vertical	




MIMO <Ant. 3+2>

Part 27M Mode 17


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-63.21	RMS	32.90	-54.47	0.45	-95.23	53.14	-25.00	-38.21	Horizontal	
2 7632.00	-59.36	RMS	36.16	-51.81	0.52	-95.23	51.00	-25.00	-34.36	Horizontal	
3 10177.00	-56.44	RMS	38.45	-50.73	0.34	-95.23	50.73	-25.00	-31.44	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 5088.00	-63.25	RMS	32.90	-54.47	0.45	-95.23	53.10	-25.00	-38.25	Vertical	
2 7632.00	-58.86	RMS	36.16	-51.81	0.52	-95.23	51.50	-25.00	-33.86	Vertical	
3 10177.00	-56.15	RMS	38.45	-50.73	0.34	-95.23	51.02	-25.00	-31.15	Vertical	






MIMO <Ant. 3+2>

Part 27M Mode 17


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-63.46	RMS	33.00	-54.33	0.46	-95.23	52.64	-25.00	-38.46	Horizontal	
2	7773.00	-58.65	RMS	36.54	-51.74	0.44	-95.23	51.34	-25.00	-33.65	Horizontal	
3	10365.00	-56.33	RMS	38.60	-50.41	0.35	-95.23	50.36	-25.00	-31.33	Horizontal	



Site : 03CH16-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-63.35	RMS	33.00	-54.33	0.46	-95.23	52.75	-25.00	-38.35	Vertical	
2	7773.00	-59.02	RMS	36.54	-51.74	0.44	-95.23	50.97	-25.00	-34.02	Vertical	
3	10365.00	-56.22	RMS	38.60	-50.41	0.35	-95.23	50.47	-25.00	-31.22	Vertical	




Ant. 0

Part 27D Mode 3


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH16-HY  
 Condition: -40 3m CBL6111D&00802N1D01N-06 \_47020 & 06 Horizontal  
 : NR n30 5M Ch462500 1RB1 BPSK  
 : #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	2314.00	-32.26	RMS	27.10	-60.07		0.51	-95.23	95.43	-40.00	7.74	Horizontal



Site : 03CH16-HY  
 Condition: -40 3m CBL6111D&00802N1D01N-06 \_47020 & 06 Vertical  
 : NR n30 5M Ch462500 1RB1 BPSK  
 : #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	2314.00	-32.56	RMS	27.10	-60.07		0.51	-95.23	95.13	-40.00	7.44	Vertical

Remark: #1 is fundamental signal which can be ignored.