



Report No.: FG432920-02F

FCC Part 96.47 TEST REPORT

FCC ID : GKRRMMG1
Equipment : 5G Module
Brand Name : COMPAL
Model Name : RMM-G1

Applicant : Compal Electronics, Inc.

No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei,

(114) Taiwan

Manufacturer : Compal Electronics, Inc.

No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei,

(114) Taiwan

Standard : FCC Part 96.47

RF Interface : LTE B48

The product was received on Apr. 03, 2024, and testing was performed from Jun. 13, 2024 to Jun. 13, 2024. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

TEL: 886-3-327-0868

FAX: 886-3-327-0855

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)

Report Template No.: BU5- CR247WL5G AC MA Version 2.1 Report Version : 01

Page Number : 1 of 10 Issue Date : Jul. 05, 2024

Table of Contents

Report No. : FG432920-02F

His	story o	of this test report	3	
		y of Test Result		
1		eral Description		
-	1.1	Product Feature of Equipment Under Test	F	
	1.2	Modification of EUT		
	1.3	Testing Location		
		Applicable Standards		
2	Test Configuration of Equipment Under Test			
		Connection Diagram of Test System		
3	End User Device additional requirement			
	3.1	Test Requirement	7	
	3.2	Test Procedure	7	
	3.3	Test Result	8	
4	Meas	suring Equipment List	10	
An	pendi	x A. Setup Photographs		

TEL: 886-3-327-0868 Page Number : 2 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024 : 01

History of this test report

Report No. : FG432920-02F

Report No.	Version	Description	Issue Date
FG432920-02F	01	Initial issue of report	Jul. 05, 2024

TEL: 886-3-327-0868 Page Number : 3 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

Summary of Test Result

Report No.: FG432920-02F

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

Conformity Assessment Condition:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng Report Producer: Rebecca Wu

TEL: 886-3-327-0868 Page Number : 4 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature

Report No.: FG432920-02F

General Specs

WCDMA/LTE/5G NR and GNSS

Antenna Type

WWAN: PIFA Antenna / Monopole Antenna GPS / Glonass / BDS / Galileo: PIFA Antenna

Remark: The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

1.2 Modification of EUT

No modifications made to the EUT during the testing.

1.3 Testing Location

Test Site	Sporton International Inc. Wensan Laboratory		
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855		
Test Site No.	Sporton Site No.		
lest Site No.	TH05-HY		
Test Engineer	Thomas Chen		
Temperature	21 ~ 25 °C		
Relative Humidity	43 ~ 48 %		

FCC designation No.: TW3786

1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification


Remark:

- All test items were verified and recorded according to the standards and without any deviation during the test.
- 2. The TAF code is not including all the FCC KDB listed without accreditation.

TEL: 886-3-327-0868 Page Number : 5 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

Test Configuration of Equipment Under Test 2

2.1 Connection Diagram of Test System



Report No.: FG432920-02F

The companion device is a certified CBSD (FCC ID: S9GQ710US02)

TEL: 886-3-327-0868 Page Number : 6 of 10 FAX: 886-3-327-0855 : Jul. 05, 2024 Issue Date : 01

3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

- (a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.
- (1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

Report No.: FG432920-02F

3.2 Test Procedure

The following procedure is following in accordance with WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, using the certified Ruckus CBSD (FCC ID: S9GQ710US02) as a companion device to present compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Configure SAS granted CBSD to operate at frequency 3600-3620 MHz and power level 20 dBm/MHz
- 2. Enable CBSD service
- 3. Check EUD Tx Frequency and power
- 4. Disable CBSD service
 - a. Check if EUD stops transmission within 10 seconds.
- 5. Configure SAS granted CBSD to operate at frequency 3670-3690 MHz & power level 10 dBm/MHz
- 6. Enable CBSD service
- 7. Check EUD Tx Frequency and power
- 8. Disable CBSD service
 - a. Check if EUD stops transmission within 10 seconds.


TEL: 886-3-327-0868 Page Number : 7 of 10
FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

3.3 Test Result

[Step 1] Configure SAS granted CBSD to operate at frequency 3600-3620 MHz and power level 20 dBm/MHz

Report No.: FG432920-02F

[Step 3] Check EUD Tx Frequency and power



[Step 4.a.] EUD stops transmission within 10 seconds right after receiving instructions from its associated CBSD.




TEL: 886-3-327-0868 Page Number : 8 of 10
FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

[Step 5] Configure SAS granted CBSD to operate at frequency 3670-3690 MHz & power level 10 dBm/MHz


Report No.: FG432920-02F

[Step 7] Check EUD Tx Frequency and power



[Step 8.a.] After changing the frequency and power level,

The EUD discontinues operating, changes frequencies, or changes its operational power level within 10 seconds right after receiving instructions from its associated CBSD. Test result is a PASS.



TEL: 886-3-327-0868 Page Number : 9 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024

4 Measuring Equipment List

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV3044	101435	10Hz~44GHz	Nov. 01, 2023	Jun. 13, 2024	Oct. 31, 2024	Conducted (TH05-HY)
DC Power Supply	GW Instek	GPE-2323	GEU810970	0V~64V ; 0A~6A	Nov. 16, 2023	Jun. 13, 2024	Nov. 15, 2024	Conducted (TH05-HY)

Report No. : FG432920-02F

TEL: 886-3-327-0868 Page Number : 10 of 10 FAX: 886-3-327-0855 Issue Date : Jul. 05, 2024