




Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW13\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DHS
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2384.96	47.42	-26.58	74.00	48.85	30.26	3.75	35.44	100	0	Peak
2	2384.96	38.20	-15.80	54.00	39.64	30.25	3.75	35.44	104	134	Average
3 @	2402.00	88.31			89.73	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	83.56			84.99	30.26	3.77	35.46	104	134	Average
5	2484.00	50.05	-23.95	74.00	51.41	30.29	3.86	35.51	100	0	Peak
6	2484.00	38.18	-15.82	54.00	39.54	30.29	3.86	35.51	104	134	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW13\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DHS
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5796.00	49.32	-24.68	74.00	44.33	33.89	6.91	35.81	---	---	Peak



Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW13\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7812.00	56.59	-17.41	74.00	45.44	39.34	7.73	35.92	---	---	Peak
2	7812.00	45.65	-8.35	54.00	34.50	39.34	7.73	35.92	100	228	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW13\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10746.00	37.57	-36.43	74.00	72.60	-8.40	9.68	36.31	---	---	Peak




Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A13BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13


	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	13911.00	39.04	-34.96	74.00	68.66	-6.69	11.55	34.48	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A13BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16041.00	42.49	-31.51	74.00	70.94	-4.40	11.78	35.83	---	---	Peak



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2384.96	47.42	-26.58	74.00	48.86	30.25	3.75	35.44	100	0	Peak
2	2384.96	38.20	-15.80	54.00	39.64	30.25	3.75	35.44	104	134	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\25期\710210-01\Part15C\528\BT\A13\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	210.63	40.06	-3.44	43.50	58.99	9.93	2.17	31.03	---	---	Peak
2 @	245.73	42.44	-3.56	46.00	59.00	11.98	2.38	30.93	---	---	Peak
3 @	256.53	42.93	-3.07	46.00	59.01	12.40	2.46	30.94	---	---	Peak

Data: 10 File: D:\Project\2007Q2\25期\710210-01\Part15C\528\BT\A13\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	304.90	42.82	-3.18	46.00	57.76	13.33	2.66	30.93	---	---	Peak
2 @	315.40	43.51	-2.49	46.00	58.10	13.61	2.73	30.92	131	41	QP
3 !	341.30	40.30	-5.70	46.00	54.10	14.27	2.82	30.90	100	306	QP



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A13\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2385.36	48.23	-25.77	74.00	49.70	30.24	3.71	35.42	100	0 Peak
2	2385.36	38.78	-15.22	54.00	40.22	30.25	3.75	35.44	118	77 Average
3 @	2402.00	94.36			95.78	30.27	3.77	35.46	100	0 Peak
4 @	2402.00	88.56			89.99	30.26	3.77	35.46	118	77 Average
5	2484.00	49.43	-24.57	74.00	50.79	30.29	3.86	35.51	100	0 Peak
6	2484.00	38.26	-15.74	54.00	39.62	30.29	3.86	35.51	118	77 Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A13\BT_TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5646.00	48.65	-25.35	74.00	43.93	33.74	6.89	35.91	---	---




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BTW13BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	8007.00	56.92	-17.08	74.00	45.37	39.60	7.81	35.86	---	---	Peak
2	8007.00	46.10	-7.90	54.00	34.55	39.60	7.81	35.86	100	307	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BTW13BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-18)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10881.00	37.78	-36.22	74.00	72.49	-8.35	9.78	36.14	---	---	Peak




Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A13\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	13851.00	39.03	-34.97	74.00	69.13	-7.09	11.48	34.48	---	---	Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A13\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16092.00	41.54	-32.46	74.00	70.01	-5.02	11.79	35.24	---	---	Peak



Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW13\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : H
 Scanner : A13


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2385.36	48.23	-25.77	74.00	49.67	30.25	3.75	35.44	100	0	Peak
2	2385.36	38.78	-15.22	54.00	40.22	30.25	3.75	35.44	118	77	Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 10
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	210.63	29.11	-14.39	43.50	48.04	9.93	2.17	31.03	---	---	Peak
2	230.88	28.18	-17.82	46.00	45.76	11.13	2.22	30.93	---	---	Peak
3	247.08	28.37	-17.63	46.00	44.80	12.10	2.40	30.92	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	381.90	38.20	-7.80	46.00	50.73	15.31	3.03	30.88	---	---	Peak
2 @	402.90	38.68	-7.32	46.00	50.62	15.81	3.11	30.86	100	278	Peak
3 @	449.80	36.61	-9.39	46.00	47.56	16.60	3.27	30.82	---	---	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2324.00	49.77	-24.23	74.00	51.26	30.23	3.69	35.40	100	0	Peak
2 @	2324.00	38.88	-15.12	54.00	40.37	30.23	3.69	35.40	100	143	Average
3 @	2402.00	97.58			99.01	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	90.26			91.69	30.26	3.77	35.46	100	143	Average
5	2498.00	49.53	-24.47	74.00	50.88	30.30	3.88	35.53	100	0	Peak
6	2498.00	38.05	-15.95	54.00	39.40	30.30	3.88	35.53	100	143	Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5946.00	48.80	-25.20	74.00	43.54	34.05	6.93	35.71	---	---	Peak




Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : D3CH06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7992.00	56.78	-17.22	74.00	45.26	39.58	7.79	35.85	100	0	Peak
2 @	7992.00	47.86	-6.14	54.00	36.34	39.58	7.79	35.85	100	215	Average

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CH06-HY
 Condition : HF-ANT(8-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11976.00	38.26	-35.74	74.00	73.88	-9.69	10.63	36.56	---	---	Peak



Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

- Site : 03CH06-HY
- Condition : HF-ANT(8-18)-060918 HORIZONTAL
- EUT : PDA
- Power : 120Vac/60Hz
- Model : FR 710210-01
- Memo : Bluetooth TX_CH00;2402MHz
- Data Rate : DH5
- Plane : E1
- Scanner : A7

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14901.00	39.16	-34.84	74.00	70.02	-6.28	11.34	35.93	---	---	Peak


Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)

- Site : 03CH06-HY
- Condition : HF-ANT(8-18)-060918 HORIZONTAL
- EUT : PDA
- Power : 120Vac/60Hz
- Model : FR 710210-01
- Memo : Bluetooth TX_CH00;2402MHz
- Data Rate : DH5
- Plane : E1
- Scanner : A7

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16011.00	41.62	-32.38	74.00	69.99	-4.02	11.77	36.13	---	---	Peak



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2324.16	49.77	-24.23	74.00	51.26	30.23	3.69	35.40	100	0	Peak
2 @	2324.16	38.88	-15.12	54.00	40.37	30.23	3.69	35.40	100	143	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	32.43	29.59	-10.41	40.00	42.54	17.54	0.86	31.36	---	---	Peak
2 @	39.18	29.05	-10.95	40.00	45.31	14.03	0.91	31.21	---	---	Peak
3	174.18	27.18	-16.32	43.50	46.51	9.82	1.87	31.02	---	---	Peak

Data: 10 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-04-30




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	509.30	35.12	-10.88	46.00	44.83	17.52	3.55	30.78	---	---	Peak
2 @	521.90	39.71	-6.29	46.00	49.22	17.65	3.60	30.76	100	206	Peak
3 @	537.30	34.89	-11.11	46.00	44.15	17.81	3.67	30.75	---	---	Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2358.00	50.19	-23.81	74.00	51.66	30.24	3.71	35.42	100	0 Peak
2	2358.00	38.69	-15.31	54.00	40.16	30.24	3.71	35.42	108	177 Average
3 @	2402.00	93.81			95.23	30.26	3.77	35.46	100	0 Peak
4 @	2402.00	89.93			91.36	30.26	3.77	35.46	108	177 Average
5	2498.00	49.94	-24.06	74.00	51.29	30.30	3.88	35.53	100	0 Peak
6	2498.00	38.06	-15.94	54.00	39.41	30.30	3.88	35.53	108	177 Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5901.00	48.54	-25.46	74.00	43.36	34.00	6.93	35.75	---	---



Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7956.00	57.05	-16.95	74.00	45.61	39.53	7.78	35.86	100	0	Peak
2 @	7956.00	47.97	-6.03	54.00	36.52	39.53	7.78	35.86	100	58	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A7

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	11991.00	37.08	-36.92	74.00	72.68	-9.64	10.63	36.58	---	---	Peak




Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DHS
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14976.00	38.71	-35.29	74.00	69.67	-6.22	11.27	36.01	---	---	Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BTW7\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DHS
 Plane : E1
 Scanner : A7

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16056.00	41.28	-32.72	74.00	69.97	-4.64	11.78	35.83	---	---	Peak



Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A7\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)
 Site : D3CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DR5
 Plane : E1
 Scanner : A7


	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Loss Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2357.92	50.19	-23.81	74.00	51.66	30.24	3.71	35.42	100	0 Peak
2 @	2357.92	38.69	-15.31	54.00	40.16	30.24	3.71	35.42	108	177 Average

Remark: There's no more obvious spurious emission except the listings above.




- Test Mode : Mode 11
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A8

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	184.44	27.39	-16.11	43.50	47.04	9.41	1.96	31.03	---	---	Peak
2	189.84	27.44	-16.06	43.50	47.05	9.37	2.03	31.01	---	---	Peak
3	299.19	27.46	-18.54	46.00	42.55	13.21	2.63	30.93	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(851121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A8

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	376.30	32.42	-13.58	46.00	45.12	15.17	3.01	30.88	---	---	Peak
2 @	519.80	36.26	-9.74	46.00	45.80	17.63	3.60	30.77	---	---	Peak
3 @	526.80	37.13	-8.87	46.00	46.56	17.70	3.63	30.76	100	250	Peak



Data: 3 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	2390.00	50.70	-23.30	74.00	52.15	30.26	3.75	35.46	100	0 Peak
2 @	2390.00	39.12	-14.88	54.00	40.57	30.26	3.75	35.46	100	141 Average
3 @	2402.00	98.22	---	---	99.64	30.26	3.77	35.46	100	0 Peak
4 @	2402.00	91.19	---	---	92.62	30.26	3.77	35.46	100	141 Average
5	2494.00	49.45	-24.55	74.00	50.80	30.30	3.88	35.53	100	0 Peak
6	2494.00	38.04	-15.96	54.00	39.39	30.30	3.88	35.53	100	141 Average

Remark: #3 and #4 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	5931.00	48.54	-25.46	74.00	43.30	34.03	6.93	35.73	---	---




Data: 5 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01



Trace: (Discrete) Site: 03CR06-HY Condition: HF-ANT-060410 HORIZONTAL EUT: PDA Power: 120Vac/60Hz Model: FR 710210-01 Memo: Bluetooth TX_CH00;2402MHz Data Rate: DH5 Plane: E1 Scanner: A6

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains two rows of data for peak and average levels at 7617.00 MHz.

Data: 6 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete) Site: 03CR06-HY Condition: HF-ANT(8-18)-060918 HORIZONTAL EUT: PDA Power: 120Vac/60Hz Model: FR 710210-01 Memo: Bluetooth TX_CH00;2402MHz Data Rate: DH5 Plane: E1 Scanner: A6

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level, Antenna Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains one row of data for peak level at 10917.00 MHz.



Data: 7 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

- Site : 03CR06-HY
- Condition : HF-ANT(8-18)-060918 HORIZONTAL
- EUT : PDA
- Power : 120Vac/60Hz
- Model : FR 710210-01
- Memo : Bluetooth TX_CH00;2402MHz
- Data Rate : DH5
- Plane : E1
- Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14217.00	40.56	-33.44	74.00	70.14	-6.32	11.67	34.94	---	---	Peak

Data: 8 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

- Site : 03CR06-HY
- Condition : HF-ANT(8-18)-060918 HORIZONTAL
- EUT : PDA
- Power : 120Vac/60Hz
- Model : FR 710210-01
- Memo : Bluetooth TX_CH00;2402MHz
- Data Rate : DH5
- Plane : E1
- Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16026.00	42.98	-31.02	74.00	71.60	-4.27	11.78	36.13	---	---	Peak



Data: 17 File: D:\Project\2007Q2\蓝牙710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A8

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.76	50.70	-23.30	74.00	52.14	30.26	3.75	35.46	100	0	Peak
2 @	2389.76	39.12	-14.88	54.00	40.57	30.26	3.75	35.46	100	141	Average


Remark: There's no more obvious spurious emission except the listings above.



- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.

Data: 9 File: D:\Project\2007Q2\200710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1 @	33.24	29.12	-10.88	40.00	42.07	17.54	0.86	31.36	--- --- Peak
2 @	38.64	27.83	-12.17	40.00	44.11	14.03	0.91	31.23	--- --- Peak
3	174.18	25.66	-17.84	43.50	44.99	9.82	1.87	31.02	--- --- Peak

Data: 10 File: D:\Project\2007Q2\200710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : D3CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Ant Table	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm deg
1 @	519.80	40.24	-5.76	46.00	49.78	17.63	3.60	30.77	100 334 Peak
2 @	526.80	37.87	-8.13	46.00	47.30	17.70	3.63	30.76	--- --- Peak
3 @	539.40	35.29	-10.71	46.00	44.51	17.83	3.68	30.74	--- --- Peak



Data: 11 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2334.00	50.09	-23.91	74.00	51.58	30.23	3.69	35.40	100	0	Peak
2	2334.00	38.64	-15.36	54.00	40.13	30.23	3.69	35.40	107	177	Average
3 @	2402.00	95.13			96.56	30.26	3.77	35.46	100	0	Peak
4 @	2402.00	90.79			92.22	30.26	3.77	35.46	107	177	Average
5	2484.00	49.50	-24.50	74.00	50.86	30.29	3.86	35.51	100	0	Peak
6	2484.00	38.06	-15.94	54.00	39.42	30.29	3.86	35.51	107	177	Average

Remark: #3 and #4 Fundamental Signal

Data: 12 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	5877.00	48.80	-25.20	74.00	43.66	33.98	6.92	35.76	---	---	Peak




Data: 13 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7887.00	57.27	-16.73	74.00	45.97	39.44	7.75	35.89	100	0	Peak
2 @	7887.00	48.21	-5.79	54.00	36.92	39.44	7.75	35.89	100	74	Average

Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(6-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	10992.00	37.73	-36.27	74.00	72.14	-8.30	9.87	35.98	---	---	Peak




Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	13866.00	40.22	-33.78	74.00	70.16	-6.96	11.50	34.48	---	---	Peak

Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)
 Site : 03CR06-HY
 Condition : HF-ANT(8-18)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16026.00	42.51	-31.49	74.00	71.13	-4.27	11.78	36.13	---	---	Peak



Data: 18 File: D:\Project\2007Q2\2710210-01\Part15C\528\BT\A8\BT TX_CH00.EMI (18) Date: 2007-05-01
 Level (dBuV/m)



Trace: (Discrete)

Site : 03CR06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : Bluetooth TX_CH00;2402MHz
 Data Rate : DH5
 Plane : E1
 Scanner : A8

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2334.16	50.09	-23.91	74.00	51.58	30.23	3.69	35.40	100	0	Peak
2 @	2334.16	38.64	-15.36	54.00	40.13	30.23	3.69	35.40	107	177	Average

Remark: There's no more obvious spurious emission except the listings above.