





### APPENDIX C. Part 22/24 RSE Data for BT+GSM Co-location

#### Horizontal Polarization



Trace: (Discrete)  
 Site : 08CHD6-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : FDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/80Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+BT Tx\_CH00+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1	34.6	-47.54	-34.54	-13.00	-44.86	-2.69	Peak
2 @	220.9	-36.84	-23.84	-13.00	-24.19	-12.65	Peak
3	293.8	-46.80	-33.80	-13.00	-36.66	-10.15	Peak




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : PG 710211  
 Memo : GSM850 Link;CH189+BT Tx\_CM00+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	dB	dBm	dBm	dB	Remark
1	320.3	-42.07	-29.07	-13.00	-32.83	-9.24	Peak
2	836.9	-37.16			-35.82	-1.33	Peak
3	880.3	-44.96			-44.05	-0.91	Peak

Remark:

- #2: MS Signal
- #3: BS Signal



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+BT Tx\_C100+Adaptor  
 Plane : E2

Site  
 Condition  
 EUT  
 Power  
 Model  
 Memo  
 Plane


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	1000.0	-51.71	-38.71	-13.00	-53.51	1.80	Peak
2	1034.0	-52.22	-39.22	-13.00	-54.00	1.78	Peak
3	1674.0	-45.30	-32.30	-13.00	-45.52	0.22	Peak
4	1858.0	-56.49	-43.49	-13.00	-55.97	-0.51	Peak
5 @	2398.0	-14.72			-15.61	0.89	Peak
6	2508.0	-43.69	-30.69	-13.00	-44.88	1.20	Peak

Remark:

- #5: BT Signal




Data: 4 File: D:\Project\2007Q1\区域\710208\528\Part 22HCo-location (GSM+BT).EMI (12) Date: 2007-01-06



Site : 08CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+BT Tx\_CM00+Adaptor
Plane : E2

Table with columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 4804.0, -44.60, -31.60, -13.00, -56.35, 11.75, Peak

Data: 5 File: D:\Project\2007Q1\区域\710208\528\Part 22HCo-location (GSM+BT).EMI (12) Date: 2007-01-06




Site : 08CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+BT Tx\_CM00+Adaptor
Plane : E2

Table with columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 5104.0, -50.59, -37.59, -13.00, -60.71, 10.12, Peak




Data: 6 File: D:\Project\2007Q1\亞旭\710208\528\Part 22\Co-location (GSM+BT).EMI (12) Date: 2007-01-06



Trace: (Discrete)  
Site : 08CH06-HY  
Condition : HF-SFURIOUS HORIZONTAL  
EUT : PDA with GPRS/EDGE+WLAN11g+BT  
Power : 120Vac/60Hz  
Model : PG 710211  
Memo : GSM850 Link;CM189+BT Tx\_CM00+Adaptor  
Plane : E2




Vertical Polarization



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : PG 710211  
 Memo : GSM850 Link;Ch189+BT Tx\_CM00+Adaptor  
 Plane : E2

	Freq	Level	Over Limit	Limit Line	Read Level	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	35.9	-37.54	-24.54	-13.00	-26.82	-10.71	Peak
2	146.6	-41.41	-28.41	-13.00	-33.30	-8.11	Peak
3 @	221.4	-33.38	-20.38	-13.00	-25.25	-8.14	Peak



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : PG 710211  
 Memo : GSM850 Link;CH189+BT Tx\_CM00+Adaptor  
 Plane : E2


	Freq	Level	Over Limit	Limit Line	Read Level	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	308.4	-43.64	-30.64	-13.00	-37.37	-6.27	Peak
2	836.9	-42.73			-44.09	1.36	Peak
3	880.3	-44.54			-46.25	1.71	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal



Data: 9 File: D:\Project\2007Q1\亞旭\710208\528\Part 22H\Co-location (GSM+BT).EMI (12) Date: 2007-01-06



Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-SFURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : PG 710211  
 Memo : GSM850 Link;CH189+BT Tx\_CM00+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	dB	dBm	dBm	dB	
1	1674.0	-42.82	-29.82	-13.00	-42.34	-0.48	Peak
2 @	2398.0	-14.45			-16.32	1.87	Peak
3	2508.0	-44.04	-31.04	-13.00	-46.31	2.27	Peak


Remark:

1. #2: BT Signal





Data: 10 Level (dBm) File: D:\Project\2007Q1\亞旭\710208\528\Part 22H\Co-location (GSM+BT).EMI (12) Date: 2007-01-06




Trace: (Discrete)

Site : 08CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : FDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : PG 710211
Memo : GSM850 Link;Ch189+BT Tx\_CM00+Adaptor
Plane : E2

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 4804.0, -44.97, -31.97, -13.00, -55.41, 10.44, Peak

Data: 11 Level (dBm) File: D:\Project\2007Q1\亞旭\710208\528\Part 22H\Co-location (GSM+BT).EMI (12) Date: 2007-01-06




Trace: (Discrete)

Site : 08CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : FDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : PG 710211
Memo : GSM850 Link;Ch189+BT Tx\_CM00+Adaptor
Plane : E2



Data: 12 File: D:\Project\2007Q1\亞旭\710208\528\Part 22\Co-location (GSM+BT).EMI (12) Date: 2007-01-06



Site : 08CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA with GPRS/EDGE+WLAN11g+BT  
Power : 120V<sub>ac</sub>/60Hz  
Model : PG 710211  
Memo : GSM850 Link;CH189+BT Tx\_CM00+Adaptor  
Plane : E2