




Data: 3 File: D:\Project\2007Q1\529\1710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28



Trace: (Discrete)


Site : 08CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.0	-48.92	-35.92	-13.00	-48.99	0.08	Peak
2 @	1878.0	-44.30			-43.79	-0.51	Peak
3 @	1958.0	-41.42			-40.31	-1.11	Peak

Remark:

- #2: MS Signal
- #3: BS Signal

Data: 4 File: D:\Project\2007Q1\529\1710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.0	-35.72	-22.72	-13.00	-43.64	7.92	Peak




Data: 5 File: D:\Project\2007Q1\5710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2

	Freq	Level	Limit	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dBm	dB	
1 @	5638.0	-41.41	-28.41	-13.00	-51.38	-51.38	9.97	Peak


Data: 6 File: D:\Project\2007Q1\5710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2




Vertical Polarization



Trace: (Discrete)

Site : 08CH06-HY  
Condition : LF-SPURIOUS VERTICAL  
EUT : PDA with GPRS/EDGE+WLAN11g+BT  
Power : 120Vac/60Hz  
Model : FG710211  
Memo : EDGE Link Mode;Ch661+Adaptor  
Plane : E2

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	81.0	-48.87	-35.87	-13.00	-38.52	-10.35 Peak
2 @	121.0	-48.57	-35.57	-13.00	-40.69	-7.88 Peak
3 @	146.6	-49.92	-36.92	-13.00	-41.81	-8.11 Peak




Trace: (Discrete)

Site : 08CH06-HY  
Condition : LF-SPURIOUS VERTICAL  
EUT : PDA with GPRS/EDGE+WLAN11g+BT  
Power : 120Vac/60Hz  
Model : FG710211  
Memo : EDGE Link Mode;Ch661+Adaptor  
Plane : E2

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1	327.3	-60.55	-47.55	-13.00	-54.67	-5.88 Peak
2	442.8	-63.70	-50.70	-13.00	-59.89	-3.81 Peak
3	519.8	-63.06	-50.06	-13.00	-60.16	-2.89 Peak



Data: 13 File: D:\Project\2007Q1\571710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)
Site: 03CH06-HY
Condition: HF-SFURIOUS VERTICAL
EUT: PDA with GPFS/EDGE+WLAN11g+BT
Power: 120Wac/60Hz
Model: FG710211
Memo: EDGE Link Mode;Ch661+Adaptor
Plane: E2

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Contains 4 rows of peak data.

Remark:


- 1. #3: MS Signal
2. #4: BS Signal

Data: 14 File: D:\Project\2007Q1\571710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)
Site: 03CH06-HY
Condition: HF-SFURIOUS VERTICAL
EUT: PDA with GPFS/EDGE+WLAN11g+BT
Power: 120Wac/60Hz
Model: FG710211
Memo: EDGE Link Mode;Ch661+Adaptor
Plane: E2

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Contains 1 row of peak data.



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-SFURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2

	Freq	Level	Over	Limit	Read	
	MHz	dBm	dB	dBm	dBm	dB
1 @	5638.0	-37.12	-24.12	-13.00	-45.77	8.65 Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-SFURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG710211  
 Memo : EDGE Link Mode;Ch661+Adaptor  
 Plane : E2


Remark : There is no more obvious emission except the listings above.



4.6.5.9 Mode 9  
Horizontal Polarization



	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	33.8	-53.41	-40.41	-13.00	-51.33	-2.08	Peak
2	224.1	-50.99	-37.99	-13.00	-38.44	-12.55	Peak
3	299.2	-47.60	-34.60	-13.00	-37.65	-9.95	Peak




	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	309.8	-44.49	-31.49	-13.00	-34.87	-9.61	Peak
2	836.9	-41.21			-39.88	-1.33	Peak
3	880.3	-40.06			-39.14	-0.91	Peak

Remark:  
1. #2: MS Signal  
2. #3: BS Signal



Data: 3 File: D:\Project\2007Q1\528\10208\528\Part 22\HC-location (GSM+BT+WLAN).EMI (12) Level (dBm) Date: 2007-01-05



Trace: (Discrete)


Site : OBCH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : FDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor
Plane : +BT Tx\_Ch00
E2

Table with 8 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor, Remark, Pol/Phase. Contains 9 rows of peak data.

Remark:

1. #6: WLAN Signal


Data: 4 File: D:\Project\2007Q1\528\10208\528\Part 22\HC-location (GSM+BT+WLAN).EMI (12) Level (dBm) Date: 2007-01-05



Trace: (Discrete)


Site : OBCH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : FDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor
Plane : +BT Tx\_Ch00
E2

Table with 8 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor, Remark. Contains 4 rows of peak data.



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Wac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Channel+Adaptor  
 Memo : +BT Tx\_Channel  
 Plane : E2



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Wac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Channel+Adaptor  
 Memo : +BT Tx\_Channel  
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1	7234.0	-39.39	-26.39	-13.00	-54.68	15.29	Peak






Vertical Polarization



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LP-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor  
 Memo : +BT Tx\_Ch00  
 Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	33.2	-41.66	-28.66	-13.00	-31.77	-9.89	Peak
2	152.0	-43.95	-30.95	-13.00	-35.79	-8.16	Peak
3	224.9	-46.03	-33.03	-13.00	-37.98	-8.05	Peak



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : LP-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor  
 Memo : +BT Tx\_Ch00  
 Plane : E2


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	313.3	-47.73	-34.73	-13.00	-41.56	-6.17	Peak
2	836.9	-43.07			-44.43	1.36	Peak
3	836.9	-43.07			-44.43	1.36	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal



Data: 9 File: D:\Project\2007Q1\571710208\528\Part 22HCo-location (GSM+BT+WLAN).EMI (12) Date: 2007-01-05




Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor  
 Memo : +BT Tx\_CM00  
 Plane : E2

	Freq	Level	Over	Limit	Read			
	MHz	dBm	Limit	Line	Level	Factor	Remark	Pol/Phase
			dB	dBm	dBm	dB		
1	1574.0	-37.35	-24.35	-13.00	-36.68	-0.67	Peak	VERTICAL
2	1674.0	-46.08	-33.08	-13.00	-45.60	-0.48	Peak	VERTICAL
3	2204.0	-44.00	-31.00	-13.00	-45.53	1.53	Peak	VERTICAL
4 @	2414.0	7.10			5.23	1.87	Peak	VERTICAL
5	2508.0	-45.95	-32.95	-13.00	-48.22	2.27	Peak	VERTICAL
6	2618.0	-31.26	-18.26	-13.00	-33.77	2.51	Peak	VERTICAL

Remark:


- #4: WLAN Signal

Data: 10 File: D:\Project\2007Q1\571710208\528\Part 22HCo-location (GSM+BT+WLAN).EMI (12) Date: 2007-01-05




Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA with GPRS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Ch01+Adaptor  
 Memo : +BT Tx\_CM00  
 Plane : E2

	Freq	Level	Over	Limit	Read			
	MHz	dBm	Limit	Line	Level	Factor	Remark	
			dB	dBm	dBm	dB		
1	3248.0	-42.98	-29.98	-13.00	-47.04	4.05	Peak	
2	3344.0	-50.63	-37.63	-13.00	-55.10	4.47	Peak	
3	4818.0	-34.47	-21.47	-13.00	-44.70	10.23	Peak	



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA with GPS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Cho1+Adaptor  
 Memo : +BT Tx\_Cho0  
 Plane : E2



Trace: (Discrete)  
 Site : 08CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA with GPS/EDGE+WLAN11g+BT  
 Power : 120Vac/60Hz  
 Model : FG 710211  
 Memo : GSM850 Link;Ch189+11b Tx\_Cho1+Adaptor  
 Memo : +BT Tx\_Cho0  
 Plane : E2


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	7234.0	-24.00	-11.00	-13.00	-36.89	12.88	Peak

Remark : There is no more obvious emission except the listings above.



4.6.5.10 Mode 10  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\Part22H-A2.EMI (12) Date: 2007-04-28




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A2

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	32.43	-46.80	-33.80	-13.00	-45.33	-1.47 Peak
2 @	147.18	-51.76	-38.76	-13.00	-38.97	-12.79 Peak
3 @	221.43	-40.89	-27.89	-13.00	-28.23	-12.65 Peak

Data: 2 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\Part22H-A2.EMI (12) Date: 2007-04-28



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A2


	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	836.90	-39.68			-38.34	-1.33 Peak
2 @	880.30	-37.07			-36.16	-0.91 Peak
3 @	995.80	-55.09	-42.09	-13.00	-55.29	0.20 Peak

Remark:

- #1: MS Signal
- #2: BS Signal




Data: 3 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A2.EMI (12) Date: 2007-04-26



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH189+Adapter Plane : E2 Scanner : A2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of data for peaks at 1674.00 MHz and 2508.00 MHz.


Data: 4 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A2.EMI (12) Date: 2007-04-26



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH189+Adapter Plane : E2 Scanner : A2




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-35.71	-22.71	-13.00	-25.82	-9.89	Peak
2 @	148.53	-43.49	-30.49	-13.00	-35.37	-8.13	Peak
3 @	221.43	-39.97	-26.97	-13.00	-31.84	-8.14	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-36.53			-37.89	1.36	Peak
2 @	880.30	-36.54			-38.25	1.71	Peak
3 @	995.80	-52.02	-39.02	-13.00	-54.65	2.63	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 9 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A2.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	1674.00	-49.40	-36.40	-13.00	-48.92	-0.48	Peak
2 @	2508.00	-48.99	-35.99	-13.00	-51.26	2.27	Peak

Data: 10 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A2.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A2

Remark : There is no more obvious emission except the listings above.




4.6.5.11 Mode 11  
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY  
Condition : LF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FC 710211-01  
Memo : GSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	32.43	-46.81	-33.81	-13.00	-45.35	-1.47	Peak
2 @	145.83	-52.32	-39.32	-13.00	-39.55	-12.76	Peak
3 @	220.89	-42.75	-29.75	-13.00	-30.10	-12.65	Peak



Trace: (Discrete)

Site : 03CH06-HY  
Condition : LF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FC 710211-01  
Memo : GSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.96			-38.62	-1.33	Peak
2 @	880.30	-37.16			-36.24	-0.91	Peak
3 @	995.80	-54.68	-41.68	-13.00	-54.89	0.20	Peak


Remark:

- #1: MS Signal
- #2: BS Signal





Data: 3 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-50.30	-37.30	-13.00	-50.52	0.22	Peak
2 @	2508.00	-50.73	-37.73	-13.00	-51.93	1.20	Peak

Data: 4 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-37.42	-24.42	-13.00	-27.53	-9.89	Peak
2 @	148.53	-43.42	-30.42	-13.00	-35.30	-8.13	Peak
3 @	220.08	-43.41	-30.41	-13.00	-35.26	-8.16	Peak



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-38.12			-39.48	1.36	Peak
2 @	880.30	-39.10			-40.82	1.71	Peak
3 @	995.80	-51.59	-38.59	-13.00	-54.22	2.63	Peak

Remark:

1. #1: MS Signal
2. #2: BS Signal



Data: 9 File: D:\Project\2007Q2\207-1710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : CSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-50.94	-37.94	-13.00	-50.46	-0.48	Peak
2 @	2508.00	-50.80	-37.80	-13.00	-53.07	2.27	Peak

Data: 10 File: D:\Project\2007Q2\207-1710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : CSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A3

Remark : There is no more obvious emission except the listings above.



4.6.5.12 Mode 12  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\2007-05-07\710211-01\Part22H\528\Part22H-A1.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	33.24	-50.41	-37.41	-13.00	-48.95	-1.47	Peak
2	145.83	-50.19	-37.19	-13.00	-37.43	-12.76	Peak
3	220.89	-35.58	-22.58	-13.00	-22.93	-12.65	Peak

Data: 2 File: D:\Project\2007Q2\2007-05-07\710211-01\Part22H\528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	841.80	-25.47			-24.19	-1.29	Peak
2	880.30	-30.13			-29.22	-0.91	Peak
3	995.80	-49.89	-36.89	-13.00	-50.09	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal




Data: 3 File: D:\Project\2007Q2\2578710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A1


Table with 8 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 4 File: D:\Project\2007Q2\2578710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A1

Table with 8 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CHI89+Adapter  
Plane : E2  
Scanner : A1



Vertical Polarization




Trace: (Discrete)

```

Site      : 03CH06-HY
Condition : LF-SPURIOUS VERTICAL
EUT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A1
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	32.43	-35.94	-22.94	-13.00	-26.05	-9.89	Peak
2	144.48	-43.70	-30.70	-13.00	-35.61	-8.09	Peak
3	220.89	-28.17	-15.17	-13.00	-20.03	-8.14	Peak



Trace: (Discrete)

```

Site      : 03CH06-HY
Condition : LF-SPURIOUS VERTICAL
EUT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A1
  
```


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	841.80	-31.89			-33.29	1.40	Peak
2	880.30	-29.61			-31.33	1.71	Peak
3	995.80	-56.43	-43.43	-13.00	-59.06	2.63	Peak

Remark:

1. #1: MS Signal
2. #2: BS Signal



Data: 9 File: D:\Project\2007Q2\亞旭\710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	1674.00	-33.83	-20.83	-13.00	-33.35	-0.48	Peak
2	2508.00	-43.19	-30.19	-13.00	-45.46	2.27	Peak

Data: 10 File: D:\Project\2007Q2\亞旭\710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A1





Data: 11 File: D:\Project\2007Q2\58710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07




Trace: (Discrete)  
Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/80Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CH180+Adapter  
Plane : E2  
Scanner : A1

Remark : There is no more obvious emission except the listings above.




4.6.5.13 Mode 13  
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-46.66	-33.66	-13.00	-45.19	-1.47	Peak
2 @	147.18	-51.91	-38.91	-13.00	-39.12	-12.79	Peak
3 @	220.08	-41.96	-28.96	-13.00	-29.28	-12.69	Peak



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.46			-38.12	-1.33	Peak
2 @	880.30	-38.61			-37.70	-0.91	Peak
3 @	995.80	-55.87	-42.87	-13.00	-56.07	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\5710211-01\Part22H528\Part22H-A7.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-49.66	-36.66	-13.00	-49.88	0.22	Peak
2 @	2508.00	-49.77	-36.77	-13.00	-50.97	1.20	Peak

Data: 4 File: D:\Project\2007Q2\5710211-01\Part22H528\Part22H-A7.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-36.69	-23.69	-13.00	-26.79	-9.89	Peak
2 @	149.34	-43.36	-30.36	-13.00	-35.22	-8.14	Peak
3 @	221.43	-42.88	-29.88	-13.00	-34.74	-8.14	Peak



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A7


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-34.25			-35.62	1.36	Peak
2 @	880.30	-35.45			-37.16	1.71	Peak
3 @	995.80	-51.91	-38.91	-13.00	-54.54	2.63	Peak

Remark:

- 1. #1: MS Signal
- 2. #2: BS Signal



Data: 9 File: D:\Project\2007Q2\271710211-01\Part22H528\Part22H-A7.EMI (12) Date: 2007-04-27



Trace: (Discrete)


```

Site      : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A7

```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-53.01	-40.01	-13.00	-52.53	-0.48	Peak
2 @	2508.00	-52.30	-39.30	-13.00	-54.57	2.27	Peak

Data: 10 File: D:\Project\2007Q2\271710211-01\Part22H528\Part22H-A7.EMI (12) Date: 2007-04-27



Trace: (Discrete)

```

Site      : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A7


```

Remark : There is no more obvious emission except the listings above.



4.6.5.14 Mode 14  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-28




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-44.86	-31.86	-13.00	-43.39	-1.47	Peak
2 @	178.23	-52.98	-39.98	-13.00	-39.84	-13.14	Peak
3 @	220.08	-40.18	-27.18	-13.00	-27.49	-12.69	Peak

Data: 2 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-28



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH180+Adapter  
 Plane : E2  
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-40.18			-38.84	-1.33	Peak
2 @	880.30	-36.72			-35.81	-0.91	Peak
3 @	995.80	-56.47	-43.47	-13.00	-56.68	0.20	Peak

- Remark:
- #1: MS Signal
  - #2: BS Signal