




Data: 3 File: D:\Project\2007Q2\亞旭710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : CSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 4 File: D:\Project\2007Q2\亞旭710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : CSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8




Data: 5 File: D:\Project\2007Q2\20070427\710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27  
Level (dBm)



Trace: (Discrete)  
Site : 03CH06-HY  
Condition : HF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A8




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : CSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-35.58	-22.58	-13.00	-25.68	-9.89	Peak
2 @	153.93	-44.49	-31.49	-13.00	-36.31	-8.18	Peak
3 @	219.54	-39.74	-26.74	-13.00	-31.56	-8.18	Peak



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : CSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A8


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-35.76			-37.12	1.36	Peak
2 @	880.30	-34.88			-36.59	1.71	Peak
3 @	995.80	-52.05	-39.05	-13.00	-54.68	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal




Data: 9 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A8.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A8.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Mem : CSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A8

Remark : There is no more obvious emission except the listings above.




4.6.5.15 Mode 15  
Horizontal Polarization



Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	32.43	-45.29	-32.29	-13.00	-43.82	-1.47	Peak
2 @	145.83	-52.48	-39.48	-13.00	-39.71	-12.76	Peak
3 @	220.89	-41.96	-28.96	-13.00	-29.31	-12.65	Peak




Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.76			-38.43	-1.33	Peak
2 @	880.30	-35.73			-34.82	-0.91	Peak
3 @	995.80	-54.32	-41.32	-13.00	-54.52	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\5710211-01\Part22H528VPart22H-A9.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9


Table with columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 4 File: D:\Project\2007Q2\5710211-01\Part22H528VPart22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CH180+Adapter  
Plane : E2  
Scanner : A0





Vertical Polarization




Trace: (Discrete)

```

Site      : 03CH06-HY
Condition: LF-SPURIOUS VERTICAL
EUT      : PDA
Power    : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane   : E2
Scanner  : A9
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	

1 @	33.78	-36.84	-23.84	-13.00	-26.68	-10.17	Peak
2 @	154.74	-44.51	-31.51	-13.00	-36.32	-8.19	Peak
3 @	220.08	-41.78	-28.78	-13.00	-33.62	-8.16	Peak



Trace: (Discrete)

```

Site      : 03CH06-HY
Condition: LF-SPURIOUS VERTICAL
EUT      : PDA
Power    : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane   : E2
Scanner  : A9
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	


1 @	836.90	-37.75			-39.11	1.36	Peak
2 @	880.30	-35.57			-37.28	1.71	Peak
3 @	995.80	-51.59	-38.59	-13.00	-54.22	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal




Data: 9 File: D:\Project\2007Q2\亞旭710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 10 File: D:\Project\2007Q2\亞旭710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 2 rows of peak data.



Trace: (Discrete)


Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Mem : CSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A9

Remark : There is no more obvious emission except the listings above.



4.6.5.16 Mode 16  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\5781710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	32.43	-45.14	-32.14	-13.00	-43.67	-1.47	Peak
2 @	145.29	-53.87	-40.87	-13.00	-41.11	-12.76	Peak
3 @	220.89	-40.70	-27.70	-13.00	-28.04	-12.65	Peak

Data: 2 File: D:\Project\2007Q2\5781710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	836.90	-40.89			-39.55	-1.33	Peak
2 @	880.30	-38.30			-37.39	-0.91	Peak
3 @	995.80	-54.32	-41.32	-13.00	-54.53	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\2571710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Table with columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 4 File: D:\Project\2007Q2\2571710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : All

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-37.98	-24.98	-13.00	-28.09	-9.89	Peak
2 @	153.39	-44.32	-31.32	-13.00	-36.15	-8.17	Peak
3 @	220.08	-42.45	-29.45	-13.00	-34.30	-8.16	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : All

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-34.87			-36.24	1.36	Peak
2 @	880.30	-37.24			-38.96	1.71	Peak
3 @	995.80	-51.90	-38.90	-13.00	-54.53	2.63	Peak

- Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal




Data: 9 File: D:\Project\2007Q2\578710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\578710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Remark : There is no more obvious emission except the listings above.




4.6.5. 17 Mode 17  
Horizontal Polarization



Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	32.43	-44.96	-31.96	-13.00	-43.49	-1.47	Peak
2 @	145.29	-54.23	-41.23	-13.00	-41.47	-12.76	Peak
3 @	220.89	-42.74	-29.74	-13.00	-30.09	-12.65	Peak



Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A12


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	836.90	-39.64			-38.31	-1.33	Peak
2 @	880.30	-32.69			-31.77	-0.91	Peak
3 @	995.80	-55.59	-42.59	-13.00	-55.79	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal






Data: 3 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A12.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor, Remark. Contains two rows of peak data.

Data: 4 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A12.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor, Remark. Contains one row of peak data.




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CH180+Adapter  
Plane : E2  
Scanner : A12




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-37.97	-24.97	-13.00	-28.08	-9.89	Peak
2 @	152.58	-44.80	-31.80	-13.00	-36.63	-8.16	Peak
3 @	220.89	-44.00	-31.00	-13.00	-35.86	-8.14	Peak



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A12


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-35.33			-36.69	1.36	Peak
2 @	880.30	-31.89			-33.60	1.71	Peak
3 @	995.80	-52.36	-39.36	-13.00	-54.99	2.63	Peak

Remark:

- 1. #1: MS Signal
- 2. #2: BS Signal




Data: 9 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.



Data: 11 File: D:\Project\2007Q2\20070427\710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27  
Level (dBm)




Trace: (Discrete)  
Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : GSM 850 Link Mode ; CH189+Adapter  
Plane : E2  
Scanner : A12

Remark : There is no more obvious emission except the listings above.




4.6.5.18 Mode 18  
Horizontal Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	60.78	-59.41	-46.41	-13.00	-47.02	-12.39	Peak
2	143.94	-55.61	-42.61	-13.00	-42.86	-12.74	Peak
3	226.83	-56.33	-43.33	-13.00	-43.87	-12.45	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	836.90	-43.04			-41.71	-1.33	Peak
2 @	880.30	-26.91			-25.99	-0.91	Peak
3	995.80	-58.49	-45.49	-13.00	-58.70	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CHI89+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	

1	1674.00	-45.77	-32.77	-13.00	-45.99	0.22	Peak
---	---------	--------	--------	--------	--------	------	------

Data: 4 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CHI89+Adapter  
 Plane : E2  
 Scanner : A1




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	60.24	-51.80	-38.80	-13.00	-38.38	-13.42	Peak
2	145.29	-50.27	-37.27	-13.00	-42.17	-8.10	Peak
3	152.58	-51.18	-38.18	-13.00	-43.01	-8.16	Peak



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	729.80	-53.92	-40.92	-13.00	-53.92	0.01	Peak
2	836.90	-47.90			-49.26	1.36	Peak
3 @	880.30	-27.94			-29.65	1.71	Peak


Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal





Data: 9 File: D:\Project\2007Q2\215\710211-01\Part22H528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	1674.00	-56.65	-43.65	-13.00	-56.17	-0.48	Peak

Data: 10 File: D:\Project\2007Q2\215\710211-01\Part22H528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1

Remark : There is no more obvious emission except the listings above.




4.6.5.19 Mode 19  
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	31.89	-48.92	-35.92	-13.00	-48.07	-0.86	Peak
2 @	145.29	-49.10	-36.10	-13.00	-36.34	-12.76	Peak
3 @	220.89	-35.25	-22.25	-13.00	-22.59	-12.65	Peak



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	841.80	-27.21			-25.92	-1.29	Peak
2 @	880.30	-30.36			-29.44	-0.91	Peak
3 @	995.80	-49.48	-36.48	-13.00	-49.69	0.20	Peak

Remark:  
 1. #1: MS Signal  
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A1+Pistol Grips.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1+Pistol Grips

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of data for peaks 1 and 2.

Data: 4 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A1+Pistol Grips.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1+Pistol Grips




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-35.90	-22.90	-13.00	-26.00	-9.89	Peak
2 @	145.29	-43.83	-30.83	-13.00	-35.73	-8.10	Peak
3 @	220.08	-29.02	-16.02	-13.00	-20.86	-8.16	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	841.80	-27.27			-28.67	1.40	Peak
2 @	880.30	-30.08			-31.79	1.71	Peak
3 @	995.80	-54.81	-41.81	-13.00	-57.44	2.63	Peak

Remark:


- 1. #1: MS Signal
- 2. #2: BS Signal



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-43.28	-30.28	-13.00	-42.80	-0.48	Peak
2 @	2508.00	-47.97	-34.97	-13.00	-50.24	2.27	Peak



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : GSM 850 Link Mode ; CH189+Adapter  
 Plane : E2  
 Scanner : A1+Pistol Grips

Remark : There is no more obvious emission except the listings above.



4.6.5.20 Mode 20  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A2.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	73.74	-58.10	-45.10	-13.00	-45.76	-12.34	Peak
2 @	133.14	-61.16	-48.16	-13.00	-48.54	-12.62	Peak
3 @	189.84	-60.85	-47.85	-13.00	-47.57	-13.28	Peak

Data: 2 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A2.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	364.40	-57.11	-44.11	-13.00	-49.40	-7.70	Peak
2 @	852.30	-64.86	-51.86	-13.00	-63.68	-1.18	Peak
3 @	971.30	-63.96	-50.96	-13.00	-63.92	-0.04	Peak