




Data: 3 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A7

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A7



Data: 5 File: D:\Project\2007Q2\25710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1 @	5638.00	-40.01	-27.01	-13.00	-49.98	9.97	Peak

Data: 6 File: D:\Project\2007Q2\25710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7




Data: 7 File: D:\Project\2007Q2\271710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

Data: 8 File: D:\Project\2007Q2\271710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
I @	11278.00	-40.03	-27.03	-13.00	-60.33	20.30	Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A7




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.93	-52.20	-39.20	-13.00	-40.60	-11.60	Peak
2 @	100.74	-51.66	-38.66	-13.00	-43.96	-7.70	Peak
3 @	149.34	-50.52	-37.52	-13.00	-42.38	-8.14	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	467.30	-57.35	-44.35	-13.00	-53.83	-3.52	Peak
2 @	519.80	-55.40	-42.40	-13.00	-52.51	-2.89	Peak
3 @	876.80	-61.66	-48.66	-13.00	-63.34	1.68	Peak



Data: 13 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete) Site: 03CH06-HY Condition: HF-SPURIOUS VERTICAL EUT: PDA Power: 120Vac/60Hz Model: FG 710211-01 Memo: PCS 1900 Link Mode: CH661+Adapter Plane: E2 Scanner: A7

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

- Remark: 1. #2: MS Signal 2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete) Site: 03CH06-HY Condition: HF-SPURIOUS VERTICAL EUT: PDA Power: 120Vac/60Hz Model: FG 710211-01 Memo: PCS 1900 Link Mode: CH661+Adapter Plane: E2 Scanner: A7

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	5638.00	-40.87	-27.87	-13.00	-49.53	8.65 Peak

Data: 16 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A7




Data: 17 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CR661+Adapter
 Plane : E2
 Scanner : A7

Data: 18 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CR661+Adapter
 Plane : E2
 Scanner : A7

Freq	Level	Over	Limit	Read	Factor	Remark
MHz	dBm	dB	dBm	dBm	dB	
1 @ 11278.00	-41.75	-28.75	-13.00	-60.63	18.87	Peak



Data: 19 File: D:\Project\2007Q2\24E\710211-01\Part24E\528\Part24E-A7.EMI (20) Date: 2007-04-25
Level (dBm)




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A7

Remark : There is no more obvious emission except the listings above.




4.6.5.24 Mode 24
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.39	-58.02	-45.02	-13.00	-45.68	-12.34	Peak
2 @	81.84	-61.48	-48.48	-13.00	-49.17	-12.31	Peak
3 @	186.33	-61.44	-48.44	-13.00	-48.21	-13.23	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	376.30	-63.60	-50.60	-13.00	-56.30	-7.30	Peak
2 @	568.80	-63.50	-50.50	-13.00	-59.32	-4.18	Peak
3 @	969.90	-63.60	-50.60	-13.00	-63.55	-0.05	Peak



Data: 3 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-52.12	-39.12	-13.00	-52.20	0.08	Peak
2 @	1878.00	-21.71			-21.20	-0.51	Peak
3 @	1958.00	-36.87			-35.76	-1.11	Peak
4 @	2038.00	-58.20	-45.20	-13.00	-57.47	-0.73	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.00	-50.67	-37.67	-13.00	-58.59	7.92	Peak



Data: 5 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-47.89	-34.89	-13.00	-57.86	9.97	Peak


Data: 6 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	7527.00	-47.89	-34.89	-13.00	-57.86	9.97	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

Freq	Level	Over	Limit	Read	Factor	Remark
MHz	dBm	dB	dBm	dBm	dB	
1 @ 11278.00	-40.32	-27.32	-13.00	-60.62	20.30	Peak



Data: 9 File: D:\Project\2007Q2\20070425\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25
Level (dBm)




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	34.59	-54.35	-41.35	-13.00	-43.91	-10.44	Peak
2 @	72.39	-52.39	-39.39	-13.00	-40.78	-11.60	Peak
3 @	149.34	-50.62	-37.62	-13.00	-42.49	-8.14	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	397.30	-63.10	-50.10	-13.00	-58.73	-4.37	Peak
2 @	469.40	-57.99	-44.99	-13.00	-54.50	-3.50	Peak
3 @	518.40	-55.69	-42.69	-13.00	-52.79	-2.90	Peak



Data: 13 File: D:\Project\2007Q2\24E\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\24E\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.




Data: 15 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode ; CH661+Adapter Plane : E2 Scanner : A8

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 5638.00, -49.86, -36.86, -13.00, -58.51, 8.65, Peak


Data: 16 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode ; CH661+Adapter Plane : E2 Scanner : A8




Data: 17 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8


Data: 18 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1 @	11278.00	-41.48	-28.48	-13.00	-60.36	18.87	Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Remark : There is no more obvious emission except the listings above.




4.6.5.25 Mode 25
Horizontal Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.93	-58.31	-45.31	-13.00	-45.96	-12.34	Peak
2 @	87.78	-61.86	-48.86	-13.00	-49.57	-12.28	Peak
3 @	187.68	-60.46	-47.46	-13.00	-47.20	-13.26	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	329.40	-63.69	-50.69	-13.00	-54.78	-8.91	Peak
2 @	519.80	-65.04	-52.04	-13.00	-60.19	-4.85	Peak
3 @	981.80	-64.20	-51.20	-13.00	-64.27	0.06	Peak



Data: 3 File: D:\Project\2007Q2\24E-A9\710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-52.50	-39.50	-13.00	-52.58	0.08	Peak
2 @	1748.00	-53.32	-40.32	-13.00	-53.34	0.02	Peak
3 @	1878.00	-23.19			-22.68	-0.51	Peak
4 @	1958.00	-37.19			-36.08	-1.11	Peak
5 @	2038.00	-59.32	-46.32	-13.00	-58.59	-0.73	Peak

Remark:

- 1. #3: MS Signal
- 2. #4: BS Signal

Data: 4 File: D:\Project\2007Q2\24E-A9\710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.00	-50.06	-37.06	-13.00	-57.98	7.92	Peak



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-52.17	-39.17	-13.00	-62.14	9.97	Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9




Data: 7 File: D:\Project\2007Q2\25781710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Data: 8 File: D:\Project\2007Q2\25781710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1000 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	71.58	-52.33	-39.33	-13.00	-40.58	-11.74	Peak
2 @	147.99	-50.04	-37.04	-13.00	-41.91	-8.13	Peak
3 @	155.28	-51.79	-38.79	-13.00	-43.60	-8.19	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	465.90	-58.45	-45.45	-13.00	-54.91	-3.54	Peak
2 @	481.30	-58.75	-45.75	-13.00	-55.39	-3.36	Peak
3 @	519.80	-54.37	-41.37	-13.00	-51.48	-2.89	Peak



Data: 13 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\25710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-50.30	-37.30	-13.00	-58.95	8.65	Peak

Data: 16 File: D:\Project\2007Q2\25710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9




Data: 17 File: D:\Project\2007Q2\IC ID 710211-01\Part24E\528V\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9


Data: 18 File: D:\Project\2007Q2\IC ID 710211-01\Part24E\528V\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1 @	11278.00	-39.92	-26.92	-13.00	-58.80	18.87	Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1000 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A0

Remark : There is no more obvious emission except the listings above.




4.6.5.26 Mode 26
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
Condition : LF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.93	-58.02	-45.02	-13.00	-45.68	-12.34	Peak
2	88.59	-61.60	-48.60	-13.00	-49.31	-12.28	Peak
3	187.14	-60.32	-47.32	-13.00	-47.07	-13.24	Peak



Trace: (Discrete)

Site : 03CH06-HY
Condition : LF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	329.40	-64.38	-51.38	-13.00	-55.47	-8.91	Peak
2	350.40	-64.18	-51.18	-13.00	-55.98	-8.21	Peak
3	519.80	-65.16	-52.16	-13.00	-60.31	-4.85	Peak