




Data: 3 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-53.03	-40.03	-13.00	-53.10	0.08	Peak
2 @	1878.00	-25.01			-24.50	-0.51	Peak
3 @	1958.00	-37.88			-36.77	-1.11	Peak
4	2038.00	-58.42	-45.42	-13.00	-57.69	-0.73	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.00	-49.34	-36.34	-13.00	-57.26	7.92	Peak



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Remark
	MHz	dBm	dB	dBm	dBm	dB
1 @	5638.00	-49.22	-36.22	-13.00	-59.19	9.97 Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EDT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All




Data: 7 File: D:\Project\2007Q2\2578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

Data: 8 File: D:\Project\2007Q2\2578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	11278.00	-41.09	-28.09	-13.00	-61.39	20.30	Peak



Data: 9 File: D:\Project\2007Q2\20070425\710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25  
Level (dBm)




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PCS 1900 Link Mode ; CH661+Adapter  
Plane : E2  
Scanner : All




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-53.20	-40.20	-13.00	-43.31	-9.89	Peak
2 @	149.34	-48.81	-35.81	-13.00	-40.67	-8.14	Peak
3 @	156.63	-51.32	-38.32	-13.00	-43.12	-8.21	Peak




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	472.90	-58.78	-45.78	-13.00	-55.33	-3.45	Peak
2	488.30	-58.58	-45.58	-13.00	-55.30	-3.27	Peak
3 @	519.80	-55.89	-42.89	-13.00	-53.00	-2.89	Peak



Data: 13 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #3: MS Signal
2. #4: BS Signal

Data: 14 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-50.74	-37.74	-13.00	-59.39	8.65	Peak

Data: 16 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All




Data: 17 File: D:\Project\2007Q2\59710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

Data: 18 File: D:\Project\2007Q2\59710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : All

Freq	Level	Over	Limit	Read	Factor	Remark
MHz	dBm	dB	dBm	dBm	dB	
1 @ 11278.00	-40.27	-27.27	-13.00	-59.14	18.87	Peak





Trace: (Discrete)  
Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PCS 1800 Link Mode ; CH661+Adapter  
Plane : E2  
Scanner : All

Remark : There is no more obvious emission except the listings above.



4.6.5.27 Mode 27  
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\27\FG710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.78	-52.55	-39.55	-13.00	-50.47	-2.08	Peak
2	71.58	-54.42	-41.42	-13.00	-42.08	-12.35	Peak
3	191.19	-57.66	-44.66	-13.00	-44.37	-13.29	Peak

Data: 2 File: D:\Project\2007Q2\27\FG710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	383.30	-61.11	-48.11	-13.00	-54.04	-7.07	Peak
2	743.80	-60.17	-47.17	-13.00	-57.90	-2.27	Peak
3	792.80	-59.76	-46.76	-13.00	-57.99	-1.77	Peak



Data: 3 File: D:\Project\2007Q2\578710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-44.39	-31.39	-13.00	-54.36	9.97	Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read		
	MHz	dBm	dB	dBm	dBm	dB	Remark
1 @	11278.00	-39.67	-26.67	-13.00	-59.97	20.30	Peak




Trace: (Discrete)

Site : 03CH06-HY  
Condition : HF-SPORTOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PC5 1900 Link Mode ; CH661+Adapter  
Plane : E2  
Scanner : A12




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode : CR661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-45.53	-32.53	-13.00	-35.63	-9.89	Peak
2 @	72.39	-49.31	-36.31	-13.00	-37.70	-11.60	Peak
3 @	149.34	-45.03	-32.03	-13.00	-36.90	-8.14	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode : CR661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	519.80	-54.54	-41.54	-13.00	-51.65	-2.89	Peak
2	913.90	-55.25	-42.25	-13.00	-57.22	1.97	Peak
3	960.80	-55.83	-42.83	-13.00	-58.18	2.35	Peak



Data: 13 File: D:\Project\2007Q2\5710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #3: MS Signal
2. #4: BS Signal

Data: 14 File: D:\Project\2007Q2\5710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.





Data: 15 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-47.79	-34.79	-13.00	-56.45	8.65	Peak

Data: 16 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12




Data: 17 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12


Data: 18 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : PCS 1900 Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A12

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	11278.00	-42.81	-29.81	-13.00	-61.69	18.87 Peak




Trace: (Discrete)  
Site : 03CH06-HY  
Condition : HF-SPURIOUS VERTICAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PCS 1800 Link Mode ; CR661+Adapter  
Plane : E2  
Scanner : A12

Remark : There is no more obvious emission except the listings above.




4.6.5.28 Mode 28  
Horizontal Polarization



Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	71.58	-61.62	-48.62	-13.00	-49.27	-12.35	Peak
2 @	138.54	-58.84	-45.84	-13.00	-46.15	-12.69	Peak
3 @	144.48	-56.26	-43.26	-13.00	-43.51	-12.75	Peak




Site : 03CH06-HY  
 Condition : LF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	397.30	-60.98	-47.98	-13.00	-54.42	-6.57	Peak
2	418.30	-62.06	-49.06	-13.00	-55.81	-6.25	Peak
3	519.80	-62.13	-49.13	-13.00	-57.28	-4.85	Peak



Data: 3 File: D:\Project\2007Q2\578\710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-55.66	-42.66	-13.00	-55.74	0.08	Peak
2 @	1878.00	-52.04			-51.53	-0.51	Peak
3 @	1958.00	-33.54			-32.43	-1.11	Peak

Remark:

- #2: MS Signal
- #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578\710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY  
 Condition : HF-SPURIOUS HORIZONTAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3




Vertical Polarization



Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	60.24	-54.55	-41.55	-13.00	-41.13	-13.42	Peak
2 @	146.64	-50.84	-37.84	-13.00	-42.73	-8.11	Peak
3 @	153.93	-51.28	-38.28	-13.00	-43.10	-8.18	Peak




Trace: (Discrete)  
 Site : 03CH06-HY  
 Condition : LF-SPURIOUS VERTICAL  
 EUT : PDA  
 Power : 120Vac/60Hz  
 Model : FG 710211-01  
 Memo : EDGE Link Mode ; CH661+Adapter  
 Plane : E2  
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	344.80	-60.76	-47.76	-13.00	-55.27	-5.49	Peak
2 @	376.30	-59.30	-46.30	-13.00	-54.48	-4.83	Peak
3 @	428.80	-60.64	-47.64	-13.00	-56.65	-3.98	Peak



Data: 13 File: D:\Project\2007Q2\20071710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : EDGE Link Mode ; CH661+Adapter
Plane : E2
Scanner : A3

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\20071710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : EDGE Link Mode ; CH661+Adapter
Plane : E2
Scanner : A3

Remark : There is no more obvious emission except the listings above.




4.6.5.29 Mode 29  
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY  
Condition : LF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PCS 1900 Link Mode ; CH661+Adapter  
Plane : E2  
Scanner : A3+Pistol Grips

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	73.74	-56.92	-43.92	-13.00	-44.57	-12.34 Peak
2 @	141.78	-54.88	-41.88	-13.00	-42.16	-12.72 Peak
3 @	149.88	-55.84	-42.84	-13.00	-43.02	-12.82 Peak



Trace: (Discrete)

Site : 03CH06-HY  
Condition : LF-SPURIOUS HORIZONTAL  
EUT : PDA  
Power : 120Vac/60Hz  
Model : FG 710211-01  
Memo : PCS 1900 Link Mode ; CH661+Adapter  
Plane : E2  
Scanner : A3+Pistol Grips

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	453.30	-62.91	-49.91	-13.00	-57.15	-5.77 Peak
2 @	523.30	-60.92	-47.92	-13.00	-56.12	-4.79 Peak
3 @	810.30	-62.39	-49.39	-13.00	-60.79	-1.60 Peak