





4.6.5.6 Mode 6
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
Condition : LP-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG710211
Memo : EDGE Link Mode;Ch189+Adaptor
Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	39.2	-55.20	-42.20	-13.00	-50.08	-5.12	Peak
2	123.7	-56.52	-43.52	-13.00	-44.00	-12.52	Peak
3 @	141.8	-53.33	-40.33	-13.00	-40.61	-12.72	Peak
4	179.0	-55.66	-42.66	-13.00	-42.50	-13.16	Peak



Trace: (Discrete)

Site : 03CH06-HY
Condition : LP-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG710211
Memo : EDGE Link Mode;Ch189+Adaptor
Plane : E2


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	516.3	-56.00	-43.00	-13.00	-51.10	-4.90	Peak
2	675.9	-58.30	-45.30	-13.00	-55.34	-2.96	Peak
3 @	834.8	-40.95			-39.60	-1.35	Peak
4 @	880.3	-31.04			-30.12	-0.91	Peak
5 @	995.8	-51.66	-38.66	-13.00	-51.86	0.20	Peak

Remark:

- 1. #3: MS Signal
- 2. #4: BS Signal



Data: 3 File: D:\Project\2007Q1\2710211529\Part22\HEDGE.EMI (12) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2

	Freq	Level	Limit	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB		dBm	dBm	dB	
1 @	1674.0	-34.36	-21.36	-13.00	-34.58	0.22	Peak	
2 @	2508.0	-37.50	-24.50	-13.00	-38.70	1.20	Peak	

Data: 4 File: D:\Project\2007Q1\2710211529\Part22\HEDGE.EMI (12) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2




Vertical Polarization



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LP-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	40.5	-50.66	-37.66	-13.00	-38.58	-12.08	Peak
2 @	81.8	-46.81	-33.81	-13.00	-36.47	-10.35	Peak
3 @	104.0	-40.74	-27.74	-13.00	-33.01	-7.72	Peak
4 @	143.1	-45.39	-32.39	-13.00	-37.31	-8.08	Peak




Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LP-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	521.9	-57.58	-44.58	-13.00	-54.71	-2.87	Peak
2	675.9	-59.07	-46.07	-13.00	-58.27	-0.79	Peak
3 @	836.9	-45.22			-46.58	1.36	Peak
4 @	880.3	-31.71			-33.42	1.71	Peak
5	995.8	-55.95	-42.95	-13.00	-58.58	2.63	Peak

- Remark:
 1. #3: MS Signal
 2. #4: BS Signal



Data: 9 File: D:\Project\2007Q1\581710211\529\Part22\HEDGE.EMI (12) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	dB	dBm	dBm	dB	Remark
1 @	1674.0	-35.32	-22.32	-13.00	-34.84	-0.48	Peak
2 @	2508.0	-38.82	-25.82	-13.00	-41.09	2.27	Peak

Data: 10 File: D:\Project\2007Q1\581710211\529\Part22\HEDGE.EMI (12) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch189+Adaptor
 Plane : E2

Remark : There is no more obvious emission except the listings above.




4.6.5.7 Mode 7
Horizontal Polarization



Site : 08CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	81.0	-55.40	-42.40	-13.00	-43.09	-12.31	Peak
2 @	99.9	-60.38	-47.38	-13.00	-48.14	-12.24	Peak
3 @	148.5	-58.66	-45.66	-13.00	-45.86	-12.80	Peak




Site : 08CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	402.9	-50.39	-37.39	-13.00	-43.93	-6.46	Peak
2 @	439.3	-48.15	-35.15	-13.00	-42.20	-5.95	Peak
3 @	519.8	-54.25	-41.25	-13.00	-49.40	-4.85	Peak



Data: 3 File: D:\Project\2007Q1\571710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)


Site : 08CHO6-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Wac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.0	-47.28	-34.28	-13.00	-47.36	0.08	Peak
2 @	1884.0	-50.78			-50.10	-0.68	Peak
3 @	1958.0	-56.84			-55.73	-1.11	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal

Data: 4 File: D:\Project\2007Q1\571710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)

Site : 08CHO6-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Wac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.0	-45.92	-32.92	-13.00	-53.85	7.92	Peak



Data: 5 File: D:\Project\2007Q1\529\10208529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)

Site : 08CH06-HY

Condition : HF-SPURIOUS HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz


Model : FG 710211

Memo : PCS1900 Link Mode;Ch661+Adaptor

Plane : E2

1 @	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
	5638.0	-48.78	-35.78	-13.00	-58.74	9.97	Peak

Data: 6 File: D:\Project\2007Q1\529\10208529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)

Site : 08CH06-HY

Condition : HF-SPURIOUS HORIZONTAL

EUT : PDA

Power : 120Vac/60Hz


Model : FG 710211

Memo : PCS1900 Link Mode;Ch661+Adaptor

Plane : E2




Data: 7 File: D:\Project\2007Q1\5710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211
Memo : PCS1900 Link Mode;Ch661+Adaptor
Plane : E2

Data: 8 File: D:\Project\2007Q1\5710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211
Memo : PCS1900 Link Mode;Ch661+Adaptor
Plane : E2



Vertical Polarization


Data: 11 File: D:\Project\2007Q1\529\10208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LP-SPURIOUS VERTICAL
 EUT : FDA
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	65.6	-53.35	-40.35	-13.00	-40.77	-12.58	Peak
2 @	149.9	-46.88	-33.88	-13.00	-38.73	-8.14	Peak
3 @	178.2	-53.39	-40.39	-13.00	-44.99	-8.40	Peak

Data: 12 File: D:\Project\2007Q1\529\10208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LP-SPURIOUS VERTICAL
 EUT : FDA
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	437.9	-50.93	-37.93	-13.00	-47.07	-3.87	Peak
2 @	519.8	-58.12	-45.12	-13.00	-55.23	-2.89	Peak
3 @	623.4	-57.48	-44.48	-13.00	-55.90	-1.58	Peak



Data: 13 File: D:\Project\2007Q1\571710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)
Site : 08CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : FDA
Power : 120Vac/60Hz
Model : FG 710211
Memo : PCS1900 Link Mode;Ch661+Adaptor
Plane : E2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q1\571710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)
Site : 08CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : FDA
Power : 120Vac/60Hz
Model : FG 710211
Memo : PCS1900 Link Mode;Ch661+Adaptor
Plane : E2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.




Data: 15 Level (dBm) File: D:\Project\2007Q1\5710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : FDA
 Power : 120V_{ac}/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	
	MHz	dBm	dB	dBm	dBm	dB
1 @	5638.0	-51.58	-38.58	-13.00	-60.23	8.65 Peak


Data: 16 Level (dBm) File: D:\Project\2007Q1\5710208\529\Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : FDA
 Power : 120V_{ac}/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2




Data: 17 File: D:\Project\2007Q1\529\10208\529Part 24E\Part 24E.EMI (20) Date: 2007-01-04



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120V_{ac}/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

Data: 18 File: D:\Project\2007Q1\529\10208\529Part 24E\Part 24E.EMI (20) Date: 2007-01-04




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120V_{ac}/60Hz
 Model : FG 710211
 Memo : PCS1900 Link Mode;Ch661+Adaptor
 Plane : E2

Peak	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	11278.0	-43.31	-30.31	-13.00	-62.19	18.87	Peak

Remark : There is no more obvious emission except the listings above.




4.6.5.8 Mode 8
Horizontal Polarization




Site : 08CH06-HY
 Condition : LP-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	80.5	-56.45	-43.45	-13.00	-44.13	-12.31	Peak
2 @	125.0	-53.54	-40.54	-13.00	-41.01	-12.53	Peak
3	147.2	-56.57	-43.57	-13.00	-43.79	-12.79	Peak



Site : 08CH06-HY
 Condition : LP-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	831.3	-63.54	-50.54	-13.00	-62.15	-1.39	Peak
2	917.4	-64.58	-51.58	-13.00	-64.03	-0.56	Peak
3	978.3	-63.94	-50.94	-13.00	-63.98	0.03	Peak




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.0	-48.92	-35.92	-13.00	-48.99	0.08	Peak
2 @	1878.0	-44.30			-43.79	-0.51	Peak
3 @	1958.0	-41.42			-40.31	-1.11	Peak

Remark:

- #2: MS Signal
- #3: BS Signal




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.0	-35.72	-22.72	-13.00	-43.64	7.92	Peak



Data: 5 File: D:\Project\2007Q1\5710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Limit	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dBm	dB	
1 @	5638.0	-41.41	-28.41	-13.00	-51.38		9.97	Peak

Data: 6 File: D:\Project\2007Q1\5710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2



Vertical Polarization


Data: 11 File: D:\Project\2007Q1\1529\1710211529\Part24\EDGE.EMI (20) Date: 2007-01-28



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2


	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1 @	81.0	-48.87	-35.87	-13.00	-38.52	-10.35	Peak
2 @	121.0	-48.57	-35.57	-13.00	-40.69	-7.88	Peak
3 @	146.6	-49.92	-36.92	-13.00	-41.81	-8.11	Peak

Data: 12 File: D:\Project\2007Q1\1529\1710211529\Part24\EDGE.EMI (20) Date: 2007-01-28



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1	327.3	-60.55	-47.55	-13.00	-54.67	-5.88	Peak
2	442.8	-63.70	-50.70	-13.00	-59.89	-3.81	Peak
3	519.8	-63.06	-50.06	-13.00	-60.16	-2.89	Peak




Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : PDA with GPFS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	1718.0	-55.94	-42.94	-13.00	-55.52	-0.42	Peak
2	1738.0	-53.98	-40.98	-13.00	-53.64	-0.34	Peak
3 @	1878.0	-43.43			-43.02	-0.40	Peak
4 @	1958.0	-41.39			-40.79	-0.60	Peak

Remark:

- #3: MS Signal
- #4: BS Signal




Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : PDA with GPFS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG710211
 Memo : EDGE Link Mode;Ch661+Adaptor
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.0	-34.38	-21.38	-13.00	-41.02	6.64	Peak



Data: 15 Level (dBm) File: D:\Project\2007Q1\571710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SFURIOUS VERTICAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG710211
Memo : EDGE Link Mode;Ch661+Adaptor
Plane : E2

Table with columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Row 1 @ 5638.0 MHz, Level -37.12, Over Limit -24.12, Limit Line -13.00, Read Level -45.77, Factor 8.65, Remark Peak.

Data: 16 Level (dBm) File: D:\Project\2007Q1\571710211\529\Part24\EDGE.EMI (20) Date: 2007-01-28




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SFURIOUS VERTICAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Vac/60Hz
Model : FG710211
Memo : EDGE Link Mode;Ch661+Adaptor
Plane : E2

Remark : There is no more obvious emission except the listings above.




4.6.5.9 Mode 9
Horizontal Polarization



Site : 08CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_Ch00
 Plane : E2

Peak	Freq (MHz)	Level (dBm)	Over Limit (dB)	Limit Line (dBm)	Read Level (dBm)	Factor (dB)	Remark
1	33.8	-53.41	-40.41	-13.00	-51.33	-2.08	Peak
2	224.1	-50.99	-37.99	-13.00	-38.44	-12.55	Peak
3	299.2	-47.60	-34.60	-13.00	-37.65	-9.95	Peak




Site : 08CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_Ch00
 Plane : E2

Peak	Freq (MHz)	Level (dBm)	Over Limit (dB)	Limit Line (dBm)	Read Level (dBm)	Factor (dB)	Remark
1	309.8	-44.49	-31.49	-13.00	-34.87	-9.61	Peak
2	836.9	-41.21			-39.88	-1.33	Peak
3	880.3	-40.06			-39.14	-0.91	Peak

Remark:
 1. #2: MS Signal
 2. #3: BS Signal



Data: 3 File: D:\Project\2007Q1\528\1710208\528\Part 22\HC-location (GSM+BT+WLAN).EMI (12) Level (dBm) Date: 2007-01-05



Trace: (Discrete)


Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : FDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_Ch00
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark	Pol/Phase
	MHz	dBm	dB	dBm	dBm	dB		
1	1000.0	-52.69	-39.69	-13.00	-54.49	1.80	Peak	HORIZONTAL
2	1034.0	-53.02	-40.02	-13.00	-54.80	1.78	Peak	HORIZONTAL
3	1574.0	-37.34	-24.34	-13.00	-37.71	0.37	Peak	HORIZONTAL
4	1674.0	-48.14	-35.14	-13.00	-48.36	0.22	Peak	HORIZONTAL
5	2204.0	-46.11	-33.11	-13.00	-46.83	0.72	Peak	HORIZONTAL
6 @	2408.0	0.93			0.04	0.89	Peak	HORIZONTAL
7	2508.0	-48.19	-35.19	-13.00	-49.39	1.20	Peak	HORIZONTAL
8	2614.0	-34.99	-21.99	-13.00	-36.83	1.84	Peak	HORIZONTAL
9	2764.0	-53.28	-40.28	-13.00	-56.32	3.04	Peak	HORIZONTAL

Remark:

1. #6: WLAN Signal

Data: 4 File: D:\Project\2007Q1\528\1710208\528\Part 22\HC-location (GSM+BT+WLAN).EMI (12) Level (dBm) Date: 2007-01-05




Trace: (Discrete)

Site : 08CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : FDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_Ch00
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	3248.0	-41.59	-28.59	-13.00	-46.59	4.99	Peak
2	3344.0	-47.08	-34.08	-13.00	-52.49	5.41	Peak
3	3994.0	-49.86	-36.86	-13.00	-58.97	9.11	Peak
4	4824.0	-41.19	-28.19	-13.00	-52.74	11.55	Peak




Data: 5 File: D:\Project\2007Q1\571710208\528\Part 22\Co-location (GSM+BT+WLAN).EMI (12 Date: 2007-01-05



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Wac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+11b Tx_Channel+Adaptor
Memo : +BT Tx_Channel
Plane : E2

Data: 6 File: D:\Project\2007Q1\571710208\528\Part 22\Co-location (GSM+BT+WLAN).EMI (12 Date: 2007-01-05




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA with GPRS/EDGE+WLAN11g+BT
Power : 120Wac/60Hz
Model : FG 710211
Memo : GSM850 Link;Ch189+11b Tx_Channel+Adaptor
Memo : +BT Tx_Channel
Plane : E2

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 7234.0, -39.39, -26.39, -13.00, -54.68, 15.29, Peak




Vertical Polarization



Trace: (Discrete)
 : 08CH06-HY
 Condition: LP-SPURIOUS VERTICAL
 EUT: PDA with GPRS/EDGE+WLAN11g+BT
 Power: 120Vac/60Hz
 Model: FG 710211
 Memo: GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo: +BT Tx_CM00
 Plane: E2

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	33.2	-41.66	-28.66	-13.00	-31.77	-9.89	Peak
2	152.0	-43.95	-30.95	-13.00	-35.79	-8.16	Peak
3	224.9	-46.03	-33.03	-13.00	-37.98	-8.05	Peak



Trace: (Discrete)
 : 08CH06-HY
 Condition: LP-SPURIOUS VERTICAL
 EUT: PDA with GPRS/EDGE+WLAN11g+BT
 Power: 120Vac/60Hz
 Model: FG 710211
 Memo: GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo: +BT Tx_CM00
 Plane: E2


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	313.3	-47.73	-34.73	-13.00	-41.56	-6.17	Peak
2	836.9	-43.07			-44.43	1.36	Peak
3	836.9	-43.07			-44.43	1.36	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal



Data: 9 File: D:\Project\2007Q1\571710208\528\Part 22HCo-location (GSM+BT+WLAN).EMI (12 Date: 2007-01-05




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_CM00
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark	Pol/Phase
	MHz	dBm	Limit	Line	Level	dB		
1	1574.0	-37.35	-24.35	-13.00	-36.68	-0.67	Peak	VERTICAL
2	1674.0	-46.08	-33.08	-13.00	-45.60	-0.48	Peak	VERTICAL
3	2204.0	-44.00	-31.00	-13.00	-45.53	1.53	Peak	VERTICAL
4 @	2414.0	7.10			5.23	1.87	Peak	VERTICAL
5	2508.0	-45.95	-32.95	-13.00	-48.22	2.27	Peak	VERTICAL
6	2618.0	-31.26	-18.26	-13.00	-33.77	2.51	Peak	VERTICAL

Remark:


- #4: WLAN Signal

Data: 10 File: D:\Project\2007Q1\571710208\528\Part 22HCo-location (GSM+BT+WLAN).EMI (12 Date: 2007-01-05




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Vac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_Ch01+Adaptor
 Memo : +BT Tx_CM00
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1	3248.0	-42.98	-29.98	-13.00	-47.04	4.05	Peak
2	3344.0	-50.63	-37.63	-13.00	-55.10	4.47	Peak
3	4818.0	-34.47	-21.47	-13.00	-44.70	10.23	Peak



Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Wac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_CK01+Adaptor
 Memo : +BT Tx_CK00
 Plane : E2




Trace: (Discrete)
 Site : 08CH06-HY
 Condition : HF-SFURIOUS VERTICAL
 EUT : PDA with GPRS/EDGE+WLAN11g+BT
 Power : 120Wac/60Hz
 Model : FG 710211
 Memo : GSM850 Link;Ch189+11b Tx_CK01+Adaptor
 Memo : +BT Tx_CK00
 Plane : E2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	7234.0	-24.00	-11.00	-13.00	-36.89	12.88	Peak

Remark : There is no more obvious emission except the listings above.




4.6.5.10 Mode 10
Horizontal Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	32.43	-46.80	-33.80	-13.00	-45.33	-1.47	Peak
2 @	147.18	-51.76	-38.76	-13.00	-38.97	-12.79	Peak
3 @	221.43	-40.89	-27.89	-13.00	-28.23	-12.65	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.68			-38.34	-1.33	Peak
2 @	880.30	-37.07			-36.16	-0.91	Peak
3 @	995.80	-55.09	-42.09	-13.00	-55.29	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal




Data: 3 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A2.EMI (12) Date: 2007-04-26



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH189+Adapter Plane : E2 Scanner : A2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of data for peaks at 1674.00 MHz and 2508.00 MHz.


Data: 4 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A2.EMI (12) Date: 2007-04-26



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH189+Adapter Plane : E2 Scanner : A2




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-35.71	-22.71	-13.00	-25.82	-9.89	Peak
2 @	148.53	-43.49	-30.49	-13.00	-35.37	-8.13	Peak
3 @	221.43	-39.97	-26.97	-13.00	-31.84	-8.14	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-36.53			-37.89	1.36	Peak
2 @	880.30	-36.54			-38.25	1.71	Peak
3 @	995.80	-52.02	-39.02	-13.00	-54.65	2.63	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal




Data: 9 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A2.EMI (12) Date: 2007-04-26



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A2.EMI (12) Date: 2007-04-26




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A2

Remark : There is no more obvious emission except the listings above.




4.6.5.11 Mode 11
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FC 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	32.43	-46.81	-33.81	-13.00	-45.35	-1.47	Peak
2 @	145.83	-52.32	-39.32	-13.00	-39.55	-12.76	Peak
3 @	220.89	-42.75	-29.75	-13.00	-30.10	-12.65	Peak



Trace: (Discrete)


Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FC 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.96			-38.62	-1.33	Peak
2 @	880.30	-37.16			-36.24	-0.91	Peak
3 @	995.80	-54.68	-41.68	-13.00	-54.89	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-50.30	-37.30	-13.00	-50.52	0.22	Peak
2 @	2508.00	-50.73	-37.73	-13.00	-51.93	1.20	Peak

Data: 4 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-37.42	-24.42	-13.00	-27.53	-9.89	Peak
2 @	148.53	-43.42	-30.42	-13.00	-35.30	-8.13	Peak
3 @	220.08	-43.41	-30.41	-13.00	-35.26	-8.16	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A3


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-38.12			-39.48	1.36	Peak
2 @	880.30	-39.10			-40.82	1.71	Peak
3 @	995.80	-51.59	-38.59	-13.00	-54.22	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal



Data: 9 File: D:\Project\2007Q2\2571710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26




Trace: (Discrete)

```

Site      : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo      : CSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A3
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-50.94	-37.94	-13.00	-50.46	-0.48	Peak
2 @	2508.00	-50.80	-37.80	-13.00	-53.07	2.27	Peak

Data: 10 File: D:\Project\2007Q2\2571710211-01\Part22H\528\Part22H-A3.EMI (12) Date: 2007-04-26



Trace: (Discrete)

```


Site      : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT      : PDA
Power     : 120Vac/60Hz
Model    : FG 710211-01
Memo      : CSM 850 Link Mode ; CH189+Adapter
Plane    : E2
Scanner   : A3
  
```

Remark : There is no more obvious emission except the listings above.



4.6.5.12 Mode 12
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\2007-05-07\710211-01\Part22H\528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	33.24	-50.41	-37.41	-13.00	-48.95	-1.47	Peak
2	145.83	-50.19	-37.19	-13.00	-37.43	-12.76	Peak
3	220.89	-35.58	-22.58	-13.00	-22.93	-12.65	Peak

Data: 2 File: D:\Project\2007Q2\2007-05-07\710211-01\Part22H\528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)


Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	841.80	-25.47			-24.19	-1.29	Peak
2	880.30	-30.13			-29.22	-0.91	Peak
3	995.80	-49.89	-36.89	-13.00	-50.09	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal




Data: 3 File: D:\Project\2007Q2\2578710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH180+Adapter Plane : E2 Scanner : A1


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 4 File: D:\Project\2007Q2\2578710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS HORIZONTAL EUT : PDA Power : 120Vac/60Hz Model : FC 710211-01 Memo : GSM 850 Link Mode ; CH180+Adapter Plane : E2 Scanner : A1

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1