





Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	32.43	-35.94	-22.94	-13.00	-26.05	-9.89	Peak
2	144.48	-43.70	-30.70	-13.00	-35.61	-8.09	Peak
3	220.89	-28.17	-15.17	-13.00	-20.03	-8.14	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	841.80	-31.89			-33.29	1.40	Peak
2	880.30	-29.61			-31.33	1.71	Peak
3	995.80	-56.43	-43.43	-13.00	-59.06	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal



Data: 9 File: D:\Project\2007Q2\亞旭\710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A1


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 2 rows of peak data.

Data: 10 File: D:\Project\2007Q2\亞旭\710211-01\Part22H528\Part22H-A1.EMI (12) Date: 2007-05-07



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A1



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A1

Remark : There is no more obvious emission except the listings above.



4.6.5.13 Mode 13
Horizontal Polarization


Data: 1 File: D:\Project\2007Q2\2007-04-28\710211-01\Part22H\528\Part22H-A7.EMI (12) Date: 2007-04-28



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-46.66	-33.66	-13.00	-45.19	-1.47	Peak
2 @	147.18	-51.91	-38.91	-13.00	-39.12	-12.79	Peak
3 @	220.08	-41.96	-28.96	-13.00	-29.28	-12.69	Peak

Data: 2 File: D:\Project\2007Q2\2007-04-28\710211-01\Part22H\528\Part22H-A7.EMI (12) Date: 2007-04-28




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.46			-38.12	-1.33	Peak
2 @	880.30	-38.61			-37.70	-0.91	Peak
3 @	995.80	-55.87	-42.87	-13.00	-56.07	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A7.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-49.66	-36.66	-13.00	-49.88	0.22	Peak
2 @	2508.00	-49.77	-36.77	-13.00	-50.97	1.20	Peak

Data: 4 File: D:\Project\2007Q2\571710211-01\Part22H528VPart22H-A7.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-36.69	-23.69	-13.00	-26.79	-9.89	Peak
2 @	149.34	-43.36	-30.36	-13.00	-35.22	-8.14	Peak
3 @	221.43	-42.88	-29.88	-13.00	-34.74	-8.14	Peak



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-34.25			-35.62	1.36	Peak
2 @	880.30	-35.45			-37.16	1.71	Peak
3 @	995.80	-51.91	-38.91	-13.00	-54.54	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal



Data: 9 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A7.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-53.01	-40.01	-13.00	-52.53	-0.48	Peak
2 @	2508.00	-52.30	-39.30	-13.00	-54.57	2.27	Peak

Data: 10 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A7.EMI (12) Date: 2007-04-27



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A7

Remark : There is no more obvious emission except the listings above.



4.6.5.14 Mode 14
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\200710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-28




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH180+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	33.24	-44.86	-31.86	-13.00	-43.39	-1.47	Peak
2 @	178.23	-52.98	-39.98	-13.00	-39.84	-13.14	Peak
3 @	220.08	-40.18	-27.18	-13.00	-27.49	-12.69	Peak

Data: 2 File: D:\Project\2007Q2\200710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-28



Trace: (Discrete)


Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH180+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	836.90	-40.18			-38.84	-1.33	Peak
2 @	880.30	-36.72			-35.81	-0.91	Peak
3 @	995.80	-56.47	-43.47	-13.00	-56.68	0.20	Peak

- Remark:
- #1: MS Signal
 - #2: BS Signal



Data: 3 File: D:\Project\2007Q2\亞旭710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 4 File: D:\Project\2007Q2\亞旭710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8




Data: 5 File: D:\Project\2007Q2\20070427\710211-01\Part22H\528\Part22H-A8.EMI (12) Date: 2007-04-27
Level (dBm)



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-35.58	-22.58	-13.00	-25.68	-9.89	Peak
2 @	153.93	-44.49	-31.49	-13.00	-36.31	-8.18	Peak
3 @	219.54	-39.74	-26.74	-13.00	-31.56	-8.18	Peak



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : CSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A8


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-35.76			-37.12	1.36	Peak
2 @	880.30	-34.88			-36.59	1.71	Peak
3 @	995.80	-52.05	-39.05	-13.00	-54.68	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal




Data: 9 File: D:\Project\2007Q2\5781710211-01\Part22H528\Part22H-A8.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\5781710211-01\Part22H528\Part22H-A8.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Mem : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A8

Remark : There is no more obvious emission except the listings above.



4.6.5.15 Mode 15
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	32.43	-45.29	-32.29	-13.00	-43.82	-1.47	Peak
2 @	145.83	-52.48	-39.48	-13.00	-39.71	-12.76	Peak
3 @	220.89	-41.96	-28.96	-13.00	-29.31	-12.65	Peak

Data: 2 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)


Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	836.90	-39.76			-38.43	-1.33	Peak
2 @	880.30	-35.73			-34.82	-0.91	Peak
3 @	995.80	-54.32	-41.32	-13.00	-54.52	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\578710211-01\Part22H528VPart22H-A9.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A9


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-50.07	-37.07	-13.00	-50.30	0.22	Peak
2 @	2508.00	-43.17	-30.17	-13.00	-44.37	1.20	Peak

Data: 4 File: D:\Project\2007Q2\578710211-01\Part22H528VPart22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A9




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A9



Vertical Polarization




Trace: (Discrete)

```

Site      : 03CH06-HY
Condition: LF-SPURIOUS VERTICAL
EUT      : PDA
Power    : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane   : E2
Scanner  : A9
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	

1 @	33.78	-36.84	-23.84	-13.00	-26.68	-10.17	Peak
2 @	154.74	-44.51	-31.51	-13.00	-36.32	-8.19	Peak
3 @	220.08	-41.78	-28.78	-13.00	-33.62	-8.16	Peak



Trace: (Discrete)

```

Site      : 03CH06-HY
Condition: LF-SPURIOUS VERTICAL
EUT      : PDA
Power    : 120Vac/60Hz
Model    : FG 710211-01
Memo     : GSM 850 Link Mode ; CH189+Adapter
Plane   : E2
Scanner  : A9
  
```

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	


1 @	836.90	-37.75			-39.11	1.36	Peak
2 @	880.30	-35.57			-37.28	1.71	Peak
3 @	995.80	-51.59	-38.59	-13.00	-54.22	2.63	Peak

Remark:

- #1: MS Signal
- #2: BS Signal




Data: 9 File: D:\Project\2007Q2\亞旭710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9


Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 10 File: D:\Project\2007Q2\亞旭710211-01\Part22H528\Part22H-A9.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 2 rows of peak data.




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Mem : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A9

Remark : There is no more obvious emission except the listings above.




4.6.5.16 Mode 16
Horizontal Polarization



Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	32.43	-45.14	-32.14	-13.00	-43.67	-1.47	Peak
2 @	145.29	-53.87	-40.87	-13.00	-41.11	-12.76	Peak
3 @	220.89	-40.70	-27.70	-13.00	-28.04	-12.65	Peak




Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	836.90	-40.89			-39.55	-1.33	Peak
2 @	880.30	-38.30			-37.39	-0.91	Peak
3 @	995.80	-54.32	-41.32	-13.00	-54.53	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\2571710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

Data: 4 File: D:\Project\2007Q2\2571710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : All

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-37.98	-24.98	-13.00	-28.09	-9.89	Peak
2 @	153.39	-44.32	-31.32	-13.00	-36.15	-8.17	Peak
3 @	220.08	-42.45	-29.45	-13.00	-34.30	-8.16	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : All

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-34.87			-36.24	1.36	Peak
2 @	880.30	-37.24			-38.96	1.71	Peak
3 @	995.80	-51.90	-38.90	-13.00	-54.53	2.63	Peak

- Remark:
 1. #1: MS Signal
 2. #2: BS Signal




Data: 9 File: D:\Project\2007Q2\578710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\578710211-01\Part22H528\Part22H-A11.EMI (12) Date: 2007-04-27




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : All

Remark : There is no more obvious emission except the listings above.




4.6.5. 17 Mode 17
Horizontal Polarization



Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	32.43	-44.96	-31.96	-13.00	-43.49	-1.47	Peak
2 @	145.29	-54.23	-41.23	-13.00	-41.47	-12.76	Peak
3 @	220.89	-42.74	-29.74	-13.00	-30.09	-12.65	Peak




Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	Limit	Line	Level	dB	
1 @	836.90	-39.64			-38.31	-1.33	Peak
2 @	880.30	-32.69			-31.77	-0.91	Peak
3 @	995.80	-55.59	-42.59	-13.00	-55.79	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A12.EMI (12) Date: 2007-04-27




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.


Data: 4 File: D:\Project\2007Q2\578\710211-01\Part22H528\Part22H-A12.EMI (12) Date: 2007-04-27



Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FC 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH180+Adapter
Plane : E2
Scanner : A12




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A12

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-37.97	-24.97	-13.00	-28.08	-9.89	Peak
2 @	152.58	-44.80	-31.80	-13.00	-36.63	-8.16	Peak
3 @	220.89	-44.00	-31.00	-13.00	-35.86	-8.14	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A12


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	836.90	-35.33			-36.69	1.36	Peak
2 @	880.30	-31.89			-33.60	1.71	Peak
3 @	995.80	-52.36	-39.36	-13.00	-54.99	2.63	Peak

Remark:

- 1. #1: MS Signal
- 2. #2: BS Signal




Data: 9 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 10 File: D:\Project\2007Q2\271710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains one row of peak data.



Data: 11 File: D:\Project\2007Q2\20070427\710211-01\Part22H\528\Part22H-A12.EMI (12) Date: 2007-04-27
Level (dBm)




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A12

Remark : There is no more obvious emission except the listings above.




4.6.5.18 Mode 18
Horizontal Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	60.78	-59.41	-46.41	-13.00	-47.02	-12.39	Peak
2	143.94	-55.61	-42.61	-13.00	-42.86	-12.74	Peak
3	226.83	-56.33	-43.33	-13.00	-43.87	-12.45	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	836.90	-43.04			-41.71	-1.33	Peak
2 @	880.30	-26.91			-25.99	-0.91	Peak
3	995.80	-58.49	-45.49	-13.00	-58.70	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CHI89+Adapter
 Plane : E2
 Scanner : A1

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	

1	1674.00	-45.77	-32.77	-13.00	-45.99	0.22	Peak
---	---------	--------	--------	--------	--------	------	------


Data: 4 File: D:\Project\2007Q2\亞旭\710211-01\Part22H\528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CHI89+Adapter
 Plane : E2
 Scanner : A1




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	60.24	-51.80	-38.80	-13.00	-38.38	-13.42	Peak
2	145.29	-50.27	-37.27	-13.00	-42.17	-8.10	Peak
3	152.58	-51.18	-38.18	-13.00	-43.01	-8.16	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1


	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1	729.80	-53.92	-40.92	-13.00	-53.92	0.01	Peak
2	836.90	-47.90			-49.26	1.36	Peak
3 @	880.30	-27.94			-29.65	1.71	Peak

Remark:

- 1. #2: MS Signal
- 2. #3: BS Signal



Data: 9 File: D:\Project\2007Q2\215\710211-01\Part22H528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : EDGE Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Row 1: 1674.00, -56.65, -43.65, -13.00, -56.17, -0.48, Peak

Data: 10 File: D:\Project\2007Q2\215\710211-01\Part22H528\EDGE\Part22H-A1.EMI (12) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : EDGE Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1

Remark : There is no more obvious emission except the listings above.




4.6.5.19 Mode 19
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CHI89+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	31.89	-48.92	-35.92	-13.00	-48.07	-0.86	Peak
2 @	145.29	-49.10	-36.10	-13.00	-36.34	-12.76	Peak
3 @	220.89	-35.25	-22.25	-13.00	-22.59	-12.65	Peak



Trace: (Discrete)


Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CHI89+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	841.80	-27.21			-25.92	-1.29	Peak
2 @	880.30	-30.36			-29.44	-0.91	Peak
3 @	995.80	-49.48	-36.48	-13.00	-49.69	0.20	Peak

Remark:
 1. #1: MS Signal
 2. #2: BS Signal



Data: 3 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A1+Pistol Grips.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1+Pistol Grips

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains two rows of peak data.

Data: 4 File: D:\Project\2007Q2\200710211-01\Part22H528\Part22H-A1+Pistol Grips.EMI (12) Date: 2007-05-07




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : GSM 850 Link Mode ; CH189+Adapter
Plane : E2
Scanner : A1+Pistol Grips




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	33.24	-35.90	-22.90	-13.00	-26.00	-9.89	Peak
2 @	145.29	-43.83	-30.83	-13.00	-35.73	-8.10	Peak
3 @	220.08	-29.02	-16.02	-13.00	-20.86	-8.16	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	841.80	-27.27			-28.67	1.40	Peak
2 @	880.30	-30.08			-31.79	1.71	Peak
3 @	995.80	-54.81	-41.81	-13.00	-57.44	2.63	Peak

Remark:


- 1. #1: MS Signal
- 2. #2: BS Signal



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1674.00	-43.28	-30.28	-13.00	-42.80	-0.48	Peak
2 @	2508.00	-47.97	-34.97	-13.00	-50.24	2.27	Peak



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : GSM 850 Link Mode ; CH189+Adapter
 Plane : E2
 Scanner : A1+Pistol Grips

Remark : There is no more obvious emission except the listings above.



4.6.5.20 Mode 20
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A2.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	73.74	-58.10	-45.10	-13.00	-45.76	-12.34	Peak
2 @	133.14	-61.16	-48.16	-13.00	-48.54	-12.62	Peak
3 @	189.84	-60.85	-47.85	-13.00	-47.57	-13.28	Peak

Data: 2 File: D:\Project\2007Q2\5781710211-01\Part24E528\Part24E-A2.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A2

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	364.40	-57.11	-44.11	-13.00	-49.40	-7.70	Peak
2 @	852.30	-64.86	-51.86	-13.00	-63.68	-1.18	Peak
3 @	971.30	-63.96	-50.96	-13.00	-63.92	-0.04	Peak



Data: 3 File: D:\Project\2007Q2\25\710211-01\Part24E\528\Part24E-A2.EMI (20) Date: 2007-04-26




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode : CH661+Adapter
Plane : E2
Scanner : A2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 3 rows of peak data.

- Remark:
1. #2: MS Signal
2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\25\710211-01\Part24E\528\Part24E-A2.EMI (20) Date: 2007-04-26




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode : CH661+Adapter
Plane : E2
Scanner : A2

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.




Data: 5 File: D:\Project\2007Q2\571710211-01\Part24E\528V\Part24E-A2.EMI (20) Date: 2007-04-26



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A2

Table with columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Row 1: 5638.00, -41.98, -28.98, -13.00, -51.95, 9.97, Peak

Data: 6 File: D:\Project\2007Q2\571710211-01\Part24E\528V\Part24E-A2.EMI (20) Date: 2007-04-26



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A2