



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

Freq	Level	Over	Limit	Read	Factor	Remark
MHz	dBm	dB	dBm	dBm	dB	
1 @ 11278.00	-40.32	-27.32	-13.00	-60.62	20.30	Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode : CH661+Adapter
Plane : E2
Scanner : A8




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	34.59	-54.35	-41.35	-13.00	-43.91	-10.44	Peak
2 @	72.39	-52.39	-39.39	-13.00	-40.78	-11.60	Peak
3 @	149.34	-50.62	-37.62	-13.00	-42.49	-8.14	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	397.30	-63.10	-50.10	-13.00	-58.73	-4.37	Peak
2 @	469.40	-57.99	-44.99	-13.00	-54.50	-3.50	Peak
3 @	518.40	-55.69	-42.69	-13.00	-52.79	-2.90	Peak



Data: 13 File: D:\Project\2007Q2\24E\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\24E\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-49.86	-36.86	-13.00	-58.51	8.65	Peak

Data: 16 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A8




Data: 17 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25




Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EDT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode : CH661+Adapter Plane : E2 Scanner : A8

Data: 18 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A8.EMI (20) Date: 2007-04-25



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EDT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode : CH661+Adapter Plane : E2 Scanner : A8

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Row 1: 11278.00, -41.48, -28.48, -13.00, -60.36, 18.87, Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A8

Remark : There is no more obvious emission except the listings above.




4.6.5.25 Mode 25
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.93	-58.31	-45.31	-13.00	-45.96	-12.34	Peak
2 @	87.78	-61.86	-48.86	-13.00	-49.57	-12.28	Peak
3 @	187.68	-60.46	-47.46	-13.00	-47.20	-13.26	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	329.40	-63.69	-50.69	-13.00	-54.78	-8.91	Peak
2 @	519.80	-65.04	-52.04	-13.00	-60.19	-4.85	Peak
3 @	981.80	-64.20	-51.20	-13.00	-64.27	0.06	Peak



Data: 3 File: D:\Project\2007Q2\24E-A9\710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode : CH661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 5 rows of peak data.

- Remark:
1. #3: MS Signal
2. #4: BS Signal

Data: 4 File: D:\Project\2007Q2\24E-A9\710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EDT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode : CH661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.

1 @ 3758.00 -50.06 -37.06 -13.00 -57.98 7.92 Peak



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-52.17	-39.17	-13.00	-62.14	9.97	Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9




Data: 7 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Data: 8 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1000 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	71.58	-52.33	-39.33	-13.00	-40.58	-11.74	Peak
2 @	147.99	-50.04	-37.04	-13.00	-41.91	-8.13	Peak
3 @	155.28	-51.79	-38.79	-13.00	-43.60	-8.19	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq MHz	Level dBm	Over Limit dB	Limit Line dBm	Read Level dBm	Factor dB	Remark
1 @	465.90	-58.45	-45.45	-13.00	-54.91	-3.54	Peak
2 @	481.30	-58.75	-45.75	-13.00	-55.39	-3.36	Peak
3 @	519.80	-54.37	-41.37	-13.00	-51.48	-2.89	Peak



Data: 13 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 14 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A9

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\25710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-50.30	-37.30	-13.00	-58.95	8.65	Peak

Data: 16 File: D:\Project\2007Q2\25710211-01\Part24E528\Part24E-A9.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9




Data: 17 File: D:\Project\2007Q2\20070425\710211-01\Part24E\528V\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9


Data: 18 File: D:\Project\2007Q2\20070425\710211-01\Part24E\528V\Part24E-A9.EMI (20) Date: 2007-04-25



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A9

	Freq	Level	Over	Limit	Read		
	MHz	dBm	Limit	Line	Level	Factor	Remark
			dB	dBm	dBm	dB	
1 @	11278.00	-39.92	-26.92	-13.00	-58.80	18.87	Peak




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1000 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A9

Remark : There is no more obvious emission except the listings above.




4.6.5.26 Mode 26
Horizontal Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	72.93	-58.02	-45.02	-13.00	-45.68	-12.34	Peak
2	88.59	-61.60	-48.60	-13.00	-49.31	-12.28	Peak
3	187.14	-60.32	-47.32	-13.00	-47.07	-13.24	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	329.40	-64.38	-51.38	-13.00	-55.47	-8.91	Peak
2	350.40	-64.18	-51.18	-13.00	-55.98	-8.21	Peak
3	519.80	-65.16	-52.16	-13.00	-60.31	-4.85	Peak



Data: 3 File: D:\Project\2007Q2\578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Contains 4 rows of peak data.

Remark:

- 1. #2: MS Signal
2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Contains 1 row of peak data.



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-49.22	-36.22	-13.00	-59.19	9.97	Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : All




Data: 7 File: D:\Project\2007Q2\2578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

Data: 8 File: D:\Project\2007Q2\2578710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	11278.00	-41.09	-28.09	-13.00	-61.39	20.30	Peak



Data: 9 File: D:\Project\2007Q2\20070425\FG710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25
Level (dBm)




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-53.20	-40.20	-13.00	-43.31	-9.89	Peak
2 @	149.34	-48.81	-35.81	-13.00	-40.67	-8.14	Peak
3 @	156.63	-51.32	-38.32	-13.00	-43.12	-8.21	Peak




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	472.90	-58.78	-45.78	-13.00	-55.33	-3.45	Peak
2	488.30	-58.58	-45.58	-13.00	-55.30	-3.27	Peak
3 @	519.80	-55.89	-42.89	-13.00	-53.00	-2.89	Peak



Data: 13 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #3: MS Signal
2. #4: BS Signal

Data: 14 File: D:\Project\2007Q2\2007-04-25\710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : All

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	5638.00	-50.74	-37.74	-13.00	-59.39	8.65	Peak

Data: 16 File: D:\Project\2007Q2\2571710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-25




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : All




Data: 17 File: D:\Project\2007Q2\59710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-26




Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode ; CH661+Adapter Plane : E2 Scanner : All

Data: 18 File: D:\Project\2007Q2\59710211-01\Part24E\528\Part24E-A11.EMI (20) Date: 2007-04-26



Trace: (Discrete) Site : 03CH06-HY Condition : HF-SPURIOUS VERTICAL EUT : PDA Power : 120Vac/60Hz Model : FG 710211-01 Memo : PCS 1900 Link Mode ; CH661+Adapter Plane : E2 Scanner : All

Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 1 @ 11278.00 -40.27 -27.27 -13.00 -59.14 18.87 Peak




Trace: (Discrete)
Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CH661+Adapter
Plane : E2
Scanner : All

Remark : There is no more obvious emission except the listings above.



4.6.5.27 Mode 27
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\27\FG710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.78	-52.55	-39.55	-13.00	-50.47	-2.08	Peak
2	71.58	-54.42	-41.42	-13.00	-42.08	-12.35	Peak
3	191.19	-57.66	-44.66	-13.00	-44.37	-13.29	Peak

Data: 2 File: D:\Project\2007Q2\27\FG710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1800 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	383.30	-61.11	-48.11	-13.00	-54.04	-7.07	Peak
2	743.80	-60.17	-47.17	-13.00	-57.90	-2.27	Peak
3	792.80	-59.76	-46.76	-13.00	-57.99	-1.77	Peak



Data: 3 File: D:\Project\2007Q2\578710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-51.20	-38.20	-13.00	-51.27	0.08	Peak
2 @	1878.00	-26.58			-26.07	-0.51	Peak
3 @	1958.00	-38.79			-37.68	-1.11	Peak
4	2038.00	-58.05	-45.05	-13.00	-57.31	-0.73	Peak

Remark:

1. #2: MS Signal
2. #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EDT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	3758.00	-47.86	-34.86	-13.00	-55.79	7.92	Peak



Data: 5 File: D:\Project\2007Q2\5710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode : CH661+Adapter
Plane : E2
Scanner : A12


Table with 7 columns: Freq, Level, Over Limit, Limit Line, Read Level, Factor, Remark. Row 1: 5638.00 MHz, -44.39 dBm, -31.39 dB, -13.00 dBm, -54.36 dBm, 9.97 dB, Peak

Data: 6 File: D:\Project\2007Q2\5710211-01\Part24E\528V\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode : CH661+Adapter
Plane : E2
Scanner : A12




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12


	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	11278.00	-39.67	-26.67	-13.00	-59.97	20.30	Peak



Site : 03CH06-HY
Condition : HF-SPORTOUS HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PC5 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12




Vertical Polarization



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	33.24	-45.53	-32.53	-13.00	-35.63	-9.89	Peak
2 @	72.39	-49.31	-36.31	-13.00	-37.70	-11.60	Peak
3 @	149.34	-45.03	-32.03	-13.00	-36.90	-8.14	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode : CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	519.80	-54.54	-41.54	-13.00	-51.65	-2.89	Peak
2	913.90	-55.25	-42.25	-13.00	-57.22	1.97	Peak
3	960.80	-55.83	-42.83	-13.00	-58.18	2.35	Peak



Data: 13 File: D:\Project\2007Q2\571710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 4 rows of peak data.

Remark:

- 1. #3: MS Signal
2. #4: BS Signal

Data: 14 File: D:\Project\2007Q2\571710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Trace: (Discrete)

Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1900 Link Mode ; CH661+Adapter
Plane : E2
Scanner : A12

Table with 7 columns: Freq (MHz), Level (dBm), Over Limit (dB), Limit Line (dBm), Read Level (dBm), Factor (dB), Remark. Contains 1 row of peak data.



Data: 15 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

Trace: (Discrete)

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	5638.00	-47.79	-34.79	-13.00	-56.45	8.65 Peak

Data: 16 File: D:\Project\2007Q2\5710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26




Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

Trace: (Discrete)




Data: 17 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12


Data: 18 File: D:\Project\2007Q2\578\710211-01\Part24E\528\Part24E-A12.EMI (20) Date: 2007-04-26



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : PCS 1900 Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A12

	Freq	Level	Over	Limit	Read	
	MHz	dBm	Limit	Line	Level	Factor Remark
			dB	dBm	dBm	dB
1 @	11278.00	-42.81	-29.81	-13.00	-61.69	18.87 Peak



Trace: (Discrete)


Site : 03CH06-HY
Condition : HF-SPURIOUS VERTICAL
EUT : PDA
Power : 120Vac/60Hz
Model : FG 710211-01
Memo : PCS 1800 Link Mode ; CR661+Adapter
Plane : E2
Scanner : A12

Remark : There is no more obvious emission except the listings above.



4.6.5.28 Mode 28
Horizontal Polarization

Data: 1 File: D:\Project\2007Q2\28\F710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1	71.58	-61.62	-48.62	-13.00	-49.27	-12.35	Peak
2 @	138.54	-58.84	-45.84	-13.00	-46.15	-12.69	Peak
3 @	144.48	-56.26	-43.26	-13.00	-43.51	-12.75	Peak

Data: 2 File: D:\Project\2007Q2\28\F710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	397.30	-60.98	-47.98	-13.00	-54.42	-6.57	Peak
2	418.30	-62.06	-49.06	-13.00	-55.81	-6.25	Peak
3	519.80	-62.13	-49.13	-13.00	-57.28	-4.85	Peak



Data: 3 File: D:\Project\2007Q2\578\710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	1718.00	-55.66	-42.66	-13.00	-55.74	0.08	Peak
2 @	1878.00	-52.04			-51.53	-0.51	Peak
3 @	1958.00	-33.54			-32.43	-1.11	Peak

Remark:

- #2: MS Signal
- #3: BS Signal

Data: 4 File: D:\Project\2007Q2\578\710211-01\Part24E\528\EDGE\Part24E-A3.EMI (20) Date: 2007-05-08



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-SPURIOUS HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3




Vertical Polarization



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	60.24	-54.55	-41.55	-13.00	-41.13	-13.42	Peak
2 @	146.64	-50.84	-37.84	-13.00	-42.73	-8.11	Peak
3 @	153.93	-51.28	-38.28	-13.00	-43.10	-8.18	Peak



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-SPURIOUS VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FG 710211-01
 Memo : EDGE Link Mode ; CH661+Adapter
 Plane : E2
 Scanner : A3

	Freq	Level	Over	Limit	Read	Factor	Remark
	MHz	dBm	dB	dBm	dBm	dB	
1 @	344.80	-60.76	-47.76	-13.00	-55.27	-5.49	Peak
2 @	376.30	-59.30	-46.30	-13.00	-54.48	-4.83	Peak
3 @	428.80	-60.64	-47.64	-13.00	-56.65	-3.98	Peak