




FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 6 File: D:\Project\2007Q2\20070502\710210-01\Part15C\528WMLAN\A5\11b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01; 2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	9642.00	49.80	-24.20	74.00	87.46	-10.09	9.12	36.68	---	---	Peak
2 @	9642.00	43.85	-10.15	54.00	81.50	-10.09	9.12	36.68	100	227	Average

Data: 7 File: D:\Project\2007Q2\20070502\710210-01\Part15C\528WMLAN\A5\11b Tx_Ch01.EMI (18) Date: 2007-05-02



Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01; 2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	12057.00	47.87	-26.13	74.00	83.59	-9.80	10.65	36.56	---	---	Peak



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 8 File: D:\Project\2007Q2\518\710210-01\Part15C\528\MLAN\A5\11b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-16)-060916 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16056.00	41.46	-32.54	74.00	70.15	-4.64	11.78	35.83	---	---	Peak

Data: 17 File: D:\Project\2007Q2\518\710210-01\Part15C\528\MLAN\A5\11b Tx_Ch01.EMI (18) Date: 2007-04-29



Trace: (Discrete)


Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.76	62.86	-11.14	74.00	64.30	30.26	3.75	35.46	100	0	Peak
2 @	2389.76	49.09	-4.91	54.00	50.54	30.26	3.75	35.46	126	282	Average




- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : PF 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	31.89	29.64	-10.36	40.00	41.93	18.25	0.86	31.39	---	---	Peak
2	36.48	29.25	-10.75	40.00	44.53	15.08	0.90	31.26	---	---	Peak
3	156.63	26.17	-17.33	43.50	45.15	10.21	1.85	31.04	---	---	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : PF 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	509.30	42.91	-3.09	46.00	52.61	17.52	3.55	30.78	---	---	Peak
2 @	519.80	44.86	-1.14	46.00	54.40	17.63	3.60	30.77	100	354	QP
3 @	532.40	45.66	-0.34	46.00	55.00	17.76	3.65	30.75	100	332	QP



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 11 File: D:\Project\2007Q2\2710710210-01\Part15C\528WLAN\A511b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-04-29



Trace: (Discrete)

Site : 03CH06-HY
 Condition : RF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	55.03	-18.97	74.00	56.48	30.26	3.75	35.46	100	0	Peak
2 @	2390.00	43.53	-10.47	54.00	44.98	30.26	3.75	35.46	107	172	Average
3 @	2412.00	106.91			108.33	30.27	3.77	35.46	100	0	Peak
4 @	2412.00	97.81			99.23	30.27	3.77	35.46	107	172	Average
5	2498.00	52.76	-21.24	74.00	54.11	30.30	3.88	35.53	100	0	Peak
6	2498.00	39.99	-14.01	54.00	41.34	30.30	3.88	35.53	107	172	Average
7	2614.00	58.10	-15.90	74.00	59.51	30.14	3.98	35.52	100	0	Peak
8 @	2614.00	47.27	-6.73	54.00	48.68	30.14	3.98	35.52	100	144	Average


Remark: #3 and #4 Fundamental Signal



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 12 File: D:\Project\2007Q2\27\FR710210-01\Part15C\528WLAN\A5111b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-04-29




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	51.49	-22.51	74.00	48.82	32.94	5.84	36.12	100	0	Peak
2	4824.00	40.36	-13.64	54.00	37.69	32.94	5.84	36.12	123	194	Average

Data: 13 File: D:\Project\2007Q2\27\FR710210-01\Part15C\528WLAN\A5111b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-04-29




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7236.00	58.90	-15.10	74.00	48.71	38.33	7.78	35.92	100	0	Peak
2 @	7236.00	51.00	-3.00	54.00	40.81	38.33	7.78	35.92	100	134	Average



Data: 14 File: D:\Project\2007Q2\亞地710210-01\Part15C\528WLAN\A511b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark
1	9642.00	45.35	-28.65	74.00	83.00	-10.09	9.12	36.68	---	---	Peak

Data: 15 File: D:\Project\2007Q2\亞地710210-01\Part15C\528WLAN\A511b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark
1	12057.00	44.14	-29.86	74.00	79.85	-9.80	10.65	36.56	---	---	Peak



Data: 16 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528WLAN\A511b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16002.00	41.27	-32.73	74.00	69.81	-3.90	11.77	36.42	---	---	Peak

Data: 18 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528WLAN\A511b Tx_Ch01.EMI (18) Date: 2007-04-29



Trace: (Discrete)

Site : D3CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A5


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.76	55.25	-18.75	74.00	56.70	30.26	3.75	35.46	100	0	Peak
2 @	2389.76	43.53	-10.47	54.00	44.98	30.26	3.75	35.46	107	172	Average

Remark: There is no more obvious spurious emission except the listings above.




- Test Mode : Mode 11
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	149.34	22.29	-21.21	43.50	41.15	10.39	1.82	31.07	---	---	Peak
2	207.93	21.92	-21.58	43.50	41.02	9.76	2.17	31.03	---	---	Peak
3	262.74	22.89	-23.11	46.00	38.85	12.51	2.49	30.95	---	---	Peak




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	362.30	33.55	-12.45	46.00	46.69	14.82	2.93	30.89	---	---	Peak
2	514.90	35.01	-10.99	46.00	44.62	17.58	3.57	30.77	---	---	Peak
3	532.40	36.91	-9.09	46.00	46.25	17.76	3.65	30.75	100	298	Peak



Data: 3 File: D:\Project\2007Q2\2007-05-01\710210-01\Part15C\528WLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CH06-HY
 Condition : RF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2204.00	53.49	-20.51	74.00	55.09	30.18	3.54	35.31	100	0	Peak
2 @	2204.00	42.72	-11.28	54.00	44.32	30.18	3.54	35.31	118	101	Average
3 @	2390.00	64.06	-9.94	74.00	65.51	30.26	3.75	35.46	100	0	Peak
4 @	2390.00	48.77	-5.23	54.00	50.22	30.26	3.75	35.46	112	313	Average
5 @	2412.00	101.18			102.60	30.27	3.77	35.46	112	313	Average
6 @	2412.00	110.40			111.82	30.27	3.77	35.46	100	0	Peak
7	2488.00	52.73	-21.27	74.00	54.08	30.30	3.86	35.51	100	0	Peak
8 @	2488.00	44.12	-9.88	54.00	45.47	30.30	3.86	35.51	112	313	Average
9 @	2624.00	63.04	-10.96	74.00	64.47	30.11	3.98	35.52	100	0	Peak
10 @	2624.00	50.97	-3.03	54.00	52.40	30.11	3.98	35.52	100	333	Average


Remark: #5 and #6 Fundamental Signal



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 4 File: D:\Project\2007Q2\CA\710210-01\Part15C\528\MLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	50.70	-23.30	74.00	48.03	32.94	5.84	36.12	100		0 Peak
2	4824.00	38.68	-15.32	54.00	36.01	32.94	5.84	36.12	100	257	Average

Data: 5 File: D:\Project\2007Q2\CA\710210-01\Part15C\528\MLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7236.00	57.88	-16.12	74.00	47.69	38.33	7.78	35.92	100		0 Peak
2 @	7236.00	47.57	-6.43	54.00	37.38	38.33	7.78	35.92	100	178	Average



Data: 6 File: D:\Project\2007Q2\2412\710210-01\Part15C\528\WLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-HV
Condition : HF-ANT(6-18)-060918 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : 11b Tx_Ch01;2412MHz
Plane : E2
Data Rate : 11
Scanner : A6

Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains two rows of data for peak and average measurements at 9642.00 MHz.

Data: 7 File: D:\Project\2007Q2\2412\710210-01\Part15C\528\WLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-02



Trace: (Discrete)

Site : 03CH06-HV
Condition : HF-ANT(6-18)-060918 HORIZONTAL
EUT : PDA
Power : 120Vac/60Hz
Model : FR 710210-01
Memo : 11b Tx_Ch01;2412MHz
Plane : E2
Data Rate : 11
Scanner : A6


Table with 11 columns: Freq, Level, Over Limit, Limit Line, ReadAntenna Level Factor, Cable Loss, Preamp Factor, Ant Pos, Table Pos, Remark. Contains one row of data for peak measurement at 12057.00 MHz.



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 8 File: D:\Project\2007Q2\81710210-01\Part15C\528\WLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		
1	16086.00	41.17	-32.83	74.00	69.63	-5.02	11.79	35.24	---	---	Peak

Data: 17 File: D:\Project\2007Q2\81710210-01\Part15C\528\WLAN\A6\11b Tx_Ch01.EMI (18) Date: 2007-05-01



Trace: (Discrete)


Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		
1	2389.76	64.06	-9.94	74.00	65.51	30.26	3.75	35.46	100	0	Peak
2 @	2389.76	48.77	-5.23	54.00	50.22	30.26	3.75	35.46	112	313	Average




- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : LF-ANT(851121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	33.24	31.20	-8.80	40.00	44.15	17.54	0.86	31.36	---	---	Peak
2	37.02	28.72	-11.28	40.00	44.00	15.08	0.90	31.26	---	---	Peak
3	149.34	28.91	-14.59	43.50	47.77	10.39	1.82	31.07	---	---	Peak



Trace: (Discrete)
 Site : 03CR06-HY
 Condition : LF-ANT(851121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6


	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	511.40	42.82	-3.18	46.00	52.50	17.54	3.56	30.78	---	---	Peak
2 @	519.80	44.86	-1.14	46.00	54.40	17.63	3.60	30.77	100	360	QP
3 @	532.40	43.76	-2.24	46.00	53.10	17.76	3.65	30.75	100	358	QP



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 11 File: D:\Project\2007Q2\2710210-01\Part15C\528WLANA611b Tx_Ch01.EMI (18) Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Remark
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2390.00	58.67	-15.33	74.00	60.12	30.26	3.75	35.46	100	0	Peak
2 @	2390.00	45.50	-8.50	54.00	46.95	30.26	3.75	35.46	124	160	Average
3 @	2412.00	100.28			101.70	30.27	3.77	35.46	124	160	Average
4 @	2412.00	111.64			113.06	30.27	3.77	35.46	100	0	Peak
5 @	2484.00	42.49	-11.51	54.00	43.85	30.29	3.86	35.51	124	160	Average
6	2484.00	51.89	-22.11	74.00	53.25	30.29	3.86	35.51	100	0	Peak
7	2618.00	58.18	-15.82	74.00	59.58	30.14	3.98	35.52	100	0	Peak
8 @	2618.00	49.59	-4.41	54.00	51.00	30.14	3.98	35.52	163	143	Average


Remark: #3 and #4 Fundamental Signal



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 12 File: D:\Project\2007Q2\2007-05-01\710210-01\Part15C\528WLAN\A611b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	51.43	-22.57	74.00	48.76	32.94	5.84	36.12	100	0	Peak
2	4824.00	41.85	-12.15	54.00	39.18	32.94	5.84	36.12	100	150	Average

Data: 13 File: D:\Project\2007Q2\2007-05-01\710210-01\Part15C\528WLAN\A611b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7236.00	59.91	-14.09	74.00	49.72	38.33	7.78	35.92	100	0	Peak
2 @	7236.00	49.68	-4.32	54.00	39.49	38.33	7.78	35.92	100	308	Average




Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\WL\AN\A611b Tx_Ch01.EMI (18) Date: 2007-05-02



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	9642.00	45.30	-28.70	74.00	82.95	-10.09	9.12	36.68	---	---	Peak

Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528\WL\AN\A611b Tx_Ch01.EMI (18) Date: 2007-05-02




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	12057.00	47.08	-26.92	74.00	82.79	-9.80	10.65	36.56	---	---	Peak




Data: 16 File: D:\Project\2007Q2\2007-05-01\710210-01\Part15C\528WLAN\A611b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-05-02



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	16131.00	41.30	-32.70	74.00	69.96	-5.51	11.80	34.94	---	---	Peak

Data: 18 File: D:\Project\2007Q2\2007-05-01\710210-01\Part15C\528WLAN\A611b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A6

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.92	58.67	-15.33	74.00	60.11	30.26	3.75	35.46	100	0	Peak
2 @	2389.92	45.50	-8.50	54.00	46.95	30.26	3.75	35.46	124	160	Average

Remark: There is no more obvious spurious emission except the listings above.



- Test Mode : Mode 12
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	140.43	24.39	-19.11	43.50	43.42	10.26	1.75	31.04	---	---	Peak
2	233.58	28.05	-17.95	46.00	45.43	11.30	2.25	30.93	---	---	Peak
3	241.14	28.04	-17.96	46.00	44.88	11.76	2.34	30.93	---	---	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4


	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	404.30	35.68	-10.32	46.00	47.57	15.84	3.12	30.86	---	---	Peak
2 @	514.90	42.78	-3.22	46.00	52.40	17.58	3.57	30.77	---	---	Peak
3 @	532.40	42.31	-3.69	46.00	51.65	17.76	3.65	30.75	---	---	Peak



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 3 File: D:\Project\2007Q2\20070508\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-RV
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2204.00	44.64	-9.36	54.00	46.24	30.18	3.54	35.31	100	152	Average
2	2204.00	54.79	-19.21	74.00	56.39	30.18	3.54	35.31	100	0	Peak
3	2389.76	45.73	-8.27	54.00	47.18	30.26	3.75	35.46	100	148	Average
4	2389.76	63.49	-10.51	74.00	64.94	30.26	3.75	35.46	100	0	Peak
5 X	2412.00	112.63			114.05	30.27	3.77	35.46	100	0	Peak
6 @	2412.00	100.78			102.20	30.27	3.77	35.46	100	148	Average
7	2484.00	51.43	-22.57	74.00	52.79	30.29	3.86	35.51	100	0	Peak
8	2484.00	40.35	-13.65	54.00	41.71	30.29	3.86	35.51	100	148	Average
9	2618.00	46.40	-7.60	54.00	47.81	30.14	3.98	35.52	100	235	Average
10	2618.00	58.57	-15.43	74.00	59.98	30.14	3.98	35.52	100	0	Peak

Remark: #5 and #6 Fundamental Signal

Data: 4 File: D:\Project\2007Q2\20070508\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-RV
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 5 File: D:\Project\2007Q2\2412\710210-01\Part15C\528\MLANW4\11b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7236.00	58.01	-15.99	74.00	47.82	38.33	7.78	35.92	100	0	Peak
2	7236.00	44.01	-9.99	54.00	33.82	38.33	7.78	35.92	100	225	Average

Data: 6 File: D:\Project\2007Q2\2412\710210-01\Part15C\528\MLANW4\11b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4


	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	9642.00	44.39	-29.61	74.00	82.04	-10.09	9.12	36.68	---	---	Peak



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 7 File: D:\Project\2007Q2\Case\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01; 2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	12057.00	40.92	-33.08	74.00	76.64	-9.80	10.65	36.56	---	---	Peak

Data: 8 File: D:\Project\2007Q2\Case\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-RY
 Condition : HF-ANT(6-18)-060918 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01; 2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4



Data: 17 File: D:\Project\2007Q2\2007-05-08\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-RY
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.76	63.49	-10.51	74.00	64.94	30.26	3.75	35.46	100	0	Peak
2	2389.76	45.73	-8.27	54.00	47.18	30.26	3.75	35.46	100	148	Average




- Polarization : Vertical

The test that passed at minimum margin was marked by the frame in the following table.



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	32.43	29.77	-10.23	40.00	42.72	17.54	0.86	31.36	---	---	Peak
2	62.13	25.58	-14.42	40.00	48.94	6.67	1.17	31.20	---	---	Peak
3	92.64	25.63	-17.87	43.50	45.78	9.62	1.35	31.11	---	---	Peak



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : LF-ANT(951121) VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4


	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	525.40	42.98	-3.02	46.00	52.43	17.69	3.62	30.76	---	---	Peak
2	623.40	31.97	-14.03	46.00	40.07	18.57	3.99	30.66	---	---	Peak
3	890.80	27.90	-18.10	46.00	33.03	20.46	4.79	30.38	---	---	Peak



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 11 File: D:\Project\2007Q2\2710210-01\Part15C\528WLANA4111b Tx_Ch01.EMI (18)
 Level (dBuV/m) Date: 2007-05-08



Trace: (Discrete)


Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2204.00	42.77	-11.23	54.00	44.37	30.18	3.54	35.31	100	297	Average
2	2204.00	54.74	-19.26	74.00	56.34	30.18	3.54	35.31	100	0	Peak
3	2389.92	46.52	-7.48	54.00	47.97	30.26	3.75	35.46	100	89	Average
4	2389.92	62.59	-11.41	74.00	64.04	30.26	3.75	35.46	100	0	Peak
5 X	2412.00	100.38			101.80	30.27	3.77	35.46	100	89	Average
6 X	2412.00	115.30			116.72	30.27	3.77	35.46	100	0	Peak
7	2484.00	43.81	-10.19	54.00	45.17	30.29	3.86	35.51	100	89	Average
8	2484.00	56.02	-17.98	74.00	57.38	30.29	3.86	35.51	100	0	Peak
9	2618.00	64.80	-9.20	74.00	66.21	30.14	3.98	35.52	100	0	Peak
10 !	2618.00	50.89	-3.11	54.00	52.30	30.14	3.98	35.52	100	178	Average

Remark: #5 and #6 Fundamental Signal



Data: 12 File: D:\Project\2007Q2\亞旭710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	52.06	-21.94	74.00	49.39	32.94	5.84	36.12	100	0	Peak
2	4824.00	42.10	-11.90	54.00	39.43	32.94	5.84	36.12	100	339	Average

Data: 13 File: D:\Project\2007Q2\亞旭710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)

Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	7236.00	60.26	-13.74	74.00	50.07	38.33	7.78	35.92	100	0	Peak
2 @	7236.00	50.05	-3.95	54.00	39.86	38.33	7.78	35.92	100	329	Average




Data: 14 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528WLAN\A411b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	9642.00	47.10	-26.90	74.00	84.75	-10.09	9.12	36.68	---	---	Peak

Data: 15 File: D:\Project\2007Q2\亞旭\710210-01\Part15C\528WLAN\A411b Tx_Ch01.EMI (18) Date: 2007-05-08




Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060018 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	Ant	Table	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	12057.00	43.80	-30.20	74.00	79.51	-9.80	10.65	36.56	---	---	Peak




Data: 16 File: D:\Project\2007Q2\2007-05-08\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT(8-16)-060918 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

Data: 18 File: D:\Project\2007Q2\2007-05-08\710210-01\Part15C\528WLAN\411b Tx_Ch01.EMI (18) Date: 2007-05-08



Trace: (Discrete)
 Site : 03CH06-HY
 Condition : HF-ANT-060410 VERTICAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A4

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2389.92	62.60	-11.40	74.00	64.04	30.26	3.75	35.46	100		0 Peak
2 @	2389.92	46.52	-7.48	54.00	47.97	30.26	3.75	35.46	100		89 Average


Remark: There is no more obvious spurious emission except the listings above.



- Test Mode : Mode 13
- Polarization : Horizontal

The test that passed at minimum margin was marked by the frame in the following table.

Data: 1 File: D:\Project\2007Q2\25\26\710210-01\Part15C\528\WLAN\A13\11b Tx_Ch01.EMI (18) Date: 2007-05-01




Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A13

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	116.13	35.34	-8.16	43.50	52.52	12.28	1.60	31.06	---	---	Peak
2 @	148.53	35.35	-8.15	43.50	54.23	10.37	1.81	31.07	---	---	Peak
3 @	200.64	34.53	-8.97	43.50	54.01	9.36	2.18	31.02	---	---	Peak

Data: 2 File: D:\Project\2007Q2\25\26\710210-01\Part15C\528\WLAN\A13\11b Tx_Ch01.EMI (18) Date: 2007-05-01



Trace: (Discrete)

Site : 03CH06-HY
 Condition : LF-ANT(951121) HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01;2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A13


	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	379.80	34.50	-11.50	46.00	47.09	15.26	3.03	30.88	---	---	Peak
2 @	516.30	38.38	-7.62	46.00	47.98	17.59	3.58	30.77	100	304	Peak
3 @	528.90	37.26	-8.74	46.00	46.66	17.72	3.64	30.75	---	---	Peak



FCC/IC TEST REPORT

Report No. : FR710210-01

Data: 3 File: D:\Project\2007Q2\51710210-01\Part15C\528M\ANW13\11b Tx_Ch01.EMI (18) Level (dBuV/m) Date: 2007-05-01



Trace: (Discrete)

Site : 03CH06-HV
 Condition : HF-ANT-060410 HORIZONTAL
 EUT : PDA
 Power : 120Vac/60Hz
 Model : FR 710210-01
 Memo : 11b Tx_Ch01; 2412MHz
 Plane : E2
 Data Rate : 11
 Scanner : A13

	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	2214.00	55.41	-18.59	74.00	57.01	30.18	3.56	35.33	100	0	Peak
2	2214.00	44.97	-9.03	54.00	46.56	30.18	3.56	35.33	100	19	Average
3	2388.96	59.07	-14.93	74.00	60.52	30.26	3.75	35.46	100	0	Peak
4	2388.96	46.71	-7.29	54.00	48.15	30.25	3.75	35.44	100	296	Average
5 X	2412.00	111.00			112.41	30.27	3.77	35.46	100	0	Peak
6 @	2412.00	99.68			101.10	30.27	3.77	35.46	100	296	Average
7	2494.00	51.98	-22.02	74.00	53.33	30.30	3.88	35.53	100	0	Peak
8	2494.00	42.69	-11.31	54.00	44.04	30.30	3.88	35.53	100	296	Average
9	2618.00	62.69	-11.31	74.00	64.09	30.14	3.98	35.52	100	0	Peak
10 !	2618.00	50.58	-3.42	54.00	51.99	30.14	3.98	35.52	100	42	Average

Remark: #5 and #6 Fundamental Signal