



Psion
Parc de la Duranne
135 Rue René Descartes
BP 421000
13591 Aix en Provence Cedex 3
France
www.psionteklogix.com
Phone +33 (0)442 908 809
Fax +33 (0)442 908 888

06 march, 2011

EMITECH GRAND SUD
BP 25
145 rue du Massacan
34741 VENDARGUES CEDEX
Téléphone : 04 67 87 11 02
Télécopie : 04 67 70 94 55

Subject: RADIO Test of the RFID MODULE HF-AM1-OMNII

Applicant: PSION Teklogix Inc.
Product: HF RFID Reader
Model: ST9210 HF RFID Slim Pod
FCC ID: GM3HFAM1XT10
IC ID: 2739D-HFA1XT10

The RFID module has to pass the limited Modular approval for FCC and Canadian rules. This module will be approved for use when installed in the following OMNII Handheld PC models: 7545 in co-transmission with Bluetooth module and WIFI and WWAN.
The WWAN radio will be functioning in data transmission only **with voice function inactivated**.

The OMNII with Integrated HF RFID Reader is a colour mobile PC. The product is a mobile device and must not **be held closer than 20 cm from the rest of the body and must not be used in a holster or on a belt-clip**. It also has a Lithium Ion polymer rechargeable battery pack, Laser scanner unit, I WIFI, and Bluetooth module.

These configurations are already approved:

- 7545 RT15 with BT and WIFI : FCC ID GM37545MBWP and IC ID 2739D-7545MBWP

The 13.56 MHz HID RFID coupler consisted of an antenna and RFID reader PCB/ interface PCB. This coupler is plugged on the OMNII RT15 internal expansion port. Supplied with the unit is an AC/DC adaptor. The RFID module has an integrated antenna.

For the RADIO test of RFID MODULE HF-AM1-OMNII we have used some part of the FCC report from the HID reader FCC ID: RJPRDHC-0202N0-0X

We have used the test result of Carrier frequency stability. The radio part RDHC-020xN0-xx is exactly the same in the RFID Module HF-AM1-OMNII and this test is independent of the antenna type.

Regards,

Nicolas FORNIER
Psion Teklogix