



Psion Teklogix

Parc de la Duranne
135 Rue René Descartes
BP 421000
13591 Aix en Provence Cedex 3
France

www.psionteklogix.com

Phone +33 (0)442 908 809
Fax +33 (0)442 908 888

26 February, 2008

EMITECH GRAND SUD
BP 25
145 rue du Massacan
34741 VENDARGUES CEDEX
Téléphone : 04 67 87 11 02
Télécopie : 04 67 70 94 55

Subject: RADIO Test of the RFID MODULE UHF-CA2-A5-G2

Applicant: PSION Teklogix Inc.
Product: Integrated UHF RFID Reader
Model: RFID Module UHF-CA2-A5-G2
FCC ID: GM3UHFCA2A5

The RFID module has to pass the limited Modular approval for FCC rules. This module will be approved for use when installed in the following Workabout Pro G2 Handheld PC models: 7527C and 7527S in co-transition with Bluetooth module and WIFI CF-Card RA2041.

The WORKABOUT PRO G2 7527 C and S are colours portables PC (This product is a portable device. It must not be held closer than 20 cm from the rest of the body and must not be used in a holster or on a belt-clip).

They also have a Lithium Ion polymer rechargeable battery pack, optional Laser scanner unit, optional WIFI CF-card (RA2041) and Bluetooth module.

These configurations are already approved:

- 7527 C and S with BT: FCC ID GM37525BTB
- 7527 C and S with BT and WIFI: FCC ID GM37527RA2041
-

The 915 MHz CAEN RFID couplers consisted of an antenna and RFID reader PCB/ interface PCB. Supplied with the unit is a docking station and AC/DC adaptor. The RFID module has an integrated antenna.

For the RADIO test of RFID MODULE UHF-CA2-A5-G2 we have used some part of the FCC report from the CAEN reader A828US FCC ID: UVECAENRFID001.

The radio part A828US is exactly the same in the RFID Module UHF-CA2-A5-G2 and we have used only the tests part independent of the antenna type.

For information the antenna used in the RFID MODULE UHF-CA2-A5 is a dipole type with around 1.9dBi of gain.

Regards,

Philippe PORTE
Psion Teklogix