

01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.623 mW/g, SAR (1g): 0.303 mW/g, SAR (10g): 0.142 mW/g, (Worst-case extrapolation)

Penetration depth: 6.9 (6.6, 7.6) [mm]; Powerdrift: -0.10 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.650 mW/g, SAR (1g): 0.308 mW/g, SAR (10g): 0.144 mW/g, (Worst-case extrapolation)

Penetration depth: 6.3 (6.0, 7.1) [mm]; Powerdrift: -0.09 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Section; Position:

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR: , , ()

Penetration depth: 6.5 (6.2, 7.5) [mm];

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $\sigma = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.613 mW/g, SAR (1g): 0.299 mW/g, SAR (10g): 0.141 mW/g, (Worst-case extrapolation)

Penetration depth: 6.7 (6.4, 7.5) [mm]; Powerdrift: -0.11 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $\sigma = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.177 mW/g, SAR (1g): 0.0898 mW/g, SAR (10g): 0.0468 mW/g, (Worst-case extrapolation)

Penetration depth: 7.0 (6.7, 7.6) [mm]; Powerdrift: -0.13 dB


Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



SAR<sub>Tot</sub> [mW/g]



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Section; Position:

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR: , , ()

Penetration depth: 7.2 (6.8, 8.1) [mm];

Z-Axis:  $D_x = 0.0$ ,  $D_y = 0.0$ ,  $D_z = 2.0$

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $\sigma = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.0726 mW/g, SAR (1g): 0.0362 mW/g, SAR (10g): 0.0185 mW/g, (Worst-case extrapolation)

Penetration depth: 7.2 (6.8, 8.1) [mm]; Powerdrift: 0.10 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $\sigma = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.104 mW/g, SAR (1g): 0.0519 mW/g, SAR (10g): 0.0266 mW/g, (Worst-case extrapolation)

Penetration depth: 7.0 (6.7, 7.7) [mm]; Powerdrift: -0.18 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0





01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 1.04 mW/g, SAR (1g): 0.467 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)

Penetration depth: 6.0 (5.8, 6.7) [mm]; Powerdrift: -0.19 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Section; Position:

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR: , , ()

Penetration depth: 6.1 (5.8, 7.0) [mm];

Z-Axis:  $D_x = 0.0$ ,  $D_y = 0.0$ ,  $D_z = 2.0$

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 1.04 mW/g, SAR (1g): 0.467 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)

Penetration depth: 5.9 (5.7, 6.6) [mm]; Powerdrift: -0.08 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.993 mW/g, SAR (1g): 0.441 mW/g, SAR (10g): 0.176 mW/g, (Worst-case extrapolation)

Penetration depth: 5.8 (5.6, 6.5) [mm]; Powerdrift: -0.12 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.137 mW/g, SAR (1g): 0.0660 mW/g, SAR (10g): 0.0312 mW/g, (Worst-case extrapolation)

Penetration depth: 6.0 (5.8, 6.5) [mm]; Powerdrift: -0.11 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Section; Position:

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR: , , ()

Penetration depth: 6.2 (5.9, 6.8) [mm];

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $\sigma = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);


SAR:Cube 5x5x7: Peak: 0.128 mW/g, SAR (1g): 0.0611 mW/g, SAR (10g): 0.0287 mW/g, (Worst-case extrapolation)

Penetration depth: 5.9 (5.7, 6.4) [mm]; Powerdrift: -0.11 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0



01/03/03

## ViewSonic (Model VSMW24668-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0

Medium: Muscle 2450 MHz:  $s = 2.11$  mho/m  $\epsilon_r = 50.3$   $\rho = 1.00$  g/cm<sup>3</sup>

SAM-1 Phantom; Flat Section; Position: (90°,90°)

Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);

SAR:Cube 5x5x7: Peak: 0.122 mW/g, SAR (1g): 0.0570 mW/g, SAR (10g): 0.0260 mW/g, (Worst-case extrapolation)

Penetration depth: 5.9 (5.7, 6.3) [mm]; Powerdrift: -0.11 dB

Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0

Liquid Temperature (degree C): 20.0

