

APPENDIX REPORT

Project No.	SHT2004056203EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20040562005	Model No.	S007
Start test date	2020/4/29	Finish date	2020/4/29
Temperature	25°C	Humidity	50%
Test Engineer	JiongSheng.Feng	Auditor	<i>William.wang</i>




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
E	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	16.55	14.52	≤30.00	Pass
	06	16.57	14.58		
	11	16.44	14.44		
802.11g	01	11.96	8.47	≤30.00	Pass
	06	12.02	8.64		
	11	12.06	8.52		
802.11n(HT20)	01	11.96	8.66	≤30.00	Pass
	06	12.03	8.73		
	11	12.04	8.67		
802.11n(HT40)	03	13.23	9.56	≤30.00	Pass
	06	13.25	9.73		
	09	13.12	9.68		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	0.72	≤8.00	Pass
	06	0.98		
	11	4.71		
802.11g	01	-11.48	≤8.00	Pass
	06	-11.88		
	11	-12.08		
802.11n(HT20)	01	-12.02	≤8.00	Pass
	06	-12.13		
	11	-11.99		
802.11n(HT40)	03	-13.29	≤8.00	Pass
	06	-13.75		
	09	-14.11		

Type:		802.11 b
CH01		
CH06		
CH11		




Type:		802.11 g
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max M1[1] -11.40 dBm 2.4100740 GHz</p> <p>CF 2.412 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:11:09</p>	
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max M1[1] -11.00 dBm 2.4401110 GHz</p> <p>CF 2.437 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:13:22</p>	
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max M1[1] -12.00 dBm 2.4570070 GHz</p> <p>CF 2.462 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:17:32</p>	

Type:		802.11n(HT20)
CH01	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -12.02 dBm 2.4107340 GHz</p> <p>CF 2.412 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:23:50</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -12.13 dBm 2.4357340 GHz</p> <p>CF 2.437 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:25:44</p>	
CH11	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 189.6 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>IPK Max</p> <p>M1[1] -11.99 dBm 2.4607340 GHz</p> <p>CF 2.462 GHz 691 pts Span 25.0 MHz</p> <p>Date: 29 APR 2020 14:27:32</p>	

Type:		802.11n(HT40)
CH03	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1PK Max M1[1] -13.29 dBm 2.4307550 GHz</p> <p>CF 2.422 GHz 691 pts Span 55.0 MHz</p> <p>Date: 29 APR 2020 14:30:53</p>	
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1PK Max M1[1] -13.75 dBm 2.4457550 GHz</p> <p>CF 2.437 GHz 691 pts Span 55.0 MHz</p> <p>Date: 29 APR 2020 14:33:17</p>	
CH09	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1PK Max M1[1] -14.11 dBm 2.4469860 GHz</p> <p>CF 2.452 GHz 691 pts Span 55.0 MHz</p> <p>Date: 29 APR 2020 14:35:20</p>	

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.60	≥0.5	Pass
	06	9.60		
	11	9.12		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.50		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.64		
	11	17.64		
802.11n(HT40)	03	35.88	≥0.5	Pass
	06	35.82		
	09	35.58		

Type:	802.11 b																												
CH01	 <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40744 GHz</td> <td>-2.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41299 GHz</td> <td>4.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.6 MHz</td> <td>0.48 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 13:47:05</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40744 GHz	-2.63 dBm			M2		1	2.41299 GHz	4.05 dBm			D3	M1	1	9.6 MHz	0.48 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40744 GHz	-2.63 dBm																									
M2		1	2.41299 GHz	4.05 dBm																									
D3	M1	1	9.6 MHz	0.48 dB																									
CH06	 <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43244 GHz</td> <td>-2.17 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43799 GHz</td> <td>4.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.6 MHz</td> <td>0.59 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 13:50:13</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43244 GHz	-2.17 dBm			M2		1	2.43799 GHz	4.90 dBm			D3	M1	1	9.6 MHz	0.59 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43244 GHz	-2.17 dBm																									
M2		1	2.43799 GHz	4.90 dBm																									
D3	M1	1	9.6 MHz	0.59 dB																									
CH11	 <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45744 GHz</td> <td>-2.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46149 GHz</td> <td>4.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.12 MHz</td> <td>-0.29 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 13:51:52</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45744 GHz	-2.22 dBm			M2		1	2.46149 GHz	4.35 dBm			D3	M1	1	9.12 MHz	-0.29 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45744 GHz	-2.22 dBm																									
M2		1	2.46149 GHz	4.35 dBm																									
D3	M1	1	9.12 MHz	-0.29 dB																									




Type:	802.11 g																												
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1PK View M1[1] -14.45 dBm 2.4038100 GHz M2[1] -7.36 dBm 2.4170100 GHz D1 -13.360 dB CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40381 GHz</td> <td>-14.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41701 GHz</td> <td>-7.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.42 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:10:46</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40381 GHz	-14.45 dBm			M2		1	2.41701 GHz	-7.36 dBm			D3	M1	1	16.41 MHz	0.42 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40381 GHz	-14.45 dBm																									
M2		1	2.41701 GHz	-7.36 dBm																									
D3	M1	1	16.41 MHz	0.42 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1PK View M1[1] -14.32 dBm 2.4288100 GHz M2[1] -7.32 dBm 2.4420100 GHz D1 -13.322 dB CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42881 GHz</td> <td>-14.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44201 GHz</td> <td>-7.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>-0.14 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:13:01</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42881 GHz	-14.32 dBm			M2		1	2.44201 GHz	-7.32 dBm			D3	M1	1	16.41 MHz	-0.14 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42881 GHz	-14.32 dBm																									
M2		1	2.44201 GHz	-7.32 dBm																									
D3	M1	1	16.41 MHz	-0.14 dB																									
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1PK View M1[1] -15.12 dBm 2.4537200 GHz M2[1] -8.36 dBm 2.4607400 GHz D1 -14.365 dB CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45372 GHz</td> <td>-15.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46074 GHz</td> <td>-8.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.5 MHz</td> <td>0.13 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:17:09</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45372 GHz	-15.12 dBm			M2		1	2.46074 GHz	-8.36 dBm			D3	M1	1	16.5 MHz	0.13 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45372 GHz	-15.12 dBm																									
M2		1	2.46074 GHz	-8.36 dBm																									
D3	M1	1	16.5 MHz	0.13 dB																									




Type:	802.11n(HT20)																												
CH01	<p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40318 GHz</td> <td>-14.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41701 GHz</td> <td>-7.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>0.43 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:23:29</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40318 GHz	-14.57 dBm			M2		1	2.41701 GHz	-7.74 dBm			D3	M1	1	17.67 MHz	0.43 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40318 GHz	-14.57 dBm																									
M2		1	2.41701 GHz	-7.74 dBm																									
D3	M1	1	17.67 MHz	0.43 dB																									
CH06	<p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42818 GHz</td> <td>-14.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43574 GHz</td> <td>-7.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>0.79 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:25:23</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42818 GHz	-14.69 dBm			M2		1	2.43574 GHz	-7.48 dBm			D3	M1	1	17.64 MHz	0.79 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42818 GHz	-14.69 dBm																									
M2		1	2.43574 GHz	-7.48 dBm																									
D3	M1	1	17.64 MHz	0.79 dB																									
CH11	<p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45318 GHz</td> <td>-13.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45699 GHz</td> <td>-7.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.56 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:27:11</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45318 GHz	-13.84 dBm			M2		1	2.45699 GHz	-7.34 dBm			D3	M1	1	17.64 MHz	-0.56 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45318 GHz	-13.84 dBm																									
M2		1	2.45699 GHz	-7.34 dBm																									
D3	M1	1	17.64 MHz	-0.56 dB																									




Type:	802.11n(HT40)																												
CH03	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -16.78 dBm 2.4043600 GHz M2[1] -8.61 dBm 2.4395200 GHz</p> <p>D1 -14.605 dBm</p> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40436 GHz</td> <td>-16.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43952 GHz</td> <td>-8.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.88 MHz</td> <td>1.13 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:30:25</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40436 GHz	-16.78 dBm			M2		1	2.43952 GHz	-8.61 dBm			D3	M1	1	35.88 MHz	1.13 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40436 GHz	-16.78 dBm																									
M2		1	2.43952 GHz	-8.61 dBm																									
D3	M1	1	35.88 MHz	1.13 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -16.13 dBm 2.4193600 GHz M2[1] -8.96 dBm 2.4419800 GHz</p> <p>D1 -14.963 dBm</p> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41936 GHz</td> <td>-16.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44198 GHz</td> <td>-8.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.82 MHz</td> <td>1.11 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:32:48</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41936 GHz	-16.13 dBm			M2		1	2.44198 GHz	-8.96 dBm			D3	M1	1	35.82 MHz	1.11 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.41936 GHz	-16.13 dBm																									
M2		1	2.44198 GHz	-8.96 dBm																									
D3	M1	1	35.82 MHz	1.11 dB																									
CH09	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -14.96 dBm 2.4340600 GHz M2[1] -8.91 dBm 2.4494800 GHz</p> <p>D1 -14.906 dBm</p> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43406 GHz</td> <td>-14.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44948 GHz</td> <td>-8.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.58 MHz</td> <td>-0.74 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:34:50</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43406 GHz	-14.96 dBm			M2		1	2.44948 GHz	-8.91 dBm			D3	M1	1	35.58 MHz	-0.74 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43406 GHz	-14.96 dBm																									
M2		1	2.44948 GHz	-8.91 dBm																									
D3	M1	1	35.58 MHz	-0.74 dB																									




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.23	-	Pass
	06	12.29		
	11	12.32		
802.11g	01	16.99	-	Pass
	06	16.90		
	11	16.84		
802.11n(HT20)	01	17.80	-	Pass
	06	17.86		
	11	17.86		
802.11n(HT40)	03	36.32	-	Pass
	06	36.32		
	09	36.26		

Type:		802.11 b
CH01	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>5.28 dBm 2.4125090 GHz 12.227772298 MHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 13:47:14</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>4.78 dBm 2.4375090 GHz 12.287712288 MHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 13:50:21</p>	
CH11	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>4.86 dBm 2.4625090 GHz 12.317682318 MHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 13:52:00</p>	



Type:		802.11 g
CH01	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -4.64 dBm 2.4092430 GHz Occ Bw 16.993006993 MHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:10:57</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -5.07 dBm 2.4361310 GHz Occ Bw 16.903096903 MHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:13:09</p>	
CH11	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>M1[1] -5.00 dBm 2.4567550 GHz Occ Bw 16.843156843 MHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:17:17</p>	


Type:		802.11n(HT20)
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>M1[1] -5.81 dBm 2.4142780 GHz Occ Bw 17.862197802 MHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:23:37</p>	
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>M1[1] -5.58 dBm 2.4355310 GHz Occ Bw 17.862137862 MHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:25:32</p>	
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>M1[1] -5.29 dBm 2.4640980 GHz Occ Bw 17.862137862 MHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 29 APR 2020 14:27:19</p>	

Type:		802.11n(HT40)
CH03	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -9.56 dBm 2.436880 GHz Occ Bw 36.323676324 MHz</p> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 29 APR 2020 14:30:37</p>	
CH06	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -4.17 dBm 2.4504870 GHz Occ Bw 36.323676324 MHz</p> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 29 APR 2020 14:32:59</p>	
CH09	 <p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 500 kHz Att 30 dB SWT 1 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>IPK View</p> <p>M1[1] -4.07 dBm 2.4442080 GHz Occ Bw 36.263736264 MHz</p> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz</p> <p>Date: 29 APR 2020 14:35:00</p>	



Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.54	97.9%	0.1
11g	2437	1.38	1.55	89%	0.7
11n20	2437	1.28	1.45	88.3%	0.8
11n40	2437	0.63	0.80	78.8%	1.6









Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b
CH01	 <p style="text-align: center;">Date: 29 APR 2020 13:47:36</p>		
CH11	 <p style="text-align: center;">Date: 29 APR 2020 13:53:35</p>		


Test Item:	Bandedge	Type:	802.11 g																																																
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.41706 GHz</td> <td>-6.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-56.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-58.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-60.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399438 GHz</td> <td>-55.73 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:11:19</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.41706 GHz	-6.85 dBm			M2	1			2.4 GHz	-56.73 dBm			M3	1			2.39 GHz	-58.08 dBm			M4	1			2.31 GHz	-60.18 dBm			M5	1			2.399438 GHz	-55.73 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.41706 GHz	-6.85 dBm																																														
M2	1			2.4 GHz	-56.73 dBm																																														
M3	1			2.39 GHz	-58.08 dBm																																														
M4	1			2.31 GHz	-60.18 dBm																																														
M5	1			2.399438 GHz	-55.73 dBm																																														
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.456967 GHz</td> <td>-7.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-58.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-59.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4866435 GHz</td> <td>-56.60 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:17:45</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.456967 GHz	-7.45 dBm			M2	1			2.4835 GHz	-58.79 dBm			M3	1			2.5 GHz	-59.80 dBm			M4	1			2.4866435 GHz	-56.60 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.456967 GHz	-7.45 dBm																																														
M2	1			2.4835 GHz	-58.79 dBm																																														
M3	1			2.5 GHz	-59.80 dBm																																														
M4	1			2.4866435 GHz	-56.60 dBm																																														

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -7.07 dBm 2.417060 GHz M2[1] -55.19 dBm 2.400000 GHz M3 M4 M5</p> <p>D1 -27.070 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.41706 GHz</td> <td>-7.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-55.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-58.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-60.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.399925 GHz</td> <td>-54.99 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:24:00</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.41706 GHz	-7.07 dBm			M2	1	1	2.4 GHz	-55.19 dBm			M3	1	1	2.39 GHz	-58.42 dBm			M4	1	1	2.31 GHz	-60.33 dBm			M5	1	1	2.399925 GHz	-54.99 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.41706 GHz	-7.07 dBm																																									
M2	1	1	2.4 GHz	-55.19 dBm																																									
M3	1	1	2.39 GHz	-58.42 dBm																																									
M4	1	1	2.31 GHz	-60.33 dBm																																									
M5	1	1	2.399925 GHz	-54.99 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -7.29 dBm 2.4569670 GHz M2[1] -57.74 dBm 2.4835000 GHz M3 M4</p> <p>D1 -27.290 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.456967 GHz</td> <td>-7.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-57.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-58.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4872 GHz</td> <td>-56.10 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:27:46</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.456967 GHz	-7.29 dBm			M2	1	1	2.4835 GHz	-57.74 dBm			M3	1	1	2.5 GHz	-58.67 dBm			M4	1	1	2.4872 GHz	-56.10 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.456967 GHz	-7.29 dBm																																									
M2	1	1	2.4835 GHz	-57.74 dBm																																									
M3	1	1	2.5 GHz	-58.67 dBm																																									
M4	1	1	2.4872 GHz	-56.10 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	 <p>Marker Table for CH03:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43942 GHz</td> <td>-9.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-55.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39953 GHz</td> <td>-54.78 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:31:08</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.43942 GHz	-9.12 dBm			M2	1		2.4 GHz	-55.63 dBm			M3	1		2.39 GHz	-58.51 dBm			M4	1		2.31 GHz	-60.28 dBm			M5	1		2.39953 GHz	-54.78 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.43942 GHz	-9.12 dBm																																									
M2	1		2.4 GHz	-55.63 dBm																																									
M3	1		2.39 GHz	-58.51 dBm																																									
M4	1		2.31 GHz	-60.28 dBm																																									
M5	1		2.39953 GHz	-54.78 dBm																																									
CH09	 <p>Marker Table for CH09:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.449566 GHz</td> <td>-8.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-54.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-54.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4947768 GHz</td> <td>-52.44 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 29 APR 2020 14:35:30</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449566 GHz	-8.86 dBm			M2	1		2.4835 GHz	-54.50 dBm			M3	1		2.5 GHz	-54.41 dBm			M4	1		2.4947768 GHz	-52.44 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449566 GHz	-8.86 dBm																																									
M2	1		2.4835 GHz	-54.50 dBm																																									
M3	1		2.5 GHz	-54.41 dBm																																									
M4	1		2.4947768 GHz	-52.44 dBm																																									


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>		<p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max -4.67 dBm 2.4110010 GHz CF 2.412 GHz 691 pts Span 30.0 MHz Date: 29 APR 2020 13:47:43</p>	
<p>CH01 30MHz~1000MHz</p>		<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max -52.32 dBm 811.3570 MHz -15.330 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 29 APR 2020 13:47:59</p>	
<p>CH01 1GHz~26GHz</p>		<p>Spectrum Ref Level 26.00 dBm Offset 1.00 dB RBW 100 kHz Att 35 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max -40.93 dBm 23.995000 GHz -15.330 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 29 APR 2020 13:48:15</p>	

CH06
Reference level




Date: 29 APR 2020 13:50:40

CH06
30MHz~1000MHz




Date: 29 APR 2020 13:50:55

CH06
1GHz~26GHz




Date: 29 APR 2020 13:51:12


CH11
Reference level



CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

<p>CH06 Reference level</p>	<p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max -7.33 dBm 2.4419930 GHz CF 2.437 GHz 691 pts Span 30.0 MHz Date: 29 APR 2020 14:14:32</p>
<p>CH06 30MHz~1000MHz</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max -52.74 dBm 782.1940 MHz -27.330 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 29 APR 2020 14:14:48</p>
<p>CH06 1GHz~26GHz</p>	<p>Spectrum Ref Level 26.00 dBm Offset 1.00 dB RBW 100 kHz Att 35 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max -39.84 dBm 25.800833 GHz -27.330 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 29 APR 2020 14:15:04</p>


CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH09
Reference level



CH09
30MHz~1000MHz



CH09
1GHz~26GHz



-----End of Report-----