



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:08:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: *Vertical*

EUT : W6M22405-23456

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:52:57

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:08:54

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:35:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.4310	-86.80	peak	24.44	-62.36	-13.00	150	130	-49.36	
*	97.7956	-84.16	peak	22.99	-61.17	-13.00	150	180	-48.17	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:47:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.7395	-83.79	peak	23.18	-60.61	-13.00	150	215	-47.61	
*	100.1804	-82.14	peak	24.49	-57.65	-13.00	150	255	-44.65	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:51:09

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-75.34	peak	0.71	-74.63	-13.00	150	255	-61.63	
*	945.4910	-72.73	peak	-1.53	-74.26	-13.00	150	165	-61.26	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:07:21

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	773.9480	-71.56	peak	-1.84	-73.40	-13.00	150	230	-60.40	
*	937.4750	-68.38	peak	-0.86	-69.24	-13.00	150	90	-56.24	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:15:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-58.21	peak	7.23	-50.98	-13.00	150	120	-37.98	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:38:34

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.56	peak	10.12	-45.44	-13.00	150	210	-32.44	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:16:26

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-67.74	peak	10.44	-57.30	-13.00	150	65	-44.30	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:39:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-63.21	peak	12.20	-51.01	-13.00	150	255	-38.01	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:17:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:40:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:17:52

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:41:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:18:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:41:20

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:40:21

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.1122	-86.64	peak	24.40	-62.24	-13.00	150	185	-49.24	
	98.1363	-85.42	peak	22.94	-62.48	-13.00	150	115	-49.48	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:43:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.1683	-84.02	peak	22.99	-61.03	-13.00	150	290	-48.03	
*	100.1804	-82.07	peak	24.49	-57.58	-13.00	150	310	-44.58	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:56:07

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	434.0681	-64.87	peak	-6.92	-71.79	-13.00	150	195	-58.79	
	650.5010	-75.40	peak	0.71	-74.69	-13.00	150	65	-61.69	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:04:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	769.1383	-71.12	peak	-1.91	-73.03	-13.00	150	215	-60.03	
*	937.4750	-69.01	peak	-0.86	-69.87	-13.00	150	75	-56.87	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:56:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-52.85	peak	6.14	-46.71	-13.00	150	255	-33.71	